

OPERATIONAL AVAILABILITY SURVEILLANCE

Aircraft Type: A5555N
Date: 20-Oct-2023

Tail No	TIME 19-10-2023																TIME 20-10-2023								Uptime (S)					Downtime (ALDT)					Total Time	Overall Total Time	Ao %							
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTJ hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTJ Hrs	F	CTJ	MC	M	L				A	Total	Overall				
M502-1 S/N: 5709	F																	0.0	0.0	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	0.0								24.0	24H	100%
	CTJ	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/																					0.0						
	MC	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/																											
	M																																											
	L																																											
	A																																											
	TOTAL:																	0.0	0.0									0.0	0.0															

Tail No	TIME 19-10-2023																TIME 20-10-2023								Uptime (S)					Downtime (ALDT)					Total Time	Overall Total Time	Ao %							
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTJ hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTJ Hrs	F	CTJ	MC	M	L				A	Total	Overall				
M502-2 S/N: 5711	F			/	/													1.2	0.0	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	1.2								24.0	24H	100%
	CTJ	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/																											
	MC	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/																											
	M																																											
	L																																											
	A																																											
	TOTAL:																	1.2	0.0									0.0	0.0															

Sign: _____
Name: _____

Sign: _____
Name: _____

Abbreviation

F Flying
CTJ Check Test flight
MC Mission Capability

M Maintenance
L Awaiting Maintenance
A Awaiting Spare

Tail No	Demand & Defect list	Duration	Job No.	Remarks
M502-1 S/N: 5709	1 BOTH EMERGENCY FLOATATION GEAR TO BE FITTED		SNOW 9199	BOTH EMERGENCY FLOATATION GEAR S/N: 2922 (LH) AND S/N: 2917 (RH) FITTED AND LOCKED I.A.W MET 25.62.10.401. YQ APPLIED: 15 NM AND 99 NM. TQ S/N: 805025Y. TQ DUE 04/10.24 IN USED. BREAKER (6 OFF) ENGAGE. FUNCTIONAL TEST AND INDEPENDENT CHECK CARRIED OUT. I.A.W AKS LOG 05/18 BTH 04 JUL 18. ASSESSED SERVICEABLE. FOR W+B SEE SNOW 9200. REFER MOD FORM 707 PAGE NO 1186/2 ON 17102023 2 1215.
	2 AIRCRAFT WEIGHT TO BE RECALCULATED MF 702 B TO BE AMENDED		SNOW 9200	AIRCRAFT WEIGHT RECALCULATED FORM 702 B AMENDED C.O.W 1979.7 KGS. REFER MOD FORM 707 PAGE ON 1186/2 ON 17102023 @ 2130.
	3 PITCH CHANNEL LIGHT DOESNT ILLUMINATE		SNOW 9201	REFER MOD FORM 707 PAGE NO 1186/2.
Tail No	Demand & Defect list	Duration	Job No.	Remarks
M502-2 S/N: 5711	1 INDEPENDENT CHECK FOR CORRECT ASSY AND LOCKING ON 02 X PICKETING BOLT (8 OFF) TO BE PERFORMED		SNOW 8690	INDEPENDENT CHECK FOR CORRECT ASSY AND LOCKING ON 02 X PICKETING BOLT (8 OFF) PERFORMED I.A.W AKS LOG 05/15 BTH 04 JUL 18. CERTIFIED NO INDEPENDENT CHECK REQUIRED. REFER MOD FORM 707 PAGE NO 1189/2 ON 15102023 @ 2215.
	2 EMERGENCY FLOATATION GEAR TO BE FITTED		SNOW 8692	BOTH EMERGENCY FLOATATION GEAR (LH) S/N: 2784 AND (RH) S/N: 2915 FITTED AND LOCKED I.A.W MET 25.62.10.401. TQ APPLIED 15 NM AND 20 NM. TQ S/N: B 050254 TQ DUE: 04 01.24 IN USED BREAKER (6 OFF) ENGAGED. FUNCTIONAL CHECK AND INDEPENDENT CHECK CARRIED OUT I.A.W AKS LOG 04/15 BTH 04 JUL 18. ASSESSED SERVICEABLE. FOR W+B SEE SNOW 8693. REFER MOD FORM 707 PAGE NO 1189/2 ON 16102023.
	3 AIRCRAFT WEIGHT TO BE RECALCULATED MF 702 B TO BE AMENDED		SNOW 8693	AIRCRAFT WEIGHT RECALCULATED FORM 702 B AMENDED C.O.W 1999.19 KGS. REFER MOD FORM 707 PAGE NO 1189/2 ON 16102023 @ 1248.

Pesawat: Aircraft:	AS555N	Tarikh: Date:	20/10/2023
-----------------------	--------	------------------	------------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
 Part 2 - Daily Aircraft Status
 Keadaan Pesawat pada jam 0800H
 Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)			Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks			
			Keadaan State	Tarikh Rosak Date Unserviceable	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tarikh Pada Date of		Baki Balance		
												Jam Hour		Kalendar Calendar	Jam Hour	Hari Day
M502-1 5709	ENG #1 SN: 2408	4177.3	S								SCHEDULE INSPECTION				SEAT CONFIGURATION	
											25 FH INSP.	4202		24.7		STANDARD SEATS
											30 FH INSP.	4200.3		23.0		INSTALLED
											50 FH INSP.	4220.5		43.2		ITEM: FLIR
											100 FH INSP. (AF)	4220.5		43.2		STATUS: REMOVED
											100 FH INSP. (ENG NO 1)	4220.5		43.2		P/NO.: 10406-06-410 / 10406-06-210
											100 FH INSP. (ENG NO 2)	4220.5		43.2		S/NO.: N/A
											150 FH INSP. (AF)	4194.8		17.5		ITEM: MOUNTING GUN
											150 FH INSP. (ENG NO 1)	4194.8		17.50		STATUS: REMOVED
											150 FH INSP. (ENG NO 2)	4194.8		17.50		P/NO.: 3628931480
											300 FH INSP.	4463.4		286.1		S/NO.: N/A
											500 FH INSP. (AF)	4620.5		443.2		ITEM: FLOATATION GEAR
											500 FH INSP. (ENG NO 1)	4206.3		29.0		STATUS: REMOVED
											500 FH INSP. (ENG NO 2)	4620.5		443.2		P/NO.: 218570-0(RH) / 218569-0(LH)
											600 FH INSP. (AF)	4261.1		83.8		S/NO.: N/A
											600 FH INSP. (ENG NO 1)	4306.3		129.0		ITEM: SPECTROLAB ASSY
											600 FH INSP. (ENG NO 2)	4201.8		24.5		STATUS: REMOVED
											50 FH/6M INSP.	4220.5	27/12/2023	43.2	68 D	P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)
											150 FH//3M INSP.	4227.4	26/12/2023	50.1	67 D	S/NO.: N/A
											150 FH//6M INSP.	4183	27/12/2023	5.7	68 D	ITEM: RESCUE HOIST ASSY
											150 FH//12M INSP.	4194.8	27/06/2024	17.5	251 D	STATUS: REMOVED
											500 FH//24M INSP.	4483.2	27/06/2025	305.9	616 D	P/NO.: 704A-41-815-056
											600 FH//6M INSP.	4676.2	27/12/2023	498.9	68 D	S/NO.: N/A. HOIST CYCLE: N/A
											600 FH//24M INSP. (AF)	4201.8	16/01/2025	24.5	454 D	ITEM: CARGO SWING
											600 FH//24M INSP. (ENG NO 1)	4261.1	16/01/2025	1373.2	454 D	STATUS: REMOVED
											600 FH//24M INSP. (ENG NO 2)	4261.1	16/01/2025	571.0	454 D	P/NO.: 704A-4181-1027
											7 D INSP.		22/10/2023		2 D	S/NO.: N/A
											1 M INSP.		04/11/2023		15 D	
											6 M INSP.		27/12/2023		68 D	
											12 M INSP.		11/11/2023		22 D	
24 M INSP.		11/11/2023		22 D												
30 M INSP.		27/12/2025		799 D												
48 M INSP.		15/11/2024		392 D												
60 M INSP.		15/11/2025		757 D												
CORROSION CONTROL PROGRAMME (CCP)																
25 FH - ENG. CLEANING (BOTH ENG)	4202		24.7													
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																
10 HRS - AEOO 30/22	4180.3		3.0													
COMPONENT																
MGB OIL FILTER, PN: FA01315AV			15/11/2022										AC LANDING CYCLE 11,726			
TAIL SERVO, PN: SC5072			1/1/2023										FUEL TBA			

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0	WARNING OVERDUE	
CARRY FORWARD	16.6	CARRY FORWARD	0.0		WARNING NEARING DUE
HOURS FLIGHT OF THE MONTH	16.6	HOURS CTF OF THE MONTH	0.0		

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	20/10/2023
-----------------------	---------	------------------	------------

Bahagian ini diisi oleh MC
This parts to be filled by MC

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status				Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks	
			Keadaan State	Tarikh Rosak Date Unserviceable	Butir Kerosakan Details of Unserviceable	Jangka Masa Siap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Siap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tamat Pada Date of		Baki Balance		
												Jam Hrs	Kalendar Calendar	Jam Hrs		Hari Day
M502-2 5711	ENG #1 SN: 2013	3809.0	S							SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A		
										25 FH INSP.	3828		19			
										30 FH INSP.	3827.9		18.9			
										50 FH INSP.	3811.1		2.1			
										100 FH INSP. (AF)	3865.3		56.3			
										100 FH INSP. (ENG NO 1)	3865.3		56.3			
										100 FH INSP. (ENG NO 2)	3865.3		56.3			
										150 FH INSP. (AF)	3942.3		133.3			
										150 FH INSP. (ENG NO 1)	3864.2		55.2			
										150 FH INSP. (ENG NO 2)	3864.2		55.2			
										300 FH INSP.	3947.3		138.3			
										500 FH INSP. (AF)	4146.9		337.9			
										500 FH INSP. (ENG NO 1)	4146.9		337.9			
										500 FH INSP. (ENG NO 2)	4146.9		337.9			
										600 FH INSP. (AF)	4246.9		437.9			
										600 FH INSP. (ENG NO 1)	4314.2		505.2			
										600 FH INSP. (ENG NO 2)	4314.2		505.2			
										50 FH/6M INSP.	3811.1	17/2/2024	2.1		120 D	
										150 FH/3M INSP.	3928	12/12/2023	119		53 D	
										150 FH/6M INSP.	3838.8	14/11/2023	29.8		25 D	
										150 FH/12M INSP.	3942.3	14/02/2024	133.3		117 D	
										500 FH/24M INSP.	4010.3	19/07/2024	201.3		273 D	
										600 FH/6M INSP.	4312.1	17/12/2023	503.1		58 D	
										600 FH/24M INSP. (AF)	4266.9	20/03/2025	457.9		517 D	
										600 FH/24M INSP. (ENG NO 1)	4266.9	20/03/2025	457.9		517 D	
										600 FH/24M INSP. (ENG NO 2)	4266.9	20/03/2025	457.9		517 D	
										7 D INSP.		26/10/2023			6 D	
										1 M INSP.		17/11/2023			28 D	
										6 M INSP.		14/11/2023			25 D	
										12 M INSP.		20/06/2024			244 D	
24 M INSP.		21/06/2025		610 D												
30 M INSP.		17/02/2025		486 D												
48 M INSP.		20/07/2026		1004 D												
60 M INSP.		31/12/2027		1533 D												
CORROSION CONTROL PROGRAMME (CCP)																
AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)																
25 FH - ENG. CLEANING (BOTH ENG)											3828		19			
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE																
10 HRS - AEOO 30/22											3812.4			3.4		
660 FH INSP EASB 05.00.56 #3											4340.3			531.3		
50 HRS INSP AEO TM 22/05											3811.1			2.1		
COMPONENT											SERVICING / ANNUAL		TBO / SLL / OTP			
RDR ANTENNA SLAVING UNIT, PN: 017-01593-0100, SN: T2004												12/3/2026		874 D		

HOURS FLIGHT OF THE DAY	1.2	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	13.6	CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	14.8	HOURS CTF OF THE MONTH	0.0

10.837	WARNING OVERDUE
FUEL	WARNING NEARING DUE
TBA	

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	20/10/2023
-----------------------	---------	------------------	------------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
 Part 2 - Daily Aircraft Status
 Keadaan Pesawat pada jam 0800H
 Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This part is to be filled by MC

Pesawat Tail Number	Jam Enjin Eng ISN	Jam Pesawat A/C ISN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks								
			Keadaan State	Tarikh Rosak Date Unserviceable	Buli Kerosakan Details of Unserviceable	Jangka Masa Siap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Siap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Terminl Pada Due at			Baki Balance							
												Jam Msr	Kalendar Calendar		Jam Msr	Hari Day						
M502-3 5714	ENG #1 SN: 2408	3429.3	NON OP	28/6/21	AIRCRAFT EXPERIENCE HARD LANDING AT RMN BASE	TBN	SCHEDULE INSPECTION								SEAT CONFIGURATION							
							25 FH INSP.								3449.1		19.8		STANDARD SEATS INSTALLED			
							30 FH INSP.								3436		6.7		ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A			
							50 FH INSP.								3447.5		18.2		ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A			
							100 FH INSP. (AF)								3449.5		20.2		ITEM: FLOATION GEAR STATUS: INSTALL P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: 2742 (LH) & 2785 (RH)			
							100 FH INSP. (ENG NO 1)								3601.6		23.1		ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A			
							100 FH INSP. (ENG NO 2)								3498.1		23.1		ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A			
							150 FH INSP. (AF)								3434.1		4.8		ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A			
							150 FH INSP. (ENG NO 1)								3648.7		70.2					
							150 FH INSP. (ENG NO 2)								3545.2		70.2					
							300 FH INSP.								3647.8		218.5					
							500 FH INSP. (AF)								3726.6		297.3					
							500 FH INSP. (ENG NO 1)								3998.7		420.2					
							500 FH INSP. (ENG NO 2)								3895.2		420.2					
							600 FH INSP. (AF)								3582		152.7					
							600 FH INSP. (ENG NO 1)								4098.7		520.2					
							600 FH INSP. (ENG NO 2)								3995.2		520.2					
							150 FH//3M INSP.								3499.5	29/06/2021	70.2	-843 D				
							150 FH//6M INSP.								3499.5	29/09/2021	70.2	-751 D				
							150 FH//12M INSP.								3499.5	29/03/2022	70.2	-570 D				
							500 FH//24M INSP.								3847.8	06/01/2022	418.5	-652 D				
							600 FH//6M INSP.								3949.5	29/09/2021	520.2	-751 D				
							600 FH//24M INSP. (AF)								3947.8	06/01/2022	518.5	-652 D				
							600 FH//24M INSP. (ENG NO 1)								4098.7	06/04/2023	520.2	-197 D				
							600 FH//24M INSP. (ENG NO 2)								3995.2	06/04/2023	520.2	-197 D				
							7 D INSP.									28/06/2021		-844 D				
							1 M INSP.									28/06/2021		-844 D				
							6 M INSP.									02/09/2021		-778 D				
							12 M INSP.									02/03/2022		-597 D				
							24 M INSP.									29/03/2023		-205 D				
30 M INSP.									06/01/2022		-652 D											
48 M INSP.									06/01/2024		78 D											
60 M INSP.									18/04/2026		911 D											
CORROSION CONTROL PROGRAMME (CCP)																						
25 FH - ENG. CLEANING (BOTH ENG)								3449.1		19.8												
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																						
EASB 05.00.56 REV 1								3434.1		4.8												
EASB 67.00.33 REV.0								3497.8		68.5												
COMPONENT												SERVICING / ANNUAL				TBO / SLL / OTP						
BATTERY [P/N 151CH-1, 6M, POST: RIGHT&LEFT]									2/9/2021		-778 D											
AC LANDING CYCLE												9.251										
FUEL												TBA										
HOURS FLIGHT OF THE DAY		0.0		HOURS CTF OF THE DAY		0.0		WARNING OVERDUE														
CARRY FORWARD		0.0		CARRY FORWARD		0.0		WARNING NEARING DUE														
HOURS FLIGHT OF THE MONTH		0.0		HOURS CTF OF THE MONTH		0.0																

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	20/10/2023
-----------------------	---------	------------------	------------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada Jam 0800H
Aircraft Status at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks						
			Keadaan State	Tarikh Rosak Date Unserviceable	Butir Kerosakan Details of Unserviceable	Jangka Masa Siap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Siap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tamat Pada Due of			Baki Balance					
												Jam Hrs	Kalendar Calendar		Jam Hrs	Hari Day				
M502-4 5716	ENG #1 SN: 2011	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	SCHEDULE INSPECTION								SEAT CONFIGURATION					
							25 FH INSP.	4072.0		19.7							STANDARD SEATS			
							30 FH INSP.	4072.6		20.3							INSTALLED			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	50 FH INSP.	4092.6		40.3						ITEM: FLIR				
							100 FH INSP. (AF)	4063.0		10.7							STATUS: REMOVED			
							100 FH INSP. (ENG NO 1)	4063.0		10.7							P/NO.: 10406-06-410 / 10406-06-210			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	100 FH INSP. (ENG NO 2)	4063.0		10.7						S/NO.: N/A				
							150 FH INSP. (AF)	4062.3		10.0							ITEM: MOUNTING GUN			
							150 FH INSP. (ENG NO 1)	4062.3		10.0							STATUS: REMOVED			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	150 FH INSP. (ENG NO 2)	4062.3		10.0						P/NO.: 3628931480				
							300 FH INSP.	4086.7		34.4							S/NO.: N/A			
							500 FH INSP. (AF)	4351.0		298.7							ITEM: FLOATATION GEAR			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	500 FH INSP. (ENG NO 1)	4351.0		298.7						STATUS: REMOVED				
							500 FH INSP. (ENG NO 2)	4351.0		298.7							P/NO.: 218570-0(RH) / 218569-0(LH)			
							600 FH INSP. (AF)	4083.8		31.5							S/NO.: N/A			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	600 FH INSP. (ENG NO 1)	4083.8		31.5						ITEM: SPECTROLAB ASSY				
							600 FH INSP. (ENG NO 2)	4083.8		31.5							STATUS: REMOVED			
							50 FH//6M INSP.	4092.6	12/2/2024	40.3	115 D						P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	150 FH//3M INSP.	4062.3	24/10/2023	10.0	4 D					S/NO.: N/A				
							150 FH//6M INSP.	4062.3	14/04/2024	10.0	177 D						ITEM: RESCUE HOIST ASSY			
							150 FH//12M INSP.	4066	06/01/2024	13.7	78 D						STATUS: REMOVED			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	500 FH//24M INSP.	4117.3	08/07/2024	65.0	262 D					P/NO.: 704A-41-815-056				
							600 FH//6M INSP.	4414.9	24/01/2024	362.6	96 D						S/NO.: N/A			
							600 FH//24M INSP. (AF)	4083.8	02/03/2024	31.5	134 D						ITEM: CARGO SWING			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	600 FH//24M INSP. (ENG NO 1)	4083.8	02/03/2024	31.5	134 D					STATUS: REMOVED				
							600 FH//24M INSP. (ENG NO 2)	4083.8	02/03/2024	31.5	134 D						P/NO.: 704A-4181-1027			
							7 D INSP.		23/10/2023		3 D						S/NO.: N/A			
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	1 M INSP.		17/11/2023		28 D									
							6 M INSP.		21/02/2024		124 D									
							12 M INSP.		06/04/2024		169 D									
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	24 M INSP.		18/11/2023		29 D									
							30 M INSP.		14/12/2024		421 D									
							48 M INSP.		18/11/2025		760 D									
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	60 M INSP.		28/01/2027		1196 D									
							CORROSION CONTROL PROGRAMME (CCP)													
							25 FH - ENG. CLEANING (BOTH ENG)	4072.0		19.7										
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE													
							10 HRS - AEOO 30/22	4062.3		10.0										
							15 HRS INSP EASB 05.00.0001 REV. 0	4062		9.7										
ENG #1 SN: 2011	ENG #2 SN: 2215	4052.3	US	18/10/23	SLEEVE SPHERICAL THRUST BEARING FOUND TORN RECTIFICATION IN PROGRESS	20/10/23	COMPONENT				SERVICING / ANNUAL		TBO / SLL / OTP		AC LANDING CYCLE 11.036 FUEL TBA					
							SERVO CONTROL - MAIN SERVO (TBO), PN-SC 8043, SN-694		24/2/2024		127 D									
							BATTERY RH (201806007) & LH (201902059), DUE 6 MTH		15/02/2024		118 D									
HOURS FLIGHT OF THE DAY		0.0				HOURS CTF OF THE DAY		0.0												
CARRY FORWARD		14.3				CARRY FORWARD		0.6												
HOURS FLIGHT OF THE MONTH		14.3				HOURS CTF OF THE MONTH		0.6												

	WARNING OVERDUE
	WARNING NEARING DUE

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	20/10/2023
-----------------------	---------	------------------	------------

Bahagian ini diisi oleh MC
This parts to be filled by MC

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H



Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status				Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks	
			Keadaan State	Tarikh Rosak Date Unserviceable	Butiri Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tamat Pada Due at		Date		
												Jam Hrs	Kalendar Calendar	Jam Hrs		Hari Day
M502-5 5717	ENG #1 SN: 2296	3889.4	NON OP	31/7/23	600 FH // 24 M INSPECTION AND SKIN REPAIR. INSPECTION IN PROGRESS	3/11/23				SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3428931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: INSTALLED P/NO.: 704A-4181-1027 S/NO.: 1136		
										25 FH INSP.	3900.5		11.1			
										30 FH INSP.	3895.4		6.0			
										50 FH INSP.	3882.5		-6.9			
										100 FH INSP. (AF)	3946.8		57.4			
										100 FH INSP. (ENG NO 1)	3946.8		57.4			
										100 FH INSP. (ENG NO 2)	3946.8		57.4			
										150 FH INSP. (AF)	3958.0		68.6			
										150 FH INSP. (ENG NO 1)	3958.0		68.6			
										150 FH INSP. (ENG NO 2)	3958.0		68.6			
										300 FH INSP.	4118.6		229.2			
										500 FH INSP. (AF)	4302.7		413.3			
										500 FH INSP. (ENG NO 1)	4303.7		414.3			
										500 FH INSP. (ENG NO 2)	4304.7		415.3			
										600 FH INSP. (AF)	3922.0		32.6			
										600 FH INSP. (ENG NO 1)	3922.0		32.6			
										600 FH INSP. (ENG NO 2)	3922.0		32.6			
										50 FH//6M INSP.	3907.3	1/12/2024	17.9		408 D	
										150 FH//3M INSP.	4010.9	15/9/2023	121.5		-35 D	
										150 FH//6M INSP.	3958.0	1/9/2023	68.6		-49 D	
										150 FH//12M INSP.	3892.3	25/11/2023	2.9		36 D	
										500 FH//24M INSP.	4302.7	1/3/2025	413.3		498 D	
										600 FH//6M INSP.	4178.2	15/12/2023	288.8		56 D	
										600 FH//24M INSP. (AF)	4408.0	9/3/2025	518.6		506 D	
										600 FH//24M INSP. (ENG NO 1)	4408.0	9/3/2025	518.6		506 D	
										600 FH//24M INSP. (ENG NO 2)	4408.0	9/3/2025	518.6		506 D	
										7 D INSP.		31/07/2023			-81 D	
										1 M INSP.		2/8/2023			-79 D	
										6 M INSP.		9/11/2023			20 D	
										12 M INSP.		8/6/2025			597 D	
										24 M INSP.		9/5/2025			567 D	
										30 M INSP.		5/2/2024			108 D	
										48 M INSP.		26/3/2025			523 D	
60 M INSP.		30/9/2026		1076 D												
CORROSION CONTROL PROGRAMME (CCP)																
AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)										3900.5		11.1				
25 FH - ENG. CLEANING (BOTH ENG)																
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE																
10 HRS - AEEO 30/22										3885.5		-3.9				
COMPONENT										SERVICING / ANNUAL		TBO / SLL / OTP				
STARTER GEN (RH), PN-524-062, S/N-1133 (TBO)											12/12/2027		1514			

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0	WARNING OVERDUE
CARRY FORWARD	0.0	CARRY FORWARD	0.0	
HOURS FLIGHT OF THE MONTH	0.0	HOURS CTF OF THE MONTH	0.0	

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	20/10/2023
------------------------------	----------------	-------------------------	------------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - DAILY Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
This parts to be filled by MC

Pesawat	Jam Enjin	Jam Pesawat	Keadaan Semasa <i>Current Status</i>				Penangguhan Kerosakan (Jika ada) <i>Deferred Defect (If any)</i>				Rawatan Barisan Kedua <i>Second Line Servicing</i>				Catatan Remarks									
			Keadaan	Tarikh Rosak	Butir Kerosakan	Jangka Masa Siap	Perkara	Tarikh Rosak	Jangka Masa Siap	Had Operasi (Jika ada)	Perkara	Tamat Pada		Baki										
												Jam Hrs	Kalendar Calendar	Jam Hrs		Hari Day								
Tail Number	Eng TSN	A/C TSN	State	Date Unserviceable	Details of Unserviceable	Estimate	Description	Date Unserviceable	Estimate	Operational Limitation	Description													
M502-6 5719	ENG #1 SN: 2420	3864.6	S								SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FUR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A									
											25 FH INSP.	3867.9	3.3											
											30 FH INSP.	3883.9	19.3											
											50 FH INSP.	3873.3	8.7											
											100 FH INSP. (AF)	3899.8	35.2											
											100 FH INSP. (ENG NO 1)	3899.8	35.2											
											100 FH INSP. (ENG NO 2)	3899.8	35.2											
											150 FH INSP. (AF)	3888.9	24.3											
											150 FH INSP. (ENG NO 1)	3888.9	24.3											
											150 FH INSP. (ENG NO 2)	3888.9	24.3											
											300 FH INSP.	3904.4	39.8											
											500 FH INSP. (AF)	4104.4	239.8											
											500 FH INSP. (ENG NO 1)	6580.1	3129.8											
											500 FH INSP. (ENG NO 2)	4148.5	309.8											
											600 FH INSP. (AF)	4204.4	339.8											
											600 FH INSP. (ENG NO 1)	6680.1	3229.8											
											600 FH INSP. (ENG NO 2)	4249.8	411.1											
											50 FH//6M INSP.(APPLICABLE AFTER 150FH//6M INSP.)	N/A	N/A											
											150 FH//3M INSP.	3949.8	27/12/2023	85.2		68 D								
											150 FH//6M INSP.	3995.7	16/03/2024	131.1		148 D								
											150 FH//12M INSP.	3898.1	05/05/2024	33.5		198 D								
											500 FH//24M INSP.	4104.4	24/09/2024	239.8		340 D								
											600 FH//6M INSP.	4334.8	04/03/2024	470.2		136 D								
											600 FH//24M INSP. (AF)	4204.4	15/10/2024	339.8		361 D								
											600 FH//24M INSP. (ENG NO 1)	6829	15/10/2024	3378.7		361 D								
											600 FH//24M INSP. (ENG NO 2)	4405.7	15/10/2024	567.0		361 D								
											7 D INSP.		24/10/2023			4 D								
											1 M INSP.		01/11/2023			12 D								
											6 M INSP.		02/02/2024			105 D								
											12 M INSP.		14/08/2024			299 D								
											24 M INSP.		24/11/2023			35 D								
											30 M INSP.		24/12/2025			796 D								
											48 M INSP.		10/06/2024			234 D								
											60 M INSP.		11/01/2026			814 D								
											CORROSION CONTROL PROGRAMME (CCP)													
											AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)													
											25 FH - ENG. CLEANING (BOTH ENG)	3867.9	3.3											
											SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE													
											10 HRS - AE00 30/22	3871.2	6.6											
											15 HRS INSP EASB 05.00.0001 R.0	3869.2	4.6											
											COMPONENT												AC LANDING CYCLE 11,156 FUEL TBA	
											SERVICING / ANNUAL													
											TBO / SLL / OTP													
											HOURS FLIGHT OF THE DAY		1.2	HOURS CTF OF THE DAY		0.0	 WARNING OVERDUE							
CARRY FORWARD		17.7	CARRY FORWARD		0.0																			
HOURS FLIGHT OF THE MONTH		18.9	HOURS CTF OF THE MONTH		0.0	 WARNING NEARING DUE																		