

OPERATIONAL AVAILABILITY SURVEILLANCE

LAMPIRAN 1-A

Aircraft Type: AS3555W  
Date: 25-Oct-2023

Tail No	TIME 24-10-2023														TIME 25-10-2023														Uptime (S)					Downtime (ADTI)					Overall Total Time	Av %		
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTF Hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTF Hrs	F	CTF	M	L	A	Total Time	Total Time						
M502-1 S/N: 5709	F																	0.0	0.0																				0.0	0.0	24h	0%
TOTAL:														0.0	0.0	TOTAL:														0.0	0.0						24.0	0%				

Tail No	TIME 24-10-2023														TIME 25-10-2023														Uptime (S)					Downtime (ADTI)					Overall Total Time	Av %	
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTF Hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTF Hrs	F	CTF	M	L	A	Total Time	Total Time					
M502-2 S/N: 5711	F																	0.0	0.0																			24.0	0.0	24h	100%
TOTAL:														0.0	0.0	TOTAL:														0.0	0.0						24.0	0.0			

Sign: \_\_\_\_\_  
Name: \_\_\_\_\_

Sign: \_\_\_\_\_  
Name: \_\_\_\_\_

<b>F</b>	Flying	<b>M</b>	Maintenance
<b>CTF</b>	Check Test Flight	<b>L</b>	Awaiting Maintenance
<b>MC</b>	Mission Capability	<b>A</b>	Awaiting Spare

Tail No	Demand & Defect list	Duration	Job No.	Remarks
M502-1 S/N: 5709	1 GROUND RUN REQUIRED FOR: 1) POST ENGINE COMPRESSOR RINSING		SNOW 9217	AIRCRAFT SERVICEABLE FOR GROUND RUN. REPORT: 1) SATISFACTORY CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1190/2 ON 22102023 @ 1020 & 1035.
	2 BOTH EMERGENCY FLOATATION GEARS TO BE REMOVED		SNOW 9219	BOTH EMERGENCY FLOATATION GEARS S/N: 2922 (LH) AND S/N: 2917 (RH) REMOVE AND SECURED I.A.W MET 25.62.10.401. ALL ASSOCIATED CABLE DISCONNECTED AND BLANK OFF CIRCUIT BREAKER 6 OFF DISENGAGED ASSESSED 'S'. FOR W+B SEE SNOW 9223 REFER. REFER MOD FORM 707 PAGE NO 1190/2 ON 22102023 @ 1350.
	3 02 X TWO PLACE REAR BENCH SEAT AND FIRST AID KIT TO BE FITTED		SNOW 9220	02 X TWO PLACE REAR BENCH SEAT AND FIRST AID KIT FITTED I.A.W MTC 20.02.05.404. ASSESSED SERVICEABLE. FOR W+B SEE SNOW 9223 REFER. REFER MOD FORM 707 PAGE NO 1190/2 ON 22102023 @ 1355.
	4 02 X CABIN AIRCRAFT PICKETING TO BE FITTED		SNOW 9221	02 X CABIN AIRCRAFT PICKETING FITTED AND LOCKED I.A.W MTC 20.02.05.404. TQ S/N: Y040044 TQ DUE: 06.12.23 TQ APPLIED: 8 NM IN USED. ASSESSED 'S' FOR INDEPENDENT CHECK SEE SNOW 9222 REFER. REFER MOD FORM 707 PAGE NO 1190/2 ON 22102023 @ 1400.
	5 INDEPENDENT CHECK CORRECT ASSY AND LOCKING REQUIRED ON 02 X CABIN AIRCRAFT PICKETING		SNOW 9222	INDEPENDENT CHECK FOR CORRECT ASSY AND LOCKING ON 02 X CABIN AIRCRAFT PICKETING BOLT (8 OFF) PERFORMED I.A.W AKS LOG 05/18 BTH 04 JUL 18. CERTIFIED NO FURTHER INDEPENDENT FUNCTIONAL CHECK REQUIRED. REFER MOD FORM 707 PAGE NO 1190/2 ON 22102023 @ 1405.
	6 AIRCRAFT WEIGHT TO BE RECALCULATED MF 702 B TO BE AMENDED		SNOW 9223	AIRCRAFT WEIGHT RECALCULATED FORM 702 B AMENDED C.O.W 1912.3 KGS. REFER MOD FORM 707 PAGE NO 1190/2 ON 22102023 @ 1410.
	7 RH SLIDING DOOR UNABLE TO LOCKED AND UNLOCKED FROM INSIDE		SNOW 9224	INVESTIGATION CARRIED OUT FOUND RH SLIDING DOOR LOCKING MECHANISM DEFECTING I.A.W MET 52.91.10.602. NO SPARE AVAILABLE. FOR LIMITATION SEE SNOW 9225. REFER MOD FORM 707 PAGE NO 1190/2 ON 23102023 @ 0806.
	8 CONDITION: RH SLIDING DOOR UNABLE TO LOCKED AND UNLOCKED FROM INSIDE. LIMITATION: SLIDING DOOR TO BE LOCKED AND UNLOCKED FROM OUTSIDE ONLY.		SNOW 9225	TRANSFERRED TO MF 703 SHT 122 @ 01 DEFERRED UNTIL 23 NOV 23 OR GROS OPERATIONAL ENDORSEMENT REFER PEKELLUNG PANGAD 18/20. REFER MOD FORM 707 PAGE NO 1190/2 ON 23102023 @ 0805.
Tail No	Demand & Defect list	Duration	Job No.	Remarks
M502-2 S/N: 5711	1 ENGINE COMPRESSOR RINSING TO BE PERFORMED		SNOW 8694	ENGINE COMPRESSOR RINSING PERFORMED I.A.W EMM 71.01.01.610.801.A01. GROUND RUN CARRIED OUT. SEE SNOW 8695. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1190/2 ON 16102023 @ 1840.
	2 GROUND RUN REQUIRED FOR: 1) BOTH ENGINE COMPRESSOR RINSING		SNOW 8695	AIRCRAFT SERVICEABLE FOR GROUND RUN. REPORT: 1) SATISFACTORY CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1190/2 ON 16102023 @ 1815 & 1850.
	3 BOTH EMERGENCY FLOATATION GEARS TO BE REMOVED		SNOW 8697	BOTH EMERGENCY FLOATATION GEARS S/N: 2794 (LH) AND S/N: 2915 (RH) REMOVED AND SECURED I.A.W MET 25.62.10.401. ALL ASSOCIATED CABLE DISCONNECTED AND BLANK OFF CIRCUIT BREAKER 6 OFF DISENGAGED. ASSESSED 'S'. FOR W+B SEE SNOW 8698 REFER. REFER MOD FORM 707 PAGE NO 1190/2 ON 16102023 @ 1930.
	4 AIRCRAFT WEIGHT TO BE RECALCULATED MF 702 B TO BE AMENDED		SNOW 8698	AIRCRAFT WEIGHT RECALCULATED FORM 702 B AMENDED C.O.W 1912.3 KGS. REFER MOD FORM 707 PAGE NO 1190/2 ON 16102023 @ 2130.
	5 165 HRS INSPECTION ASB 05.00.71 R0 MAIN ROTOR BLADE TAPPING LEADING EDGE TO BE PERFORMED		SNOW 8699	165 HRS INSPECTION ASB 05.00.71 R0 MAIN ROTOR BLADE TAPPING LEADING EDGE CHECK PERFORMED I.A.W ASB 05.00.71 R0 PARB 3. WOOD PECKER TEST SET S/N: 02 IN USED. SATISFACTORY CARRIED OUT. NO ABNORMALITIES FOUND. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1190/2 ON 16102023 @ 2010.
	6 EMERGENCY FLOATATION GEAR TO BE FITTED		SNOW 8701	BOTHE EMERGENCY FLOATATION GEAR (LH) S/N: 2794 AND (RH) S/N: 2915 FITTED AND LOCKED I.A.W MET 25.62.10.401. TQ APPLIED 15 NM AND 20 NM TQ S/N: 805054 TO DUE: 04.02.24 IN USED BREAKER (6 OFF) ENGAGED. FUNCTIONAL TEST AND INDEPENDENT CHECK CARRIED OUT I.A.W AKS LOG 05/18 BTH 04 JUL 18. ASSESSED SERVICEABLE. FOR W+B SEE SNOW 8702. REFER MOD FORM 707 PAGE NO 1190/2 ON 17102023 @ 1050.
	7 AIRCRAFT WEIGHT TO BE RECALCULATED MF 702 B TO BE AMENDED		SNOW 8702	AIRCRAFT WEIGHT RECALCULATED FORM 702 B AMENDED C.O.W 1999.19 KGS. REFER MOD FORM 707 PAGE NO 1190/2 ON 17102023 @ 1100.





Pesawat: Aircraft:	AS555N	Tarikh: Date:	25/10/2023
-----------------------	--------	------------------	------------

**BAHAGIAN 2 - STATUS HARIAN PESAWAT**  
 Part 2 - Daily Aircraft Status  
 Keadaan Pesawat pada jam 0800H  
 Aircraft State at 0800H

Bahagian ini diisi oleh MC  
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks		
			Keadaan State	Tarikh Rosak Date Unserviceable	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tarikh Pada Date of			Baki Balance	
												Jam Hour	Kalendar Calendar		Jam Hour	Hari Day
M502-1 5709	ENG #1 SN: 2408	4186.1	US	23/10/23	AP MALFUNCTION INFLIGHT. RECTIFICATION IN PROGRESS.	25/10/23				SCHEDULE INSPECTION				SEAT CONFIGURATION		
										25 FH INSP.	4202		15.9		STANDARD SEATS	
										30 FH INSP.	4200.3		14.2		INSTALLED	
										50 FH INSP.	4220.5		34.4		ITEM: FLIR	
										100 FH INSP. (AF)	4220.5		34.4		STATUS: REMOVED	
										100 FH INSP. (ENG NO 1)	4220.5		34.4		P/NO.: 10406-06-410 / 10406-06-210	
										100 FH INSP. (ENG NO 2)	4220.5		34.4		S/NO.: N/A	
										150 FH INSP. (AF)	4194.8		8.7		ITEM: MOUNTING GUN	
										150 FH INSP. (ENG NO 1)	4194.8		8.70		STATUS: REMOVED	
										150 FH INSP. (ENG NO 2)	4194.8		8.70		P/NO.: 3628931480	
										300 FH INSP.	4463.4		277.3		S/NO.: N/A	
										500 FH INSP. (AF)	4620.5		434.4		ITEM: FLOATATION GEAR	
										500 FH INSP. (ENG NO 1)	4206.3		20.2		STATUS: REMOVED	
										500 FH INSP. (ENG NO 2)	4620.5		434.4		P/NO.: 218570-0(RH) / 218569-0(LH)	
										600 FH INSP. (AF)	4261.1		75.0		S/NO.: N/A	
										600 FH INSP. (ENG NO 1)	4306.3		120.2		ITEM: SPECTROLAB ASSY	
										600 FH INSP. (ENG NO 2)	4201.8		15.7		STATUS: REMOVED	
										50 FH/6M INSP.	4220.5	27/12/2023	34.4	63 D	P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)	
										150 FH//3M INSP.	4227.4	26/12/2023	41.3	62 D	S/NO.: N/A	
										150 FH//6M INSP.	4270.5	27/12/2023	84.4	63 D	ITEM: RESCUE HOIST ASSY	
										150 FH//12M INSP.	4194.8	27/06/2024	8.7	246 D	STATUS: REMOVED	
										500 FH//24M INSP.	4483.2	27/06/2025	297.1	611 D	P/NO.: 704A-41-815-056	
										600 FH//6M INSP.	4676.2	27/12/2023	490.1	63 D	S/NO.: N/A. HOIST CYCLE: N/A	
										600 FH//24M INSP. (AF)	4201.8	16/01/2025	15.7	449 D	ITEM: CARGO SWING	
										600 FH//24M INSP. (ENG NO 1)	4261.1	16/01/2025	1364.4	449 D	STATUS: REMOVED	
										600 FH//24M INSP. (ENG NO 2)	4261.1	16/01/2025	562.2	449 D	P/NO.: 704A-4181-1027	
										7 D INSP.		29/10/2023		4 D	S/NO.: N/A	
										1 M INSP.		04/11/2023		10 D		
										6 M INSP.		27/12/2023		63 D		
										12 M INSP.		11/11/2023		17 D		
24 M INSP.		11/11/2023		17 D												
30 M INSP.		27/12/2025		794 D												
48 M INSP.		15/11/2024		387 D												
60 M INSP.		15/11/2025		752 D												
CORROSION CONTROL PROGRAMME (CCP)													AC LANDING CYCLE 11,738			
25 FH - ENG. CLEANING (BOTH ENG)	4202		15.9													
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																
10 HRS - AEOO 30/22	4190.3		4.2													
COMPONENT													FUEL TBA			
MGB OIL FILTER, PN: FA01315AV			15/11/2022													
TAIL SERVO, PN: SCS072			1/1/2023													
HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY		0.0	WARNING OVERDUE		WARNING NEARING DUE									
CARRY FORWARD	25.4	CARRY FORWARD		0.0												
HOURS FLIGHT OF THE MONTH	25.4	HOURS CTF OF THE MONTH		0.0												

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	25/10/2023
-----------------------	---------	------------------	------------

Bahagian ini diisi oleh MC  
This parts to be filled by MC

**BAHAGIAN 2 - STATUS HARIAN PESAWAT**  
Part 2 - Daily Aircraft Status  
Keadaan Pesawat pada jam 0800H  
Aircraft State at 0800H

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status				Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks	
			Keadaan State	Tarikh Rosak Date Unserviceable	Butir Kerosakan Details of Unserviceable	Jangka Masa Siap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Siap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tamat Pada Date of		Baki Balance		
												Jam Hrs	Kalendar Calendar	Jam Hrs		Hari Day
M502-2 5711	ENG #1 SN: 2013	3816.5	S								SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A	
											25 FH INSP.	3828		11.5		
											30 FH INSP.	3827.9		11.4		
											50 FH INSP.	3828		11.5		
											100 FH INSP. (AF)	3865.3		48.8		
											100 FH INSP. (ENG NO 1)	3865.3		48.8		
											100 FH INSP. (ENG NO 2)	3865.3		48.8		
											150 FH INSP. (AF)	3942.3		125.8		
											150 FH INSP. (ENG NO 1)	3864.2		47.7		
											150 FH INSP. (ENG NO 2)	3864.2		47.7		
											300 FH INSP.	3947.3		130.8		
											500 FH INSP. (AF)	4146.9		330.4		
											500 FH INSP. (ENG NO 1)	4146.9		330.4		
											500 FH INSP. (ENG NO 2)	4146.9		330.4		
											600 FH INSP. (AF)	4246.9		430.4		
											600 FH INSP. (ENG NO 1)	4314.2		497.7		
											600 FH INSP. (ENG NO 2)	4314.2		497.7		
											50 FH/6M INSP.	3828	17/2/2024	11.5		115 D
											150 FH/3M INSP.	3928	12/12/2023	111.5		48 D
											150 FH/6M INSP.	3838.8	14/11/2023	22.3		20 D
											150 FH/12M INSP.	3942.3	14/02/2024	125.8		112 D
											500 FH/24M INSP.	4010.3	19/07/2024	193.8		268 D
											600 FH/6M INSP.	4312.1	17/12/2023	495.6		53 D
											600 FH/24M INSP. (AF)	4266.9	20/03/2025	450.4		512 D
											600 FH/24M INSP. (ENG NO 1)	4266.9	20/03/2025	450.4		512 D
											600 FH/24M INSP. (ENG NO 2)	4266.9	20/03/2025	450.4		512 D
											7 D INSP.		26/10/2023			1 D
											1 M INSP.		17/11/2023			23 D
											6 M INSP.		14/11/2023			20 D
											12 M INSP.		20/06/2024			239 D
											24 M INSP.		21/06/2025			605 D
											30 M INSP.		17/02/2025			481 D
											48 M INSP.		20/07/2026			999 D
60 M INSP.		31/12/2027		1528 D												
CORROSION CONTROL PROGRAMME (CCP)																
AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)																
25 FH - ENG. CLEANING (BOTH ENG)											3828		11.5			
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE																
10 HRS - AEOO 30/22											3824.4		7.9			
660 FH INSP EASB 05.00.56 #3											4340.3		523.8			
50 HRS INSP AEO TM 22/05											3828		11.5			
COMPONENT											SERVICING / ANNUAL		TBO / SLL / OTP			
RDR ANTENNA SLAVING UNIT, PN: 017-01593-0100, SN: T2004													12/3/2026		869 D	

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	22.3	CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	22.3	HOURS CTF OF THE MONTH	0.0

10.847	WARNING OVERDUE
TBA	WARNING NEARING DUE

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	25/10/2023
-----------------------	---------	------------------	------------

Bahagian ini diisi oleh MC  
This parts to be filled by MC

**BAHAGIAN 2 - STATUS HARIAN PESAWAT**  
Part 2 - Daily Aircraft Status  
Keadaan Pesawat pada jam 0800H  
Aircraft State at 0800H

Pesawat Tail Number	Jam Enjin Eng ISN	Jam Pesawat A/C ISN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks		
			Keadaan State	Tarikh Rosak Date Unserviceable	Buli Kerosakan Details of Unserviceable	Jangka Masa Siap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Siap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Terminl Pada Due of			Baki Balance	
												Jam Msr	Kalendar Calendar		Jam Msr	Hari Day
M502-3 5714	ENG #1 SN: 2408	3429.3	NON OP	28/6/21	AIRCRAFT EXPERIENCE HARD LANDING AT RMN BASE	TBN	SCHEDULE INSPECTION								SEAT CONFIGURATION	
							25 FH INSP.	3449.1		19.8		STANDARD SEATS				
							30 FH INSP.	3436		6.7		INSTALLED				
							50 FH INSP.	3447.5		18.2		ITEM: FLIR				
							100 FH INSP. (AF)	3449.5		20.2		STATUS: REMOVED				
							100 FH INSP. (ENG NO 1)	3601.6		23.1		P/NO.: 10406-06-410 / 10406-06-210				
							100 FH INSP. (ENG NO 2)	3498.1		23.1		S/NO.: N/A				
							150 FH INSP. (AF)	3434.1		4.8		ITEM: MOUNTING GUN				
							150 FH INSP. (ENG NO 1)	3648.7		70.2		STATUS: REMOVED				
							150 FH INSP. (ENG NO 2)	3545.2		70.2		P/NO.: 3628931480				
							300 FH INSP.	3647.8		218.5		S/NO.: N/A				
							500 FH INSP. (AF)	3726.6		297.3		ITEM: FLOATATION GEAR				
							500 FH INSP. (ENG NO 1)	3998.7		420.2		STATUS: INSTALL				
							500 FH INSP. (ENG NO 2)	3895.2		420.2		P/NO.: 218570-0(RH) / 218569-0(LH)				
							600 FH INSP. (AF)	3582		152.7		S/NO.: 2742 (LH) & 2785 (RH)				
							600 FH INSP. (ENG NO 1)	4098.7		520.2		ITEM: SPECTROLAB ASSY				
							600 FH INSP. (ENG NO 2)	3995.2		520.2		STATUS: REMOVED				
							150 FH//3M INSP.	3499.5	29/06/2021	70.2	-848 D	P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)				
							150 FH//6M INSP.	3499.5	29/09/2021	70.2	-756 D	S/NO.: N/A				
							150 FH//12M INSP.	3499.5	29/03/2022	70.2	-575 D	ITEM: RESCUE HOIST ASSY				
							500 FH//24M INSP.	3847.8	06/01/2022	418.5	-657 D	STATUS: REMOVED				
							600 FH//6M INSP.	3949.5	29/09/2021	520.2	-756 D	P/NO.: 704A-41-815-056				
							600 FH//24M INSP. (AF)	3947.8	06/01/2022	518.5	-657 D	S/NO.: N/A				
							600 FH//24M INSP. (ENG NO 1)	4098.7	06/04/2023	520.2	-202 D	ITEM: CARGO SWING				
							600 FH//24M INSP. (ENG NO 2)	3995.2	06/04/2023	520.2	-202 D	STATUS: REMOVED				
							7 D INSP.		28/06/2021		-849 D	P/NO.: 704A-4181-1027				
							1 M INSP.		28/06/2021		-849 D	S/NO.: N/A				
							6 M INSP.		02/09/2021		-783 D					
							12 M INSP.		02/03/2022		-602 D					
							24 M INSP.		29/03/2023		-210 D					
							30 M INSP.		06/01/2022		-657 D					
							48 M INSP.		06/01/2024		73 D					
							60 M INSP.		18/04/2026		906 D					
CORROSION CONTROL PROGRAMME (CCP)																
25 FH - ENG. CLEANING (BOTH ENG)	3449.1		19.8													
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																
EASB 05.00.56 REV 1	3434.1		4.8													
EASB 67.00.33 REV.0	3497.8		68.5													
COMPONENT												AC LANDING CYCLE				
BATTERY [P/N 151CH-1, 6M, POST: RIGHT&LEFT ]		2/9/2021		-783 D									9.251 FUEL TBA			
HOURS FLIGHT OF THE DAY			0.0	HOURS CTF OF THE DAY			0.0	WARNING OVERDUE								
CARRY FORWARD			0.0	CARRY FORWARD			0.0	WARNING NEARING DUE								
HOURS FLIGHT OF THE MONTH			0.0	HOURS CTF OF THE MONTH			0.0									

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	25/10/2023
-----------------------	---------	------------------	------------

Bahagian ini diisi oleh MC  
This parts to be filled by MC

**BAHAGIAN 2 - STATUS HARIAN PESAWAT**  
Part 2 - Daily Aircraft Status  
Keadaan Pesawat pada jam 0800H  
Aircraft Status at 0800H

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)			Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks			
			Keadaan State	Tarikh Rosak Date Unserviceable	Butir Kerosakan Details of Unserviceable	Jangka Masa Siap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Siap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tamat Pada Due of		Baki Balance		
												Jam Hrs		Kalendar Calendar	Jam Hrs	Hari Day
M502-4 5716		4057.1	S								<b>SCHEDULE INSPECTION</b>				<b>SEAT CONFIGURATION</b> STANDARD SEATS INSTALLED ITEM: FLIR STATUS: <b>REMOVED</b> P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: <b>REMOVED</b> P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: <b>REMOVED</b> P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: <b>REMOVED</b> P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: <b>REMOVED</b> P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: <b>REMOVED</b> P/NO.: 704A-4181-1027 S/NO.: N/A	
											25 FH INSP.	4072.0		14.9		
											30 FH INSP.	4072.6		15.5		
											50 FH INSP.	4092.6		35.5		
											100 FH INSP. (AF)	4063.0		5.9		
											100 FH INSP. (ENG NO 1)	4063.0		5.9		
											100 FH INSP. (ENG NO 2)	4063.0		5.9		
											150 FH INSP. (AF)	4062.3		5.2		
											150 FH INSP. (ENG NO 1)	4062.3		5.2		
											150 FH INSP. (ENG NO 2)	4062.3		5.2		
											300 FH INSP.	4086.7		29.6		
											500 FH INSP. (AF)	4351.0		293.9		
											500 FH INSP. (ENG NO 1)	4351.0		293.9		
											500 FH INSP. (ENG NO 2)	4351.0		293.9		
											600 FH INSP. (AF)	4083.8		26.7		
											600 FH INSP. (ENG NO 1)	4083.8		26.7		
											600 FH INSP. (ENG NO 2)	4083.8		26.7		
											50 FH//6M INSP.	4092.6	12/2/2024	35.5		110 D
											150 FH//3M INSP.	4062.3	23/01/2024	5.2		90 D
											150 FH//6M INSP.	4062.3	14/04/2024	5.2		172 D
											150 FH//12M INSP.	4066	06/01/2024	8.9		73 D
											500 FH//24M INSP.	4117.3	08/07/2024	60.2		257 D
											600 FH//6M INSP.	4414.9	24/01/2024	357.8		91 D
											600 FH//24M INSP. (AF)	4083.8	02/03/2024	26.7		129 D
											600 FH//24M INSP. (ENG NO 1)	4083.8	02/03/2024	26.7		129 D
											600 FH//24M INSP. (ENG NO 2)	4083.8	02/03/2024	26.7		129 D
											7 D INSP.		29/10/2023			4 D
											1 M INSP.		17/11/2023			23 D
											6 M INSP.		21/02/2024			119 D
											12 M INSP.		06/04/2024			164 D
											24 M INSP.		18/11/2023			24 D
											30 M INSP.		14/12/2024			416 D
											48 M INSP.		18/11/2025			755 D
60 M INSP.		28/01/2027		1191 D												
<b>CORROSION CONTROL PROGRAMME (CCP)</b>																
25 FH - ENG. CLEANING (BOTH ENG)	4072.0		14.9													
<b>SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE</b>																
10 HRS - AEOO 30/22	4062.3		5.2													
15 HRS INSP EASB 05.00.0001 REV. 0	4062		4.9													
<b>COMPONENT</b>																
SERVO CONTROL - MAIN SERVO (TBO), PN-SC 8043, SN-694		24/2/2024		122 D												
BATTERY RH (201806007) & LH (201902059), DUE 6 MTH		15/02/2024		113 D												

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	19.1	CARRY FORWARD	5.4
HOURS FLIGHT OF THE MONTH	19.1	HOURS CTF OF THE MONTH	5.4

	WARNING OVERDUE
	WARNING NEARING DUE

**AC LANDING CYCLE**  
11 050  
**FUEL**  
TBA

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	25/10/2023
-----------------------	---------	------------------	------------

Bahagian ini diisi oleh MC  
This parts to be filled by MC

**BAHAGIAN 2 - STATUS HARIAN PESAWAT**  
Part 2 - Daily Aircraft Status  
Keadaan Pesawat pada jam 0800H  
Aircraft State at 0800H

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks				
			Keadaan State	Tarikh Rosak Date Unserviceable	Butiri Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tamat Pada Due at			Date			
												Jam Hrs	Kalendar Calendar		Jam Hrs	Hari Day		
M502-5 5717	ENG #1 SN: 2296	3889.4	NON OP	31/7/23	600 FH // 24 M INSPECTION AND SKIN REPAIR. INSPECTION IN PROGRESS	3/11/23	SCHEDULE INSPECTION								SEAT CONFIGURATION			
															STANDARD SEATS			
															INSTALLED			
															ITEM: FLIR			
															STATUS: REMOVED			
															P/NO.: 10406-06-410 / 10406-06-210			
															S/NO.: N/A			
															ITEM: MOUNTING GUN			
															STATUS: REMOVED			
															P/NO.: 3428931480			
															S/NO.: N/A			
															ITEM: FLOATATION GEAR			
															STATUS: REMOVED			
															P/NO.: 218570-0(RH) / 218569-0(LH)			
															S/NO.: N/A			
															ITEM: SPECTROLAB ASSY			
															STATUS: REMOVED			
															P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)			
															S/NO.: N/A			
															ITEM: RESCUE HOIST ASSY			
															STATUS: REMOVED			
															P/NO.: 704A-41-815-056			
															S/NO.: N/A			
															ITEM: CARGO SWING			
															STATUS: INSTALLED			
															P/NO.: 704A-4181-1027			
															S/NO.: 1136			
															7 D INSP.			
															31/07/2023			
															-86 D			
															1 M INSP.			
															2/8/2023			
															-84 D			
								6 M INSP.										
								9/11/2023										
								15 D										
								12 M INSP.										
								8/6/2025										
								592 D										
								24 M INSP.										
								9/5/2025										
								562 D										
								30 M INSP.										
								5/2/2024										
								103 D										
								48 M INSP.										
								26/3/2025										
								518 D										
								60 M INSP.										
								30/9/2026										
								1071 D										
								CORROSION CONTROL PROGRAMME (CCP)										
								AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)										
								3900.5										
								11.1										
								25 FH - ENG. CLEANING (BOTH ENG)										
								3900.5										
								11.1										
								SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE										
								10 HRS - AEEO 30/22										
								3885.5										
								-3.9										
								COMPONENT										
								SERVICING / ANNUAL										
								TBO / SLL / OTP										
								STARTER GEN (RH), PN-524-062, S/N-1133 (TBO)										
								12/12/2027										
								1509										
								AC LANDING CYCLE										
								11,425										
								FUEL										
								TBA										

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	0.0	CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	0.0	HOURS CTF OF THE MONTH	0.0

WARNING OVERDUE
WARNING NEARING DUE



