

OPERATIONAL AVAILABILITY SURVEILLANCE

LAMPIRAN 1-A

Aircraft Type: AS350M
Date: 30-Nov-2023

Tail No	TIME 29-11-2023														TIME 30-11-2023														Uptime (G)		Downtime (ALDT)		Total Time	Overall Total Time	Av%h								
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight hrs	Total CF hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight hrs	Total CF hrs	F	CTI	M				L	A						
	F	CTI	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC			F	CTI	MC	MC	MC	MC	MC	MC																
MS02-3 S/N: 5714	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	/	/	/	/	/	/	/	/	0.0	0.0	0.0	0.0					24.0		0.0		24h	0%			
TOTAL:														0.0		TOTAL:														0.0													

Tail No	TIME 29-11-2023														TIME 30-11-2023														Uptime (G)		Downtime (ALDT)		Total Time	Overall Total Time	Av%h								
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight hrs	Total CF hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight hrs	Total CF hrs	F	CTI	M				L	A						
	F	CTI	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC	MC			F	CTI	MC	MC	MC	MC	MC	MC																
MS02-4 S/N: 5714	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	/	/	/	/	/	/	/	/	0.0	0.0	0.0	0.0	24.0	0.0							0.0		24h	100%	
TOTAL:														0.0		TOTAL:														0.0													

Sign: _____
Name: _____

Sign: _____
Name: _____

Abbreviation

F	Flying	M	Maintenance
CTI	Check Test Flight	L	Awaiting Maintenance
MC	Mission Capability	A	Awaiting Spare

Tail No	Demand & Defect list	Duration	Job No.	Remarks
MS02-3 S/N: 5714	1 AIRCRAFT HARD LANDING AT LHMUT BASE. AIRCRAFT UNDER INVESTIGATION			INVESTIGATION IN PROGRESS SD-28 JUNE 2021 CD: TBN
MS02-4 S/N: 5716	1 AIRCRAFT WEIGHT TO BE RECALCULATED FORM 702 B TO BE AMENDED		SNOW 9947	AIRCRAFT WEIGHT RECALCULATED FORM 702 B AMENDED C.O.W 1846.06 KGS. REFER MOD FORM 707 PAGE NO 1261/2 ON 17112023 @ 1445.
	2 GROUND RUN REQUIRED FOR: 1) LEAK CHECK ON HYDRAULIC SYSTEM.		SNOW 9948	AIRCRAFT SERVICEABLE FOR GROUND RUN. REPORT: 1) SATISFACTORY CARRIED OUT. NO LEAK APPEARANCE. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1262/2 ON 17112023 @ 1550 & 1620.
	3 BOTH EMERGENCY FLOATATION GEAR TO BE REMOVED		SNOW 9950	EMERGENCY FLOATATION GEAR RH S/N: 2785 AND LH S/N: 2784 REMOVED AND SECURE L.A.W MET 25.02.10.402. CIRCLLET BREAKER (6 OFF) FOR W-B SEE SNOW 9957. REFER MOD FORM 707 PAGE NO 1263/2 ON 19112023 @ 1535.
	4 AIRCRAFT WEIGHT TO BE RECALCULATED MF 702 B TO BE AMENDED.		SNOW 9951	AIRCRAFT WEIGHT RECALCULATED FORM 702 B AMENDED C.O.W 1778.66 KGS. REFER MOD FORM 707 PAGE NO 1264/2 ON 19112023 @ 0615.
	5 LH ENG S/N: 2011 CENTRIFUGAL FOUND CHIPPING AT AREA A, B, C. AREA A HEIGHT: 0.59 MM, DENT: 0.34 MM AND HEIGHT: 0.44 MM, DENT: 0.19 MM. AREA B HEIGHT: 0.44 MM, DENT: 0.25 MM. AREA C HEIGHT: 1.10 MM, DENT 0.34 MM. FIGURE WITHIN LIMIT I.A.W EHM 71.02.200.801.A01. LIMITATION AREA A: 1.5 MM, AREA B: 3.0 MM AND AREA C: 4.5 MM.		SNOW 9953	MEASURING ON LH ENG S/N: 2011 CENTRIFUGAL FOUND CHIPPING AT AREA A, B, C. AREA A HEIGHT: 0.59 MM, DENT: 0.34 MM AND HEIGHT: 0.44 MM. AREA B HEIGHT: 0.44 MM, DENT: 0.25 MM. AREA C HEIGHT: 1.10 MM, DENT 0.34 MM. FIGURE WITHIN LIMIT I.A.W EHM 71.02.200.801.A01. LIMITATION AREA A: 1.5 MM, AREA B: 3.0 MM AND AREA C: 4.5 MM. BORISCOPE S/N: Y203302 IN USE. FOR DEFERMENT SEE SNOW 9956. REFER MOD FORM 707 PAGE NO 1264/2 ON 21112023 @ 1030.
	6 RH ENG S/N: 2215 CENTRIFUGAL IMPELLER FOUND CHIPPING AT AREA B HEIGHT: 0.53 MM, DENT: 0.22 MM AND HEIGHT: 0.47 MM, DENT: 0.39 MM. FIGURE WITHIN LIMIT I.A.W EHM 71.02.31.801.A01. LIMITATION AREA A: 3.0 MM		SNOW 9954	MEASURING ON RH ENG S/N: 2215 CENTRIFUGAL IMPELLER FOUND CHIPPING AT AREA B HEIGHT: 0.53 MM, DENT 0.22 MM AND HEIGHT: 0.47 MM, DENT: 0.39 MM. FIGURE WITHIN LIMIT I.A.W EHM 71.02.31.801.A01. LIMITATION AREA A: 3.0 MM. BORISCOPE S/N: Y203302 IN USE. FOR DEFERMENT SEE SNOW 9957. REFER MOD FORM 707 PAGE NO 1264/2 ON 21112023 @ 1100.
	7 EDU TO BE ROBBED TO SERVICE M502-5		SNOW 9955	EDU S/N: 1179 REMOVED AND ROBBED TO SERVICE M502-5 I.A.W MET 23.00.00-401. ALL ASSOCIATED CABLE BLANK OFF AND SECURE. FOR LIMITATION SEE SNOW. REFER MOD FORM 707 PAGE NO 1264/2 ON 21112023 @ 1120.
	8 LH ENG S/N: 2011 CENTRIFUGAL FOUND CHIPPING AT AREA A, B, C. AREA A HEIGHT: 0.59 MM, DENT: 0.34 MM AND HEIGHT: 0.44 MM, DENT: 0.19 MM. AREA B HEIGHT: 0.44 MM, DENT: 0.25 MM. AREA C HEIGHT: 1.10 MM, DENT 0.34 MM. FIGURE WITHIN LIMIT I.A.W EHM 71.02.200.801.A01. LIMITATION AREA A: 1.5 MM, AREA B: 3.0 MM AND AREA C: 4.5 MM.		SNOW 9956	TRANSFERRED TO HP 704 SHT 189 # 02 DEFERRED UNTIL 4002.6 FH AND BORISCOPE EVERY 25 FH. REFER MOD FORM 707 PAGE NO 1264/2 ON 23112023 @ 1306.
	9 RH ENG S/N: 2215 CENTRIFUGAL IMPELLER FOUND CHIPPING AT AREA B HEIGHT: 0.53 MM, DENT: 0.22 MM AND HEIGHT: 0.47 MM, DENT: 0.39 MM. FIGURE WITHIN LIMIT I.A.W EHM 71.02.31.801.A01. LIMITATION AREA A: 3.0 MM		SNOW 9957	TRANSFERRED TO HP 704 SHT 189 # 03 DEFERRED UNTIL 4002.6 FH AND BORISCOPE EVERY 25 FH. REFER MOD FORM 707 PAGE NO 1264/2 ON 23112023 @ 1308.
	10 150 FH // 12 MTH TNSPECTION TO BE PERFORMED		SNOW 9958	150 FH // 12 MTH INSPECTION I.A.W MSH 05.21.00 INDEPENDENT CHECK CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1264/2 ON 23112023 @ 1300.

Pesawat: AS555N Tarikh: 30/11/2023
 Aircraft: Date:

BAHAGIAN 2 - STATUS HARIAN PESAWAT
 Part 2 - Daily Aircraft Status
 Keadaan Pesawat pada jam 0800H
 Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks								
			Keadaan State	Tarikh Rosak Date	Butir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Restrictions	Perkara Description	Tarikh Pada Date of			Baki Balance							
												Jam Time	Kalendar Calendar		Jam Time	Hari Day						
M502-1 5709	ENG #1 SN: 2408	4197.2	US	19/11/23	TORQUE GAUGE READING SPLIT INFLIGHT. RECTIFICATION IN PROGRESS.	30/11/23				SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A, HOIST CYCLE: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A								
										25 FH INSP.	4202.4		5.2									
										30 FH INSP.	4200.3		3.1									
										50 FH INSP.	4214.7		17.5									
										100 FH INSP. (AF)	4220.5		23.3									
										100 FH INSP. (ENG NO 1)	4220.5		23.3									
										100 FH INSP. (ENG NO 2)	4220.5		23.3									
										150 FH INSP. (AF)	4255.5		58.3									
										150 FH INSP. (ENG NO 1)	4255.5		58.30									
										150 FH INSP. (ENG NO 2)	4255.5		58.30									
										300 FH INSP.	4463.4		266.2									
										500 FH INSP. (AF)	4620.5		423.3									
										500 FH INSP. (ENG NO 1)	4620.5		423.3									
										500 FH INSP. (ENG NO 2)	4620.5		423.3									
										600 FH INSP. (AF)	4720.5		523.3									
										600 FH INSP. (ENG NO 1)	4720.5		523.3									
										600 FH INSP. (ENG NO 2)	4720.5		523.3									
										50 FH/6M INSP.	4220.5	27/12/2023	23.3		27 D							
										150 FH/3M INSP.	4227.4	26/12/2023	30.2		26 D							
										150 FH/6M INSP.	4270.5	27/12/2023	73.3		27 D							
										150 FH/12M INSP.	4270.5	27/06/2024	73.3		210 D							
										500 FH/24M INSP.	4483.2	27/06/2025	286.0		575 D							
										600 FH/6M INSP.	4676.2	27/12/2023	479.0		27 D							
										600 FH/24M INSP. (AF)	4720.5	27/06/2025	523.3		575 D							
										600 FH/24M INSP. (ENG NO 1)	4720.5	27/06/2025	1812.7		575 D							
										600 FH/24M INSP. (ENG NO 2)	4720.5	27/06/2025	1010.5		575 D							
										7 D INSP.		04/12/2023			4 D							
										1 M INSP.		25/12/2023			25 D							
										6 M INSP.		27/12/2023			27 D							
										12 M INSP.		27/06/2024			210 D							
24 M INSP.		16/06/2025		564 D																		
30 M INSP.		27/12/2025		758 D																		
48 M INSP.		15/11/2024		351 D																		
60 M INSP.		15/11/2025		716 D																		
CORROSION CONTROL PROGRAMME (CCP)																						
25 FH - ENG. CLEANING (BOTH ENG)	4202.4		5.2																			
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																						
10 HRS - AEOO 30/22	4199.4		2.2																			
COMPONENT										SERVICING / ANNUAL	TBO / SLL / OTP											
MGB OIL FILTER, PN: FA01315AV										15/11/2022		-380 D										
TAIL SERVO, PN: SCS072										1/1/2023		-333 D										

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	11.1	CARRY FORWARD	4.2
HOURS FLIGHT OF THE MONTH	11.1	HOURS CTF OF THE MONTH	4.2

WARNING OVERDUE
WARNING NEARING DUE

AC LANDING CYCLE
11,760
FUEL
TBA

Pesawat: Aircraft:	AS555N	Tarikh: Date:	30/11/2023
------------------------------	---------------	-------------------------	------------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status				Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks											
			Keadaan State	Tarikh Rosak Date Unserviceable	Butir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tamat Pada Due at		Baki Balance												
												Jam Hrs	Kalender Calendar	Jam Hrs		Hari Day										
M502-2 5711 ENG #1 SN: 2013 ENG #2 SN: 2347	ENG #1 6751.7 ENG #2 4321.4	3826.1	NON OP	27/11/23	150 FH // 6 M AND 300 HRS INSPECTION. IN PROGRESS	30/11/23					SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FJR STATUS: REMOVED P/NO.: 10404-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A											
											25 FH INSP.	3828		1.9												
											30 FH INSP.	3827.9		1.8												
											50 FH INSP.	3828		1.9												
											100 FH INSP. (AF)	3865.3		39.2												
											100 FH INSP. (ENG NO 1)	3865.3		39.2												
											100 FH INSP. (ENG NO 2)	3865.3		39.2												
											150 FH INSP. (AF)	3942.3		116.2												
											150 FH INSP. (ENG NO 1)	3864.2		38.1												
											150 FH INSP. (ENG NO 2)	3864.2		38.1												
											300 FH INSP.	3947.3		121.2												
											500 FH INSP. (AF)	4146.9		320.8												
											500 FH INSP. (ENG NO 1)	4146.9		320.8												
											500 FH INSP. (ENG NO 2)	4146.9		320.8												
											600 FH INSP. (AF)	4246.9		420.8												
											600 FH INSP. (ENG NO 1)	4314.2		488.1												
											600 FH INSP. (ENG NO 2)	4314.2		488.1												
											50 FH/6M INSP.	3828	17/2/2024	1.9		79 D										
											150 FH/3M INSP.	3928	12/12/2023	101.9		12 D										
											150 FH/6M INSP.	3838.8	14/05/2024	12.7		166 D										
											150 FH/12M INSP.	3942.3	14/02/2024	116.2		76 D										
											500 FH/24M INSP.	4010.3	19/07/2024	184.2		232 D										
											600 FH/6M INSP.	4312.1	17/12/2023	486		17 D										
											600 FH/24M INSP. (AF)	4266.9	20/03/2025	440.8		476 D										
											600 FH/24M INSP. (ENG NO 1)	4266.9	20/03/2025	440.8		476 D										
											600 FH/24M INSP. (ENG NO 2)	4266.9	20/03/2025	440.8		476 D										
											7 D INSP.		30/11/2023			0 D										
											1 M INSP.		24/12/2023			24 D										
											6 M INSP.		14/05/2024			166 D										
											12 M INSP.		20/06/2024			203 D										
											24 M INSP.		21/06/2025			569 D										
											30 M INSP.		17/02/2025			445 D										
											48 M INSP.		20/07/2026			963 D										
											60 M INSP.		31/12/2027			1492 D										
											CORROSION CONTROL PROGRAMME (CCP)															
											AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)															
											25 FH - ENG. CLEANING (BOTH ENG)											3828		1.9		
											SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE															
											10 HRS - AEOO 30/22											3834.4		8.3		
											660 FH INSP EASB 05.00.56 #3											4340.3		514.2		
50 HRS INSP AEO TM 22/05											3828		1.9													
COMPONENT											SERVICING / ANNUAL		TBO / SLL / OTP													
RDR ANTENNA SLAVING UNIT, PN: 017-01593-0100, SN: T2004													12/3/2026		833 D											
															AC LANDING CYCLE 10,870 FUEL TBA											

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	9.6	CARRY FORWARD	1.3
HOURS FLIGHT OF THE MONTH	9.6	HOURS CTF OF THE MONTH	1.3

	WARNING OVERDUE
	WARNING NEARING DUE

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	30/11/2023
-----------------------	---------	------------------	------------

Bahagian ini diisi oleh MC
This parts to be filled by MC

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Pesawat Tail Number	Jam Enjin Eng ISN	Jam Pesawat A/C ISN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks	
			Keadaan State	Tarikh Rosak Date	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational	Perkara Description	Tarikh Pada Date of	Baki Balance		Jam Time
M502-3 5714	ENG #1 SN: 2408	3429.3	NON OP	28/6/21	AIRCRAFT EXPERIENCE HARD LANDING AT RMN BASE	TBN	SCHEDULE INSPECTION							SEAT CONFIGURATION	
							25 FH INSP.	3449.1		19.8					STANDARD SEATS
							30 FH INSP.	3436		6.7					INSTALLED
							50 FH INSP.	3447.5		18.2					ITEM: FLIR
							100 FH INSP. (AF)	3449.5		20.2					STATUS: REMOVED
							100 FH INSP. (ENG NO 1)	3601.6		23.1					P/NO.: 10406-06-410 / 10406-06-210
							100 FH INSP. (ENG NO 2)	3498.1		23.1					S/NO.: N/A
							150 FH INSP. (AF)	3434.1		4.8					ITEM: MOUNTING GUN
							150 FH INSP. (ENG NO 1)	3648.7		70.2					STATUS: REMOVED
							150 FH INSP. (ENG NO 2)	3545.2		70.2					P/NO.: 3628931480
							300 FH INSP.	3647.8		218.5					S/NO.: N/A
							500 FH INSP. (AF)	3726.6		297.3					ITEM: FLOATION GEAR
							500 FH INSP. (ENG NO 1)	3998.7		420.2					STATUS: INSTALL
							500 FH INSP. (ENG NO 2)	3895.2		420.2					P/NO.: 218570-0(RH) / 218569-0(LH)
							600 FH INSP. (AF)	3582		152.7					S/NO.: 2742 (LH) & 2785 (RH)
							600 FH INSP. (ENG NO 1)	4098.7		520.2					ITEM: SPECTROLAB ASSY
							600 FH INSP. (ENG NO 2)	3995.2		520.2					STATUS: REMOVED
							150 FH//3M INSP.	3499.5	29/06/2021	70.2	-884 D				P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)
							150 FH//6M INSP.	3499.5	29/09/2021	70.2	-792 D				S/NO.: N/A
							150 FH//12M INSP.	3499.5	29/03/2022	70.2	-611 D				ITEM: RESCUE HOIST ASSY
							500 FH//24M INSP.	3847.8	06/01/2022	418.5	-693 D				STATUS: REMOVED
							600 FH//6M INSP.	3949.5	29/09/2021	520.2	-792 D				P/NO.: 704A-41-815-056
							600 FH//24M INSP. (AF)	3947.8	06/01/2022	518.5	-693 D				S/NO.: N/A
							600 FH//24M INSP. (ENG NO 1)	4098.7	06/04/2023	520.2	-238 D				ITEM: CARGO SWING
							600 FH//24M INSP. (ENG NO 2)	3995.2	06/04/2023	520.2	-238 D				STATUS: REMOVED
							7 D INSP.		28/06/2021		-885 D				P/NO.: 704A-4181-1027
							1 M INSP.		28/06/2021		-885 D				S/NO.: N/A
							6 M INSP.		02/09/2021		-819 D				
							12 M INSP.		02/03/2022		-638 D				
							24 M INSP.		29/03/2023		-246 D				
30 M INSP.		06/01/2022		-693 D											
48 M INSP.		06/01/2024		37 D											
60 M INSP.		18/04/2026		870 D											
CORROSION CONTROL PROGRAMME (CCP)													AC LANDING CYCLE		
25 FH - ENG. CLEANING (BOTH ENG)	3449.1		19.8												
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE															
EASB 05.00.56 REV 1	3434.1		4.8												
EASB 67.00.33 REV.0	3497.8		68.5												
COMPONENT													FUEL TBA		
BATTERY [P/N 151CH-1, 6M, POST: RIGHT&LEFT]		2/9/2021		-819 D											
HOURS FLIGHT OF THE DAY		0.0		HOURS CTF OF THE DAY		0.0		WARNING OVERDUE							
CARRY FORWARD		0.0		CARRY FORWARD		0.0		WARNING HEARING DUE							
HOURS FLIGHT OF THE MONTH		0.0		HOURS CTF OF THE MONTH		0.0									

Pesawat: Aircraft:	ASS55SN	Tarikh: Date:	30/11/2023
------------------------------	----------------	-------------------------	------------

Bahagian ini diisi oleh MC
This parts to be filled by MC

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan State	Keadaan Semasa Current Status			Penangguhan Kerosakan (jika ada) Deferred Defect (if any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks		
				Tarikh Rosak Date Unserviceable	Butir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (jika ada) Operational Limitation	Perkara Description	Tempat Pada Due at		Beri Basis			
												Jam Hrs	Kalendar Calendar	Jam Hrs		Hari Day	
M502-4 5716	ENG #1 SN: 2011	4072.2	S	SCHEDULE INSPECTION											SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-Q(RH) / 218569-Q(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A		
				25 FH INSP.	4094.8											22.6	
				30 FH INSP.	4072.6											0.4	
				50 FH INSP.	4092.6											20.4	
				100 FH INSP. (AF)	4147.0											74.8	
				100 FH INSP. (ENG NO 1)	4147.0											74.8	
				100 FH INSP. (ENG NO 2)	4147.0											74.8	
				150 FH INSP. (AF)	4186.2											114.0	
				150 FH INSP. (ENG NO 1)	4197											124.8	
				150 FH INSP. (ENG NO 2)	4197											124.8	
				300 FH INSP.	4086.7											14.5	
				500 FH INSP. (AF)	4351.0											278.8	
				500 FH INSP. (ENG NO 1)	4351.0											278.8	
				500 FH INSP. (ENG NO 2)	4351.0											278.8	
				600 FH INSP. (AF)	4083.8											11.6	
				600 FH INSP. (ENG NO 1)	4083.8											11.6	
				600 FH INSP. (ENG NO 2)	4083.8											11.6	
				50 FH//6M INSP.	4092.6	12/2/2024										20.4	74 D
				150 FH//3M INSP.	4197	14/01/2024										124.8	45 D
				150 FH//6M INSP.	4197	11/04/2024										124.8	133 D
				150 FH//12M INSP.	4081	09/08/2024										8.8	253 D
				500 FH//24M INSP.	4117.3	08/07/2024										45.1	221 D
				600 FH//6M INSP.	4414.9	24/01/2024										342.7	55 D
				600 FH//24M INSP. (AF)	4083.8	02/03/2024										11.6	93 D
				600 FH//24M INSP. (ENG NO 1)	4083.8	02/03/2024										11.6	93 D
				600 FH//24M INSP. (ENG NO 2)	4083.8	02/03/2024										11.6	93 D
				7 D INSP.		04/12/2023											4 D
				1 M INSP.		18/12/2023											18 D
				6 M INSP.		28/01/2024											59 D
				12 M INSP.		22/02/2024											84 D
				24 M INSP.		17/11/2025											718 D
				30 M INSP.		14/12/2024											380 D
				48 M INSP.		18/11/2025											719 D
				60 M INSP.		28/01/2027											1155 D
				CORROSION CONTROL PROGRAMME (CCP)													
25 FH - ENG. CLEANING (BOTH ENG)	4094.8											22.6					
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																	
10 HRS - AEOO 30/22	4072.7											0.5					
15 HRS INSP EASB 05.00.0001 REV. 0	4087.1											14.9					
COMPONENT																	
SERVO CONTROL -MAIN SERVO (TBO), PN-SC 8043, SN-694												24/2/2024	86 D				
BATTERY RH (201806007) & LH (201902059), DUE 6 MTH												15/02/2024	77 D				

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	15.1	CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	15.1	HOURS CTF OF THE MONTH	0.0

	WARNING OVERDIE
	WARNING HEARING DIE

AC LANDING CYCLE
11.076
FUEL
TBA

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	30/11/2023
------------------------------	---------	-------------------------	------------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks					
			Keadaan State	Tarikh Rosak Date Unserviceable	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Yamul Pada Date of			Baki Balance				
												Jam Hrs	Kalender Calendar		Jam Hrs	Har Day			
M502-5 5717	ENG #1 SN: 2296	3894.8	US	27/11/23	NR GAUGE READING DIFFERENCE WITH NR CADU INFLIGHT RECTIFICATION IN PROGRESS.	30/11/23	SCHEDULE INSPECTION								SEAT CONFIGURATION				
							25 FH INSP.								3914.4		19.6		STANDARD SEATS
							30 FH INSP.								3919.4		24.6		INSTALLED
							50 FH INSP.								3939.4		44.6		ITEM: FLIR
							100 FH INSP. (AF)								3989.4		94.6		STATUS: REMOVED
							100 FH INSP. (ENG NO 1)								3989.4		94.6		P/NO.: 10406-06-410 / 10406-06-210
							100 FH INSP. (ENG NO 2)								3989.4		94.6		S/NO.: N/A
							150 FH INSP. (AF)								4039.4		144.6		ITEM: MOUNTING GUN
							150 FH INSP. (ENG NO 1)								4039.4		144.6		STATUS: REMOVED
							150 FH INSP. (ENG NO 2)								4039.4		144.6		P/NO.: 3428931480
							300 FH INSP.								4189.4		294.6		S/NO.: N/A
							500 FH INSP. (AF)								4302.7		407.9		ITEM: FLOATATION GEAR
							500 FH INSP. (ENG NO 1)								4303.7		408.9		STATUS: REMOVED
							500 FH INSP. (ENG NO 2)								4304.7		409.9		P/NO.: 218570-0(RH) / 218569-0(LH)
							600 FH INSP. (AF)								4489.4		594.6		S/NO.: N/A
							600 FH INSP. (ENG NO 1)								4489.4		594.6		ITEM: SPECTROLAB ASSY
							600 FH INSP. (ENG NO 2)								4489.4		594.6		STATUS: REMOVED
							50 FH//6M INSP.								3939.4	1/12/2024	44.6	367 D	P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)
							150 FH//3M INSP.								4039.4	8/2/2024	144.6	70 D	S/NO.: N/A
							150 FH//6M INSP.								4039.4	8/5/2024	144.6	160 D	ITEM: RESCUE HOIST ASSY
							150 FH//12M INSP.								4039.4	4/10/2024	144.6	309 D	STATUS: REMOVED
							500 FH//24M INSP.								4389.4	14/11/2025	494.6	715 D	P/NO.: 704A-41-815-056
							600 FH//6M INSP.								4489.4	8/4/2024	594.6	130 D	S/NO.: N/A
							600 FH//24M INSP. (AF)								4489.4	21/9/2025	594.6	661 D	ITEM: CARGO SWING
							600 FH//24M INSP. (ENG NO 1)								4489.4	13/11/2025	594.6	714 D	STATUS: INSTALLED
							600 FH//24M INSP. (ENG NO 2)								4489.4	13/11/2025	594.6	714 D	P/NO.: 704A-4181-1027
							7 D INSP.									01/12/2023		1 D	S/NO.: 1136
							1 M INSP.									17/12/2023		17 D	
							6 M INSP.									2/5/2024		154 D	
							12 M INSP.									15/10/2024		320 D	
24 M INSP.									9/5/2025		526 D								
30 M INSP.									5/2/2024		67 D								
48 M INSP.									26/3/2025		482 D								
60 M INSP.									30/9/2026		1035 D								
CORROSION CONTROL PROGRAMME (CCP)																			
AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)																			
25 FH - ENG. CLEANING (BOTH ENG)												3914.4		19.6					
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE																			
10 HRS - AEOO 30/22												3899.4		4.6					
COMPONENT												SERVICING / ANNUAL		TBO / SLL / OTP					
STARTER GEN (RH), PN-524-062, S/N-1133 (TBO)													12/12/2027		1473				
												AC LANDING CYCLE				11,439			
												FUEL				TBA			

HOURS FLIGHT OF THE DAY	2.2	HOURS CTF OF THE DAY	2.2
CARRY FORWARD	3.2	CARRY FORWARD	2.8
HOURS FLIGHT OF THE MONTH	5.4	HOURS CTF OF THE MONTH	5.0

	WARNING OVERDUE
	WARNING BEARING DUE

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	30/11/2023
------------------------------	----------------	-------------------------	------------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status				Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks			
			Keadaan State	Tarikh Rosak Date Unserviceable	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Taraf Pada Due at		Baki Balance				
												Jam Hrs	Kalendar Calendar	Jam Hrs		Hari Day		
M502-6 5719	ENG #1 SN: 2420	3889.3	S	SCHEDULE INSPECTION											SEAT CONFIGURATION			
				25 FH INSP.	3906.5										17.2			STANDARD SEATS
				30 FH INSP.	3906.7										17.4			INSTALLED
				50 FH INSP.	3917.6										28.3			ITEM: FLIR
				100 FH INSP. (AF)	3899.8										10.5			STATUS: REMOVED
				100 FH INSP. (ENG NO 1)	3899.8										10.5			P/NO.: 10406-06-410 / 10406-06-210
				100 FH INSP. (ENG NO 2)	3899.8										10.5			S/NO.: N/A
				150 FH INSP. (AF)	4018.9										129.6			ITEM: MOUNTING GUN
				150 FH INSP. (ENG NO 1)	4018.9										129.6			STATUS: REMOVED
				150 FH INSP. (ENG NO 2)	4018.9										129.6			P/NO.: 3428931480
				300 FH INSP.	3904.4										15.1			S/NO.: N/A
				500 FH INSP. (AF)	4104.4										215.1			ITEM: FLOATATION GEAR
				500 FH INSP. (ENG NO 1)	6580.1										3105.1			STATUS: REMOVED
				500 FH INSP. (ENG NO 2)	4148.5										285.1			P/NO.: 218570-0(RH) / 218569-0(LH)
				600 FH INSP. (AF)	4204.4										315.1			S/NO.: N/A
				600 FH INSP. (ENG NO 1)	6680.1										3205.1			ITEM: SPECTROLAB ASSY
				600 FH INSP. (ENG NO 2)	4249.8										386.4			STATUS: REMOVED
				50 FH/6M INSP.(APPLICABLE AFTER 150FH/6M INSP.)	N/A										N/A			P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)
				150 FH/3M INSP.	3949.8										27/12/2023	60.5	27 D	S/NO.: N/A
				150 FH/6M INSP.	3995.7										16/03/2024	106.4	107 D	ITEM: RESCUE HOIST ASSY
				150 FH/12M INSP.	3898.1										05/05/2024	8.8	157 D	STATUS: REMOVED
				500 FH/24M INSP.	4104.4										24/09/2024	215.1	299 D	P/NO.: 704A-41-815-056
				600 FH/6M INSP.	4334.8										04/03/2024	445.5	95 D	S/NO.: N/A
				600 FH/24M INSP. (AF)	4204.4										15/10/2024	315.1	320 D	ITEM: CARGO SWING
				600 FH/24M INSP. (ENG NO 1)	6829										15/10/2024	3354.0	320 D	STATUS: REMOVED
				600 FH/24M INSP. (ENG NO 2)	4405.7										15/10/2024	542.3	320 D	P/NO.: 704A-4181-1027
				7 D INSP.											07/12/2023		7 D	S/NO.: N/A
				1 M INSP.											1/12/2023		1 D	
				6 M INSP.											02/02/2024		64 D	
				12 M INSP.											14/08/2024		258 D	
24 M INSP.											24/11/2023		-6 D					
30 M INSP.											24/12/2025		755 D					
48 M INSP.											10/06/2024		193 D					
60 M INSP.											11/01/2026		773 D					
CORROSION CONTROL PROGRAMME (CCP)																		
AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)																		
25 FH - ENG. CLEANING (BOTH ENG)	3906.5												17.2					
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE																		
10 HRS - AEO0 30/22	3896.7												7.4					
15 HRS INSP EASB 05.00.0001 R,0	3891.7												2.4					
COMPONENT																		
SERVICING / ANNUAL																		
TBO / SLL / OTP																		
AC LANDING CYCLE																		
11,223																		
FUEL																		
TBA																		
HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY		0.0	<div style="display: flex; justify-content: space-around;"> <div style="background-color: red; width: 20px; height: 20px;"></div> WARNING OVERDUE </div> <div style="display: flex; justify-content: space-around;"> <div style="background-color: yellow; width: 20px; height: 20px;"></div> WARNING NEARING DUE </div>													
CARRY FORWARD	16.7	CARRY FORWARD		0.0														
HOURS FLIGHT OF THE MONTH	16.7	HOURS CTF OF THE MONTH		0.0														