

OPERATIONAL AVAILABILITY SURVEILLANCE

LAMPIRAN 1-A

Aircraft Type: AS555N
Date: 17-Dec-2023

Tail No	TIME 16-12-2023														TIME 17-12-2023														Uptime (G)					Downtime (ALDT)					Total Time	Overall Total Time	Av %				
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTY Hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTY Hrs	F	CTY	MC	M	L	A	Total Time	Overall Total Time	Av %							
M522-5 S/N 5717	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	0.0	0.0	24.0					24.0	24h	100%
TOTAL:														TOTAL:														0.0					0.0												

Tail No	TIME 16-12-2023														TIME 17-12-2023														Uptime (G)					Downtime (ALDT)					Total Time	Overall Total Time	Av %			
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTY Hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTY Hrs	F	CTY	MC	M	L	A	Total Time	Overall Total Time	Av %						
M522-6 S/N 5715	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	0.0	0.0	24.0					24.0	24h	100%
TOTAL:														TOTAL:														0.0					0.0							72h				

Sign: _____
Name: _____

Sign: _____
Name: _____

Abbreviation		M	Maintenance
F	Flying	L	Leadline Maintenance
CTY	Check Test flight	A	Awaiting Spare
MC	Mission Capability		

Tail No	Demand & Defect list	Duration	Job No.	Remarks
M522-5 S/N 5717	1 MGB MAGNETIC PLUG WITH ELECTRICAL DETECTION SYSTEM GENERAL VISUAL INSPECTION CHECK DURING THE ALF NEAREST EACH DUE TIME I.A.W MET 60.00.00.603 PERFORMED AFTER 10 FH BEFORE 12 FH		SNOW 0452	TRANSFERRED TO MF 704 SHT 178 # 5 DEFERRED UNTIL AFTER 3899.4 BEFORE 3901.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1233 .
	2 MGB MAGNETIC PLUG WITH ELECTRICAL DETECTION SYSTEM GENERAL VISUAL INSPECTION CHECK DURING THE ALF NEAREST EACH DUE TIME I.A.W MET 60.00.00.603 PERFORMED AFTER 20 FH BEFORE 23 FH		SNOW 0453	TRANSFERRED TO MF 704 SHT 178 # 6 DEFERRED UNTIL AFTER 3909.4 BEFORE 3912.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1236 .
	3 MGB MAGNETIC PLUG WITH ELECTRICAL DETECTION SYSTEM GENERAL VISUAL INSPECTION CHECK DURING THE ALF NEAREST EACH DUE TIME I.A.W MET 60.00.00.603 PERFORMED AFTER 30 FH BEFORE 35 FH		SNOW 0454	TRANSFERRED TO MF 704 SHT 179 # 1 DEFERRED UNTIL AFTER 3915.4 BEFORE 3924.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1240 .
	4 MGB MOUNT AND ATTACHMENT SUSPENSION BAR TIGHTENING TORQUE CHECK I.A.W MET 62.3.00.402 PERFORMED AFTER 2 FH BEFORE 3 FH		SNOW 0455	TRANSFERRED TO MF 704 SHT 179 # 2 DEFERRED UNTIL AFTER 3891.4 BEFORE 3892.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1245 .
	5 TAIL ROTOR BLADE TRACKING FINGER GENERAL VISUAL INSPECTION CHECK THE SAFETYING OF THE TRACKING FINGER LOCK PLATE I.A.W MET 64.10.00.601 PERFORMED AFTER 1 FH BEFORE 2 FH.		SNOW 0456	TRANSFERRED TO MF 704 SHT 179 # 3 DEFERRED UNTIL AFTER 3890.4 BEFORE 3892.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1250 .
	6 TAIL ROTOR BLADE TRACKING FINGER GENERAL VISUAL INSPECTION CHECK THE SAFETYING OF THE TRACKING FINGER LOCK PLATE I.A.W MET 64.10.00.601 PERFORMED AFTER 10 FH BEFORE 12 FH.		SNOW 0457	TRANSFERRED TO MF 704 SHT 179 # 4 DEFERRED UNTIL AFTER 3899.4 BEFORE 3901.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1300 .
	7 TAIL ROTOR DRIVE SHAFT BALANCE CHECK I.A.W MET 65.10.00.504 AND MET 65.10.00.605 PERFORMED AFTER 150 FH BEFORE 165 FH		SNOW 0458	TRANSFERRED TO MF 704 SHT 179 # 5 DEFERRED UNTIL AFTER 4039.4 BEFORE 4024.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1303 .
	8 MGB ATTACHMENT BOLT TIGHTENING TORQUE CHECK I.A.W MET 05.20.00.602 PERFORMED AFTER 2 FH BEFORE 10 FH		SNOW 0459	TRANSFERRED TO MF 704 SHT 179 # 6 DEFERRED UNTIL AFTER 3891.4 BEFORE 3899.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1309 .
	9 MAIN SERVO CONTROL READJUSTMENT THE TIGHTENING ATTACHING BOLT I.A.W MET 80.06.00.401 PERFORMED AFTER 10 FH BEFORE 50 FH.		SNOW 0460	TRANSFERRED TO MF 704 SHT 480 # 6 DEFERRED UNTIL AFTER 3899.4 BEFORE 3939.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1312 .
	10 MAIN SERVO CONTROL READJUSTMENT THE TIGHTENING ATTACHING BOLT I.A.W MET 80.06.00.401 PERFORMED AFTER 3 FH BEFORE 10 FH.		SNOW 0461	TRANSFERRED TO MF 704 SHT 181 # 1 DEFERRED UNTIL AFTER 3892.2 BEFORE 3899.4 . REFER MOD FORM 707 PAGE NO 1225/2 ON 17112023 @ 1315 .
M522-6 S/N 5715	1 MGB HOSE FOUND SEEPAGE INSPECTION CARRIED OUT I.A.W MTC 20.07.03.402. OIL CONSUMPTION UNDER PERMISSIBLE 5 CM PER HOUR OF FLIGHT RATE. SEEPAGE WITHIN LIMIT. TEMPORARY SEALED BY PRC.		SNOW 8810	TRANSFERRED TO MF 704 SHT 176 # 05 DEFERRED UNTIL 24 DEC 23 AND MONITOR EVERY AFS. REFER MOD FORM 707 PAGE NO 1189/2 ON 24112023 @ 1300.
	2 15 HRS INSPECTION EASB 05.00.0001 RO TO BE PERFORMED		SNOW 8811	15 HRS INSPECTION EASB 05.00.0001 RO UPPER FIN SPAR PERFORMED I.A.W EASB 05.00.0001 PARA 4.3 AND PARA 4.4. BORGSCOPE S/N 7031302 IN USED. NO ABNORMALITIES FOUND. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1189/2 ON 27112023 @ 1545.
	3 ENGINE COMPRESSOR RINSING TO BE PERFORMED		SNOW 8812	ENGINE COMPRESSOR RINSING PERFORMED I.A.W EMM 71.01.01610.801.A01. GROUND RUN NOT REQUIRED. ENGINE DRIED PRIOR TO FLIGHT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1189/2 ON 20112023 @ 0630.

Pesawat: AS555N Tarikh: 17/12/2023
 Aircraft: Date:

BAHAGIAN 2 - STATUS HARIAN PESAWAT
 Part 2 - Daily Aircraft Status
 Keadaan Pesawat pada jam 0800H
 Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks										
			Keadaan State	Tarikh Rosak Date	Butir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Restrictions	Perkara Description	Tarikh Pada Date of			Baki Balance									
												Jam Time	Kalendar Calendar		Jam Time	Hari Day								
M502-1 5709	ENG #1 SN: 2394	4200.2	S								SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A. HOIST CYCLE: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A									
											25 FH INSP.	4222.2		22.0										
											30 FH INSP.	4224.8		24.6										
											50 FH INSP.	4214.7		14.5										
											100 FH INSP. (AF)	4297.2		97.0										
											100 FH INSP. (ENG NO 1)	4297.2		97.0										
											100 FH INSP. (ENG NO 2)	4297.2		97.0										
											150 FH INSP. (AF)	4255.5		55.3										
											150 FH INSP. (ENG NO 1)	4255.5		55.30										
											150 FH INSP. (ENG NO 2)	4255.5		55.30										
											300 FH INSP.	4463.4		263.2										
											500 FH INSP. (AF)	4620.5		420.3										
											500 FH INSP. (ENG NO 1)	4620.5		420.3										
											500 FH INSP. (ENG NO 2)	4620.5		420.3										
											600 FH INSP. (AF)	4720.5		520.3										
											600 FH INSP. (ENG NO 1)	4720.5		520.3										
											600 FH INSP. (ENG NO 2)	4720.5		520.3										
											50 FH/6M INSP.	4220.5	27/12/2023	20.3		10 D								
											150 FH/3M INSP.	4227.4	26/12/2023	27.2		9 D								
											150 FH/6M INSP.	4270.5	27/12/2023	70.3		10 D								
											150 FH/12M INSP.	4270.5	27/06/2024	70.3		193 D								
											500 FH/24M INSP.	4483.2	27/06/2025	283.0		558 D								
											600 FH/6M INSP.	4676.2	27/12/2023	476.0		10 D								
											600 FH/24M INSP. (AF)	4720.5	27/06/2025	520.3		558 D								
											600 FH/24M INSP. (ENG NO 1)	4720.5	27/06/2025	1242.5		558 D								
											600 FH/24M INSP. (ENG NO 2)	4720.5	27/06/2025	1007.5		558 D								
											7 D INSP.		18/12/2023			1 D								
											1 M INSP.		25/12/2023			8 D								
											6 M INSP.		27/12/2023			10 D								
											12 M INSP.		27/06/2024			193 D								
24 M INSP.		16/06/2025		547 D																				
30 M INSP.		27/12/2025		741 D																				
48 M INSP.		15/11/2024		334 D																				
60 M INSP.		15/11/2025		699 D																				
CORROSION CONTROL PROGRAMME (CCP)																								
25 FH - ENG. CLEANING (BOTH ENG)	4222.2		22.0																					
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																								
10 HRS - AEOO 30/22	4209.3		9.1																					
COMPONENT																								
SERVICING / ANNUAL																								
MGB OIL FILTER, PN: FA01315AV		15/11/2022		-397 D																				
TAIL SERVO, PN: SCS072		1/1/2023		-350 D																				
AC LANDING CYCLE													11,769											
FUEL													TBA											

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	3.0	CARRY FORWARD	3.0
HOURS FLIGHT OF THE MONTH	3.0	HOURS CTF OF THE MONTH	3.0

	WARNING OVERDUE
	WARNING NEARING DUE

Pesawat: **AS555SN** Tarikh: **17/12/2023**
 Aircraft: **AS555SN** Date: **17/12/2023**

BAHAGIAN 2 - STATUS HARIAN PESAWAT
 Part 2 - Daily Aircraft Status
 Keadaan Pesawat pada jam 0800H
 Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng ISN	Jam Pesawat A/C ISN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks	
			Keadaan State	Tarikh Rosak Date	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational	Perkara Description	Tarikh Pada Date	Isi Content		Isi Content
M502-3 5714	ENG #1 SN: 2408	3429.3	NON OP	28/6/21	AIRCRAFT EXPERIENCE HARD LANDING AT RMN BASE	TBN	SCHEDULE INSPECTION				SEAT CONFIGURATION				
							25 FH INSP.	3449.1		19.8		STANDARD SEATS INSTALLED			
							30 FH INSP.	3436		6.7		ITEM: FLIR STATUS: REMOVED			
							50 FH INSP.	3447.5		18.2		P/NO.: 10406-06-410 / 10406-06-210			
							100 FH INSP. (AF)	3449.5		20.2		S/NO.: N/A			
							100 FH INSP. (ENG NO 1)	3601.6		23.1		ITEM: MOUNTING GUN			
							100 FH INSP. (ENG NO 2)	3498.1		23.1		STATUS: REMOVED			
							150 FH INSP. (AF)	3434.1		4.8		P/NO.: 3628931480			
							150 FH INSP. (ENG NO 1)	3648.7		70.2		S/NO.: N/A			
							150 FH INSP. (ENG NO 2)	3545.2		70.2		ITEM: FLOATATION GEAR			
							300 FH INSP.	3647.8		218.5		STATUS: INSTALL			
							500 FH INSP. (AF)	3726.6		297.3		P/NO.: 218570-0(RH) / 218569-0(LH)			
							500 FH INSP. (ENG NO 1)	3998.7		420.2		S/NO.: 2742 (LH) & 2785 (RH)			
							500 FH INSP. (ENG NO 2)	3895.2		420.2		ITEM: SPECTROLAB ASSY			
							600 FH INSP. (AF)	3582		152.7		STATUS: REMOVED			
							600 FH INSP. (ENG NO 1)	4098.7		520.2		P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)			
							600 FH INSP. (ENG NO 2)	3995.2		520.2		S/NO.: N/A			
							150 FH//3M INSP.	3499.5	29/06/2021	70.2	-901 D	ITEM: RESCUE HOIST ASSY			
							150 FH//6M INSP.	3499.5	29/09/2021	70.2	-809 D	STATUS: REMOVED			
							150 FH//12M INSP.	3499.5	29/03/2022	70.2	-628 D	P/NO.: 704A-41-815-056			
							500 FH//24M INSP.	3847.8	06/01/2022	418.5	-710 D	S/NO.: N/A			
							600 FH//6M INSP.	3949.5	29/09/2021	520.2	-809 D	ITEM: CARGO SWING			
							600 FH//24M INSP. (AF)	3947.8	06/01/2022	518.5	-710 D	STATUS: REMOVED			
							600 FH//24M INSP. (ENG NO 1)	4098.7	06/04/2023	520.2	-255 D	P/NO.: 704A-4181-1027			
							600 FH//24M INSP. (ENG NO 2)	3995.2	06/04/2023	520.2	-255 D	S/NO.: N/A			
							7 D INSP.		28/06/2021		-902 D				
							1 M INSP.		28/06/2021		-902 D				
							6 M INSP.		02/09/2021		-836 D				
							12 M INSP.		02/03/2022		-655 D				
							24 M INSP.		29/03/2023		-263 D				
30 M INSP.		06/01/2022		-710 D											
48 M INSP.		06/01/2024		20 D											
60 M INSP.		18/04/2026		853 D											
CORROSION CONTROL PROGRAMME (CCP)															
25 FH - ENG. CLEANING (BOTH ENG)	3449.1		19.8												
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE															
EASB 05.00.56 REV 1	3434.1		4.8												
EASB 67.00.33 REV.0	3497.8		68.5												
COMPONENT SERVICING / ANNUAL TBO / SLL / OTP															
BATTERY [P/N 151CH-1, 6M, POST: RIGHT&LEFT]		2/9/2021		-836 D											

HOURS FLIGHT OF THE DAY	0.0
CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	0.0

HOURS CTF OF THE DAY	0.0
CARRY FORWARD	0.0
HOURS CTF OF THE MONTH	0.0

WARNING OVERDUE
WARNING HEARING DUE

AC LANDING CYCLE
 9.251
 FUEL
 TBA

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	17/12/2023
-----------------------	---------	------------------	------------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status				Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks	
			Keadaan State	Tarikh Rosak Date Unserviceable	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Taraf Pada Due at		Baki Balance		
												Jam Hrs	Kalendar Calendar	Jam Hrs		Hari Day
M502-6 5719	ENG #1 SN: 2420	3898.1	S							SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED		
										25 FH INSP.	3906.5		8.4			ITEM: FLIR
										30 FH INSP.	3906.7		8.6			STATUS: REMOVED
ENG #1 SN: 2420	ENG #1 3483.8	3898.1	S							100 FH INSP.	3899.8		1.7		P/NO.: 10406-06-410 / 10406-06-210	
										100 FH INSP. (ENG NO 1)	3899.8		1.7		S/NO.: N/A	
										100 FH INSP. (ENG NO 2)	3899.8		1.7			
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							150 FH INSP. (AF)	4018.9		120.8		ITEM: MOUNTING GUN	
										150 FH INSP. (ENG NO 1)	4018.9		120.8		STATUS: REMOVED	
										150 FH INSP. (ENG NO 2)	4018.9		120.8		P/NO.: 3428931480	
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							300 FH INSP.	3904.4		6.3		S/NO.: N/A	
										500 FH INSP. (AF)	4104.4		206.3		ITEM: FLOATATION GEAR	
										500 FH INSP. (ENG NO 1)	6580.1		3096.3		STATUS: REMOVED	
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							500 FH INSP. (ENG NO 2)	4148.5		276.3		P/NO.: 218570-0(RH) / 218569-0(LH)	
										600 FH INSP. (AF)	4204.4		306.3		S/NO.: N/A	
										600 FH INSP. (ENG NO 1)	6680.1		3196.3		ITEM: SPECTROLAB ASSY	
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							600 FH INSP. (ENG NO 2)	4249.8		377.6		STATUS: REMOVED	
										50 FH/6M INSP.(APPLICABLE AFTER 150FH/6M INSP.)	N/A		N/A		P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)	
										150 FH/3M INSP.	3949.8	27/12/2023	51.7	10 D	S/NO.: N/A	
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							150 FH/6M INSP.	3995.7	16/03/2024	97.6	90 D	ITEM: RESCUE HOIST ASSY	
										150 FH/12M INSP.	3998.1	05/05/2024	100.0	140 D	STATUS: REMOVED	
										500 FH/24M INSP.	4104.4	24/09/2024	206.3	282 D	P/NO.: 704A-41-815-056	
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							600 FH/6M INSP.	4334.8	04/03/2024	436.7	78 D	S/NO.: N/A	
										600 FH/24M INSP. (AF)	4204.4	15/10/2024	306.3	303 D	ITEM: CARGO SWING	
										600 FH/24M INSP. (ENG NO 1)	6829	15/10/2024	3345.2	303 D	STATUS: REMOVED	
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							600 FH/24M INSP. (ENG NO 2)	4405.7	15/10/2024	533.5	303 D	P/NO.: 704A-4181-1027	
										7 D INSP.		22/12/2023		5 D	S/NO.: N/A	
										1 M INSP.		1/1/2024		15 D		
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							6 M INSP.		02/02/2024		47 D		
										12 M INSP.		14/08/2024		241 D		
										24 M INSP.		24/11/2025		708 D		
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							30 M INSP.		24/12/2025		738 D		
										48 M INSP.		10/06/2024		176 D		
										60 M INSP.		11/01/2026		756 D		
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							CORROSION CONTROL PROGRAMME (CCP)				AC LANDING CYCLE 11,239		
										AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)						
										25 FH - ENG. CLEANING (BOTH ENG)	3906.5		8.4			
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE				FUEL TBA		
										10 HRS - AEOO 30/22	3896.7		-1.4			
										15 HRS INSP EASB 05.00.0001 R,0	3906.6		8.5			
ENG #2 SN: 2411	ENG #2 3872.2	3898.1	S							COMPONENT	SERVICING / ANNUAL	TBO / SLL / OTP				
HOURS FLIGHT OF THE DAY		0.0		HOURS CTF OF THE DAY		0.0								WARNING OVERDUE		
CARRY FORWARD		7.3		CARRY FORWARD		1.6								WARNING NEARING DUE		
HOURS FLIGHT OF THE MONTH		7.3		HOURS CTF OF THE MONTH		1.6										