

OPERATIONAL AVAILABILITY SURVEILLANCE

Aircraft Type: AS555W
 Date: 4-Apr-2024

Tail No	TIME 03-04-2024																	TIME 04-04-2024																	Uptime (S)					Downtime (ALDT)					Total Time	Overall Total Time	Ao %					
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTJ Hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTJ Hrs	F	CTJ	MC	M	L	A	Total	Overall															
																		0.0	0.0																		0.0	0.0	0.0	0.0	0.0	24.0	24.0									
M502-1 S/N: 5709	F	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0											0.0	24H	0%
TOTAL:																	0.0	0.0																		0.0	0.0															

Tail No	TIME 03-04-2024																	TIME 04-04-2024																	Uptime (S)					Downtime (ALDT)					Total Time	Overall Total Time	Ao %							
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTJ Hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTJ Hrs	F	CTJ	MC	M	L	A	Total	Overall																	
																		3.1	0.0	/ <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <td>/</td> <th>0.0</th> <th>0.0</th> <th>3.1</th> <th>0.0</th> <th>0.0</th> <th>0.0</th> <th>0.0</th> <th>20.0</th> <th>20.0</th>	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	3.1	0.0	0.0	0.0	0.0				20.0	20.0					
M502-2 S/N: 5711	F	/	/	/	/													3.1	0.0	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	/	0.0	0.0	3.1	0.0											4.0	24H	17%
TOTAL:																	3.1	0.0																		0.0	0.0																	

Sign: _____
 Name: _____

Sign: _____
 Name: _____

Abbreviation		Abbreviation	
F	Flying	M	Maintenance
CTF	Check Test flight	L	Awaiting Maintenance
MC	Mission Capability	A	Awaiting Spare

Tail No	Demand & Defect list	Duration	Job No.	Remarks
M502-1 S/N: 5709	GROUND RUN REQUIRED FOR: 1) LEAK CHECK ON MGB BREATHER 2) LEAK CHECK ON BLAMING PLUG 3) FURTHER ASSESSMENT ON TRIPLE GAUGE 4) ENG COMP RINSING		SNOW 9475	AIRCRAFT SERVICEABLE FOR GROUND RUN. 1) SATISFACTORY CARRIED OUT. NO LEAK APPEARANCE. ASSESSED 'S'/ 2) SATISFACTORY CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1229/2 ON 15022024 @ 1025 & 1118.
	ENGINE COMPRESSOR RINSING TO BE PERFORMED		SNOW 9476	ENGINE COMPRESSOR RINSING PERFORMED I.A.W EMM 71.01.01.610.801.A01. GROUND RUN CARRIED OUT SNOW 9475 REFER. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1229/2 ON 15022024 @ 1120.
	CTF REQUIRED FOR: 1) ASSESSMENT ON MGB LEAK 2) NR ADJUSTMENT 3) FURTHER ASSESSMENT ON TRIPLE GAUGE.		SNOW 9477	AIRCRAFT SERVICEABLE FOR CTF. REPORT: 1) SATISFACTORY CARRIED OUT. NO LEAK APPEARANCE. ASSESSED SERVICEABLE. 2) SATISFACTORY CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1229/2 ON 15022024 @ 1454 & 1545.
M502-2 S/N: 5711	GROUND RUN REQUIRED FOR: 1) AIRCRAFT SYSTEM CHECK		SNOW 8913	AIRCRAFT SERVICEABLE FOR GROUND RUN. REPORT: a) SATISFACTORY CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1219/2 ON 06022024 @ 0610 & 0630.
	GROUND RUN REQUIRED FOR: 1) AIRCRAFT SYSTEM CHECK		SNOW 8914	AIRCRAFT SERVICEABLE FOR GROUND RUN. REPORT: 1) SATISFACTORY CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1219/2 ON 07022024 @ 0630 & 0650.
	LIMIT LIGHT ON ENG NO1 TQ SPLIT.		SNOW 8915	TQ TRANSMITTER FOUND DEFECTIVE 'US' TQ S/N: 2540 REMOVED AND REPLACED 'S' TQ S/N: 2510 I.A.W MET 77.06.00.401. TRANSDUCER S/N: 11945664. DUE DATE 05/07/2024 IN USE. FIGURE ACHIEVE WITHIN LIMIT. GROUND RUN SNOW 8917 NO LEAK APPEARANCE. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1219/2 ON 07022024 @ 1540.

OPERATIONAL AVAILABILITY SURVEILLANCE

Aircraft Type: AS555SN
Date: 4-Apr-2024

Tail No	TIME 03-04-2024																TIME 04-04-2024								Uptime (S)			Downtime (ALDT)			Total Time	Overall Total Time	Ao %										
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTJ Hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTJ Hrs	F				CTF	MC	M	L	A					
	M502-5 S/N: 5717	F																	0.0	0.0									0.0	0.0				0.0	0.0							24.0	
TOTAL:																0.0		TOTAL:								0.0								24.0									

Tail No	TIME 03-04-2024																TIME 04-04-2024								Uptime (S)			Downtime (ALDT)			Total Time	Overall Total Time	Ao %										
	0800	0900	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	Total Flight Hrs	Total CTJ Hrs	0100	0200	0300	0400	0500	0600	0700	0800	Total Flight Hrs	Total CTJ Hrs	F				CTF	MC	M	L	A					
	M502-6 S/N: 5719	F		/	/	/													2.2	0.0									0.0	0.0				2.2	0.0							21.8	
TOTAL:																2.2		TOTAL:								0.0								21.8			0.0			24.0		19%	

Sign: _____
Name: _____

Sign: _____
Name: _____

Abbreviation

- F Flying
- CTF Check Test flight
- MC Mission Capability

- M Maintenance
- L Awaiting Maintenance
- A Awaiting Spare

Tail No	Demand & Defect list	Duration	Job No.	Remarks
M502-5 S/N: 5717	1 INDEPENDENT CHECK FOR CORRECT ASSY AND LOCKING ON 2X PICKETING BOLT (8 OFF) TO BE PERFORMED		SNOW 0551	INDEPENDENT CHECK FOR CORRECT ASSY AND LOCKING ON 2X PICKETING BOLT (8 OFF) PERFORMED I.A.W AKS LOG 05/18 BTH 4 JUL 18. CERTIFIED NO INDEPENDENT FUNCTIONAL CHECK REQUIRED. REFER MOD FORM 707 PAGE NO 1238/2 ON 14122023 @ 1145.
	2 AIRCRAFT WEIGHT TO BE RECALCULATED FORM 702 B TO BE AMENDED		SNOW 0552	AIRCRAFT WEIGHT RECALCULATED FORM 702 B AMENDED C.O.W 1903.79 KGS. REFER MOD FORM 707 PAGE NO 1238/2 ON 14122023 @ 1220.
	3 ENGINE COMPRESSOR RINSING TO BE PERFORMED		SNOW 0553	ENGINE COMPRESSOR RINSING PERFORMED I.A.W EMM 71.01.01.610.801.A01. GROUND RUN CARRIED OUT SNOW 0554 REFER. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1238/2 ON 15122023 @ 1035.
Tail No	Demand & Defect list	Duration	Job No.	Remarks
M502-6 S/N: 5719	1 GROUND REQUIRED FOR: 1) AP SYSTEM CHECK		SNOW 8948	AIRCRAFT SERVICEABLE FOR GROUND RUN. REPORT: 1) SATISFACTORY CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1208/2 ON 30012024 @ 1700.
	2 ENGINE COMPRESSOR RINSING TO BE PERFORMED		SNOW 8950	ENGINE COMPRESSOR RINSING PERFORMED I.A.W EMM 71.01.01.610.801.A01. GROUND RUN CARRIED OUT. SNOW 8951 REFER. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1208/2 ON 01022024 @ 1030.
	3 GROUND RUN REQUIRED FOR: 1) ENGINE COMP RINSING		SNOW 8951	AIRCRAFT SERVICEABLE FOR GROUND RUN. REPORT: 1) SATISFACTORY CARRIED OUT. ASSESSED SERVICEABLE. REFER MOD FORM 707 PAGE NO 1208/2 ON 01022024 @ 1300.

Pesawat: Aircraft:	AS555N	Tarikh: Date:	4/4/2024
-----------------------	--------	------------------	----------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Kedaaan Pesawat pada Jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Kedaaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks								
			Kedaaan State	Tarikh Rosak Date	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Restrictions	Perkara Description	Tamat Pada Date of			Baki Balance							
												Jam Time	Kalendar Calendar		Jam Time	Hari Day						
M502-1 5709	ENG #1 SN: 2394	4296.9	NON OP	2/4/24	100 FH AND 50 FH // 6 M INSPECTION. INSPECTION IN PROGRESS	5/4/24				SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A. HOIST CYCLE: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: 1112								
										25 FH INSP.	4316.8		19.9									
										30 FH INSP.	4326.9		30.0									
										50 FH INSP.	4346.9		50.0									
										100 FH INSP. (AF)	4384.3		87.4									
										100 FH INSP. (ENG NO 1)	4384.3		87.4									
										100 FH INSP. (ENG NO 2)	4384.3		87.4									
										150 FH INSP. (AF)	4405.5		108.6									
										150 FH INSP. (ENG NO 1)	4405.5		108.60									
										150 FH INSP. (ENG NO 2)	4405.5		108.60									
										300 FH INSP.	4463.4		166.5									
										500 FH INSP. (AF)	4620.5		323.6									
										500 FH INSP. (ENG NO 1)	4620.5		323.6									
										500 FH INSP. (ENG NO 2)	4620.5		323.6									
										600 FH INSP. (AF)	4720.5		423.6									
										600 FH INSP. (ENG NO 1)	4720.5		423.6									
										600 FH INSP. (ENG NO 2)	4720.5		423.6									
										50 FH//6M INSP.	4346.9		50.0		120 D							
										150 FH//3M INSP.	4405.5	2/8/2024	108.6		70 D							
										150 FH//6M INSP.	4405.5	13/06/2024	108.6		84 D							
										150 FH//12M INSP.	4405.5	27/06/2024	108.6		84 D							
										150 FH//24M INSP.	4483.2	13/06/2024	108.6		70 D							
										500 FH//24M INSP.	4483.2	27/06/2025	186.3		449 D							
										600 FH//6M INSP.	4676.2	27/06/2024	379.3		84 D							
										600 FH//24M INSP. (AF)	4720.5	27/06/2025	423.6		449 D							
										600 FH//24M INSP. (ENG NO 1)	4720.5	27/06/2025	1145.5		449 D							
										600 FH//24M INSP. (ENG NO 2)	4720.5	27/06/2025	910.8		449 D							
										7 D INSP.		08/04/2024			4 D							
										1 M INSP.		24/04/2024			20 D							
										6 M INSP.		27/06/2024			84 D							
12 M INSP.		27/06/2024		84 D																		
24 M INSP.		16/06/2025		438 D																		
30 M INSP.		27/12/2025		632 D																		
48 M INSP.		15/11/2024		225 D																		
60 M INSP.		15/11/2025		590 D																		
CORROSION CONTROL PROGRAMME (CCP)																						
25 FH - ENG. CLEANING (BOTH ENG)	4316.8		19.9																			
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																						
10 HRS - AEOO 30/22	4306.9		10.0																			
COMPONENT																						
SERVICING / ANNUAL																						
MGB OIL FILTER, PN: FA01315AV		15/11/2022		-506 D																		
TAIL SERVO, PN: SCS072		1/1/2023		-459 D																		

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	5.1	CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	5.1	HOURS CTF OF THE MONTH	0.0

WARNING OVERDUE
WARNING NEARING DUE

AC LANDING CYCLE
12.019
FUEL
TBA

Pesawat: Aircraft:	AS555N	Tarikh: Date:	4/4/2024
-----------------------	--------	------------------	----------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks												
			Keadaan State	Tarikh Rosak Date Unserviceable	Butir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Tamat Pada Due at			Baki Balance											
												Jam Hrs	Kalender Calendar		Jam Hrs	Hari Day										
M502-2 5711	ENG #1 SN: 2013	3907.7	US	03/4/24	RADALT AURAL WARNING SOUND INOPERATIVE. RECTIFICATION IN PROGRESS.	04/4/24					SCHEDULE INSPECTION				SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLR STATUS: REMOVED P/NO.: 10404-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3628931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A											
											25 FH INSP.	3914.3		6.6												
											30 FH INSP.	3921.6		13.9												
											50 FH INSP.	3915		7.3												
											100 FH INSP. (AF)	3965		57.3												
											100 FH INSP. (ENG NO 1)	3965		57.3												
											100 FH INSP. (ENG NO 2)	3965		57.3												
											150 FH INSP. (AF)	3942.3		34.6												
											150 FH INSP. (ENG NO 1)	4014.2		106.5												
											150 FH INSP. (ENG NO 2)	4014.2		106.5												
											300 FH INSP.	3947.3		39.6												
											500 FH INSP. (AF)	4146.9		239.2												
											500 FH INSP. (ENG NO 1)	4146.9		239.2												
											500 FH INSP. (ENG NO 2)	4146.9		239.2												
											600 FH INSP. (AF)	4246.9		339.2												
											600 FH INSP. (ENG NO 1)	4314.2		406.5												
											600 FH INSP. (ENG NO 2)	4314.2		406.5												
											50 FH/6M INSP.	3915	17/8/2024	7.3		135 D										
											150 FH/3M INSP.	3928	12/06/2024	20.3		69 D										
											150 FH/6M INSP.	3967.5	14/05/2024	79.8		40 D										
											150 FH/12M INSP.	3942.3	02/02/2025	34.6		304 D										
											500 FH/24M INSP.	4010.3	19/07/2024	102.6		106 D										
											600 FH/6M INSP.	4312.1	17/06/2024	404.4		74 D										
											600 FH/24M INSP. (AF)	4266.9	20/03/2025	359.2		350 D										
											600 FH/24M INSP. (ENG NO 1)	4266.9	20/03/2025	359.2		350 D										
											600 FH/24M INSP. (ENG NO 2)	4266.9	20/03/2025	359.2		350 D										
											7 D INSP.		09/04/2024			5 D										
											1 M INSP.		15/04/2024			11 D										
											6 M INSP.		14/05/2024			40 D										
											12 M INSP.		20/06/2024			77 D										
											24 M INSP.		21/06/2025			443 D										
											30 M INSP.		17/02/2025			319 D										
											48 M INSP.		20/07/2026			837 D										
											60 M INSP.		31/12/2027			1366 D										
											CORROSION CONTROL PROGRAMME (CCP)															
											AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)															
											25 FH - ENG. CLEANING (BOTH ENG)											3914.3		6.6		
											SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE															
											10 HRS - AEOO 30/22											3905.2		-2.5		
											660 FH INSP EASB 05.00.56 #3											4340.3		432.6		
50 HRS INSP AEO TM 22/05											3915		7.3													
COMPONENT											SERVICING / ANNUAL		TBO / SLL / OTP													
RDR ANTENNA SLAVING UNIT, PN: 017-01593-0100, SN: T2004											12/3/2026		707 D													

HOURS FLIGHT OF THE DAY	3.1	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	3.9	CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	7.0	HOURS CTF OF THE MONTH	0.0

	WARNING OVERDUE
	WARNING NEARING DUE

AC LANDING CYCLE
 11,099
 FUEL
 TBA

Pesawat:	AS555SN	Tarikh:	4/4/2024
Aircraft:		Date:	

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
 Keadaan Pesawat pada jam 0800H
 Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng ISN	Jam Pesawat A/C ISN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks			
			Keadaan State	Tarikh Rosak Date	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational	Perkara Description	Tarikh Pada Date of			Baki Balance		
												Jam Hour	Kalendar Calendar		Jam Hour	Hari Day	
M502-3 5714	ENG #1 SN: 2408	3429.3	NON OP	28/6/21	AIRCRAFT UNDER LONG TERM PRESERVATION	TBN	SCHEDULE INSPECTION							SEAT CONFIGURATION			
							25 FH INSP.	3449.1		19.8						STANDARD SEATS	
							30 FH INSP.	3436		6.7						INSTALLED	
ENG #1 SN: 2408	ENG #1 3578.5	3429.3	NON OP	28/6/21	AIRCRAFT UNDER LONG TERM PRESERVATION	TBN	50 FH INSP.	3447.5		18.2						ITEM: FLIR	
							100 FH INSP. (AF)	3449.5		20.2						STATUS: REMOVED	
							100 FH INSP. (ENG NO 1)	3601.6		23.1						P/NO.: 10406-06-410 / 10406-06-210	
ENG #2 SN: 2420	ENG #2 3475.0	3429.3	NON OP	28/6/21	AIRCRAFT UNDER LONG TERM PRESERVATION	TBN	100 FH INSP. (ENG NO 2)	3498.1		23.1						S/NO.: N/A	
							150 FH INSP. (AF)	3434.1		4.8						ITEM: MOUNTING GUN	
							150 FH INSP. (ENG NO 1)	3648.7		70.2						STATUS: REMOVED	
							150 FH INSP. (ENG NO 2)	3545.2		70.2					P/NO.: 3628931480		
							300 FH INSP.	3647.8		218.5					S/NO.: N/A		
							500 FH INSP. (AF)	3726.6		297.3						ITEM: FLOATION GEAR	
							500 FH INSP. (ENG NO 1)	3998.7		420.2						STATUS: INSTALL	
							500 FH INSP. (ENG NO 2)	3895.2		420.2						P/NO.: 218570-0(RH) / 218569-0(LH)	
							600 FH INSP. (AF)	3582		152.7						S/NO.: 2742 (LH) & 2785 (RH)	
							600 FH INSP. (ENG NO 1)	4098.7		520.2						ITEM: SPECTROLAB ASSY	
							600 FH INSP. (ENG NO 2)	3995.2		520.2						STATUS: REMOVED	
							150 FH//3M INSP.	3499.5	29/06/2021	70.2	-1010 D					P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)	
							150 FH//6M INSP.	3499.5	29/09/2021	70.2	-918 D					S/NO.: N/A	
							150 FH//12M INSP.	3499.5	29/03/2022	70.2	-737 D					ITEM: RESCUE HOIST ASSY	
							500 FH//24M INSP.	3847.8	06/01/2022	418.5	-819 D					STATUS: REMOVED	
							600 FH//6M INSP.	3949.5	29/09/2021	520.2	-918 D					P/NO.: 704A-41-815-056	
							600 FH//24M INSP. (AF)	3947.8	06/01/2022	518.5	-819 D					S/NO.: N/A	
							600 FH//24M INSP. (ENG NO 1)	4098.7	06/04/2023	520.2	-364 D					ITEM: CARGO SWING	
							600 FH//24M INSP. (ENG NO 2)	3995.2	06/04/2023	520.2	-364 D					STATUS: REMOVED	
							7 D INSP.		28/06/2021		-1011 D					P/NO.: 704A-4181-1027	
							1 M INSP.		28/06/2021		-1011 D					S/NO.: N/A	
							6 M INSP.		02/09/2021		-945 D						
							12 M INSP.		02/03/2022		-764 D						
							24 M INSP.		29/03/2023		-372 D						
							30 M INSP.		06/01/2022		-819 D						
							48 M INSP.		06/01/2024		-89 D						
							60 M INSP.		18/04/2026		744 D						
CORROSION CONTROL PROGRAMME (CCP)													AC LANDING CYCLE				
25 FH - ENG. CLEANING (BOTH ENG)							3449.1		19.8							9.251	
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE																	
EASB 05.00.56 REV 1							3434.1		4.8						FUEL		
EASB 67.00.33 REV.0							3497.8		68.5						TBA		
COMPONENT SERVICING / ANNUAL TBO / SLL / OTP																	
BATTERY (P/N 151CH-1, 6M, POST: RIGHT&LEFT)								2/9/2021									
HOURS FLIGHT OF THE DAY			0.0			HOURS CTF OF THE DAY			0.0			WARNING OVERDUE					
CARRY FORWARD			0.0			CARRY FORWARD			0.0			WARNING HEARING DUE					
HOURS FLIGHT OF THE MONTH			0.0			HOURS CTF OF THE MONTH			0.0								

Pesawat: Aircraft:	ASS55SN	Tarikh: Date:	4/4/2024
------------------------------	----------------	-------------------------	----------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (jika ada) Deferred Defect (if any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks		
			Keadaan State	Tarikh Rosak Date Unserviceable	Butir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (jika ada) Operational Limitation	Perkara Description	Tempat Pada Due at			Beri Remarks	
												Jam Hrs	Kalendar Calendar		Jam Hrs	Hari Day
M502-4 5716	ENG #1 SN: 2011	4098.4	NON OP	20/12/23	600 H // 2Y AND 48 MTH INSPECTION. INSPECTION IN PROGRESS	08/4/24	SCHEDULE INSPECTION								SEAT CONFIGURATION	
							25 FH INSP.	4115.6		17.2			STANDARD SEATS			
							30 FH INSP.	4127.6		29.2			INSTALLED			
							50 FH INSP.	4142.6		44.2			ITEM: FLIR			
							100 FH INSP. (AF)	4147.0		48.6			STATUS: REMOVED			
							100 FH INSP. (ENG NO 1)	4147.0		48.6			P/NO.: 10406-06-410 / 10406-06-210			
							100 FH INSP. (ENG NO 2)	4147.0		48.6			S/NO.: N/A			
							150 FH INSP. (AF)	4186.2		87.8			ITEM: MOUNTING GUN			
							150 FH INSP. (ENG NO 1)	4197		98.6			STATUS: REMOVED			
							150 FH INSP. (ENG NO 2)	4197		98.6			P/NO.: 3628931480			
							300 FH INSP.	4386.7		288.3			S/NO.: N/A			
							500 FH INSP. (AF)	4351.0		252.6			ITEM: FLOATATION GEAR			
							500 FH INSP. (ENG NO 1)	4351.0		252.6			STATUS: REMOVED			
							500 FH INSP. (ENG NO 2)	4351.0		252.6			P/NO.: 218570-Q(RH) / 218569-Q(LH)			
							600 FH INSP. (AF)	4683.8		585.4			S/NO.: N/A			
							600 FH INSP. (ENG NO 1)	4683.8		585.4			ITEM: SPECTROLAB ASSY			
							600 FH INSP. (ENG NO 2)	4683.8		585.4			STATUS: REMOVED			
							50 FH/6M INSP.	4142.6	12/2/2024	44.2	-52 D		P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)			
							150 FH/3M INSP.	4197	14/01/2024	98.6	-81 D		S/NO.: N/A			
							150 FH/6M INSP.	4197	11/04/2024	98.6	7 D		ITEM: RESCUE HOIST ASSY			
							150 FH/12M INSP.	4217.6	23/11/2024	119.2	233 D		STATUS: REMOVED			
							500 FH/24M INSP.	4117.3	08/07/2024	18.9	95 D		P/NO.: 704A-41-815-056			
							600 FH/6M INSP.	4414.9	24/01/2024	316.5	-71 D		S/NO.: N/A			
							600 FH/24M INSP. (AF)	4683.8	02/03/2024	585.4	-33 D		ITEM: CARGO SWING			
							600 FH/24M INSP. (ENG NO 1)	4683.8	02/03/2024	585.4	-33 D		STATUS: REMOVED			
							600 FH/24M INSP. (ENG NO 2)	4683.8	02/03/2024	585.4	-33 D		P/NO.: 704A-4181-1027			
							7 D INSP.		01/01/2024		-94 D		S/NO.: 1136			
							1 M INSP.		17/01/2024		-78 D					
							6 M INSP.		28/01/2024		-67 D					
							12 M INSP.		22/02/2024		-42 D					
24 M INSP.		17/11/2025		592 D												
30 M INSP.		14/12/2024		254 D												
48 M INSP.		18/11/2025		593 D												
60 M INSP.		28/01/2027		1029 D												
CORROSION CONTROL PROGRAMME (CCP)													AC LANDING CYCLE			
25 FH - ENG. CLEANING (BOTH ENG)	4115.6		17.2			11.130										
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE / PERFORMED ONCE													FUEL			
10 HRS - AEOO 30/22	4099.2		0.8			TBA										
15 HRS INSP EASB 05.00.0001 REV. 0	4106.1		7.7													
COMPONENT																
SERVO CONTROL -MAIN SERVO (TBO), PN-SC 8043, SN-694			24/2/2024			-40 D										
BATTERY RH (201806007) & LH (201902059), DUE 6 MTH			15/02/2024			-49 D										

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	0.0	CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	0.0	HOURS CTF OF THE MONTH	0.0

	WARNING OVERDIE
	WARNING HEARING DIE

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	4/4/2024
------------------------------	---------	-------------------------	----------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
Part 2 - Daily Aircraft Status
Keadaan Pesawat pada jam 0800H
Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status			Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks									
			Keadaan State	Tarikh Rosak Date Unserviceable	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Yamul Pada Date of			Baki Balance								
												Jam Hrs	Kalender Calendar		Jam Hrs	Harl Day							
M502-5 5717	ENG #1 SN: 2296	3900.2	US	19/12/23	PEDAL AND TAIL ROTOR BLADE FOUND MISALIGNMENT ON GROUND. AWAITING JACK TEST SET FROM FRANCE.	10/4/24	SCHEDULE INSPECTION								SEAT CONFIGURATION								
							25 FH INSP.								3914.4			14.2	STANDARD SEATS				
							30 FH INSP.								3919.4			19.2	INSTALLED				
							50 FH INSP.								3939.4			39.2	ITEM: FLIR				
							100 FH INSP. (AF)								3989.4			89.2	STATUS: REMOVED				
							100 FH INSP. (ENG NO 1)								3989.4			89.2	P/NO.: 10406-06-410 / 10406-06-210				
							100 FH INSP. (ENG NO 2)								3989.4			89.2	S/NO.: N/A				
							150 FH INSP. (AF)								4039.4			139.2	ITEM: MOUNTING GUN				
							150 FH INSP. (ENG NO 1)								4039.4			139.2	STATUS: REMOVED				
							150 FH INSP. (ENG NO 2)								4039.4			139.2	P/NO.: 3428931480				
							300 FH INSP.								4189.4			289.2	S/NO.: N/A				
							500 FH INSP. (AF)								4302.7			402.5	ITEM: FLOATATION GEAR				
							500 FH INSP. (ENG NO 1)								4303.7			403.5	STATUS: REMOVED				
							500 FH INSP. (ENG NO 2)								4304.7			404.5	P/NO.: 218570-0(RH) / 218569-0(LH)				
							600 FH INSP. (AF)								4489.4			589.2	S/NO.: N/A				
							600 FH INSP. (ENG NO 1)								4489.4			589.2	ITEM: SPECTROLAB ASSY				
							600 FH INSP. (ENG NO 2)								4489.4			589.2	STATUS: REMOVED				
							50 FH//6M INSP.								3939.4	1/12/2024		39.2	241 D	P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX)			
							150 FH//3M INSP.								4039.4	8/2/2024		139.2	-56 D	S/NO.: N/A			
							150 FH//6M INSP.								4039.4	8/5/2024		139.2	34 D	ITEM: RESCUE HOIST ASSY			
							150 FH//12M INSP.								4039.4	4/10/2024		139.2	183 D	STATUS: REMOVED			
							500 FH//24M INSP.								4389.4	14/11/2025		489.2	589 D	P/NO.: 704A-41-815-056			
							600 FH//6M INSP.								4489.4	8/4/2024		589.2	4 D	S/NO.: N/A			
							600 FH//24M INSP. (AF)								4489.4	21/9/2025		589.2	535 D	ITEM: CARGO SWING			
							600 FH//24M INSP. (ENG NO 1)								4489.4	13/11/2025		589.2	588 D	STATUS: REMOVED			
							600 FH//24M INSP. (ENG NO 2)								4489.4	13/11/2025		589.2	588 D	P/NO.: 704A-4181-1027			
							7 D INSP.									25/01/2024			-70 D	S/NO.: N/A			
							1 M INSP.									31/1/2024			-54 D				
							6 M INSP.									2/5/2024			28 D				
							12 M INSP.									15/10/2024			194 D				
24 M INSP.									9/5/2025			400 D											
30 M INSP.									5/2/2024			-59 D											
48 M INSP.									26/3/2025			356 D											
60 M INSP.									30/9/2026			909 D											
CORROSION CONTROL PROGRAMME (CCP)																							
AFS - ENG. RINSING & ENG. WASHING (BOTH ENG)												3914.4			14.2								
25 FH - ENG. CLEANING (BOTH ENG)																							
SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE																							
10 HRS - AE00 30/22												3909.4			9.2								
COMPONENT												SERVICING / ANNUAL		TBO / SLL / OTP		AC LANDING CYCLE							
STARTER GEN (RH), PN-524-062, S/N-1133 (TBO)													12/12/2027		1347	11,445							
																FUEL							
																TBA							

HOURS FLIGHT OF THE DAY	0.0	HOURS CTF OF THE DAY	0.0
CARRY FORWARD	0.0	CARRY FORWARD	0.0
HOURS FLIGHT OF THE MONTH	0.0	HOURS CTF OF THE MONTH	0.0

	WARNING OVERDUE
	WARNING BEARING DUE

Pesawat: Aircraft:	AS555SN	Tarikh: Date:	4/4/2024
-----------------------	---------	------------------	----------

BAHAGIAN 2 - STATUS HARIAN PESAWAT
 Part 2 - Daily Aircraft Status
 Keadaan Pesawat pada jam 0800H
 Aircraft State at 0800H

Bahagian ini diisi oleh MC
 This parts to be filled by MC

Pesawat Tail Number	Jam Enjin Eng TSN	Jam Pesawat A/C TSN	Keadaan Semasa Current Status				Penangguhan Kerosakan (Jika ada) Deferred Defect (If any)				Rawatan Barisan Kedua Second Line Servicing				Catatan Remarks	
			Keadaan State	Tarikh Rosak Date Unserviceable	Bulir Kerosakan Details of Unserviceable	Jangka Masa Slap Estimate	Perkara Description	Tarikh Rosak Date Unserviceable	Jangka Masa Slap Estimate	Had Operasi (Jika ada) Operational Limitation	Perkara Description	Taraf Pada Due at		Baki Balance		
												Jam Hrs	Kalendar Calendar	Jam Hrs		Hari Day
M502-6 5719	ENG #1 SN: 2420	3975.4	S	SCHEDULE INSPECTION 25 FH INSP. 3986.7 11.3 30 FH INSP. 3991.7 16.3 50 FH INSP. 4009.0 33.6 100 FH INSP. (AF) 3991.6 16.2 100 FH INSP. (ENG NO 1) 3991.6 16.2 100 FH INSP. (ENG NO 2) 3991.6 16.2 150 FH INSP. (AF) 4041.6 66.2 150 FH INSP. (ENG NO 1) 4041.6 66.2 150 FH INSP. (ENG NO 2) 4041.6 66.2 300 FH INSP. 4154.4 179.0 500 FH INSP. (AF) 4104.4 129.0 500 FH INSP. (ENG NO 1) 6580.1 3019.0 500 FH INSP. (ENG NO 2) 4148.5 199.0 600 FH INSP. (AF) 4204.4 229.0 600 FH INSP. (ENG NO 1) 6680.1 3119.0 600 FH INSP. (ENG NO 2) 4249.8 300.3 50 FH/6M INSP.(APPLICABLE AFTER 150FH/6M INSP.) N/A 150 FH/3M INSP. 4041.6 27/06/2024 66.2 84 D 150 FH/6M INSP. 3995.7 16/09/2024 20.3 165 D 150 FH/12M INSP. 3998.1 05/05/2024 22.7 31 D 500 FH/24M INSP. 4104.4 24/09/2024 129.0 173 D 600 FH/6M INSP. 4334.8 02/08/2024 359.4 120 D 600 FH/24M INSP. (AF) 4204.4 15/10/2024 229.0 194 D 600 FH/24M INSP. (ENG NO 1) 6829 15/10/2024 3267.9 194 D 600 FH/24M INSP. (ENG NO 2) 4405.7 15/10/2024 456.2 194 D 7 D INSP. 11/04/2024 7 D 1 M INSP. 1/5/2024 27 D 6 M INSP. 02/08/2024 120 D 12 M INSP. 14/08/2024 132 D 24 M INSP. 24/11/2025 599 D 30 M INSP. 24/12/2025 629 D 48 M INSP. 10/06/2024 67 D 60 M INSP. 11/01/2026 647 D											SEAT CONFIGURATION STANDARD SEATS INSTALLED ITEM: FLIR STATUS: REMOVED P/NO.: 10406-06-410 / 10406-06-210 S/NO.: N/A ITEM: MOUNTING GUN STATUS: REMOVED P/NO.: 3428931480 S/NO.: N/A ITEM: FLOATATION GEAR STATUS: REMOVED P/NO.: 218570-0(RH) / 218569-0(LH) S/NO.: N/A ITEM: SPECTROLAB ASSY STATUS: REMOVED P/NO.: 017500-111(GIMBAL) / 30039(CONTROL BOX) S/NO.: N/A ITEM: RESCUE HOIST ASSY STATUS: REMOVED P/NO.: 704A-41-815-056 S/NO.: N/A ITEM: CARGO SWING STATUS: REMOVED P/NO.: 704A-4181-1027 S/NO.: N/A	
				CORROSION CONTROL PROGRAMME (CCP) AFS - ENG. RINSING & ENG. WASHING (BOTH ENG) 25 FH - ENG. CLEANING (BOTH ENG) 3986.7 11.3												
				SERVICE BULLETIN / AIRWORTHINESS DIRECTIVE 10 HRS - AEOO 30/22 3977.6 2.2 15 HRS INSP EASB 05.00.0001 R,0 3979.0 3.6												
COMPONENT SERVICING / ANNUAL TBO / SLL / OTP											AC LANDING CYCLE 11,406 FUEL TBA					
HOURS FLIGHT OF THE DAY	2.2	HOURS CTF OF THE DAY		0.0	<div style="background-color: red; width: 20px; height: 20px; display: inline-block;"></div> WARNING OVERDUE <div style="background-color: yellow; width: 20px; height: 20px; display: inline-block;"></div> WARNING NEARING DUE											
CARRY FORWARD	1.9	CARRY FORWARD		0.0												
HOURS FLIGHT OF THE MONTH	4.1	HOURS CTF OF THE MONTH		0.0												