

To:  
**GALAXY AEROSPACE (M) SDN BHD,**  
79-1, 1st FLOOR, JLN PJU 1A/41B,  
NZX CEMMERCIAL CENTRE,  
ARA DSAMANSARA,  
47301 PETALING JAYA,  
SELANGOR MALAYSIA  
(Attn: Mr MUHAMMAD HAFIZ BIN MOHD HISHAMI)

QUOTATION NO: DPI/Q/COM/18/057  
DATE: 08-Nov-18  
YOUR ORDER REF.NO: MMEA/ENG/SFT/2018/07/021  
DATE: 23-Jul-18  
OUR JOB ORDER NO: DPSB/GLM/SAR/18/240-242  
DATE: 08-Oct-18

We are please to submit our quotation for your kind consideration.

ITEM	QTY	DESCRIPTION	U/PRICE (RM)	AMOUNT (RM)
1.0		<b>SERVICING OF:</b>		
	3 Ea	<b>Pt No: RFD 0029019</b> Description: <b>HELIRAFTH 10R MK 1 TYPE 23 MK 2 VALISE</b> S/No: MMEA/SUS/10-RFD/03 (29869001D0097) MMEA/SUS/10-RFD/04 (29869001D0098) MMEA/SUS/10-RFD/06 (29869001D0363)	RM1,220.00	RM3,660.00
1.2		<b>PART REPLACEMENT:</b>		
	3 Ea	40884001 STROBE BEACON B1 MK 2A BATTERY	RM3,414.15	RM10,242.45
	6 Ea	9131500 DAY & NIGHT SIGNAL DISTRESS	RM471.90	RM2,831.40
	12 Ea	DRY CELL BATTERY	RM4.00	RM48.00
2.0		<b>ADDITIONAL JOB:</b>		
		<b>Hydrostatic Test Of:</b>		
	2 Ea	<b>Pt No: 42623003</b> Description: CO2 Cylinder S/No: KZ 7886 (MMEA/SUS/10-RFD/04) KZ 7908 (MMEA/SUS/10-RFD/06)	RM2,220.00	RM4,440.00
2.1		<b>PART REPLACEMENT:</b>		
	2 Ea	SE50129-2 VALVE REPAIR KIT	RM298.75	RM597.50
2.2		<b>CONSUMABLE:</b>		
	2 SET	CO2 N2 GAS & Painting Material	RM312.00	RM624.00
Sub-Total				RM22,443.35
GST 0%				RM0.00
Grand Total				RM22,443.35

REMARKS :

- 1 Payment Term: 30 Days
- 2 Delivery -Upon PO 14 Days
- 3 Validity 90 Days

We trust our quotation will receive your favourable consideration.

For DESTINI PRIMA SDN BHD

Tajul Arifin Bin Mohd Yusop  
Manager

DESTINI PRIMA SDN BHD (223732-V)

No.10,Jalan Jurunilai U1/20,  
Hicom Gleanmarie Industrial Park,  
40150 Shah Alam,Selangor Darul Ehsan  
Malaysia

T : +603 5567 0333  
F : +603 5567 0713  
E : prima@destinigroup.com  
W : www.destiniprima.com



# ITEM DISCREPANCY / DEFECT REPORT

DPP-A-05B

DR Control No.: SAR/18/26(i)

I:3 R:0 PR:0 DTD: 02 MAY 2018


## PART A

1. Work Order No.: DPSB/GLM/SAR/18/240 3. Part No.: 00029019

2. Item Description: HELIRAFT 10R MK 1 IN TYPE 23 MK 2 VALISE 4. Serial No.: MMEA/SUS/10-RFD<sup>03</sup>(0097)

5. Inspection on Item's and Accompanied Document:
- Physical & Visual Inspection
  - Physical, Visual & Acceptance Test
  - Other : .....
- Discrepancy/ Defect Found:
- Life Item due for Replacement
  - Other : .....

6. i. 40884001 Strobe B1 Mk 2A Batt. Qty: 01 Ea Mfd: May 18 Due: May 22
- ii. 9131500 Day & Night Ditrress Qty: 02 Ea Mfd: Dec 17 Due: Dec 20
- iii. N/A Dry Cell Battery Qty: 04 Ea Mfd: Jan 18 Due: Jan 21



Name/ Stamp of Authorized or Competent Staff and Initial: NOR AFANDI BIN HJ MAT KARIM Date: 8/10/18

## PART B

1. Probable Cause:
- Operational/ Usage Error
  - Normal Wear & Tear
  - Servicing Error
  - Handling/ Transportation
  - Improper Packaging
  - Other
2. Degree or Category of Defect:
- Minor Defect
  - Major Defect
  - Deficient Life to Next Cycle
  - Other : .....
3. Propose Corrective Action:
- Return - Nil Capability
  - Repair as Proposed
  - Outsource Repair to ASN
  - Proceed Maint. without Repair
  - Quarantine until Final Decision
  - Other : .....
  - Scrap & Replace
  - Calibration

4. Other Comments/ Remarks: ABD JALIL BIN ALI Date: 8/10/18  
HO Entity/MM/WMS/QAP. Maintenance Supervisor  
Name/ Stamp and Initial: SAR Glenmarie

## PART C : CUSTOMER/ CUSTOMER REPRESENTATIVE

1. Decision by Customer/ Customer Representative:
- Return without Repair
  - Agreed and Proceed Repair
  - Proceed Work without Repair.
  - Sent to OEM/ Approved Support Network for Overhaul and Repair
  - Other : .....
2. Additional Remarks by Customer/ Customer Representative : .....

Customer Representative. Name/ Stamp and Initial : ..... Date : .....

## PART D : RESPECTIVE DPSB WORKSHOP

1. Corrective action as per Approved Control Document (ACD):
- Part's Replacement
  - Component Replacement
  - Other : .....
  - Repair as per Manual
  - Temporary Repair as per ACD
  - Adjust
  - Calibrate

QAP/WMS/MM/SMM. Name/ Stamp and Initial : ..... Date : .....

## PART E : RSQAD

1. Receive Date : ..... 3. Any Specific Alert or Alarming Trend ?  No  Yes - Ack. QASM on : .....
2. Data Key in Date : .....

RSQAD Engineer/ Executive. Name/ Stamp and Initial : ..... Date : .....

# DESTINI

## ITEM DISCREPANCY / DEFECT REPORT

DPP-A-05B

DR Control No.: SAR/18/26(ii)


I:3 R:0 PR:0 DTD: 02 MAY 2018

### PART A

1. Work Order No. : DPSB/GLM/SAR/18/241 3. Part No. : 00029019

2. Item Description : HELIRAFTH 10R MK 1 IN TYPE 23 MK 2 VALISE 4. Serial No. : MMEA/SUS/10-RFD/04 (0098)

5. Inspection on Item's and Accompanied Document :  Physical & Visual Inspection  
 Physical, Visual & Acceptance Test  
 Other : \_\_\_\_\_  
Discrepancy/ Defect Found :  Life Item due for Replacement  
 Other : \_\_\_\_\_



6. i. 40884001 Strobe B1 Mk 2A Batt. Qty: 01 Ea Mfd: May 18 Due: May 22  
ii. 9131500 Day & Night Ditrass Qty: 02 Ea Mfd: Dec 17 Due: Dec 20  
iii. N/A Dry Cell Battery Qty: 04 Ea Mfd: Jan 18 Due: Jan 21  
iv. 42623003 Cyl. Hydro. Test Qty: 01 Ea TBN

(S/No: KZ 7886) JURAFANDI BIN HJ MAT KARIM

Name/ Stamp of Authorized or Competent Staff and Initial : Juruteknik Kanan SAR Date : 8/10/18

### PART B

1. Probable Cause :  Operational/ Usage Error  Servicing Error  Improper Packaging  
 Normal Wear & Tear  Handling/ Transportation  Other  
Degree or Defect :  Minor Defect  Major Defect  Deficient Life to Next Cycle  
2. Category of Defect :  Other : \_\_\_\_\_  
Propose Corrective Action :  Return - Nil Capability  Proceed Maint. without Repair  Scrap & Replace  
 Repair as Proposed  Quarantine until Final Decision  Calibration  
 Outsource Repair to ASN  Other : \_\_\_\_\_

4. Other Comments/ Remarks : ABD JALIL BIN ALI Maintenance Supervisor  
HO Entity/MM/WMS/QAP. SAR Glenmarie Date : 8/10/18  
Name/ Stamp and Initial : \_\_\_\_\_

### PART C : CUSTOMER/ CUSTOMER REPRESENTATIVE

1. Decision by Customer/ Customer Representative:  
 Return without Repair  Agreed and Proceed Repair  Proceed Work without Repair.  
 Sent to OEM/ Approved Support Network for Overhaul and Repair  Other : \_\_\_\_\_

2. Additional Remarks by Customer/ Customer Representative : \_\_\_\_\_

Customer Representative. Name/ Stamp and Initial : \_\_\_\_\_ Date : \_\_\_\_\_

### PART D : RESPECTIVE DPSB WORKSHOP

1. Corrective action as per Approved Control Document (ACD) :  Part's Replacement  Repair as per Manual  Adjust  
 Component Replacement  Temporary Repair as per ACD  Calibrate  
 Other : \_\_\_\_\_

QAP/WMS/MM/SMM. Name/ Stamp and Initial : \_\_\_\_\_ Date : \_\_\_\_\_

### PART E : RSQAD

1. Receive Date : \_\_\_\_\_ 3. Any Specific Alert or Alarming Trend ?  No  
2. Data Key in Date : \_\_\_\_\_  Yes - Ack. QASM on : \_\_\_\_\_

RSQAD Engineer/ Executive. Name/ Stamp and Initial : \_\_\_\_\_ Date : \_\_\_\_\_

# DESTINI

## ITEM DISCREPANCY / DEFECT REPORT

**DPP-A-05B**

DR Control No.: SAR/18/26(iii)

I:3 R:0 PR:0 DTD: 02 MAY 2018

**PART A**1. Work Order No. : DPSB/GLM/SAR/18/242 3. Part No. : 000290192. Item Description : \_\_\_\_\_ 4. Serial No. : MMEA/SUS/10-RFD/06 (0363)**HELIRAFTH 10R MK 1 IN TYPE 23 MK 2 VALISE**

5. Inspection on Item's and Accompanied Document :  Physical & Visual Inspection  
 Physical, Visual & Acceptance Test  
 Other : \_\_\_\_\_
- Discrepancy/ Defect Found :  Life Item due for Replacement  
 Other : \_\_\_\_\_

6. i. 40884001 Strobe B1 Mk 2A Batt. Qty: 01 Ea Mfd: May 18 Due: May 22  
ii. 9131500 Day & Night Ditrress Qty: 02 Ea Mfd: Dec 17 Due: Dec 20  
iii. N/A Dry Cell Battery Qty: 04 Ea Mfd: Jan 18 Due: Jan 21  
iv. 42623003 Cyl. Hydro. Test Qty: 01 Ea TBN

(S/No: KZ 7908)

Name/ Stamp of Authorized or Competent Staff and Initial : NORAFANDI BIN HJ. MAT KARIM Date : 8/10/18  
Jur. Teknik Kanan SAR

PHOTO (IF ANY)

**PART B**

1. Probable Cause :  Operational/ Usage Error  Servicing Error  Improper Packaging  
 Normal Wear & Tear  Handling/ Transportation  Other
2. Degree or Category of Defect :  Minor Defect  Major Defect  Deficient Life to Next Cycle  
 Other : \_\_\_\_\_
3. Propose Corrective Action :  Return - Nil Capability  Proceed Maint. without Repair  Scrap & Replace  
 Repair as Proposed  Quarantine until Final Decision  Calibration  
 Outsource Repair to ASN  Other : \_\_\_\_\_

4. Other Comments/ Remarks : ALUMINUM REQUIRES HYDROSTATIC  
HO Entity/MM/WMS/QAP. ABD. JALIL BIN ALI Date : 8/10/18  
Name/ Stamp and Initial : SAR Glenmare  
Maintenance Supervisor**PART C : CUSTOMER/ CUSTOMER REPRESENTATIVE**

1. Decision by Customer/ Customer Representative:  
 Return without Repair  Agreed and Proceed Repair  Proceed Work without Repair.  
 Sent to OEM/ Approved Support Network for Overhaul and Repair  Other : \_\_\_\_\_

2. Additional Remarks by Customer/ Customer Representative : \_\_\_\_\_

Customer Representative. Name/ Stamp and Initial : \_\_\_\_\_ Date : \_\_\_\_\_

**PART D : RESPECTIVE DPSB WORKSHOP**

1. Corrective action as per Approved Control Document (ACD) :  Part's Replacement  Repair as per Manual  Adjust  
 Component Replacement  Temporary Repair as per ACD  Calibrate  
 Other : \_\_\_\_\_

QAP/WMS/MM/SMM. Name/ Stamp and Initial : \_\_\_\_\_ Date : \_\_\_\_\_

**PART E : RSQAD**

1. Receive Date : \_\_\_\_\_ 3. Any Specific Alert or Alarming Trend ?  No  
2. Data Key in Date : \_\_\_\_\_  Yes - Ack. QASM on : \_\_\_\_\_

RSQAD Engineer/ Executive. Name/ Stamp and Initial : \_\_\_\_\_ Date : \_\_\_\_\_