

(SA0326357-W)
K-S09 Level 2 Digital Mall,
No. 2, Jalan 14/20, Seksyen 14,
46100 Petaling Jaya, Selangor Darul Ehsan.
Tel: 019-334 8310 - (MR GARY)

21219800033130 RHB BANK

	QUOTATION	No. :	QT-000277	
GALAXY AEROSPACE (M) SDN BHD	Your	Ref. :		
A-6-07 CAPITAL 1,OASIS SQUARE	From	:		
NO2, JALAN PJU 1A/7A	C. C.	:		
ARA DAMANSARA	Date	:	03/10/2023	
PETALING JAYA SELANGOR	, Page		1 of 5	
TEL: FAX:		•	1015	
Thank you for your inquiry. We are pleased to \boldsymbol{s}	ubmit our quote as follows:			
Item Description	Qty		U/ Price	Total
			RM	RM

9,479.00

9,479.00

ZC32-000C000APOO
 Printer ZC300, Dual Sided (PRE-ORDER 1-2 WEEKS)
 SPECIFICATIONS

Standard Features

300 dpi (11.8 dots/mm) print resolution

2 GB flash memory

Image size: 1006 x 640 pixels

Auto calibration of ribbon

USB 2.0 and Ethernet 10/100 connectivity

100 card capacity auto-adjusting input hopper (30 mil)

100 card capacity output hopper (30 mil)

Manual card feeding capability with LED bezel

Graphical color LCD

3 Tricolor printer status indicator lights

Kensington® secure lock slot

Print Touch NFC tag for online printer help and

documentation access

Printer host authentication

Data encryption

Three-year limited warranty on printer and printhead

Printing Specifications

Dye-sublimation thermal transfer direct to card print method

Full-color or monochrome printing

Single and dual-sided printing

Edge-to-edge printing on standard CR-80 media

Printing throughput (cards per hour) based on batch printing with USB connectivity. Times may vary depending on the computer configuration.

900 cards/hour single sided monochrome

200 cards/hour single-sided YMCKO

140 cards/hour dual-sided YMCKOK

450 cards/hour dual sided monochrome

Media Specifications

Supplies Specifications:

NOTE: The ZC300 printer is designed to work only with



(SA0326357-W)
K-S09 Level 2 Digital Mall,
No. 2, Jalan 14/20, Seksyen 14,
46100 Petaling Jaya, Selangor Darul Ehsan.
Tel: 019-334 8310 - (MR GARY)

21219800033130 RHB BANK

	QUOTATION	No. :	QT-000277	
GALAXY AEROSPACE (M) SDN BHD	Your	Ref. :		
A-6-07 CAPITAL 1,OASIS SQUARE	From	:		
NO2, JALAN PJU 1A/7A	C. C.	:		
ARA DAMANSARA	Date	:	03/10/2023	
PETALING JAYA SELANGOR TEL : FAX :	Page	:	2 of 5	
Thank you for your inquiry. We are pleased to sub	bmit our quote as follows:			
Item Description	Qty		U/ Price	Total
			RM	RM

Zebra genuine ribbons.

Ribbons are included in a simple-to-load recyclable cartridge.

Ribbon Description Cartridge Image Count

YMCKO* 200 YMCKO* 300 YMCKOK* 200 ½ YMCKO* 400 ½ YMCKOKO* 250 KrO* 700

KdO* 700 Black Monochrome* 2000 Black Monochrome 1500 White Monochrome* 1500 Red Monochrome 1500 Blue Monochrome 1500 Gold Monochrome 1500 Silver Monochrome 1500

Cleaning roller is included with each ribbon

Two available cleaning kit options: your choice of two (2) or five (5) isopropyl alcohol cleaning cards (1,000 images/card) Card Compatibility:

NOTE: For optimum print quality and printer performance, use of Genuine Zebra supplies is recommended.

Card Thickness: 10-40 mil*

Card Size: CR80 ISO 7810 ID-1 format, CR79* Card Material: PVC and PVC composite Adhesive back and writable back cards

*Note: Spot color or monochrome printing recommended only

on >20 mil thick cards and CR79 cards.

Operating Characteristics

Operating Temp. 59° F to 95° F/15° C to 35° C

Storage Temp. 23° F to 158° F/-5° C to 70° C

^{*}Zebra intelligent technology automatically detects and authenticates ribbon



(SA0326357-W)
K-S09 Level 2 Digital Mall,
No. 2, Jalan 14/20, Seksyen 14,
46100 Petaling Jaya, Selangor Darul Ehsan.
Tel: 019-334 8310 - (MR GARY)

21219800033130 RHB BANK

	QUOTATION	No. :	QT-000277	
GALAXY AEROSPACE (M) SDN BHD	You	ır Ref. :		
A-6-07 CAPITAL 1,OASIS SQUARE	Fro	m :		
NO2, JALAN PJU 1A/7A	C. (2. :		
ara damansara	Dat	e :	03/10/2023	
PETALING JAYA SELANGOR	_			
TEL: FAX:	Pag 	je :	3 of 5	
Thank you for your inquiry. We are pleased to sul	bmit our quote as follows:			
Item Description	Qty		U/ Price	Total
			RM	RM

Operating Humidity 20% to 80% non-condensing Media Storage - Temperature: 41° F to 77° F/5° C to 25° C

- Humidity: 35% to 65% non-condensing

Electrical

Auto-switching single-phase AC power

Operating range: 90-132VAC and 190-264VAC RMS

Frequency range: 47-63 Hz

FCC Class A

Physical Characteristics

Dimensions Single Sided
10.2 in. H x 6.2 in. W x 15.1 in. D
258 mm H x 157 mm W x 383 mm D
Dual Sided
10.2 in. H x 6.2 in. W x 18.4 in. D
258 mm H x 157 mm W x 468 mm D

Weight Dual Sided 9.7 lbs (4.4 kg)

Communications and Interface Capabilities

USB 2.0 Standard Built-in 10/100 Ethernet Standard 802.11ac Optional Encoding Options and Specifications

Magnetic stripe encoder — ISO 7811 (new and pre-encoded; tracks 1, 2, and 3; high and low coercivity; stripe down and stripe up with duals-sided printers)1

Printer Drivers

Microsoft Windows Certified Windows Server 2008 (32 and 64 bit),



(SA0326357-W)
K-S09 Level 2 Digital Mall,
No. 2, Jalan 14/20, Seksyen 14,
46100 Petaling Jaya, Selangor Darul Ehsan.
Tel: 019-334 8310 - (MR GARY)

21219800033130 RHB BANK

		NOITATOU	No.	:	QT-000277	
GALAXY AEROSPACE (M) S	SDN BHD		Your Ref.	:		
A-6-07 CAPITAL 1,OASIS S	SOUARE		From	:		
NO2, JALAN PJU 1A/7A			C. C.	:		
ARA DAMANSARA	.		Date	:	03/10/2023	
PETALING JAYA SELANGO TEL :	FAX :		Page	:	4 of 5	
Thank you for your inquiry. V	Ve are pleased to submit	our quote as follows:				
Item	Description		Qty		U/ Price	Total
					RM	RM

Windows 7 (32 bit and 64 bit) Windows 8 and Windows 8.1 (32 bit and 64 bit compatible) Windows Server 2012 (64 bit) Windows 10 (32 bit and 64 bit) Windows Server 2016

Windows drivers include:

Color coded printer status indicators for the operator Black panel extraction and controls for specialty ribbon panels with image preview Configuration utility to limit access by operators to change image quality and printer settings Advanced printer configuration, security settings and diagnostics capabilities
Linux Ubuntu 16..X (64 Bit)
Apple MAC OS X 10.13.X (64 bit)
Please see www.zebra.com for an up-to-date listing

Additional Optional Features

Card flipper for dual-sided printing1

10 card reject bin is standard with dual-sided printers1

Lockable enclosure1

Footnotes

¹Field upgradeable options

of supported systems.

Specifications subject to change without notice.



Administrator

GREEN EMPIRES MICRO

(SA0326357-W)
K-S09 Level 2 Digital Mall,
No. 2, Jalan 14/20, Seksyen 14,
46100 Petaling Jaya, Selangor Darul Ehsan.
Tel: 019-334 8310 - (MR GARY)

21219800033130 RHB BANK

		QUOTATION	No.	:	QT-000277	
GALAXY AERO	SPACE (M) SDN BHD	Yo	ur Ref.	:		
A 6 07 CADIT/	AL 1,OASIS SQUARE	Fro	om	:		
NO2, JALAN P		C.	C.	:		
ARA DAMANSA		Da		:	03/10/2023	
PETALING JAY	a selangor	, . Pa		:	5 of 5	
TEL:	FAX	(:	y c	•	3 01 3	
Thank you for yo	ur inquiry. We are please	ed to submit our quote as follows:				
Item	Description	Qty			U/ Price RM	Total RM
Validity	:				Total	9,479.00
Delivery Term Payment Term	:					
		out prior notice. We hope that our quotatio ue course. Thank and regards.	n is favou	urat	ole to you and lo	ooking
Yours faithfully,						