



KLINIK SYIFA' 24 JAM

48-1, JALAN NOVA K U5/K,
SUBANG BESTARI, SEKSYEN U5,
40150 SHAH ALAM, SELANGOR
03-7832 4053 / 019-663 2035

Certificate of Covid-19 test result


CLINICAL PROVIDER: KLINIK SYIFA' 24 JAM SUBANG BESTARI

SAMPLE DATE: 02 AUGUST 2021

PATIENT NAME : MOHAMAD ZHAFIR BIN MOHD ZAKIYUDDIN

NRIC OR PASSPORT NO : 970114-01-6631

SPECIMEN TYPE: NASOPHARYNGEAL

Test Parameter	Result
Standard Q Sd Bio Sensor Covid-19	POSITIVE / DETECTED
Test Specification	
<p>Positive: The sample reacted positively for the presence of SARS-CoV-2 (COVID 19). It is therefore presumed that the patient has an active SARS-CoV-2 (Covid 19) infection. Patients should follow current government guidelines - isolates and arrange for confirmatory diagnostic testing and medical assistance from Malaysian Ministry of Health (KKM)</p> <p>Negative: The sample did not react for the presence of SARS-CoV-2 (COVID 19). This indicates that at the times of sampling, the patient is unlikely to have an active SARS-CoV-2 (COVID 19) infection</p> <p>Inconclusive: This means that the test instrument was unable to determine a positive or negative result with the required degree of accuracy. In such cases a retest is recommended</p> <p>Fail: The sample did not contain a detectable level of human genetic material. It is therefore not possible to draw a conclusion from the provided sample. In such cases a retest is recommended</p> <p>Void: A void sample is a sample received that is unable to be tested e.g damaged in transport, label error etc</p>	
Analysis Notes:	
<p>It should be noted that all results provide a momentary view and that an individual's health status may have changed since the sample specimen was taken. Screening is provided on a best endeavours policy based on the sample specimen supplied and does not provide a guarantee to the health status of individuals. Patients should follow current government guidelines. If the patient is symptomatic, isolate and arrange confirmatory diagnostic testing and medical assistance from Malaysian Ministry of Health. This report should not be reproduced except in full.</p> <p>The above tests are carried out via KKM using validated methods.</p>	
Comments:	
Results approved/certified: Dr Syazwan Bin Mohd Zaini MMC Reg. No: 73235 Klinik Syifa' 24 Jam Subang Bestari	Date: 02 AUGUST 2021  Dr. Syazwan B. Mohd Zaini MBCh (Mansoura) No. Pendaftaran Penuh MPM : 73235 KLINIK SYIFA' 24 JAM No. 48-1, Jalan Nova K U5/K, Subang Bestari, 40150 Shah Alam, Selangor Tel : 03-7832 4053 / 019-6632035