

GALAXY AEROSPACE (M) SDN, BHD,

GALAXY AEROSPACE (M) SDN. BHD. [1040262-D] Suite 11-14, Helicopter Centre, Malaysia International Aerospace Centre, Sultan Abdul Aziz Shah Airport, 47200 Subang, Selangor, Malaysia. Tel: +603 7734 7226 | Fax: +603 7734 7526

www.galaxyaerospace.my | enquiry@galaxyaerospace.my

WORK ORDER



Address:	Lot 11-14, MRO Centre, Malaysia International Aerospace Centre, SAAS Airport,	Work Order Number:	2023-15998
	Subang	Work Pack Reference:	9M-PSN-15998
	Malaysia	Date Issued:	08/06/2023
Attention:	Mr. Syafrul Yamani Engineering Manager	A/C Registration / SN:	9M-PSN/20800231
	syafrul@galaxyaerospace.my	Sheet: 1 c	if 1

Description:

To:

Item 1	Description/Task/Inspection SB CAB11-R2 COMPLIANCE - CHANGE OF PROGRESSIVE CARE PROGRAM TO TASK-BASED INSPECTION PROGRAM	Reference SB CAB11-R2, AMP: RMPAW/ENG/CAMO/AMP/C208 ISSUE: 1, REVISION: 0	Man Hours (PLEASE ADVISE)
2	OPERATION 1	SB CAB11-R2, AMP: RMPAW/ENG/CAMO/AMP/C208 ISSUE: 1, REVISION: 0	(PLEASE ADVISE)
3	OPERATION 2	SB CAB11-R2, AMP: RMPAW/ENG/CAMO/AMP/C208 ISSUE: 1, REVISION: 0	(PLEASE ADVISE)
4	OPERATION 3	SB CAB11-R2, AMP: RMPAW/ENG/CAMO/AMP/C208 ISSUE: 1, REVISION: 0	(PLEASE ADVISE)
5	OPERATION 4	SB CAB11-R2, AMP: RMPAW/ENG/CAMO/AMP/C208 ISSUE: 1, REVISION: 0	(PLEASE ADVISE)

Remark/Notes:

1. State this Work Order reference on your Work Package. Should there is any additional job/defect (unless specified in the work package) the maintenance organization must notify GAM Continuing Airworthiness Manager prior to proceed with rectification.

2. Work must be carried out in accordance with approved data and perform by qualified personnel/ approved LAE from the maintenance organization.

3. Parts used must be written in Parts Report Form and accompanied by ARC, Serviceable Label or equivalent document.

4. Test report, parameter reading or any supporting data must be attached with the worksheet if applicable.

5. The maintenance organization shall be responsible for any damages made on the aircraft/ components during maintenance.

6. Softcopy of completed Work Package shall be submitted or as mutual agreed and GAM Continuing Airworthiness Manager must be informed once the aircraft is Release to Service.

7. Completed Work Package (original) must be submitted to GAM Continuing Airworthiness Manager office within 3 days of date of completion.

I hereby declare that an approved and up to date maintenance data has been referred for the issuance of this work order.

Thank you. Best Regards,

Zaty Nadhira Mohamed Zuhari Continuing Airworthiness Management Manager Email: zaty@galaxyaerospace.my

maint	xyAerospace tenance, repair, overhaul	Tel: +603 773 www.galaxya	Helicopter Centre, M. Aziz Shah Airport, 47 44 7226 Fax: +603 erospace.my enquir	7734 7526 ry@galaxyaerosp	bace.my					
LIENT/(OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLE	WORKPACK NO): 9M-PSN-1	5998	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231				WORK/INSP/DE	SC: SB CAB1	1-R2	
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477				AERONET JOB	NO.: 2023-1599	98	
	CILITY: WBGG	#2 ENGINE:	NIL				AJL REF NO .:	REFER W	ORKPACK	
TE IN:	OUT:				NG / N1	NF / N2	SHEET:	1 OF 1		
ONVER ROGRA	for raising: RSION OF MAINTENANCE PROGR AM TO TASK-BASED INSPECTION ANCE AND AMP REF NO.: RMPAW	PROGRAM I.A.W.	SB CAB11-5 R2		Raised by a ICP RMP M Anwar bin 08/06	luhammad n Jawahir	Other requirem	ents/informatio NIL	n:	
List	of scheduled inspection and all including indi	work carried out vidual reference	under this wor	rkpack	DATE	ON	Master Sigr	ignature Schedule		
10.	INSPECTION / W	ORK	WORKSHE	EET REF	COMPLET		NAME	SIGNATURE	APP/STAMF	
1	SB CAB11-R2 COMPLIANCE - CI PROGRESSIVE CARE PROGRA TASK-BASED INSPECTION PRO	МТО	15998-	001						
2	OPERATION 1		15998-	002						
3	OPERATION 2		15998-	003						
4	OPERATION 3		15998-	004						
5	OPERATION 4		15998-	005						
S IS TO	- AMO RELEASE STATEMENT) CERTIFY THAT ALL WORK LISTED AB			MPLISHED IN	ACCORDANCE		NAME			
H CON	ITRACTED AMO EXPOSITION AND PRO	CEDURE LATEST REV	/ISION, AND			SI	GN & APPROVAL			
IF DIF	FFERENT FROM ABOVE. OEM PUBLICA	TION/REVISION					FIRM			
	CK ✔ WHERE APPLICABLE						DATE			
	CAMO ACCEPTANCE STATEMENT						NAME		DATE	



GALAXY AEROSPACE (M) SDN. BHD. [1040262-D] Suite 11-14, Helicopter Centre, Malaysia International Aerospace Centre, Sultan Abdul Aziz Shah Airport, 47200 Subang, Selangor, Malaysia. Tet: +603 7734 7226 | Fax: +603 7734 7526 www.galaxyaerospace.my | enquiry@galaxyaerospace.my



Aircraft Serial No:			20800231	Work I	Pack No: 9M-PSN-15998
Aircraft Type:		С	ARAVAN 208	DESC:	CONVERSION OF
Aircraft Reg:			9M-PSN	PAGE	1 Of 1
Description	Part No	Serial Number	Worksheet Re Item No.	ef No. /	Calibration Due Date

GAM/C-053 Rev 0 (08/22)

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47. 4 7226 Fax: +603 7 prospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	itre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-001	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: SB CAB11-R	2
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	OF	1
CONVERSI BASED INS RMPAW/EN	Or raising: ON OF MAINTENANCE PROGRAMME FR IPECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO CE - CHANGE OF PROGRESSIVE CARE	R2 COMPLIANCE AN THE LATEST REVISI	ND AMP REF NO.: ION. SB CAB11-R2	2	Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	1
Item		Desc	ription				Technician	* Eng. CRS	Date
1	SERVICE BULLETIN (SB) CAB11-3 CONVERSION TO THE MANUFAC (TBIP) TO PERFORM SB CAB11-15 COM PROGRESSIVE CARE CYCLE PRI ACCOMPLISHMENT INSTRUCTIO RMPAW/ENG/CAMO/AMP/C208 IS CHANGE FROM PROGRESSIVE C CAB11-5 ACCOMPLISHMENT INS (OPERATION 4) LAST OPERATION 4 DETAILS:- WORKSHEET NO BMRC NO.: BMRC DATE: AIRFRAME HOURS: REFERENCE: 1. AMP NO. RMPAW/ENG/CAMO// 2. SB CAB11-5 REVISION 2 REMARKS:	TURERS RECOM	GE OF THE MAIN -BASED INSPEC ID CAAM APPR I: 0. TO TASK-BASE RA 3.C., END OF	NTENANCE CTION PRO OVED AMP D INSPECTI PROGRES	PROGRAM FR GRAM I.A.W. NO. ON PROGRAM SIVE CARE CY	OM A AS PER SB			
the air Certi	ifies that the work specified above, en rcraft / aircraft component is consid ifies that the work specified above, en n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	n accordance w		vsia Requirements a	and in respect to tha	t work
	WHERE APPLICABLE								

REFURNED	PARTS LABELED & RETURNED	D.D. RAISED		GROUND RUN	FLIGHT TEST		ADDITIONAL WORKSHEET											
----------	--------------------------------	----------------	--	---------------	-------------	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	'CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D		DN 1
	T TYPE: CARAVAN 208 AATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-1	5998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER W	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	OF	59
NVERS	for raising: ION OF MAINTENANCE PROGRAMME FRC SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	2 COMPLIANCE AN	D AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/informatio	n:
tem		Desc	ription				Technician	* Eng. CRS	Date
1	SERVICE BULETIN (SB) CAB11-5 F	2 COMPLIANCE	OPERATION 1						
	TO PERFORM OPERATION 1 PRO TASK/INSPECTION IN SB CAB11-5 BASED INSPECTION PROGRAM (E REFERENCE: SB CAB11-5 R2, OPE AMP NO. RMPAW/ENG/CAW REMARKS:	R2 - CONVERSI END OF PROGRE	ON TO MANUF	ACTURER'S YCLE OPER	RECOMMEND	ED TASK-			
2	MCCAULEY PROPELLER SPINNER	R (110)							
	621001 MCCAULEY PROPELLER S	PINNER (110)							
	REMOVE, WASH, INSPECT FOR C	PACKS ERACTI							
		NACIO, I NACIO	NEO, CONDITI						
3	MCCAULEY SPINNER BULKHEAD	(110)							
	621002- MCCAULEY SPINNER BUL	KHEAD (110)							
	INSPECT FOR CRACKS, CONDITIC	ON AND SECURI	ΓY						
	REMARKS:								
	ifies that the work specified above, ex			arried out in	accordance wi	ith CAA Malay	vsia Requirements a	and in respect to tl	nat work
the ai	rcraft / aircraft component is conside	red ready for rele cept as otherwise	ase to service.						

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

		Aero			* *	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, ziz Shah Airport, 7226 Fax: +60 rospace.my end	Malaysia Int 47200 Suba 3 7734 7526	ernational A ang, Selang	or, Malaysia.	entre,				_	_	
		ROYAL	(ICP)	SIA	AIF	CRAFT	SERIAL NO 20800231		IRS ER WOR		CYCLE		WORKSH WORK/IN			98-002 RATION	1
		CARAV			#1	ENGINE:	PCE 1747	REF	ER WOR	KPACK			WORKPA	CK REF	_	PSN-1599	
		WBGG	•			ENGINE:	NIL		ER WOR				AJL REF	NO.:	REF	ER WORI	KPACK
DATE IN			UT: REFE	ER						NG / N1	NF	/ N2	SHEET:	2	OF	:	59
Reason convers based in	for raisi SION OF M SPECTIO	İNG: MAINTENAN N PROGRA	CE PROC M I.A.W. S	GRAMME SB CAB11	1-5 R2 CO	MPLIANCE AN	CARE PROGRA ID AMP REF NG ON. OPERATIC	D.:	к- F			mad	Other rec	luireme	ents/infor	mation:	
Item						Descr	ription						Technicia	an	* Eng. (CRS	Date
4	MCCA	ULEY PR	OPELLE	R BLAD	DES (110)												
						. ,	S CORROSIC	N AND C	RACKS.								
5	62100	5- MCCAU	JLEY PF	ROPELLI	ER HUB (10) AREA) (110) SECURITY O	F COMPC	DNENTS	TO HUB.							
6	MCCA	ULEY PR	OPELLE	ER (110)													
		IG- MCCAL			ER (110)												
7	MCC4	ULEY PR			NTING (1	10)											
1		JLLI FR				10)											
	62100	7- MCCAU	JLEY PF	ROPELLI	ER MOUI	NTING (110)											
				SECUR		NSTALLATIO	אר										
	V130/			JECUR		NOTALLATI	JIN.										
	REMA	RKS:															
the a	ircraft / : tifies tha	aircraft co t the work	mponer specifie	nt is cons ed above	sidered re e, except a	eady for release as otherwise	specified, wa ase to service specified, wa is considered	s carried	out in ac	cordance	with	A Malays	ia Requiren	nents an	d in respe	ct to that	work
тіск	✓ WHERI	E APPLICAE	BLE														
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPEL LOG BO		OEM/COM LOG CAR	

LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D)N 1
	T TYPE: CARAVAN 208 RATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	B OF	59
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME FRO SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad n Jawahir	Other requiren	nents/information	ı:
tem		Desc	ription				Technician	* Eng. CRS	Date
8	MCCAULEY BETA SYSTEM FEEDE	BACK RING (110)							
	622001- MCCAULEY BETA SYSTE	A FEEDBACK RI	NG (110)						
	INSPECT RING FOR CONDITION, V		()	NSTALLATIC	DN.				
	INSPECT CARBON BRUSH FOR W	EAR AND EVIDE	NCE OF DAMA	GE.					
	INSPECT LINKAGE FOR CONDITIC (REFER TO CHAPTER 61).	ON AND SECURIT	ΓΥ.						
	REMARKS:								
9	ENGINE PROPELLER SHAFT SEAI	_ (110)							
	720005- ENGINE PROPELLER SHA	FT SFAL (110)							
		. ,							
	INSPECT FOR LEAKS AND SECUR	ITY.							
	REMARKS:								
10	ELECTRICAL SYSTEM POWER DIS POWER MONITOR, CIRCUIT BREA 243002- ELECTRICAL SYSTEM PO	KERS, LIMITERS WER DISTRIBUT	S AND CABLES	(121) TACTORS, G					
	POWER MONITOR, CIRCUIT BREA	KERS, LIMITERS	S AND CABLES	(121)					
	INSPECT CABLES FOR MUTING, S	SUPPORT AND S	ECURITY OF C	ONNECTION	IS.				
	CHECK CONDITION AND SECURIT	Y OF ALL COMP	ONENTS.						
	REMARKS:								
	ifies that the work specified above, ex rcraft / aircraft component is conside	red ready for rele	ase to service.		accordance wi accordance wi		vsia Requirements a	and in respect to th	at work

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	NO: 15998-002	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OF ERVITION	11
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK				
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 2	REFER WOR	59
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		4 OF	
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
11	EXTERNAL POWER RECEPTACLI	E AND CABLES (1	21)						
	244001- EXTERNAL POWER REC	EPTACLE AND CA	ABLES (121)						
	INSPECT FOR CONDITION AND S	ECURITY.							
	REMARKS:								
12	PROPELLER GOVERNOR AND O	VERSPEED GOVE	RNOR (121)						
				(101)					
	612002- PROPELLER GOVERNOR	AND OVERSPE	D GOVERNOR	(121)					
	INSPECT FOR OIL LEAKS, CONDI	TION AND SECU	RITY.						
	REMARKS:								
13	OVERSPEED GOVERNOR (121)								
	612003- OVERSPEED GOVERNOR	R (121)							
	INSPECT ELECTRICAL CONNECT	TION WIRING FOR	R EVIDENCE OF	DAMAGE A	ND SECURITY	<u>.</u>			
	REMARKS:								
14	PROPELLER GOVERNOR AND O		RNOR (121)						
14									
	622002- PROPELLER GOVERNOR			(121)					
				(121).					
	INSPECT FOR OIL LEAKS, CONDI		עדוכ						
	INSPECTION OIL LEAKS, CONDI	TION AND SECO	XII I.						
	REMARKS:								
	ifies that the work specified above, ex	vcent as otherwise	enecified was	carried out in	accordance	ith CAA Male	reia Requiremente	and in respect to the	t work
	rcraft / aircraft component is conside			arrieu out ff		ini ora iviala)	sia ivequirements :	and in respect to tha	L WOIK
□ *Cert	ifies that the work specified above, en	xcept as otherwise	specified, was o			ith			
and in	n respect to that work the aircraft / ai	ircraft component	is considered r	eady for relea	ase to service.				
	✓ WHERE APPLICABLE								

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS UPDATE STATUS D.D. AIRCRAFT ENGINE LOG BOOK PROPELLER LOG OEM/COMP LABELED & RAISED INSP. RUN FLIGHTTEST TORQUE CHK. WORKSHEET DEFECT PORECAST UPDATE DIARY STATUS LOG BOOK LOG BOOK LOG BOOK CARD	
--	--

	xyAerospace	Sultan Abdul A Tel: +603 7734	Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	200 Subang, Se 734 7526			WORKS	
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATION	N 1
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER WO	RKPACK
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 5	OF	59
ONVERSI	Or raising: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	D AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requiren	nents/information:	
ltem		Desc	ription			Technician	* Eng. CRS	Date
15	OVERSPEED GOVERNOR (121)							
	622003- OVERSPEED GOVERNO	DR (121)						
	INSPECT ELECTRICAL CONNEC	TION WIRING FOR	EVIDENCE OF	DAMAGE A	ND SECURITY.			
16	INDUCTION SYSTEM AND INER							
	716001- INDUCTION SYSTEM AN	ID INER HAL SEPA	RATOR (121)					
	INSPECT FOR GENERAL CONDI	TION, SECURITY,	AND FREEDOM	OF OPERA	TION.			
	INSPECT DOOR PIVOT POINT B	EARINGS FOR EX	CESSIVE WEAR	ł.				
	CHECK SEPARATOR LINKAGE F	OR PROPER OPE	RATION.					
	CHECK FOR LOOSE RIVETS.							
	REMARKS:							
17	INERTIAL SEPARATOR (121)							
	716002- INERTIAL SEPARATOR	(121)						
	UNLOCK CONTROL AND PULL II	NTO BYPASS.						
	CHECK FAR FREEDOM OF MOV DUCT.	EMENT AND FOR	FULL OPENING	OF THE BY	PASS DOOR IN THE AIR			
	REMARKS:							
the ai: Certi	fies that the work specified above, or craft / aircraft component is consid fies that the work specified above, or or respect to that work the aircraft / a	dered ready for rele except as otherwise	ase to service. specified, was c	arried out ir	accordance with	ysia Requirements a	and in respect to tha	ut work

PARTS LABELED & RETURNED		ground Run		ADDITIONAL WORKSHEET						

GISTRAT SE/FACII TE IN: RE W ason for NVERSION SED INSPE PAW/ENG/ tem 18 II 7 R	LITY: WBGG EFER OUT: REFER ORKPACK	R2 COMPLIANCE AN THE LATEST REVISI Desci	ID AMP REF NO.:	REFER W REFER W TO TASK-	ORKPACK ORKPACK ORKPACK NG / N1 Raised by an ICP RMP Mu Anwar bin 08/06/2	ıhammad Jawahir	WORK/INSP/DI WORKPACK RI AJL REF NO.: SHEET: 6 Other requiren NIL	EF: 9M-PSN-159 REFER WOR	98
GISTRAT SE/FACII TE IN: RE W ason for NVERSION SED INSPE PAW/ENG/ tem 18 II 7 R	TON: 9M-PSN LITY: WBGG FFER OUT: REFER ORKPACK OUT: REFER Traising: OF MAINTENANCE PROGRAMME FR CTION PROGRAM I.A.W. SB CAB11-5 CAMO/AMP/C208 ISSUE 1, REV 0. TO NDUCTION AIR PLENUM (121)	#2 ENGINE: OM PROGRESSIVE OR R2 COMPLIANCE AN THE LATEST REVISI	NIL CARE PROGRAM ID AMP REF NO.: ON. OPERATION	REFER W	ORKPACK NG / N1 Raised by an ICP RMP Mu Anwar bin	id date: ihammad Jawahir	AJL REF NO.: SHEET: 6 Other requirem	REFER WOR	RKPACK
TE IN: RE www.ason for nvversion Sed inspe paw/eng/ tem 18 If 7 R	EFER ORKPACK OUT: REFER WORKPACK raising: I OF MAINTENANCE PROGRAMME FR CTION PROGRAM I.A.W. SB CAB11-5 CAMO/AMP/C208 ISSUE 1, REV 0. TO NDUCTION AIR PLENUM (121)	OM PROGRESSIVE G R2 COMPLIANCE AN THE LATEST REVISI Desci	CARE PROGRAM ID AMP REF NO.: ON. OPERATION	TO TASK-	NG / N1 Raised by an ICP RMP Mu Anwar bin	id date: ihammad Jawahir	SHEET: 6 Other requirem	OF	
ason for NVERSION SED INSPE PAW/ENG// tem 18 II 7 R	raising: I OF MAINTENANCE PROGRAMME FR CTION PROGRAM I.A.W. SB CAB11-5 CAMO/AMP/C208 ISSUE 1, REV 0. TO NDUCTION AIR PLENUM (121) 16003- INDUCTION AIR PLENUM	R2 COMPLIANCE AN THE LATEST REVISI Desci	ID AMP REF NO.: ON. OPERATION		Raised by an ICP RMP Mu Anwar bin	id date: ihammad Jawahir	Other requirem	01	
NVERSION SED INSPE PAW/ENG/ tem 18 II 7 R	I OF MAÏNTENANCE PROGRAMME FR CTION PROGRAM I.A.W. SB CAB11-5 CAMO/AMP/C208 ISSUE 1, REV 0. TO NDUCTION AIR PLENUM (121) 16003- INDUCTION AIR PLENUM	R2 COMPLIANCE AN THE LATEST REVISI Desci	ID AMP REF NO.: ON. OPERATION		ICP RMP Mu Anwar bin	ıhammad Jawahir	· ·	nents/information:	
18 II 7 R	16003- INDUCTION AIR PLENUM		ription						
7 R	16003- INDUCTION AIR PLENUM	l (121)					Technician	* Eng. CRS	Date
R		l (121)							
	REMOVE ACCESS DOOR.								
	LODEOT FOD OD LOUG OFOUR								
	NSPECT FOR CRACKS, SECURIT	IY OF INSTALLAT	ION AND CONL	DITION.					
R	REMARKS:								
19	NERTIAL SEPARATOR (121)								
7	16005- INERTIAL SEPARATOR (1	121)							
P	PERFORM INERTIAL SEPARATOR	R FORWARD AND	AFT VANE RIV	ET INSPECT	FION.				
R	REFER TO CHAPTER 71.								
	REMARKS:								
	EMARNO.								
20 C	DIL FILTER (121)								
7	90004- OIL FILTER (121)								
	REMOVE, CLEAN AND INSPECT F								
F	ILTER MAY BE ELECTROSONIC	ALLY CLEANED IF	DESIRED.						
	REMARKS:								
*0	a that the sure descent (C = 1 = 1		an a sife - 1		· · · · · · · · · · · · · · · · · · ·		Decriment (6 m.m1
	es that the work specified above, es aft / aircraft component is conside			arried out if	accordance wit	n CAA Malay	sia Requirements a	and in respect to tha	ı work

	PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											
--	--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	YCLE	WORKSHEET N	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 1
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
ASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 7	OF	59
NVERS	for raising: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11- IG/CAMO/AMP/C208 ISSUE 1, REV 0. T	-5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	Muhammad n Jawahir	Other requiren	nents/information:	:
tem		Desc	ription				Technician	* Eng. CRS	Date
21	STARTER-GENERATOR (121)								
	801001- STARTER-GENERATOR	R (121)							
	INSPECT SECURITY OF INSTAL FOR CLEANLINESS, EVIDENCE					NECTIONS			
	REMARKS:								
22	ENGINE ELECTRICAL CABLES	AND CONNECTOR	S (121, 122)						
	243012- ENGINE ELECTRICAL (CABLES AND CONN	IECTORS (121,	122).					
	INSPECT CABLES FOR ROUTIN HARDWARE.	IG, SUPPORT, SEC	URITY OF CON	NECTIONS A	AND CONNECT	TOR			
	REMARKS:								
23	HEAT DETECTION LOOP (121, 1	122)							
	261002- HEAT DETECTION LOC	PP (121, 122)							
	INSPECT THE THREE LOOP SE	CTIONS FOR CONI	DITION, SECUR	ITY AND EVI	DENCE OF DA	AMAGE.			
	SPECIAL ATTENTION SHOULD	BE GIVEN TO THE	LOOP CONNEC	TION FITTIN	IGS.				
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is cons ifies that the work specified above,	idered ready for rele	ease to service.				vsia Requirements a	and in respect to tha	it work

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
KEIÜKINED									

	xyAerospace tenance, repair, overhaul	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
AIRCRAI	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OF ERVITION	N 1
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		B OF	59
CONVERS BASED IN	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
24	COWLING (121, 122)								
	711001 COW/UNC (121 122)								
	711001- COWLING (121, 122)								
	INSPECT THE STRUCTURE AND	FASTENERS FOR	R CONDITION A	ND SECURI	ΓY.				
	REMARKS:								
25	ENGINE TUBULAR MOUNTS (121	, 122)							
	712001- ENGINE TUBULAR MOUN	NTS (121, 122)							
	INSPECT FOR CONDITION, CORF	ROSION, AND SEC	CURITY OF INS	TALLATION.					
	REMARKS:								
26	ENGINE SHOCK MOUNTS AND G	ROUND STRAPS	(121, 122)						
	712002- ENGINE SHOCK MOUNT	S AND GROUND	STRAPS (121, 1	22)					
	INSPECT FOR CONDITION, SECU	JRITY, AND DETE	RIORATION OF	ELASTOME	RS.				
	REMARKS:								
27	COMPRESSOR WASH RING (121	,122)							
	716004- COMPRESSOR WASH RI	וואס (121,122)							
	INSPECT FOR SECURITY AND CO	ONDITION.							
	REMARKS:								
the ai	ifies that the work specified above, e ircraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele xcept as otherwise	ease to service. e specified, was c	arried out in	n accordance w		vsia Requirements	and in respect to tha	t work
П тіск	✓ WHERE APPLICABLE								

		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B łelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C1	/CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 1
REGISTE		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 9	OF	59
CONVERS BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
28	ENGINE COMPARTMENT (121, 12	2)							
	720001- ENGINE COMPARTMENT	. (121 122)							
		()							
	INSPECT FAR GENERAL CONDIT	ION, SECURITY, I	LEAKAGE, AND	DAMAGE.					
	REMARKS:								
29	ENGINE AIR INLET SCREEN (121,	, 122)							
	720002- ENGINE AIR INLET SCRE	ENI (121-122)							
	120002" ENGINE AIX INLET SCR	_LIN (121, 122)							
	INSPECT FOR CLEANLINESS AND	D SECURITY.							
	REMARKS:								
30	ENGINE GAS GENERATOR CASE	(121, 122)							
	720003- ENGINE GAS GENERATO	OR CASE (121, 122	2)						
	INSPECT FOR CRACKS, DISTOR	FION, AND CORR	OSION.						
	REMARKS:								
31	ENGINE ACCESSORIES (121, 122)							
	720007- ENGINE ACCESSORIES ((121, 122)							
	INSPECT FOR SECURITY, GENER	RAL CONDITION A	AND LEAKAGE.						
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is consid- ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for rele xcept as otherwise	ease to service. specified, was c	carried out in	accordance w		rsia Requirements :	and in respect to tha	ıt work
			shoracteu l						
	WHERE APPLICABLE								

PARTS LABELED &				ADDITIONAL WORKSHEET									
RETURNED	101020	 	Quine.	TIONOTILET	- One of the	OFDITE	OT DATE	00000	LOODOON	2001	LOODOON	0110	DOON

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 rrospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORK	
AIRCRAF	OWNER: ROYAL MALAYSIA POLICE (ICP) T TYPE: CARAVAN 208 ATION: 9M-PSN CILITY: WBGG	AIRCRAFT #1 ENGINE: #2 ENGINE:	SERIAL NO. 20800231 PCE 17477 NIL	REFER W	LDG/CY 70RKPACK 70RKPACK 70RKPACK	(CLE	WORKSHEET I WORK/INSP/D WORKPACK R AJL REF NO.:	ESC: OPERATIC	998
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	0 OF	59
Reason f CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	D AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	/luhammad n Jawahir	Other requiren	nents/informatior	1:
Item		Desc	ription				Technician	* Eng. CRS	Date
32	FUEL LINES (121, 122) 731001- FUEL LINES (121, 122) INSPECT FUEL SUPPLY AND FUE LEAKS, AND SECURITY OF INST REMARKS:		LINES FOR DE	TERIORATI	ON, CHAFING,	FUEL			
33	FUEL MANIFOLD (121, 122) 731006- FUEL MANIFOLD (121, 12 INSPECT FOR SECURITY OF INS				<u> </u>				
	REMARKS:			OEL LEAKS	».				
34	FLOW DIVIDER (121, 122) 731010- FLOW DIVIDER (121, 122 INSPECT FOR SECURITY OF INS REMARKS:		EVIDENCE OF F	UEL LEAKS	S.				
35	IGNITION CABLES (121, 122) 741002- IGNITION CABLES (121, INSPECT FOR CHAFING, WEAR, REMARKS:	-	ECURITY.						
the ai *Cert and in	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ase to service. specified, was c	arried out in	n accordance wi		ysia Requirements a	and in respect to th	at work

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		MOD RECORD BOOK
RETURNED									

Gala		Aero			* ₽	Suite 11-14, He Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, vziz Shah Airport, 7226 Fax: +60 rospace.my enc	Malaysia Ir 47200 Sub 3 7734 752	ternational A ang, Selang 6		entre,						
CLIENT/	OWNER	: ROYAL	MALAY	SIA			SERIAL NO). HO	JRS	LDG/0	CYCLE		WORKSH	EET NO	: 1599	8-002	
AIRCRAF		POLICE	(ICP)		AIF	CRAFT	20800231	REF	ERWOR	RKPACK			WORK/IN	SP/DES	C: OPER	RATION 1	
REGISTE					#1	ENGINE:	PCE 1747	7 REF	ER WOR	RKPACK			WORKPA	CK REF	: 9M-P	SN-1599	8
BASE/FA					#2	ENGINE:	NIL	REF	ER WOR	RKPACK			AJL REF	NO.:	REFE	R WOR	(PACK
DATE IN:	REFER WORKP	ACK O	UT: REFE	ER RKPACK						NG / N1	NF	/ N2	SHEET:	11	OF		59
BASED INS	ION OF M	IAĬNTENAN N PROGRA	M I.A.W. S	SB CAB1	1-5 R2 CO	/IPLIANCE AN	CARE PROGRA ID AMP REF NO ON. OPERATIC	D.:	sк- F			mad	Other rec	luiremei	nts/inforn	nation:	
Item						Descr	ription						Technicia	an	* Eng. C	RS	Date
36	IGNIT	ORS (121	122)														
		3- IGNITC			sion, an	D CONDITIC	ON OF INSUL	ATOR.									
			TOR AT	LEAD A	TTACHM	IENT, BUT D	DO NOT CLE	AN IGNIT	OR END.								
	REMA		10-1														
37	IGNIT	ORS (121	122)														
		5- IGNITC	,									v					
		CH ON).	KATION		CKBIP		NITION SWIT				DATTER	Ť					
	VERIF	Y IGNITIC	ON ON A	NNUNC	IATOR IL	LUMINATES	S.										
	REMA	RKS:															
38	NP TA		RATOR	: (121, 1	22)												
	77100	1- NP TAC	H GEN	ERATO	R (121, 12	22)											
	INSPE	ECT FOR S	SECURI	TY OF II	NSTALLA	TION AND C	GENERAL CO	NDITIO	٨.								
	INSPE	CT WEEF	PHOLES	S FOR C	DIL LEAKA	AGE.											
	REMA	RKS:															
39	NP TE	CH GENE	RATOR	WIRING	G (121, 12	22)											
		Z- INF IE(JI GEN		VVIRING	6 (121, 122)											
	INSPE	CT FOR	CHAFIN	G, ROU	TING AND	SECURITY	(.										
	REMA	RKS:															
the ai	ircraft / a ifies that	aircraft co t the work	mponer specifie	nt is cons ed above	sidered re e, except a	eady for releases otherwise	specified, wa ase to service specified, wa is considered	s carried	out in ac	cordance	with	A Malays	ia Requirem	ients and	l in respec	t to that	work
	-	E APPLICAE			, anorart	- simponent					-						
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELLI LOG BOC		OEM/CON LOG CARI	

	xyAerospace tenance, repair, overhaul	Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	re,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET	NO: 15998-002	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOI	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	2 OF	59
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 I NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
40	TORQUE INDICATION SYSTEM (1	21, 122)							
	773002- TORQUE INDICATION SY	'STEM (121, 122)							
	INSPECT PLUMBING FOR EVIDEN	ICE OF DAMAGE	, LEAKAGE, CC	NDITION AN	ID SECURITY.				
	REMARKS:								
41	ELECTRIC TORQUE TRANSMITTE	R WIRING (121,	122)						
	773003- ELECTRIC TORQUE TRAI		IG (121, 122)						
	INSPECT FOR SECURITY OF INS	I ALLA HON, ROU	TING AND CON	IDITION.					
	REMARKS:								
42	ENGINE OIL (AIRPLANES FLOWN	LESS THAN 50 H	IOURS PER MC	ONTH) (121, 1	22)				
	05-12-01 790001- ENGINE OIL (AIRPLANES	FLOWN LESS TH	IAN 50 HOURS	PER MONTH	H) (121, 122)				
	CHANGE.								
	REMARKS:								
43	CHIP DETECTORS WITH ANNUNC	CIATOR LIGHT (1)	21, 122,221)						
	793001- CHIP DETECTORS WITH	·	,	,221)					
	INSPECT.								
	REMARKS:								
the ai	ifies that the work specified above, ex ircraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was o	carried out ir	accordance wi		vsia Requirements a	and in respect to tha	t work
	✓ WHERE APPLICABLE								

LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LOG CARD	PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
---	--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centi langor, Malaysia.	re,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
REGISTE		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	3 OF	59
CONVERS BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR(SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
44	PRESSURE REGULATING VALVE	AND PLUMBING	(122)						
	213001- PRESSURE REGULATING INSPECT VALVE AND PLUMBING DAMAGE.			ON, CONDIT	ION AND EVID	ENCE OF			
	REMARKS:								
45	HEATER COMPONENTS (122)								
	214001- HEATER COMPONENTS (122)							
		122)							
	CHECK LINES, CONNECTORS, CL CONDITION, RESTRICTIONS, AND		BASKETS, AND	DISTRIBUTI	ON DUCTS FOF	२			
	REMARKS:								
46	HEATER SYSTEM PLUMBING (122	2)							
	214002- HEATER SYSTEM PLUMB	ING (122)							
	INSPECT P3 LINE, FLOW CONTRO INSTALLATION CONDITION AND E			NG LINE FO	R SECURITY O	F			
	REMARKS:								
47	BATTERY CABLE DISCONNECT A	ND CABLES (122)						
	243001- BATTERY CABLE DISCON	INECT AND CAB	LES (122)						
	INSPECT FOR CONDITION, CORR	OSION AND SEC	URITY.						
	INSPECT BATTERY TERMINAL RE	CEPT ACLES FC	R OVERHEATII	NG OR BURI	NING.				
	REMARKS:								
the ai *Cert and in	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was c	arried out in	accordance wi		t	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & R RETURNED						ADDITIONAL WORKSHEET											
----------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C		WORKSHEET	NO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	TOLE	WORK/INSP/D	10000 002	N 1
RCRAF	T TYPE: CARAVAN 208 AATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	4 OF	59
NVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
tem		Descr	ription		1		Technician	* Eng. CRS	Date
48	BATTERY TRAY (122)								
	243007- BATTERY TRAY (122)								
	INSPECT FOR CONDITION, COR	ROSION AND SEC	URITY.						
	INSPECT LATCHING MECHANIS	M FOR PROPER O	PERATION.						
	REMARKS:								
49	GILL FLOODED LEAD-ACID BAT	TERY (IF INSTALLE	ED) (122)						
	243009- GILL FLOODED LEAD-A	CID BATTERY (IF II	NSTALLED) (12	2)					
	CHECK GENERAL CONDITION A			,					
	CHECK LEVEL OF ELECTROLYT	ſE.							
	CHECK TERMINALS FOR OVERI	HEATING OR BURN	NING.						
	REMARKS:								
50	BATTERY BOX (GILL LEAD ACID	ONLY) (122)							
	243010- BATTERY BOX (GILL LE	AD ACID ONLY) (12	22)						
	INSPECT FOR CORROSION, CO	NDITION AND SEC	URITY.						
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi			arried out in	n accordance w	vith CAA Malay	/sia Requirements	and in respect to the	at work
	rcraft / aircraft component is consi- ifies that the work specified above,								

PARTS D.D. LABELED & RAISEC RETURNED					ADDITIONAL WORKSHEET											
--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

CLIENT/OWNER: ROYAL MALAYSIA POLICE (ICP) AIRCRAFT TYPE: CARAVA 208 REFGETMATION: 9M-PSN BASERACIUTY: WBGG BASERACIUTY: WBGG DATE IN: WEFER NORKINKCC, OUT: WEFER NORKC, OUT: WEFER NORKINKCC, OUT: WEFER NORKINCCA	
POLICE (ICP) AIRCRAFT TYPE CARAVAN 2038 IREGRAFT 20800231 REFER WORKPACK WORKPACK WORKPACK REF: 94/PSN-1 REGISTRATION: 94/PSN #1 ENGINE: PCE 17477 REFER WORKPACK AIRCRAFT TYPE AIRCRAFT TYPE AIRCRAFT TYPE AIRCRAFT WORKPACK REFER WORKPACK AIRCRAFT WORKPACK REF: 94/PSN-1 AIRCRAFT Yee PGINE Yee PGINE AIRCRAFT Yee PGINE Yee PGI	
REGISTRATION: 9M-PSN #1 ENGINE: PCE 17477 REFER WORKPACK VULMPAALA RE: 9ULMPAALA RE: All, REF. NO.: REFER WORKPACK BASE/FACILITY: WBGG #2 ENGINE: NIL REFER WORKPACK All, REF. NO.: REFER WORKPACK BASE/FACILITY: WBGG #1 ENGINE: NIL REFER WORKPACK NIL All, REF. NO.: REFER WORKPACK BASE/FACILITY: WBGG #1 ENGINE: NIL REFER WORKPACK NIL NIL REFER WORKPACK CONVERSION OF MAINTENANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK. NIL NIL Readed bysectronic Cher requirements/informatio Reade Dispectronic PROGRAM.LAW BROAME FROM PROGRESSIVE CARE PROGRAM TO TASK. Reade bysectronic Cher requirements/informatio NIL Description Technician Technician * Eng. CRS 51 BATTERY VENT TUBES (122) INSPECT FOR CONDITION, OBSTRUCTIONS AND SECURITY. Technician * Eng. CRS 52 BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BeGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 20800221 AND 208B0001 THRU 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B001 THRU 208B001 THRU 208B001 THRU 208B001 THRU 208B001	5998
BASE/FACL OUT: REFR.W. NIL REFER W. SURVACE. ALL REF. NO.: REFER W. SHE ACK. SHE ET: 15 OF DATE IN: REFR.ACK. OUT: REFR.W. SHE ET: 15 OF SHE ET: 15 OF Same for raining::::::::::::::::::::::::::::::::::	
AND EVR. WORKPACK OV WORKPOOR OV Reason for raising: OV WARY NZ A OV Reason for raising: OV WARY NZ Raised by and date: OV MOVERBOOK MAINTDANCE PROGRAMLAW. SB GASTI-S R2 COMPLANCE AND AUP REF NO.: Raised by and date: OV NIL MARYWENCACMOAMPC200 ISSUE 1, REV 0. TO THE LATEST REVISION. OPERATION 1 Description Techniclan * Eng. CRS 51 BATTERY VENT TUBES (122) 243011- BATTERY VENT TUBES (122) Techniclan * Eng. CRS 52 BLEED AIR PRESSURE REGULATOR (122) INSPECT FOR CONDITION, OBSTRUCTIONS AND SECURITY. REMARKS: Inspect PROSPAND 208B001 Inspect PROSPAND 208B001 52 BLEED AIR PRESSURE REGULATOR (122) 301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) Inspect PROSPAND 208B001 Inspect PROSPAND 208B001 53 BLEED AIR PRESSURE REGULATOR (122) REMARKS: Inspect PROSPAND 208B001 Inspect PROSPAND 208B001 54 BLEED AIR PRESSURE REGULATOR (122) Inspect PROSPAND 208B001 Inspect PROSPAND 208B001 Inspect PROSPAND 208B001 55 BLEED AIR PRESSURE REGULATOR (122) Inspect PROSPAND 208B001 Inspect PROSPAND 208B00	ORKPACK
CONVERSION OF MAINTERNANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK: I/OP RMP Muhammad Anwar bin Jawahir NIL INDERCENTING CONVERSION OF MAINTERNANCE PROGRAMME FROM PROGRAM TO TASK: I/OP RMP Muhammad Anwar bin Jawahir NIL Item Description Technician * Eng. CRS 51 BATTERY VENT TUBES (122) Technician * Eng. CRS 243011- BATTERY VENT TUBES (122) INSPECT FOR CONDITION, OBSTRUCTIONS AND SECURITY. I/OP RMP Muhammad Anwar bin Jawahir I/OP RMP Muhammad Anwar bin Jawahir 52 BLEED AIR PRESSURE REGULATOR (122) I/OP RMP PROSENUE FOR CONDITION, OBSTRUCTIONS AND SECURITY. I/OP RMP PROSENUE FOR CONDITION, OBSTRUCTIONS AND SECURITY. 52 BLEED AIR PRESSURE REGULATOR (122) I/OP RMP PROSENUE FOR CONDITION, OBSTRUCTIONS AND SECURITY. I/OP RMP PROSENUE FOR CONDITION, OBSTRUCTIONS AND SECURITY. 54 BLEED AIR PRESSURE REGULATOR (122) I/OP RMP PROSENUE FOR CONDITION, OBSTRUCTIONS AND SECURITY. I/OP RMP PROSENUE FOR CONDITION, OBSTRUCTIONS AND SECURITY. 55 BLEED AIR PRESSURE REGULATOR (122) I/OP RMP PROSENUE FOR CONDITION, OBSTRUCTIONS AND I/PLANES 20800001 THRU 20800221 AND 208B0001 I/OP RMP PROSENUE FOR CONDITION, OBSTRUCTIONS AND I/PLANES 20800001 THRU 20800221 AND 208B0001 56 BLEED AIR PRESSURE REGULATOR (122) I/OP RMP PROSENUE FOR TO CANOTERE AGEULATOR (122) I/OP RMP PR	59
51 BATTERY VENT TUBES (122) 243011- BATTERY VENT TUBES (122) INSPECT FOR CONDITION, OBSTRUCTIONS AND SECURITY. REMARKS: 52 BLEED AIR PRESSURE REGULATOR (122) 301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: 53 BLEED AIR PRESSURE REGULATOR (122) 901007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	1:
243011- BATTERY VENT TUBES (122) INSPECT FOR CONDITION, OBSTRUCTIONS AND SECURITY. REMARKS: 52 BLEED AIR PRESSURE REGULATOR (122) 301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: 53 BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) 53 BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122)	Date
INSPECT FOR CONDITION, OBSTRUCTIONS AND SECURITY. REMARKS: S2 BLEED AIR PRESSURE REGULATOR (122) 301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: S3 BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PEMARKS:	
INSPECT FOR CONDITION, OBSTRUCTIONS AND SECURITY. REMARKS: S2 BLEED AIR PRESSURE REGULATOR (122) 301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: S3 BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PEMARKS:	
REMARKS: REMARKS: 52 BLEED AIR PRESSURE REGULATOR (122) 301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: 53 BLEED AIR PRESSURE REGULATOR (122) 301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
52 BLEED AIR PRESSURE REGULATOR (122) 301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: 53 BLEED AIR PRESSURE REGULATOR (122) 301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: 53 BLEED AIR PRESSURE REGULATOR (122) 301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
301006- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: 53 BLEED AIR PRESSURE REGULATOR (122) 301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
PERFORM DISCHARGE PRESSURE CHECK. BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: 53 BLEED AIR PRESSURE REGULATOR (122) 301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: S3 BLEED AIR PRESSURE REGULATOR (122) 301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
BEGINNING WITH 20800222 AND 208B0317 AND AIRPLANES 20800001 THRU 20800221 AND 208B0001 THRU 208B0316 WHEN MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS: S3 BLEED AIR PRESSURE REGULATOR (122) 301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
THRU 208B0316 WHEN MODIFIED PER SK208-112. Image: Comparison of the compar	
53 BLEED AIR PRESSURE REGULATOR (122) 301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
301007- BLEED AIR PRESSURE REGULATOR (122) PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
PERFORM DISCHARGE PRESSURE CHECK. 20800001 THRU 20800221 AND 208B0001 THRU208B0316	
DEMARKO	
REMARKS:	
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with	at work
and in respect to that work the aircraft / aircraft component is considered ready for release to service.	

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
RETURNED									

POLICE (ICP) AIRCRAFT TYPE:AIRCRAFT20800231REFER WORKPACKWORK/INSP/DESC:OPEAIRCRAFT TYPE:CARAVAN 208#1 ENGINE:PCE 17477REFER WORKPACKWORKPACK REF:9M-REGISTRATION:9M-PSN#1 ENGINE:PCE 17477REFER WORKPACKWORKPACK REF:9M-	mation:
AIRCRAFT TYPE: CARAVAN 208 AIRCRAFT 20800231 HEPER WORKPACK WORKPACK WORKPACK WORKPACK WORKPACK WORKPACK REF: 9M- AJL REF NO.: REF BASE/FACILITY: WBGG #1 ENGINE: PCE 17477 REFER WORKPACK NG / N1 NF / N2 XJL REF NO.: REF DATE IN: WORKPACK OUT: REFER OUT: WORKPACK NIL REFER WORKPACK SHEET: 16 OF Reason for raising: CONVERSION OF MAINTENANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK- BASED INSPECTION PROGRAM I.A.W. SB CAB11-5 R2 COMPLIANCE AND AMP REF NO.: RMPAW/ENG/CAMO/AMP/C208 ISSUE 1, REV 0. TO THE LATEST REVISION. OPERATION 1 Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023 Other requirements/infor 54 ACCESSORY GEARBOX BREATHER LINE (122) Technician * Eng. 0 720006- ACCESSORY GEARBOX BREATHER LINE (122) INSPECT FOR SECURITY AND CONDITION. INSPECT FOR SECURITY AND CONDITION. Inspect for SECURITY AND CONDITION.	PSN-15998 ER WORKPACK 59 mation:
REGISTRATION: 9M-PSN #1 ENGINE: PCE 17477 REFER WORKPACK WORKPACK AJL REF. 9M- BASE/FACILITY: WBGG #2 ENGINE: NIL REFER WORKPACK AJL REF. AJL REF. 9M- DATE IN: REFER WORKPACK OUT: REFER WORKPACK OUT: REFER NIL REFER WORKPACK AJL REF. 9M- Reason for raising: CONVERSION OF MAINTENANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK- BASED INSPECTION PROGRAM I.A.W. SB CAB11-5 R2 COMPLIANCE AND AMP REF NO.: RMPAW/ENG/CAMO/AMP/C208 ISSUE 1, REV 0. TO THE LATEST REVISION. OPERATION 1 Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/203 Other requirements/infor 1tem Description Technician * Eng. (I 54 ACCESSORY GEARBOX BREATHER LINE (122) Technician * Eng. (I INSPECT FOR SECURITY AND CONDITION. INSPECT FOR SECURITY AND CONDITION. Image: Adv to the security of the secu	ER WORKPACK 59 mation:
BASE/FACILITY: WBGG #2 ENGINE: NIL REFER WORKPACK AJL REF NO.: REF DATE IN: REFER WORKPACK OUT: REFER NG / N1 NF / N2 SHEET: 16 OF Reason for raising: CONVERSION OF MAINTENANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK- BASED INSPECTION PROGRAM I.A.W. SB CAB11-5 R2 COMPLIANCE AND AMP REF NO.: RMPAW/ENG/CAMO/AMP/C208 ISSUE 1, REV 0. TO THE LATEST REVISION. OPERATION 1 Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023 Other requirements/infor NIL Item Description Technician * Eng. 0 54 ACCESSORY GEARBOX BREATHER LINE (122) INSPECT FOR SECURITY AND CONDITION. Item LINE (122) INSPECT FOR SECURITY AND CONDITION.	= 59 mation:
DATE IN. WORKPACK OUT. OUT. WORKPACK OUT. WORKPACK OUT. OUT. <th< td=""><td>mation:</td></th<>	mation:
CONVERSION OF MAINTENANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK- BASED INSPECTION PROGRAM I.A.W. SB CAB11-5 R2 COMPLIANCE AND AMP REF NO.: RMPAW/ENG/CAMO/AMP/C208 ISSUE 1, REV 0. TO THE LATEST REVISION. OPERATION 1 ICP RMP Muhammad Anwar bin Jawahir 08/06/2023 NIL Item Description Technician * Eng. 0 54 ACCESSORY GEARBOX BREATHER LINE (122) 720006- ACCESSORY GEARBOX BREATHER LINE (122) INSPECT FOR SECURITY AND CONDITION.	
54 ACCESSORY GEARBOX BREATHER LINE (122) 720006- ACCESSORY GEARBOX BREATHER LINE (122) INSPECT FOR SECURITY AND CONDITION.	CRS Date
720006- ACCESSORY GEARBOX BREATHER LINE (122) INSPECT FOR SECURITY AND CONDITION.	
INSPECT FOR SECURITY AND CONDITION.	
REMARKS:	
55 P3 FILTER (122)	
723001- P3 FILTER (122)	
INSPECT FOR GENERAL CONDITION AND CLEAN.	
REMARKS:	
56 PNEUMATIC LINES (122)	
731002- PNEUMATIC LINES (122)	
INSPECT P3/PY LINES FOR CONDITION AND SECURITY OF INSTALLATION.	
INSPECT CONNECTIONS FOR PROPER SAFETYING.	
REMARKS:	
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respective aircraft / aircraft component is considered ready for release to service.	ct to that work
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with	
and in respect to that work the aircraft / aircraft component is considered ready for release to service.	

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

		Aero			*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, vziz Shah Airport, 7226 Fax: +60 rospace.my end	Malaysia Int 47200 Suba 3 7734 7526	ernational / .ng, Selang	jor, Malaysia.	entre,						
CLIENT/	OWNEF	ROYAL		SIA			SERIAL NO). HOU	RS	LDG/0	YCLE		WORKSH	EET NO:	1599	8-002	
		POLICE CARAV	(ICP) AN 208		AIF	CRAFT	20800231	REF	ER WOF	RKPACK			WORK/IN	SP/DESC	: OPEI	RATION 1	
REGIST	RATION:	9M-PSN	1		#1	ENGINE:	PCE 1747	REF	ER WOF	RKPACK			WORKPA	CK REF:	9M-P	SN-15998	
		WBGG			#2	ENGINE:	NIL	REF	ER WOF	RKPACK			AJL REF	NO.:	REFE	R WORK	PACK
DATE IN	: REFER WORKP	ACK 0	UT: REFE	ER RKPACK						NG / N1	NF	/ N2	SHEET:	17	OF		59
BASED IN	SION OF N	/IAÏNTENAN N PROGRA	M I.A.W. S	SB CAB1	I-5 R2 CO	MPLIANCE AN	CARE PROGRA ID AMP REF NO ON. OPERATIC	D.:	K- F			mad	Other req	uiremen	ts/inforn	nation:	
Item						Descr	ription						Technicia	an	* Eng. C	RS	Date
57	PNEU	IMATIC LI	NES (12	2)													
	73100	3- PNEUN	IATIC LI	NES (12	22)												
	INSPE	ECT P3/P1	LINE H	EATER	S FOR OF	PERATION A	AND EVIDEN	CE OF DA	MAGE.								
	REMA	ARKS:															
58	ENGI	NE FUEL I	PUMP (1	22)													
)4- ENGIN		·	122)												
	INSPE	ECT FOR	SECURI	TY OF II	NSTALLA	TION AND F	FUEL LEAKS										
	INSPE	ECT OVER	BOARD	DRAIN	LINE FO	R SECURIT	Y OF INSTAL	LATION A		NDITION.							
	REMA	ARKS:															
59	ENGI	NE FUEL I	PUMP (1	22)													
	73100	95- ENGIN	E FUEL	PUMP (122)												
		ORM FUE R TO CHA			CTION.												
	REMA	ARKS:															
60	FUEL	CONTRO	L (122)														
	73200)1- FUEL (ONTRC	DL (122)													
	INSPE	ECT FOR	SECURI	TY OF II	NSTALLA	TION AND F	UEL LEAKS										
	REMA	ARKS:															
the a	ircraft /	aircraft co	mponen	t is con	sidered re	eady for rele	specified, wa ase to service					A Malays	ia Requirem	ents and	in respec	t to that w	ork
and i	tifies tha n respec	t the work t to that w	specifie ork the	ed above aircraft	, except a / aircraft	s otherwise	specified, wa is considered	s carried I ready fo	out in ac r release	cordance to service	with						
тіск	✓ WHER	e applicae	BLE														
PARTS ABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELLEF LOG BOOK		OEM/COMF LOG CARD	MOD REC BOOK

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	itre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	J 1
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	8 OF	59
CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad In Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
61	FUEL CONTROL (122)								
	732002- FUEL CONTROL (122)								
	CHECK FOR F.C.U. BEARING WA F.C.U. OVERBOARD VENT. REMARKS:	SHOUT INDICATE	ED BY BLUE DY	E (GREASE	AND FUEL MI	XED) AT			
62	FUEL FLOW TRANSDUCER (122)								
	733001- FUEL FLOW TRANSDUC	ER (122)							
	INSPECT FOR SECURITY OF INS	TALLATION, FUEI	LEAKS, AND E	VIDENCE O	F DAMAGE.				
	REMARKS:								
63	FUEL TOTALIZER SIGNAL COND	ITIONER (IF INST	ALLED) (122)						
	733002- FUEL TOTALIZER SIGNA	L CONDITIONER	(IF INSTALLED)	(122)					
	INSPECT FOR SECURITY OF INS DAMAGE.	TALLATION WIRIN	NG CONNECTO	R FOR SEC	JRITY, AND E'	VIDENCE OF			
	REMARKS:								
							l		
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance w		rsia Requirements a	and in respect to tha	t work
	WHERE APPLICABLE								

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
RETURNED									

		Aero			*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, ziz Shah Airport, 7226 Fax: +60 rospace.my end	Malaysia Inte 47200 Subar 3 7734 7526	ernational ng, Selan	igor, Malaysia.	entre,						
CLIENT/	OWNEF	ROYAL		SIA			SERIAL NO	D. HOU	RS	LDG/0	CYCLE		WORKSH			8-002	
AIRCRA	FT TYPE	POLICE CARAV	AN 208		AIF	CRAFT	20800231	REFE	ER WO	RKPACK			WORK/IN		OPEI	RATION 1	
REGIST	RATION:	9M-PSN	1		#1	ENGINE:	PCE 1747	7 REFE	ER WO	RKPACK			WORKPA			'SN-15998	
		WBGG			#2	ENGINE:	NIL	REFE	ER WO	RKPACK	-		AJL REF			ER WORK	
DATE IN	: REFER WORKP	PACK O	UT: REFE	ER RKPACK						NG / N1	NF	/ N2	SHEET:	19	OF		59
CONVERS BASED IN	SPECTIO	/IAINTENAN N PROGRA	M I.A.W. S	SB CAB1	I-5 R2 CON	MPLIANCE AN	CARE PROGR/ ID AMP REF NO ON. OPERATIC	D.:	<-			mad	Other rec	uiremen	s/inforn	nation:	
Item						Descr	ription						Technicia	an	* Eng. C	RS	Date
64	IGNIT	ION EXCI	TER BO	X (122)											0 -	_	
)1- IGNITIO			OX (122)												
	INSPE	ECT FOR S	SECURI	TY OF II	NSTALLA	TION AND (CONDITION.										
	REMA	ARKS:															
65	IGNIT	ION EXCI	TER BO	X WIRIN	IG HARNI	ESS (122)											
	74100	4- IGNITIO	ON EXCI	ITER BC	X WIRIN	G HARNES	S (122)										
	INSPE	ECT FOR S	SECURI	TY, CON		AND PROPE	ER ROUTING										
	REMA	RKS:															
the a	ircraft / : tifies tha	aircraft co .t the work	mponen specifie	nt is cons ed above	sidered re , except a	eady for release as otherwise	specified, wa ase to service specified, wa	e. Is carried c	out in a	ccordance	with	A Malays	ia Requirem	ients and	in respec	t to that v	vork
		E APPLICAE		aircraft	/ aircraft	component	is considered	1 ready for	releas	e to service							
PARTS ABELED & ETURNED	D.D. RAISED	DUPLICATE INSP.		FLIGHT TEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELLEF LOG BOOK	LOG CARD	OEM/COM LOG CARD	MOD REC BOOK

	xyAerospace	Tel: +603 7734	OSPACE (M) SDN. B elicopter Centre, Ma ziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	onal Aerospace Centre, elangor, Malaysia.		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET N	NO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	WORK/INSP/D	10000 002	N 1
	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477		/ORKPACK	WORKPACK R		
REGISTE	RATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		/ORKPACK	AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 2	0 OF	59
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FRO SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requiren	nents/information	
Item		Desci	ription			Technician	* Eng. CRS	Date
66	ENGINE CONTROLS (122)							
	761001- ENGINE CONTROLS (122)							
	CHECK FOR FREEDOM OF OPER	ATION.						
	INSPECT FOR SECURITY OF INST AND DETERIORATION.	ALLATION, WEA	R, CORROSION	N, ROUTING	, EVIDENCE OF DAMAGE,			
	CHECK RUBBER SEALS FOR DET	ERIORATION.						
	REMARKS:							
67	CONTROL LINKAGES AND ATTAC	H BRACKETS (12	22)					
	761002- CONTROL LINKAGES AND	D ATTACH BRACI	KETS (122)					
	INSPECT FOR SECURITY OF INST FREEDOM OF MOVEMENT.	ALLATION, WEA	R, CORROSION	N, GENERAL	CONDITION, AND			
	REMARKS:							
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex	red ready for rele cept as otherwise	ase to service. specified, was c	carried out in	n accordance with	vsia Requirements a	and in respect to the	at work
and in	n respect to that work the aircraft / air	rcraft component	is considered r	eady for rele	ase to service.			
	✓ WHERE APPLICABLE							

PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											
--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace tenance, repair, overhaul	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
AIRCRAI	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 1
REGISTR	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
BASE/FA	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	1 OF	59
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	:
Item		Desc	ription				Technician	* Eng. CRS	Date
68	T5 TERMINAL BLOCK AND EXTE	ERNAL WIRING (12	2)						
	771005- T5 TERMINAL BLOCK AI	ND EXTERNAL WI	RING (122)						
	INSPECT FOR SECURITY OF INS								
		STALLATION AND	CONDITION.						
	REMARKS:								
69	TRIM THERMOCOUPLE (122)								
	771006- TRIM THERMOCOUPLE	(122)							
	INSPECT FOR SECURITY OF INS								
	INSPECT FOR SECORITY OF IN	STALLATION AND	CONDITION.						
	DEMADIZO								
	REMARKS:								
70	ELECTRIC TORQUE TRANSMIT	TER (IF INSTALLED	0) (122).						
	773001- ELECTRIC TORQUE TRA	ANSMITTER (IF IN	STALLED) (122)						
	INSPECT FOR SECURITY OF INS	STALLATION, CON	DITION, AND LI	EAKAGE.					
	REMARKS:								
	tifies that the work specified above,			carried out ir	accordance w	ith CAA Malay	ysia Requirements	and in respect to tha	at work
	ircraft / aircraft component is consid tifies that the work specified above,			carried out ir	accordance w	rith			
	n respect to that work the aircraft /								
	✓ WHERE APPLICABLE								
	WILLIL AFFLIVADLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

		Aero			*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, Aziz Shah Airport, 7226 Fax: +60 rospace.my enq	Malaysia Inte 47200 Subai 3 7734 7526	ernational Ang, Selang	or, Malaysia.	ntre,				_	_	
CLIENT/	OWNER	ROYAL		SIA			SERIAL NO	. HOU	RS	LDG/0	YCLE		WORKSH	EET NO	D: 1:	5998-002	
		POLICE	(ICP) AN 208		AIF	RCRAFT	20800231	REFE	R WOR	RKPACK			WORK/IN	SP/DE	SC: 0	PERATIO	N 1
REGIST	RATION:	9M-PSN	1		#1	ENGINE:	PCE 17477	REFE	ER WOR	RKPACK			WORKPA	CK REI	F: 91	M-PSN-15	998
BASE/FA	CILITY:	WBGG			#2	ENGINE:	NIL	REFE	R WOR	RKPACK			AJL REF	NO.:	R	EFER WO	RKPACK
DATE IN	REFER WORKP.	ACK 0	UT: REFE	ER RKPACK						NG / N1	NF	/ N2	SHEET:	22		OF	59
ONVERS ASED IN	SPECTION	1AĬNTENAN N PROGRA	M I.A.W. S	SB CAB11	I-5 R2 CO	MPLIANCE AN	CARE PROGRA ID AMP REF NO ON. OPERATIC) .:	<- F	Raised by ICP RMP Anwar I 08/0	Muham	mad	Other rec	luireme	ents/inf	ormation	
Item						Descr	ription						Technicia	an	* Eno	. CRS	Date
71	OIL FI	LLER CA	P AND D	IPSTIC	(122)	2000.	.p.on										
	79000	3- OIL FIL	LER CA	.P AND E	DIPSTICK	(122)											
	INSPE	ECT FOR (CONDIT		O SECUR	RITY.											
	REMA	ARKS:															
72		OOLER (1	22)														
		OOLLIN (I)														
	70200	1- OIL CC		122)													
	79200			122)													
	INSPE	ECT FOR S	SECURI	TY OF IN	NSTALLA	TION, EVID	ENCE OF DA	MAGE AN	ID CONI	DITION.							
	INSPE	ECT BAFF	LING AN	ND SEAL	S FOR C		AND SECURI	TY.									
	REMA	RKS:															
							specified, wa		out in ac	cordance	with CA	A Malays	ia Requiren	nents ar	nd in res	pect to tha	at work
							ase to service specified, wa		ut in ac	cordance	with						
							is considered										
						-		·									
	✓ WHERE	E APPLICAE	BLE	1		1				1						1	1
PARTS BELED & TURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPEI LOG BO		OG OEM/O ARD LOG O	

GAM/C-005 Rev 3 (06/22)

		Aer			*	Suite 11-14, He Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, ziz Shah Airport, 7226 Fax: +60 rospace.my end	Malaysia In 47200 Sub 3 7734 7526	ternational ang, Selang 3	jor, Malaysia.	entre,						
CLIENT/	OWNER	ROYAL		SIA			SERIAL NO	D. HOL	JRS	LDG/0	CYCLE		WORKSH	EET NO): 15998	8-002	
		POLICE	E (ICP) AN 208		AIF	CRAFT	20800231	REF	ER WOI	RKPACK			WORK/IN	SP/DES	C: OPER	RATION 1	
REGIST	RATION:	9M-PSN	1		#1	ENGINE:	PCE 1747	7 REF	ER WOI	RKPACK			WORKPA		: 9M-P	SN-1599	3
BASE/F/	ACILITY:	WBGG			#2	ENGINE:	NIL	REF	ER WOI	RKPACK			AJL REF	NO.:	REFE	R WORK	PACK
DATE IN	: REFER WORKP	ACK 0	UT: REF	ER RKPACK						NG / N1	NF	: / N2	SHEET:	23	OF		59
BASED IN	SION OF M	1AĬNTENAN N PROGRA	M I.A.W.	SB CAB11	-5 R2 CO	MPLIANCE AN	CARE PROGRA D AMP REF NO ON. OPERATIO	D.:	к-			imad	Other rec	uireme	nts/inforn	nation:	
Item						Descr	ription						Technicia	an	* Eng. C	RS	Date
73	OIL TE	EMPERAT	URE BL	JLB (122)		1								0		
		5- OIL TE)											
	INSPE	ECT FOR	SECURI	TY, CON		AND LEAKA	GE.										
	REMA	RKS:															
74		EMPERAT	URE BI		ING (122)											
			5.12 DC			,											
	79300	6- OIL TE	MPERA	TURE BI	JLB WIR	NG (122)											
	INSPE	ECT FOR	SECURI	TY, CON		AND EVIDEN	NCE OF DAM	IAGE.									
	REMA	RKS:															
the a	ircraft / a tifies tha	aircraft co t the work	mponer s specifie	nt is cons ed above	sidered re , except a	eady for relea as otherwise	specified, wa ase to service specified, wa	s carried	out in ac	cordance	with	A Malays	ia Requiren	ients and	d in respec	t to that v	vork
and	in respec	t to that w	ork the	aircraft	/ aircraft	component	is considered	l ready fo	r release	to service							
ТІСК	✓ WHERE	E APPLICAE	BLE														
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	torque Chk.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELL LOG BOO		OEM/CON LOG CARI	

	xyAerospace tenance, repair, overhaul	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	ire,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	NO: 15998-002	
	POLICE (ICP) -T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 24	4 OF	59
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
75	STARTER-GENERATOR ELECTRI			S (122).					2410
	801004- STARTER-GENERATOR F INSPECT CABLES FOR ROUTING HARDWARE.					ſOR			
	REMARKS:								
76	ENGINE COMBUSTION SECTION 717001- ENGINE COMBUSTION S								
	INSPECT FOR SECURITY OF INSTEVIDENCE OF DAMAGE.	TALLATION, LINE	ROUTING, DET	FERIORATIC	N OF HOSES /	AND			
×Cert	ifies that the work specified above, e	xcept as otherwise	e specified, was c	carried out ir	accordance w	ith CAA Malay	/sia Requirements a	and in respect to tha	t work
□ *Cert	ircraft / aircraft component is consid- tifies that the work specified above, ex n respect to that work the aircraft / ai	xcept as otherwise	e specified, was o			ith			
	✓ WHERE APPLICABLE								
DADTC									

RETURNED

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centi langor, Malaysia.	re,		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	SERIAL NO. 20800231	HOURS REFER W	LDG/CY ORKPACK	CLE	WORKSHEET I WORK/INSP/D	10000 002	11
REGISTE		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	5 OF	59
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
77	DRAIN OPENINGS AND VENT HO	LES IN BOTTOM	OF ENGINE CO	WLING (130)).				
	717002- DRAIN OPENINGS AND V	/ENT HOLES IN B	OTTOM OF EN	GINE COWLI	NG (130).				
	INSPECT FOR OBSTRUCTIONS.								
	REMARKS:								
78									
78	ENGINE EXHAUST SYSTEM (130))							
	781001- ENGINE EXHAUST SYST	EM (130).							
	INSPECT PRIMARY AND SECONE INSTALLATION, AND EVIDENCE (R CRACKS, DIS	TORTION, S	ECURITY OF				
	REMARKS:								
79	ENGINE EXHAUST SYSTEM (130)).							
	781002- ENGINE EXHAUST SYST	EM (130).							
	PERFORM PRIMARY AND SECON	NDARY EXHAUST	DUCT INSPEC	TION AND AI	LIGNMENT.				
	REMARKS:								
the ai	ifies that the work specified above, er rcraft / aircraft component is consid ifies that the work specified above, er memory to above used the aircraft (a	ered ready for rele xcept as otherwise	ease to service. e specified, was c	arried out in	1 accordance wi		vsia Requirements :	and in respect to tha	t work
and in	n respect to that work the aircraft / a	ircraft component	i is considered r	eady for relea	ase to service.				
	WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
RETURNED									

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cer angor, Malaysia.	ntre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OF ERVITION	N 1
REGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 2	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	6 OF	59
ONVERS	for raising: ON OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar b	and date: Muhammad in Jawahir 5/2023	Other requiren	nents/information:	:
Item		Desc	ription				Technician	* Eng. CRS	Date
80	PRESSURE RELIEF VALVE (151)).							
	213002- PRESSURE RELIEF VAL	VE (151).							
	INSPECT FOR CONDITION AND	SECURITY.							
	REMARKS:								
81	FIREWALL MOUNTED FUEL FILT	TER WITH BYPASS	FLAG (RED W	ARNING BUT	TON) (151).				
	282006- FIREWALL MOUNTED F	UEL FILTER WITH	BYPASS FLAG	(RED WARN	ING BUTTON) (151).			
	CLEAN. INSPECT FOR LEAKS, SECURIT	Y AND CONDITION	L						
	DEMADKO.								
	REMARKS:								
82	EPA CAN (151)								
	282007- EPA CAN (151)								
	INSPECT FOR LEAKAGE, SECUI		UN. DRAIN CO	WFLEIELY.					
	REMARKS:								
the ai Cert ך	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele except as otherwise	ase to service. specified, was c	arried out in	accordance w		ysia Requirements a	and in respect to tha	ıt work
and in	n respect to that work the aircraft /	aircraft component	is considered r	eady for relea	ase to service.				
	WHERE APPLICABLE								

		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 1
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	7 OF	59
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bir	Muhammad	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
83	BRAKE SYSTEM RESERVOIR (15	51).							
	324005- BRAKE SYSTEM RESER	VOIR (151).							
	INSPECT FOR SECURITY, COND	DITION AND LEAKS	S.						
	(REFER TO CHAPTER 12 FOR BI	RAKE RESERVOIR	R SERVICING.)						
	REMARKS:								
84		1)							
04	VACUUM SYSTEM EJECTOR (15								
	371001- VACUUM SYSTEM EJEC	TOR (151).							
	INSPECT FOR CONDITION AND	SECURITY.							
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consic ifies that the work specified above, e	lered ready for rele	ease to service.				sia Requirements	and in respect to tha	t work
	n respect to that work the aircraft / a								
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED		ground Run		ADDITIONAL WORKSHEET						

	xyAerospace	Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	alaysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cent angor, Malaysia.	re,	,	WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	1
REGISTE		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	B OF	59
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FRO SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
85	OIL PRESSURE INDICATOR PLUM	IBING (ENGINE T	O FIREWALL) (151).					
	793004- OIL PRESSURE INDICATO	or plumbing (e	NGINE TO FIRE	EWALL) (151)					
	INSPECT FOR SECURITY, CONDI	TION, LEAKAGE	AND EVIDENCE	OF DAMAG	E.				
	REMARKS:								
86	FIREWALL STRUCTURE (151, 152).							
	713001- FIREWALL STRUCTURE (151, 152).							
	INSPECT FOR CONDITION AND E	VIDENCE OF DAI	MAGE.						
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was c	carried out in	accordance wi		rsia Requirements a	and in respect to tha	t work
		1		,					
	WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
REFORMED									

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent angor, Malaysia.	tre,		WORKS	
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET N	NO: 15998-002	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 2	REFER WOI	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	9 OF	59
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- ING/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
87	ENGINE FIRE SEALS (151, 152).								
	720004- ENGINE FIRE SEALS (1	51, 152).							
	INSPECT FOR SECURITY AND G	GENERAL CONDITI	ON.						
	REMARKS:								
88	CABIN HEAT FIREWALL SHUTO	FF CENTRAL AND	VALVES (152, 2	26).					
	214005- CABIN HEAT FIREWALL	. SHUTOFF CENTR	AL AND VALVE	S (152, 226).					
	INSPECT FOR GENERAL COND	ITION, EVIDENCE (OF DAMAGE AN	ID SECURIT	Y.				
	INSPECT LINKAGE, TEMPERATI								
	CONDITION AND SECURITY.	URE FRODE, SAFE				OK			
	REMARKS:								
the ai Cert ۲	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele except as otherwise	ease to service. specified, was c	carried out in	accordance w		sia Requirements a	and in respect to tha	t work
	n respect to that work the aircraft /								
	WHERE APPLICABLE								

LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LOG CARD	LABELED & RETURNED	D.D. DUPLICATE GROUND F RAISED INSP. RUN												
---	-----------------------	---	--	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Tel: +603 7734	DSPACE (M) SDN. B elicopter Centre, Ma Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	200 Subang, Se 734 7526	n] nal Aerospace Centre, Iangor, Malaysia. nace.my			WORKS	
CLIENT/(OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYC	LE	WORKSHEET	NO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	/ORKPACK		WORK/INSP/D		N 1
AIRCRAF REGISTF	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477	REFER W	/ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WC	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	0 OF	59
Reason CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR(SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and ICP RMP Mul Anwar bin J 08/06/20	hammad Jawahir	Other requiren	nents/information	:
Item		Desci	ription				Technician	* Eng. CRS	Date
89	STATIC SYSTEM DRAIN VALVES (215, 216).							
	341007- STATIC SYSTEM DRAIN V	ALVES (215, 216).						
	VISUALLY INSPECT FOR LEAKS, /	AND PRESENCE	OF WATER IN I	DRAIN FITTI	NGS.				
	DRAIN ACCUMULATED MOISTUR	Ξ.							
	INSPECT CONDITION AND SECUR	RITY OF INSTALL	ATION.						
	REMARKS:								
90	INSTRUMENT PANEL LIGHTS (220), 221,222, 223,22	4).						
	330002- INSTRUMENT PANEL LIG	HTS (220, 221,22	2, 223,224).						
	PERFORM OPERATIONAL CHECK								
	REMARKS:								
the ai *Cert	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	red ready for rele cept as otherwise	ase to service. specified, was c	carried out in	n accordance with		1 rsia Requirements a	and in respect to th	at work
	WHERE APPLICABLE	~							

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	XYA tenance				*	Suite 11-14, He Sultan Abdul A Tel: +603 7734	OSPACE (M) SDN elicopter Centre, vziz Shah Airport 7226 Fax: +60 rospace.my end	Malaysia In 47200 Sub 3 7734 7526	ernational / ang, Selang	or, Malaysia.	entre,							
CLIENT/	OWNER:	ROYAL	MALAY	SIA			SERIAL NO	D. HOU	JRS	LDG/0	CYCLE		WORKSH	EET NO	D: 1	5998	002	
		POLICE	(ICP)		AIF	CRAFT	20800231	REF	ER WOR	KPACK			WORK/IN	SP/DE	SC: c	PER	ATION [,]	
AIRCRA	FT TYPE: RATION:	9M-PSN	-in 200		#1	ENGINE:	PCE 1747	7 REF	ER WOR	KPACK			WORKPA	CK REI	F: g	M-PS	N-1599	3
	ACILITY:				#2	ENGINE:	NIL	REF	ER WOR	KPACK			AJL REF	NO.:	F	REFE	R WORF	(PACK
	· REFER WORKPAG		UT: REF	ER RKPACK						NG / N1	NF	/ N2	SHEET:	31		OF		59
Reason CONVERS BASED IN	for raising SION OF MA SPECTION I	g: INTENAN PROGRAI	CE PROG M I.A.W. 3	GRAMME SB CAB11	-5 R2 CO	/IPLIANCE AN	CARE PROGRA ID AMP REF NO ON. OPERATIO	D.:	к-			mad	Other rec	luireme	ents/in	forma	ation:	
Item						Descr	ription						Technicia	an	* End	g. CF	s	Date
91	PRIMAF		SYSTE	M (226).												5 -		
	OPERA	TE FLAF OF TRA	PS WITH	I FLAP C			DCATED IN C											
92	FUEL S	HUTOFF	CONT	KUL (22	o).													
	282004-	FUEL S	HUTOF	F CONT	ROL (226	6).												
	OPERA	τιονιλι																
	REMAR																	
the a	ircraft / aiı tifies that t	rcraft co he work:	mponer specifie	nt is cons ed above	sidered re , except a	eady for releases otherwise	specified, wa ase to service specified, wa is considered	s carried	out in ac	cordance	with	A Malays	ia Requirem	nents ar	nd in re	spect	to that	vork
	VWHERE A							,										
PARTS LABELED & RETURNED		DUPLICATE	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPEI LOG BO		LOG CARD	OEM/CON LOG CARI	

DUPLICATE INSP.	GROUND FLIGHTTES	TORQUE CHK.	ADDITIONAL WORKSHEET		PLANNING FORECAST						PROPELLER LOG BOOK		OEM/COMP LOG CARD	
--------------------	------------------	----------------	-------------------------	--	----------------------	--	--	--	--	--	-----------------------	--	----------------------	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	ntre,		WORKS	
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	2 OF	59
ONVERSI	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad in Jawahir 5/2023	Other requiren	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Date
93	PILOTS AND COPILOTS SEATS ((231, 232).							
	251002- PILOTS AND COPILOTS	SEATS (231, 232).							
	INSPECT SEAT BRACKETS, GUI CONTROLS FOR CONDITION, SE CUSHIONS FOR CONDITION ANI	ECURITY AND PRO				RE AND SEAT			
	SERVICE SEAT ADJUSTING SCR	REWS, BEARINGS	AND LOCKING	MECHANISM	IS.				
	REMARKS:								
94	PILOTS AND COPILOTS SEAT BA	ACK STOP BOLTS	(231, 232).						
	251005- PILOTS AND COPILOTS	SEAT BACK STOP	P BOLTS (231, 2	32).					
	INSPECT FOR LOOSE OR MISSI	NG NUTS.							
	REMARKS:								
the ai Cert	 ifies that the work specified above, e rcraft / aircraft component is consic ifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	carried out ir	accordance w		 /sia Requirements a	and in respect to tha	t work
		1.							

LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LOG CARD

Gala		Aero e, repair			* *	Suite 11-14, He Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, ziz Shah Airport, 7226 Fax: +60 rospace.my end	Malaysia In 47200 Sub 3 7734 752	ternational A ang, Selang 3	or, Malaysia.	entre,						
CLIENT	OWNER	ROYAL	MALAY	SIA			SERIAL NO	D. HOU	JRS	LDG/0	CYCLE		WORKSH	EET NC): 159	98-002	
		POLICE	(ICP)		AIF	RCRAFT	20800231		ER WOR				WORK/IN		100	RATION	I
		CARAV				ENGINE:	PCE 1747	7 REF	ER WOR	KPACK			WORKPA	CK REF	-	PSN-1599	
	RATION: ACILITY:					ENGINE:	NIL		ER WOR				AJL REF	NO.:	REF	ER WORI	KPACK
	REFER WORKP		UT: REFE	ER				1121		NG / N1	NIE	/ N2	SHEET:	33	OF	:	59
Reason CONVERS BASED IN	for raisi SION OF M SPECTION	NG: AINTENAN I PROGRA	CE PROC M I.A.W. S	GRAMME SB CAB1 ⁷	1-5 R2 CO	MPLIANCE AN	CARE PROGRA D AMP REF NO ON. OPERATIC	D.:	F	aised by ICP RMF Anwar	and da	ate: Imad	Other rec	luireme			
Item						Descr	intion						Technicia	an	* Eng. (CRS	Date
95	PORT			EXTIN	GUISHER	2 (231, 232).	iption						100111101		Ling.		Dute
		CT FOR I				GUISHER (23 RESSURE, C	31, 232). CONDITION,	AND SEC	CURITY. C	CHECK SI	ERVICIN	IG					
96	33200	2- INTERI K OPERA L MAP LI	or ligi Tion oi	HTING (: F CABIN	231, 232,	2, 255, 256). 251, 252, 25 NGER REAL	55, 256). DING, NO SM	OKING/S	SEATBEL	T, AND C	ONTRO	-					
the a	ircraft / a tifies that	ircraft co the work	mponer specifie	it is con d above	sidered re e, except a	eady for relea as otherwise	specified, wa ase to service specified, wa is considered	s carried	out in ac	cordance	with	A Malays	sia Requirem	nents an	d in respe	ct to that	work
ТІСК	✓ WHERE	APPLICAE	BLE														
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELI LOG BO			

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	-	WORK/INSP/D		1
AIRCRAF	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	KPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3.	4 OF	59
Reason f CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR(SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
97	AUTOPILOT ACTUATOR (AILERON	N) (234).	-						
	221001- AUTOPILOT ACTUATOR (
	INSPECT BRIDAL CABLES FOR FF PROPER ROUTING.								
	INSPECT CHAIN FOR PROPER SA WITH ACTUATORS SPROCKETS.	FETYING AT ALI	L POINTS AND (CHAINS FOR	ROPER ALI	GNMENT			
	INSPECT PULLEYS, DRIVE SPROU CORROSION, AND SECURITY.	CKETS, DRIVE C	HAIN, AND GUA	ARD PINS FC	OR CONDITION	WEAR,			
	INSPECT ELECTRICAL COMPONE	INTS FOR OPER	ATION, CONDIT	TION, AND SI	ECURITY.				
	REMARKS:								
98	STANDBY FLAP SYSTEM (243).								
	275003- STANDBY FLAP SYSTEM	(243).							
	PERFORM STANDBY FLAP MOTO REFER TO CHAPTER 27.	R OPERATIONAI	L CHECK.						
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. e specified, was c	carried out in	accordance w		ysia Requirements a	and in respect to that	work
	WHERE APPLICABLE	1			-				

PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	tenance, repair, overhaul	Tel: +603 7734	Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	734 7526					
_IENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	/CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
SE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	5 OF	59
NVERS SED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T	5 R2 COMPLIANCE AN	ND AMP REF NO.:				Other requirer	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
99	TAILCONE DRAIN OPENING (31	1, 312).							
	531004- TAILCONE DRAIN OPEI	NING (311, 312).							
	INSPECT FOR OBSTRUCTION A BLOCKAGE.	AND REMOVE ANY	FOREIGN MATE	ERIAL FROM	OPENING TO	PREVENT			
	REMARKS:								
100	EMERGENCY LOCATOR INSTA	LLATION (312).							
	256001- EMERGENCY LOCATO	R INSTALLATION (3	312).						
	INSPECT FOR SECURITY OF IN ELECTRICAL COMPONENTS.	STALLATION, POS	ITION OF FUNC	TION SWITC	CH AND COND	ITION OF			
	INSPECT STRUCTURE FOR CO	RROSION.							
	REMARKS:								
the ai Cert ۲	ifies that the work specified above, ircraft / aircraft component is cons ifies that the work specified above,	idered ready for rele except as otherwise	ease to service. e specified, was c	arried out in	accordance w		vsia Requirements	and in respect to tha	t work
and in	n respect to that work the aircraft /	aircraft component	is considered re	eady for relea	ase to service.				

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		
KEIÜKNED										

							1		
LIENT/0	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	10000 002	
IRCRAF	T TYPE: CARAVAN 208	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D		
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	EF: 9M-PSN-15 REFER WC	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	NF / N2	0	6 OF	59
	REFER WORKPACK OUT: REFER WORKPACK								
NVERSI SED INS	for raising: ON OF MAINTENANCE PROGRAMME F IPECTION PROGRAM I.A.W. SB CAB11- IG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
tem		Desc	ription				Technician	* Eng. CRS	Date
101	VERTICAL AND HORIZONTAL S	TABILIZERS (340, 3	41, 375, 376).						
	551001- VERTICAL AND HORIZO	ONTAL STABILIZER	S (340, 341, 375	5, 376).					
	INSPECT STRUCTURE AND ATT	TACH POINTS FOR	CONDITION AN	ID SECURIT	Y.				
	CHECK FOR MISSING OR DAMA	AGED VORTEX GEN	NERATORS.						
	REMARKS:								
102									
102	RUDDER (343).								
	272001- RUDDER (343).								
	INSPECT RUDDER SKINS FOR (CRACKS, AND SECURITY; HING JUMPER FOR EVIDENCE OF DA	E BOLTS, HINGE E MAGE OR WEAR, I	EARINGS, HING	GE ATTACH NERS, AND S	FITTING, AND SECURITY.	BONDING			
	BALANCE WEIGHT FOR LOOSE	NESS AND SUPPO	RTING STRUCT	TURE FOR D	AMAGE.				
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ase to service.				vsia Requirements	and in respect to th	at work

PARTS LABELED & RETURNED			GROUND RUN	FLIGHT TEST		ADDITIONAL WORKSHEET											
--------------------------------	--	--	---------------	-------------	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,	,	WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 1
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	7 OF	59
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
103	STATIC WICKS (WINGS AND EMI	PENNAGE) (343, 3	71, 372, 575, 52	7, 571, 625,	827, 671).				
	236001- STATIC WICKS (WINGS A		E) (343, 371, 372	2, 575, 527, 5	71, 625, 827, 6	71).			
	REMARKS:								
104	ELEVATOR TRIM TABS (371, 372).							
	273010- ELEVATOR TRIM TABS ((371, 372).							
	INSPECT.								
	REMARKS:								
the ai *Cert and i	ifies that the work specified above, e ircraft / aircraft component is consic ifies that the work specified above, e n respect to that work the aircraft / e	lered ready for rele except as otherwise	ease to service. specified, was c	carried out in	accordance w		Jysia Requirements	and in respect to the	at work
	WHERE APPLICABLE								

PARTS D.D. DUPLICATE GROUND FLIGHTTEST LABELED & RAISED INSP. RUN RETURNED			PLANNING DIARY FORECAST UPDATE							
--	--	--	-----------------------------------	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 1
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	8 OF	59
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
105	ELEVATOR (373, 374).								
	273001- ELEVATOR (373, 374).								
	INSPECT ELEVATOR SKINS FOF CRACKS, AND SECURITY; AND I FITTINGS, AND BONDING JUMP SECURITY. INSPECT ELEVATOR HINGE BOI	HINGE BOLTS, HIN ERS FOR EVIDEN LTS FOR PROPER	IGE BEARINGS CE OF DAMAGE SAFETYING OF	, TORQUE T E OR WEAR, F NUTS WITI	UBE, HORN, A FAILED FAST H COTTER PIN	TTACH ENERS, AND			
	BALANCE WEIGHTS FOR LOOSI			CTURE FOR	DAMAGE.				
	REMARKS:								
106		NPS (375-376)							
106	ELEVATOR TRIM TAB ACTUATO	IRS (375, 376).							
	273012- ELEVATOR TRIM TAB A INSPECT FOR FREEPLAY IN AC (REFER TO CHAPTER 27).		376).						
	REMARKS:								
the ai *Cert	ifies that the work specified above, or creaft / aircraft component is consid- ifies that the work specified above, or	dered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance w		vsia Requirements	and in respect to tha	t work
and i	n respect to that work the aircraft / a	aircraft component	is considered r	eady for relea	ase to service.				
тіск	✓ WHERE APPLICABLE								

PARTS D.D. LABELED & RAISED RETURNED					ADDITIONAL WORKSHEET											
--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

		Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B łelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET I	NO: 15998-002	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OI ERAHOI	11
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		SHEET: 3	REFER WOI 9 OF	59
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		01	
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
107	WINGS (500S, 600S).								
	570001- WINGS (500S, 600S).								
	INSPECT FOR LOOSE FASTENER FOR CONDITION AND SECURITY		CRACKS, WRIN	NKLES, DEN	TS AND ATTAC	CH POINTS			
	REMARKS:								
108	DRAIN OPENINGS AND VENT HC	LES IN BOTTOM	OF WING (501,	503, 527, 57	1, 601, 603, 627	7, 571).			
	570005- DRAIN OPENINGS AND \ 571).	/ENT HOLES IN B	OTTOM OF WIN	NG (501, 503	, 527, 571, 601,	603, 627,			
	INSPECT FOR OBSTRUCTIONS.								
	REMARKS:								
109	WING ACCESS PLATES (501, 503	6, 601, 603).							
	570006- WING ACCESS PLATES ((501, 503, 601, 603	3).						
	INSPECT FOR SECURITY OF INS	TALLATION AND	EVIDENCE OF I	DAMAGE.					
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	carried out ir	accordance w		ysia Requirements a	and in respect to tha	t work
	-	neran componen	is considered r	eauy for rele	ase to service.				
TICK	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											
--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	GALAXY AERO Suite 11-14, H Sultan Abdul / Tel: +603 7734 www.galaxyae	lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	HD. [1040262-D alaysia Internatio 200 Subang, Se 734 7526 y@galaxyaerosp	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/C	WNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	V 1
	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	ATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER OUT: REFER WORKPACK OUT: WORKPACK				NG / N1	NF / N2	SHEET: 4	0 OF	59
eason f DNVERSI ASED INS	OR FACK WORKPACK OR TRAINTENANCE PROGRAMME FI PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Date
110	PITOT TUBE(S) (503, 603). 341005- PITOT TUBE(S) (503, 603	3).							
	VISUALLY CHECK TUBE(S) AND			IONS.					
	ENSURE SEALANT AT MAST-TO			TION.					
	REMARKS:								
111	FUEL SELECTOR VALVES AND L 05-12-01 282001- FUEL SELECTOR VALVE								
	INSPECT SHUTOFF VALVES, CC OF DAMAGE.	NTROLS AND LIN	KAGE FOR COM	NDITION, SE	CURITY AND E	EVIDENCE			
	REMARKS:								
the air Certi	fies that the work specified above, e craft / aircraft component is consid fies that the work specified above, e a respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	carried out ir	accordance wi		//sia Requirements a	and in respect to tha	t work

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 rrospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,	,	WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	1 OF	59
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir //2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
112	WING SPAR FITTINGS (511, 611).								
	570002- WING SPAR FITTINGS (5	511, 611).							
	INSPECT BOLTS FOR CONDITION	N AND SECURITY							
	REMARKS:								
113	SPOILER (521, 621).								
	271013- SPOILER (521, 621).								
	INSPECT SPOILER SKINS FOR C SECURITY; PUSHRODS, PUSH R DAMAGE OR WEAR, FAILED FAS	OD BOLTS, BEAR	INGS, AND BON						
	INSPECT BOLTS ON BOTH ENDS PINS.	S OF PUSHRODS I	FOR PROPER S	AFETYING (OF NUTS WITH	I COTTER			
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e	lered ready for rele except as otherwise	ease to service. specified, was c	carried out in	accordance w		sia Requirements	and in respect to tha	t work
	n respect to that work the aircraft / a								
ТІСК	WHERE APPLICABLE								

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.			ADDITIONAL WORKSHEET							MOD RECORD BOOK
	<u> </u>		L	L				<u> </u>	L		L	

CLENTOWNER: POYAL MAN WAYA MICHAFT TYPE: CARAVAR 200 MICHAFT TYPE: CARAVA		xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B telicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
Interface Participation Participatio	CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
Inclusion Marken Medical Medic		POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	V 1
BASE/FACULTY: VMGE VMC REFER VOLUMATION VMC REFER VOLUMATION VMC // Left: VMC VMC // Left: VMC // Le	REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		_	EF: 9M-PSN-159	998
Index. Work Number of the Work Number of Work Num	BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK				
Description Description NL Identify the service service is and the servi	DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	2 OF	59
114 FUEL TANK AREA (521, 521). 291001- FUEL TANK AREA (521, 521). INSPECT FOR FUEL STAIN. DISCOLORATION, AND EVIDENCE OF FUEL LEAKS. REMARKS: 115 FUEL TANK FILLER CAP(5) AND FLAPPER VALVE(5) (521, 621). 281003- FUEL TANK FILLER CAP(3) AND FLAPPER VALVE(5) (521, 621). 281003- FUEL TANK FILLER CAP(3) AND FLAPPER VALVE(5) (521, 621). 116 EVEL TANK FILLER CAP(3) AND FLAPPER VALVE(5) (521, 621). 117 281003- FUEL TANK FILLER CAP(3) AND FLAPPER VALVE(5) (521, 621). 118 EVEL TANK FILLER CAP(3) AND FLAPPER VALVE(5) (521, 621). 119 DRAIN VALVES (621, 621). 281003- FUEL TANK FILLER CAP(3) AND FLAPPER VALVE(5) (521, 621). 116 DRAIN VALVES (621, 621). 281003- FUEL TANK FILLER CAP(3) AND FLAPPER VALVE(5) (521, 621). 118 DRAIN VALVES (621, 621). 281004- DRAIN VALVES (621, 621). 281004- DRAIN VALVES (621, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS: Image: The start the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the the work specified above, except as otherwise specified,	CONVERS BASED INS	ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5	R2 COMPLIANCE AN	ND AMP REF NO.:		ICP RMP N Anwar bir	Muhammad n Jawahir		nents/information:	
281001-FUEL TANK AREA (531, 631). NSPECT FOR FUEL STAIN DISCOLORATION, AND EVIDENCE OF FUEL LEAKS. REMARKS: PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 281003-FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 116 PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 117 PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 118 DRAIN VALVES (521, 621). PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 118 DRAIN VALVES (521, 621). PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 118 DRAIN VALVES (521, 621). PUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 118 DRAIN VALVES (521, 621). PUEL TANK FILLER CAP(S) AND INSPECT FOR LEAKAGE. PUEL TANK FILLER CAP(S) AND INSPECT FOR LEAKAGE. PUEL FILLER CAP(S) AND INSPECT FOR LEAKAGE. PUEL TANK FILLER CAP(S) AND FLAPPER VALVE SPECIFIEL ANS CARIFUL ON TO THE CAPACITY AND CAN PUEL SPECIFIEL ANS CARIFUL ON TO THE CAPACITY AND THE SPECIFIEL ANS CARIFUL ON TO THE CAPACITY AND THE SPECIFIEL ANS CARIFUL ON TO THE CAPACITY AND THE SPECIFIEL ANS CARIFUL ON THE CAPACITY AND THE SPECIFIEL ANS CARIFUL ON TO THE CAPACITY AND THE SPECIFIEL ANS CARIFUL ON THE CAPACITY AND THE SPECIFIEL ANS CARIFUL ON THE SPECIFIEL ANS CARIFUL ON THE SPECIFIEL ANS CARIFUL ON THE SPECIFIEL ANS	Item		Desc	ription				Technician	* Eng. CRS	Date
Inspect for fuel stan, discoloration, and evidence of fuel leaks. Image: Im	114	FUEL TANK AREA (521, 621).								
Inspect for fuel stan, discoloration, and evidence of fuel leaks. Image: Im		281001- FUEL TANK AREA (521 (521)							
REMARKS: FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (S21, 621). 2110 FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (S21, 621). 2117 ZB1003- FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (S21, 621). INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: Image: State St			52 T).							
115 FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 281003-FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 118 REMARKS: 119 DRAIN VALVES (621, 621). 116 DRAIN VALVES (621, 621). 281003-FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). 118 DRAIN VALVES (621, 621). 2116 DRAIN VALVES (621, 621). 2117 CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS: Example of the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the accraft / atcraft component is considered roady for relaxet to service.		INSPECT FOR FUEL STAIN, DISC	COLORATION, AND	D EVIDENCE OF	FUEL LEAK	KS.				
281003- FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:		REMARKS:								
281003- FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281003- FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281003- FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281003- FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281003- FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281003- FUEL TANK FILLER CAP(S) AND FLAPPER VALVE(S) (521, 621). INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:	115	FUEL TANK FILLER CAP(S) AND	FLAPPER VALVE(S) (521, 621).						
INSPECT FOR DAMAGE OR BROKEN COMPONENTS AND CHECK LOCK POSITION OF FILLER CAP. REMARKS: 116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:					621)					
REMARKS: Image: Constraint on point is considered ready for release to service. Image: Constraint on point is considered ready for release to service. Image: Constraint on point is considered ready for release to service. Image: Constraint on point is considered ready for release to service.		201003- FOEL TANK FILLER CAP	(3) AND FLAFFER	VALVE(3) (321	, 021).					
116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:		INSPECT FOR DAMAGE OR BRO	KEN COMPONEN	TS AND CHECK	LOCK POS	ITION OF FILLI	ER CAP.			
116 DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). 281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:		REMARKS:								
281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
281004- DRAIN VALVES (521, 621). CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS:										
CHECK OPERATION AND INSPECT FOR LEAKAGE. REMARKS: CHECK OPERATION AND INSPECT FOR LEAKAGE. REMAR	116	DRAIN VALVES (521, 621).								
REMARKS:		281004- DRAIN VALVES (521, 621	I).							
REMARKS:										
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.		CHECK OPERATION AND INSPE	CT FOR LEAKAGE							
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with		REMARKS:								
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with		ifies that the work aposition above	weapt as athematic	enacified	arried and in	accordance	ith CAA Male	reia Dequirament-	nd in roomact to the	twork
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with					arrieu out in	accordance w	iui CAA Malay	sia requirements :	and in respect to tha	I WOIK
and in respect to that work the aircraft / aircraft component is considered ready for release to service.	□ *Cert	ifies that the work specified above, e	except as otherwise	specified, was o			ith			
	and in	n respect to that work the aircraft / a	ircraft component	is considered r	eady for relea	ase to service.				
		WHERE APPLICABLE								

PARTS LABELED & D.D. DUPLICATE GROUND FLIGHT TEST TORQUE ADDITIONAL WORKSHEET MONITORED PLANNING PLANNING UPDATE STATUS D.D. AIRCRAFT ENGINE LOG BOOK LOG BOOK	LOG OEM/COMP CARD LOG CARD	
--	-------------------------------	--

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 1
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	3 OF	59
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
117	FLAPS (527, 627).								
	275001- FLAPS (527, 627).								
	INSPECT FLAPS FOR LOOSE RI	IVETS, CRACKS, C	ONDITION, AND	SECURITY					
	REMARKS:								
118	WING STRUT (531, 631).								
	570003- WING STRUT (531, 631)	·-							
	INSPECT FOR EVIDENCE OF DA	AMAGE CONDITIO	N AND SECURI	тү					
	REMARKS:								
the ai	ifies that the work specified above, crcraft / aircraft component is consi ifies that the work specified above, n respect to that work the aircraft /	dered ready for rele except as otherwise	ease to service. e specified, was c	carried out in	accordance w		sia Requirements a	and in respect to tha	ıt work
and in	n respect to that work the aircraft /	aircraft component	is considered r	eady for relea	ase to service.				
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	xyAerospace	Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	YCLE	WORKSHEET N	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
REGISTE		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	4 OF	59
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06	Muhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
119	WING STRUT FITTINGS (531, 631) 570004- WING STRUT FITTINGS (INSPECT BOLTS FOR CONDITION	531, 631).							
	REMARKS:								
120	AILERON (571, 671).								
	271001- AILERON (571, 671). INSPECT THE AILERON SKINS FC CRACKS, AND SECURITY; HINGE JUMPERS FOR EVIDENCE OF DA INSPECT THE AILERON HINGE BO	BOLTS, HINGE E MAGE OR WEAR DLTS FOR PROP	BEARINGS, HIN , FAILED FASTI ER SAFETYING	GE ATTACH ENERS, AND	FITTINGS, AN SECURITY.	D BONDING PINS.			
	REMARKS:	N LOODENLOO F							
the ai *Cert and in	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. e specified, was o	carried out ir	n accordance w		sia Requirements a	and in respect to tha	t work
L TICK	WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
KEIGKNED									

POLICE (ICP) AIRCRAFT 20800231 REFER WORKPACK WORK/INSP/DESC: OPERATION 1 BEGISTRATION: 9M-PSN #1 ENGINE: PCE 17477 REFER WORKPACK WORKPACK REF: 9M-PSN-15998 ASE/FACILITY: WBGG #2 ENGINE: NIL REFER WORKPACK AJL REF NO.: REFER WORKPACK ATE IN: REFER OUT: WORKPACK NG / N1 NF / N2 SHEET: 45 OF 59 Ieason for raising: DVVERSION OF MAINTENANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK- ASED INSPECTION PROGRAM I.A.W. SB CAB11-5 R2 COMPLIANCE AND AMP REF NO.: Raised by and date: ICP RMP Muhammad Anwar bin Jawahir Other requirements/information: NIL		OWNED, ROYAL MALAVSIA		SERIAL NO.	HOURS			WORKSHEET I		
Increating Type: GARAVAR 200 SEGNATION: WIPPON If ERGINE: PCE TYPE? HEFER WORKACK ALPON 1908 ALL REF NO.: ALL R		POLICE (ICP)	AIRCRAFT					-	10000 002	J 1
Learning Lange Milliong MIL PEEPER WORkNack ALL REF NOL: REFER WORKNack ALL REF WORK QUIT REFER NIL PEEPER WORKNack SHEET ALL REF NOL: REFER WORKNack ATE IN: WORKNack QUIT REFER NIL PEEPER WORKNack SHEET ALL REF NOL: SHEET SHEET <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td></t<>								_		
ATE:NE: WEREAUCT. OUT: WEREAUCT. NA/A11 NF/A2 SHEEE: 45 op 59 assent for registric. Composition Market Networks PROX MORESSINE CASE PROSENUT TO TACK. Related by and date: Offher requirements/information: NIL N								AJL REF NO.:	REFER WO	RKPACK
assors for preling: PREDIX PREVIX AND AND EACH ARE CARD PROCEEDED AND ADD REP NO. SINCE A							NF / N2	SHEET: 4	5 OF	59
121 AILERON TRIM TAB ACTUATOR (851). 271016- AILERON TRIM TAB ACTUATOR (851). INSPECT FOR FREEPLAY IN ACTUATOR. (REFER TO CHAPTER 27). REMARKS: 122 AILERON TRIM TAB ACTUATOR PUSHRODS (851). 123 AILERON TRIM TAB ACTUATOR PUSHRODS (851). 124 AILERON TRIM TAB ACTUATOR PUSHRODS (851). 127 AILERON TRIM TAB ACTUATOR PUSHRODS (851). 128 AILERON TRIM TAB ACTUATOR PUSHRODS (851). 129 INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS:	eason Onvers Ased ins	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-	5 R2 COMPLIANCE AN	ND AMP REF NO.:		ICP RMP N Anwar bir	/luhammad n Jawahir		nents/information:	
271016- ALERON TRIM TAB ACTUATOR (851). INSPECT FOR FREEPLAY IN ACTUATOR. INSPECT FOR FREEPLAY IN ACTUATOR. 122 ALERON TRIM TAB ACTUATOR PUSHRODS (851). INSPECT FOR FREEPLAY IN ACTUATOR PUSHRODS (851). INSPECT FOR FREEPLAY IN ACTUATOR PUSHRODS (851). 124 ALERON TRIM TAB ACTUATOR PUSHRODS (851). INSPECT FOR FREEPLAY IN ACTUATOR PUSHRODS (851). INSPECT FOR FREEPLAY IN ACTUATOR PUSHRODS (851). 127 REMARKS: INSPECT FOR FREEPLAY IN ACTUATOR PUSHRODS (851). INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY.	ltem		Desc	ription				Technician	* Eng. CRS	Dat
INSPECT FOR FREEPLAY IN ACTUATOR. (REFER TO CHAPTER 27). REMARKS: 122 ALLERON TRIM TAB ACTUATOR PUSHRODS (651). 271017- ALLERON TRIM TAB ACTUATOR PUSHRODS (651). INSPECT FOR FREEPLAY IN ACTUATOR PUSHRODS (651). INSPECT FOR FREEPLAY IN ACTUATOR PUSHRODS (651). INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: Image: Control of the state of the stat	121	AILERON TRIM TAB ACTUATOR	. (651).							
Image:		271016- AILERON TRIM TAB AC	TUATOR (651).							
122 AILERON TRIM TAB ACTUATOR PUSHRODS (651). 123 AILERON TRIM TAB ACTUATOR PUSHRODS (651). 124 INSPECT FOR FREEPLAY IN ACTUATOR PUSHRODS (651). 125 INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. 126 INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: Image: Comparison of the security o			TUATOR.							
271017- AILERON TRIM TAB ACTUATOR PUSHRODS (651). INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: Image: Comparison of the state of the		REMARKS:								
271017- AILERON TRIM TAB ACTUATOR PUSHRODS (651). INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS:										
271017- AILERON TRIM TAB ACTUATOR PUSHRODS (651). INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS:										
271017- AILERON TRIM TAB ACTUATOR PUSHRODS (651). INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS:										
271017- AILERON TRIM TAB ACTUATOR PUSHRODS (651). INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS:										
INSPECT FOR FREEPLAY IN ACTUATOR. CONDITION AND EVIDENCE OF DAMAGE. INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: Image: I	122	AILERON TRIM TAB ACTUATOR	PUSHRODS (651).							
INSPECT ATTACHING HARDWARE FOR WEAR AND SECURITY. REMARKS: Image: Control of the second seco		271017- AILERON TRIM TAB AC	TUATOR PUSHROI	DS (651).						
REMARKS:		INSPECT FOR FREEPLAY IN AC	TUATOR. CONDITI	ON AND EVIDE	NCE OF DAI	MAGE.				
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work		INSPECT ATTACHING HARDWA	RE FOR WEAR AN	D SECURITY.						
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work		REMARKS								
Certifies that the work specified above, except as otherwise specified, was carried out in accordance with	the ai	rcraft / aircraft component is consi	idered ready for rele	ease to service.				/ rsia Requirements :	and in respect to tha	t work

			ADDITIONAL WORKSHEET						
KETÜKNED									

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP)	AIDODAFT	SERIAL NO. 20800231	HOURS	LDG/CY	/CLE	WORKSHEET N WORK/INSP/D	10000 002	
AIRCRAF	T TYPE: CARAVAN 208	AIRCRAFT			ORKPACK		WORKPACK R		
REGISTR		#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	EF: 9M-PSN-159 REFER WOF	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		SHEET: 4		
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		6 OF	59
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
123	AILERON TRIM TAB (671).								
	271014- AILERON TRIM TAB (671)								
	INSPECT THE TRIM TAB SKINS FOR CRACKS, SECURITY AND EV			ND SECURIT	Y; AND TRIM 1	TAB HINGE			
	INSPECT HINGE PIN FOR PROPE	R INSTALLATION	I AT HINGE PIN	RETAINER.					
	INSPECT HORN AND PUSHROD F	FOR EVIDENCE C	OF DAMAGE AN	D SECURITY	′ .				
	INSPECT PUSHROD BOLTS FOR	CONDITION AND	PROPER SAFE	TYING OF N	IUTS WITH CO	TTER PINS.			
	EMARKS:								
124	NOSE GEAR TORQUE LINKS AND		(701)						
121									
	322002- NOSE GEAR TORQUE LIN	NKS AND SHOCK	STRUT (701).						
	INSPECT FOR CONDITION, WEAF (REFER TO CHAPTER 12 FOR ME				ICE.				
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for released to the released ready for released to the released to	ease to service. e specified, was c	carried out in	accordance wi		sia Requirements a	and in respect to that	work
	WHERE APPLICABLE	1							

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.	GROUND RUN			ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY		WORKSHEET	NO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	OLL	WORK/INSP/D	10000 002	1
	T TYPE: CARAVAN 208 RATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	7 OF	59
Reason CONVERS BASED IN:	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
125	NOSE GEAR SPRING YOKE (701	I).							
	322005- NOSE GEAR SPRING YO	OKE (701).							
	LUBRICATE BEARING (REFER T REINSTALL BOLT AND TORQUE				UDRICANT).				
	REMARKS:								
126	NOSE LANDING GEAR WHEEL A	AND TIRE (701).							
	324003- NOSE LANDING GEAR \	WHEEL AND TIRE (701).						
	CHECK FOR WEAR, PRESSURE	AND CONDITION.							
	(REFER TO CHAPTER 12 FOR T	IRE PRESSURE.)							
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi			arried out in	accordance wi	ith CAA Malay	sia Requirements a	and in respect to that	work
	ifies that the work specified above,			arried out in	accordance wi	ith			

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	J 1
REGISTE		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	8 OF	59
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir /2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
127	NOSE GEAR SHIMMY DAMPER (7	701).							
	325001- NOSE GEAR SHIMMY DA	MPER (701).							
	INSPECT FOR CONDITION AND S	SECURITY.							
	REMARKS:								
128	NOSE GEAR SHIMMY DAMPER (7	701).							
	325002- NOSE GEAR SHIMMY DA	MPER (701).							
	CHECK FOR NEED TO SERVICE. (REFER TO CHAPTER 32 FOR ME	ETHOD AND TYPE	OF FLUID.)						
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is consid- ifies that the work specified above, ex	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance w		rsia Requirements a	and in respect to tha	t work
	n respect to that work the aircraft / ai	ircraft component	t is considered r	eady for relea	ase to service.				
	WHERE APPLICABLE								

PARTS LABELED & RETURNED	DUPLICATE INSP.		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D		11
	FT TYPE: CARAVAN 208 RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	9 OF	59
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE A	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
129	NOSE GEAR STEERING STOP BO	STOP BOLT OR B	BLOCK (701).						
	INSPECT FOR CONDITION, SECU (BOLT HEAD DOWN.)	JRITY, AND INSTA	ALLATION.						
	REMARKS:								
130	MAIN LANDING GEAR WHEELS A	AND TIRES (721, 7	22).						
	324001- MAIN LANDING GEAR W	HEELS AND TIRE	S (721, 722).						
	CHECK FOR WEAR, PRESSURE	AND CONDITION.							
	ROTATE TIRES AS NECESSARY (REFER TO CHAPTER 12 FOR TI		FORM TIRE WE	AR.					
	REMARKS:								
the ai *Cert and i	tifies that the work specified above, e ircraft / aircraft component is consid- tifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. e specified, was c	carried out in	accordance w		 ysia Requirements	and in respect to tha	t work
🗌 тіск	✓ WHERE APPLICABLE								

DADTO	 0.0000075	 ELICULT TECT	7000005	1001700000	1.101//70050	 0.14.011	0717110	 10000157	 000051150	 0514/00140	
				ADDITIONAL WORKSHEET							
RETURNED	-					-					

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent angor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
REGISTR	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	0 OF	59
CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
131	LANDING GEAR WHEEL BEARIN	GS (721, 722)							
	324002- LANDING GEAR WHEEL INSPECT FOR CONDITION AND (REFER TO CHAPTER 12 FOR M	REPACK.		Т.)					
	REMARKS:								
132	BRAKE ASSEMBLIES (721, 722).								
	324004- BRAKE ASSEMBLIES (72	21, 722).							
	INSPECT FOR WEAR OF LINING	S, DISC WARPAGE	E AND EVIDENC	CE OF LEAK	AGE.				
	REMARKS:								
the ai *Certi and ir	ifies that the work specified above, e rcraft / aircraft component is consid- ifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance w		/ /sia Requirements	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED D.D. RAISED DUPLICATE INSP. GROUND FLIGHTTEST TORQUE RUN ADDITIONAL WORKSHEET MONITORED DEFECT PLANNING FORECAST DIARY UPDATE STATUS UPDATE D.D. STATUS AIRCRAFT LOG BOOK ENGINE LOG BOOK PROPELLER LOG BOOK LOG CARD OEM/COMP LOG CARD MOD RECORD BOOK

		Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	1 OF	59
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
133	EXTERIOR PLACARDS AND DEC	ALS (ALL).							
	112001- EXTERIOR PLACARDS A	ND DECALS (ALL	.).						
	INSPECT PRESENCE, LEGIBILITY					20			
		ENANCE MANUA	L, CHAPTER II	FOR REQU		53.			
	REMARKS:								
134	INTERIOR PLACARDS AND DECA	ALS (ALL).							
	113001- INTERIOR PLACARDS AN	ND DECALS (ALL)							
	INSPECT PRESENCE, LEGIBILITY	Y AND SECURITY							
	CONSULT THE AIRPLANE MAINT	ENANCE MANUA	L, CHAPTER 11	,FOR REQU	RED PLACARI	DS.			
	REMARKS:								
the ai	ifies that the work specified above, e. rcraft / aircraft component is consid ifies that the work specified above, e. n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. e specified, was o	carried out ir	accordance w		vsia Requirements	and in respect to tha	t work
	WHERE APPLICABLE		e as considered I						

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET	NO: 15998-002	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OF ERVITION	N 1
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 5	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	3HEE1. 5	2 OF	59
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
135	AVIONICS COOLING FAN (BAT). 05-12-01 212005- AVIONICS COOLING FAN TURN BATTERY AND AVIONICS F OPERATION. REMARKS:		NO. 2 ON AND (CHECK FOR	COOLING FAN	I			
136	EMERGENCY LOCATOR TRANSM	IITTER (BAT).							
	256002- EMERGENCY LOCATOR	TRANSMITTER (E	BAT).						
	PERFORM OPERATIONAL TEST.								
	CHECK CUMULATIVE TIME AND U	JSEFUL LIFE OF	BATTERIES IN .	ACCORDAN	CE WITH FAR	91.207.			
	REMARKS:								
137	PERFORM ENGINE FIRE DETECT	ION TEST. (BAT)							
	262001- PERFORM ENGINE FIRE	DETECTION TES	T. (BAT)						
	REMARKS:								
the ai *Cert and in	ifies that the work specified above, en rcraft / aircraft component is consid- ifies that the work specified above, en n respect to that work the aircraft / ai	ered ready for release except as otherwise	ease to service. specified, was c	arried out in	n accordance wi		rsia Requirements	and in respect to tha	t work
TICK	WHERE APPLICABLE								

PARTS D.D. LABELED & RAISED RETURNED					ADDITIONAL WORKSHEET											
--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.	l l	WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET N	IO: 15998-002	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/DE	ESC: OPERATIO	N 1
AIRCRA	FT TYPE: CARAVAN 208 RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK RE	EF: 9M-PSN-15	998
	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER WC	RKPACK
	: REFER WORKPACK OUT: REFER WORKPACK	-			NG / N1 NF / N2	SHEET: 53	3 OF	59
Reason CONVERS BASED IN	for raising: NON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirem	nents/information	:
Item		Desc	ription			Technician	* Eng. CRS	Date
138	PITOT TUBE(S) HEATER (BAT).							
	341006- PITOT TUBE(S) HEATER TURN ON THE PITOT/STATIC HE VERIFY THAT TUBE(S)ARE HEAT	AT SWITCH FOR	APPROXIMATE	LY 30 SECO	NDS THEN OFF,			
	REMARKS:							
139	EMERGENCY POWER LEVER AN							
100			п (влт).					
	762001- EMERGENCY POWER LE	EVER ANNUNCIAT	OR LIGHT (BAT	Г).				
	PERFORM OPERATIONAL TEST.							
	REMARKS:							
the a	tifies that the work specified above, e ircraft / aircraft component is consid tifies that the work specified above, e n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance with	/ /sia Requirements a	and in respect to the	at work
	1							
	✓ WHERE APPLICABLE							

	PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. Bl Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen angor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	11
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	4 OF	59
Reason CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:				Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
140	CABIN HEATER AND WINDSHIEL	D DEFROSTER (E	NG).						
	214003- CABIN HEATER AND WIN	NDSHIELD DEFRO	OSTER (ENG).						
	PERFORM OPERATIONAL CHEC	К.							
	REMARKS:								
141	STANDBY ELECTRICAL SYSTEM	(ENGINE RUNNIN	NG) (ENG).						
	242005- STANDBY ELECTRICAL S	SYSTEM (ENGINE	RUNNING) (EN	IG).					
	PERFORM FUNCTIONAL TEST.								
	REFER TO SECTION 9 OF THE PI	ILOTS OPERATIN	g handbook.						
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance w		vsia Requirements a	and in respect to tha	t work
	WHERE APPLICABLE								

LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LOG CARD	PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											
---	--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. Bl lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 rrospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 1
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	5 OF	59
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir //2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
142	VOLT/AMMETER (ENG).								
	243005- VOLT/AMMETER (ENG).								
	PERFORM OPERATIONAL CHECH	K OF EACH POSIT	TION.(ENGINE F	RUNNING)					
	REMARKS:								
143	EXTERNAL POWER (ENG).								
	244002- EXTERNAL POWER (ENG	B).							
	PERFORM OPERATIONAL CHECH	K OF THE BUS AN	ID STARTER FL	JNCTIONS.					
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is consid- ifies that the work specified above, ex	ered ready for rele xcept as otherwise	ase to service. specified, was c	arried out in	accordance w		/sia Requirements :	and in respect to tha	t work
	n respect to that work the aircraft / ai	ircraft component	is considered re	eady for rele	ase to service.				
TICK	WHERE APPLICABLE								

PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											
--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

Gala		Aer			*	Suite 11-14, He Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, ziz Shah Airport, 7226 Fax: +60 rospace.my end	Malaysia Int 47200 Suba 3 7734 7526	ernational ang, Selan	gor, Malaysia.	entre,						
CLIENT/	OWNER	: ROYAL		SIA			SERIAL NO	D. HOL	IRS	LDG/0	CYCLE		WORKSH	EET NC): 159	98-002	
	ET TVDE	POLICE CARAV	(ICP) AN 208		AIF	CRAFT	20800231	REF	ER WO	RKPACK			WORK/IN	SP/DES	C: OPE	RATION	1
REGIST	RATION:	9M-PSN	1		#1	ENGINE:	PCE 1747	7 REF	ER WO	RKPACK			WORKPA		: 9M-	PSN-1599	8
BASE/F/	ACILITY:	WBGG			#2	ENGINE:	NIL	REF	ER WO	RKPACK			AJL REF		REF	ER WOR	
DATE IN	· REFER WORKP	ACK O	UT: REF	ER RKPACK						NG / N1	NF	/ N2	SHEET:	56	OF		59
CONVERS BASED IN	SPECTION	IAĪNTENAN N PROGRA	M I.A.W. 3	SB CAB11	-5 R2 CO	MPLIANCE AN	CARE PROGRA D AMP REF NO ON. OPERATIO	D.:	к-			mad	Other rec	luireme	nts/infor	mation:	
Item						Descr	ription						Technicia	an	* Eng. (CRS	Date
144	STALL	WARNIN	IG HOR	N (ENG)			1								0		
	27302	5- STALL	WARNII	NG HOR	N (ENG).												
	OPER	ATIONAL	CHECK														
	REMA	RKS:															
145	STALL	WARNIN	IG HEAT	rer (en	G).												
	27302	6- STALL	WARNII	NG HEA	TER (EN	G).											
	OPER	ATIONAL	CHECK														
	REMA	RKS:															
the a	ircraft / a tifies that	aircraft co t the work	mponer specifie	nt is cons ed above	sidered re , except a	eady for releases otherwise	specified, wa ase to service specified, wa is considered	s carried	out in a	ccordance	with	A Malays	ia Requirem	nents an	d in respe	ct to that	work
				anciait	uncialt	component	15 considered	. 1 cauy 10									
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELI LOG BO			

	tenance, repair, overhaul	www.galaxyae	erospace.my enquir	y@galaxyaerosp	ace.my				
LIENT/	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	10000 002	
RCRAF	T TYPE: CARAVAN 208	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D WORKPACK R		
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	EF: 9M-PSN-159 REFER WO	
	CILITY: WBGG REFER WORKPACK OUT: REFER WORKPACK	#2 ENGINE:	NIL	REFER W	NG / N1	NF / N2	SHEET: 5		59
NVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
46	RESERVOIR FUEL LOW ANNUN	CIATOR (ENGINE F	RUNNING) (ENG	G).					
	284001- RESERVOIR FUEL LOW	ANNUNCIATOR (E		NG) (ENG).					
	TURN OFF BOTH FUEL SELECT	ORS.							
	THE RESERVOIR LOW WARNIN DROPS BELOW FULL.	G LIGHT WILL COM	IE ON AS THE I	FUEL LEVEL	. IN THE RESE	RVOIR TANK			
	WHEN IT DOES, TURN BOTH FU	JEL TANK SELECT	ORS BACK ON.						
	REMARKS:								
147	FUEL SELECTORS OFF WARNIN	NG SYSTEM (ENG)							
	284002- FUEL SELECTORS OFF	WARNING SYSTE	M (ENG).						
	PERFORM OPERATIONAL CHEC	CK OF WARNING S	YSTEM.						
	REMARKS:								
]*Cert	ifies that the work specified above,	except as otherwise	specified. was c	arried out in	n accordance w	ith CAA Mala	vsia Requirements	and in respect to the	t work
the ai	rcraft / aircraft component is consi	dered ready for rele	ease to service.				on requirements a	and in respect to the	A WOIK
*Cert	ifies that the work specified above, n respect to that work the aircraft /					rith			

|--|

	xyAerospace	Sultan Abdul / Tel: +603 7734	lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 Prospace.my enquir	200 Subang, Sel 734 7526	langor, Malaysia.	u e ,		WORKS	
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 1
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
ASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	8 OF	59
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir /2023	Other requirer	nents/information:	:
ltem		Desc	ription				Technician	* Eng. CRS	Date
148	SUCTION GAUGE (ENGINE RUN	INING) (ENG).							
	371007- SUCTION GAUGE (ENG	INE RUNNING) (EN	G).						
	VERIFY OPERATION.								
	REMARKS:								
149	PROPELLER GOVERNOR OPER	ATIONAL CHECK V	VITH ENGINE R	UNNING (EN	NG).				
	612004- PROPELLER GOVERNC	OR OPERATIONAL (CHECK WITH E	NGINE RUNI	NING (ENG).				
	PERFORM CHECK.								
	REMARKS:								
150	PROPELLER GOVERNOR OPER	ATIONAL CHECK V	VITH ENGINE R	UNNING (EN	NG).				
	622004- PROPELLER GOVERNC	OR OPERATIONAL (CHECK WITH E	NGINE RUNI	NING (ENG).				
	PERFORM CHECK.								
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ase to service.				vsia Requirements	and in respect to the	nt work
	n respect to that work the aircraft /								
	✓ WHERE APPLICABLE								

PARTS D.D. DUPLICATE GROUND FUGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG BOOK LOG BOOK CARD MOD RECORD BOOK

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	/CLE	WORKSHEET	NO: 15998-002	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	1
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	9 OF	59
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
151	POWER LEVER REVERSE SPEEI 761003- POWER LEVER REVERS	·	, ,	,).				
	CHECK.								
	REMARKS:								
152	ENGINE IDLE CHECK (ENGINE R	UNNING) (ENG).							
	761006- ENGINE IDLE CHECK (EI	NGINE RUNNING)	(ENG).						
	PERFORM CHECK.								
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. e specified, was c	carried out in	n accordance w		vsia Requirements	and in respect to tha	t work
	WHERE APPLICABLE	±							
	WHERE APPLICABLE								

GROUND FLIGHTTEST TORQUE RUN PARTS LABELED & RETURNED D.D. RAISED DUPLICATE INSP. ADDITIONAL WORKSHEET MONITORED DEFECT PLANNING FORECAST DIARY UPDATE STATUS UPDATE D.D. STATUS AIRCRAFT LOG BOOK ENGINE LOG BOOK PROPELLER LOG BOOK LOG CARD OEM/COMP LOG CARD MOD RECORD BOOK

LIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	'CLE	WORKSHEET N	IO: 15998-003	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/DI		DN 2
	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-1	5998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER W	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	OF	50
ONVERSI	for raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requirem	nents/information	n:
ltem		Desc	ription				Technician	* Eng. CRS	Date
1	SERVICE BULETIN (SB) CAB11-5	R2 COMPLIANCE	OPERATION 2						
	TO PERFORM OPERATION 2 PRO TASK/INSPECTION IN SB CAB11-5 BASED INSPECTION PROGRAM (REFERENCE: SB CAB11-5 R2, OP AMP NO. RMPAW/ENG/CAM REMARKS:	5 R2 - CONVERSI END OF PROGRE	ON TO MANUF	ACTURER'S CYCLE OPER	RECOMMEND	ED TASK-			
2	HARTZELL PROPELLER SPINNER (HARTZELL AND MCCAULEY)	R (110).							
	611001- HARTZELL PROPELLER S	SPINNER (110).							
	REMOVE, WASH, INSPECT FOR C	CRACKS, FRACTL	JRES, CONDITI	ON AND SEC	CURITY.				
	REMARKS:								
3	MCCAULEY SPINNER BULKHEAD	(110).							
	621002- MCCAULEY SPINNER BU	LKHEAD (110).							
	INSPECT FOR CRACKS, CONDITI	ON AND SECURI	TY.						
	REMARKS:								
	ifies that the work specified above, ex rcraft / aircraft component is conside			carried out in	accordance wi	ith CAA Malay	 /sia Requirements a	nd in respect to th	nat work

PARTS I LABELED & RA RETURNED			GROUND RUN			ADDITIONAL WORKSHEET											
-------------------------------------	--	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 2
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN	: REFER OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET:	2 OF	50
CONVERS	for raising: SON OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bii 08/06	/luhammad n Jawahir	Other requirer	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
4	MCCAULEY PROPELLER BLADE								
	621003- MCCAULEY PROPELLEF	R BLADES (110).							
	WASH, CHECK FOR NICKS, GOU	IGES, SCRATCHE	S CORROSION	AND CRACH	KS.				
	REMARKS:								
5	MCCAULEY PROPELLER HUB (E	XPOSED AREA) (110).						
	621005- MCCAULEY PROPELLE		ADEA) (110)						
	021003- MOCAULET PROFELLE	KTIOD (EXFOSED	AREA) (110).						
	INSPECT FOR CRACKS, WEAR, O	CONDITION, AND	SECURITY OF	COMPONEN	TS TO HUB.				
	REMARKS:								
6	MCCAULEY PROPELLER (110)								
	621006- MCCAULEY PROPELLEF	R (110)							
	INSPECT FOR OIL LEAKS.								
	REMARKS:								
	tifies that the work specified above, e			carried out in	accordance w	ith CAA Malay	ysia Requirements	and in respect to the	at work
	ircraft / aircraft component is consid tifies that the work specified above, e			carried out in	accordance w	ith			
	in respect to that work the aircraft / a								
	✓ WHERE APPLICABLE								
	WHERE APPLICABLE								

	1				1					 	
D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHT TEST	torque Chk.	ADDITIONAL WORKSHEET					OEM/COMP LOG CARD	

PARTS LABELED & RETURNED

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	NO: 15998-003	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D		N 2
RCRAF	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	B OF	50
NVERS	for raising: ON OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-8 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/informatior	1:
tem		Desc	ription		1		Technician	* Eng. CRS	Date
7	MCCAULEY PROPELLER MOUN	TING (110).							
	621007- MCCAULEY PROPELLE	R MOUNTING (110)).						
	VISUALLY CHECK FOR SECURI	TY OF INSTALLATI	ON.						
	REMARKS:								
8	ENGINE PROPELLER SHAFT SE	AL (110).							
	720005- ENGINE PROPELLER SI	HAFT SEAL (110).							
	INSPECT FOR LEAKS AND SEC	JRITY.							
	REMARKS:								
9	100 HOUR OPERATIONAL CHEC	K (WITH TKS)							
	301101 - VISUALLY CHECK FOR PROPELLER NOZZLE, PROPELL PUMPS, PUMP CAS ANNUNCIAT FLOW OF SLINGER AND LEADIN	ER FEED TUBES, FOR (G1000), PRES NG-EDGE PANELS.	AND PROPELLE SS TEST TKS AN	ER SLINGER NNUNCIATO	. CHECK OPE	RATION OF			
	ZONE: 110, 220, 221, 240, 340, 37	/3, 3/4, 527, 531, 5	71, 627, 631, 67	1, 903, 904					
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi- ifies that the work specified above, '	dered ready for rele	ease to service.				 ysia Requirements :	and in respect to th	at work

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						MOD RECORD BOOK
KEIGKNED									

	xyA				*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, vziz Shah Airport, 7226 Fax: +60 rospace.my enc	Malaysia Int 47200 Suba 3 7734 7526	ternational A ang, Selange S	or, Malaysia.	entre,							
	OWNER:	POLICE	(ICP)	SIA		ODAFT	SERIAL NO				CYCLE		WORKSH WORK/IN			15998		
AIRCRAI	FT TYPE:	CARAV	AN 208			CRAFT	20800231		ER WOR				WORKPA		-		ATION :	
	RATION:		l			ENGINE:	PCE 17477		ER WOR				AJL REF				SN-1599	
	CILITY:			-0	#2	ENGINE:	NIL	REF	ER WOR		-		SHEET:				r wori	
ATE IN:	WORKPA	_{CK} OI	UT: REFE WOR	=R RKPACK						NG / N1	NF	7 N2	SHEET.	4		OF		50
ONVERS	SPECTION	INTENAN PROGRAI	M I.A.W. S	SB CAB11	-5 R2 CO	MPLIANCE AN	CARE PROGRA ID AMP REF NO ON. OPERATIC	D.:	κ- F			mad	Other rec	quirem	ents/ir	nform	ation:	
Item						Descr	ription						Technicia	an	* Fr	ng. CF	25	Date
10	DDODE						RNOR (121).						Technica			ig. oi	10	Date
10	612002	- PROPE	LLER G	OVERN	OR AND		D GOVERNO)r (121).										
		ENCE: C																
	REMAR	KS:																
11							RNOR (121).											
	622002	- PROPE	LLER G	OVERN	UK AND	OVERSPEE	D GOVERNO	лк (121).										
	INSPEC	CT FOR C	DIL LEAI	KS, CON		AND SECUP	RITY.											
		-																
the ai Cert	ircraft / ai tifies that	rcraft co the work	mponen specifie	it is cons ed above	sidered re , except a	eady for release as otherwise	specified, wa ase to service specified, wa is considered	s carried	out in ac	cordance	with	A Malays	ia Requirem	nents ar	nd in ro	espect	to that	work
] тіск	✓ WHERE /	APPLICAB	ile															
PARTS BELED & FURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPE LOG B		LOG CARD	OEM/COM LOG CAR	

GAM/C-005 Rev 3 (06/22)

	enance , repair , overhaul	www.galaxyae	rospace.my enquin	/@galaxyaerospa	ace.my		1		
LIENT/C	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET I	10000 000	
RCRAF	T TYPE: CARAVAN 208	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D		
EGISTR	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	EF: 9M-PSN-15 REFER WC	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK			5 OF	50
ALE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		OF OF	
ONVERSI	for raising: ON OF MAINTENANCE PROGRAMME FRC PECTION PROGRAM I.A.W. SB CAB11-5 R IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad I Jawahir	Other requirer	nents/information	:
ltem		Desci	ription				Technician	* Eng. CRS	Date
12	INDUCTION SYSTEM AND INERTIA	L SEPARATOR ((121).						
	716001- INDUCTION SYSTEM AND	INERTIAL SEPA	RATOR (121).						
	INSPECT FOR GENERAL CONDITI	ON, SECURITY, J	AND FREEDOM	OF OPERA	TION.				
	INSPECT DOOR PIVOT POINT BEA	RINGS FOR EXC	CESSIVE WEAR						
	CHECK SEPARATOR LINKAGE FO	R PROPER OPEI	RATION.						
	CHECK FOR LOOSE RIVETS.								
	REMARKS:								
13	INERTIAL SEPARATOR (121).								
	716002- INERTIAL SEPARATOR (12	21).							
	UNLOCK CONTROL AND PULL INT	O BYPASS.							
	CHECK FAR FREEDOM OF MOVE	IENT AND FOR I	FULL OPENING	OF THE BY	PASS DOOR IN	N THE AIR			
	DUCT.								
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex-	red ready for rele	ase to service.				rsia Requirements	and in respect to th	at work
	n respect to that work the aircraft / air								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET							
REIURNED									1	

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
REGISTR	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 6	OF OF	50
Reason f CONVERSI BASED INS	OR FAISING: ON OF MAINTENANCE PROGRAMME FF PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
14	INERTAL SEPARATOR (121).								
	716005- INERTAL SEPARATOR (1	121).							
	PERFORM RIVET INSPECTION. F VANE RIVET INSPECTION - INSP REFER TO CHAPTER 71. REMARKS:		ER 71, INERTIA	IL SEPARATI	OR FORWARE) AND AFT			
15	OIL FILTER (121).								
10									
	790004- OIL FILTER (121).								
	REMOVE, CLEAN AND INSPECT DESIRED. REMARKS:	FOR DAMAGE. FI	LTER MAY BE E	ELECTROSO	NICALLY CLE	ANED IF			
the air *Certi and ir	fies that the work specified above, e rcraft / aircraft component is consid fies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. e specified, was c	carried out in	accordance w		i Requirements a	and in respect to tha	t work

PARTS D.D. DUP LABELED & RAISED IN RETURNED	PLICATE GROUND INSP. RUN			ADDITIONAL WORKSHEET											
---	-----------------------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace tenance, repair, overhaul	Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS			
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	NO: 15998-003			
	POLICE (ICP) -T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12		
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK REF: 9M-PSN-15998				
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR			
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 7	OF	50		
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR(SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/information:			
Item		Desc	ription				Technician	* Eng. CRS	Date		
16	HEAT DETECTION LOOP (121, 122	2).									
	261002- HEAT DETECTION LOOP	(121 122)									
	201002-TIEAT DETECTION LOOP	(121, 122).									
	INSPECT THE THREE LOOP SECT	TIONS FOR CONI	DITION, SECUR	ITY AND EV	IDENCE OF DA	MAGE.					
	SPECIAL ATTENTION SHOULD BE	GIVEN TO THE	LOOP CONNEC		IGS.						
	REMARKS:										
17	FUEL LINES (121, 122).										
	731001- FUEL LINES (121, 122).										
	INSPECT FUEL SUPPLY AND FUE LEAKS, AND SECURITY OF INSTA		LINES FOR DE	TERIORATIO	ON, CHAFING,	FUEL					
	REMARKS:										
the ai	ifies that the work specified above, ex ircraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. e specified, was c	carried out in	n accordance wi		' rsia Requirements a	and in respect to tha	t work		
	✓ WHERE APPLICABLE										

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 2
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	RKPACK	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 8	B OF	50
CONVERS BASED IN	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
18	FLOW DIVIDER (121, 122).								
	731010- FLOW DIVIDER (121, 122	<i>.</i>)							
		,,							
	INSPECT FOR SECURITY OF INS	TALLATION AND	EVIDENCE OF I	FUEL LEAKS	3.				
	REMARKS:								
19	IGNITORS (121, 122).								
	741003- IGNITORS (121, 122).								
	INSPECT FOR WEAR, CORROSIO	ON, AND CONDITI	ON OF INSULA	IOR.					
	CLEAN INSULATOR AT LEAD AT	FACHMENT, BUT I	DO NOT CLEAN	I IGNITOR E	ND.				
	REMARKS:								
	tifies that the work specified above, e			carried out ir	n accordance w	ith CAA Malay	vsia Requirements	and in respect to tha	at work
	ircraft / aircraft component is consid tifies that the work specified above, e			carried out in	1 accordance w	ith			
	n respect to that work the aircraft / a								
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
KEIUKNED									

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	itre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
REGISTI	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WO	
DATE IN	: REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 9	OF OF	50
CONVERS BASED IN	for raising: SION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE A	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
20	CHIP DETECTORS WITHOUT AN	INUNCIATOR LIGH	IT (121, 122).						
	793002- CHIP DETECTORS WITH	IOUT ANNUNCIAT	OR LIGHT (121,	, 122).					
	INSPECT.								
	REMARKS:								
21	BATTERY CABLE DISCONNECT	AND CABLES (122	2).						
	243001- BATTERY CABLE DISCO								
	243001- BATTERT CABLE DISCC	NNECT AND CAD	LL3 (122).						
	INSPECT FOR CONDITION, COR	ROSION AND SEC	CURITY.						
	INSPECT BATTERY TERMINAL R	RECEPT ACLES FO	OR OVERHEATI	NG OR BUR	NING.				
	REMARKS:								
the a	tifies that the work specified above, of ircraft / aircraft component is consider tifies that the work specified above, of tifies that the work specified above, of the specified above, or the spe	dered ready for rele except as otherwise	ease to service. e specified, was c	carried out in	1 accordance w		vsia Requirements	and in respect to tha	t work
and i	in respect to that work the aircraft / a	aircraft component	t is considered r	eady for rele	ase to service.				
тіск	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
KEIÜKINED									

	XYAerospace tenance, repair, overhaul	Suite 11-14, F Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-003	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOI	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	0 OF	50
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	R2 COMPLIANCE A	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir /2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
22	BATTERY TRAY (122).								
	243007- BATTERY TRAY (122).								
	INSPECT FOR CONDITION, COR	ROSION AND SEC	URITY.						
	INSPECT LATCHING MECHANISI	M FOR PROPER C	PERATION.						
	REMARKS:								
23	GILL FLOODED LEAD-ACID BATT	TERY (IF INSTALLI	ED) (122).						
	243009- GILL FLOODED LEAD-AG	CID BATTERY (IF I	NSTALLED) (12	2).					
	CHECK GENERAL CONDITION A	ND SECURITY.							
	CHECK LEVEL OF ELECTROLYT	E.							
	CHECK TERMINALS FOR OVERH	HEATING OR BURI	NING.						
	REMARKS:								
the a	tifies that the work specified above, e ircraft / aircraft component is consid tifies that the work specified above, e	dered ready for rele	ease to service.				vsia Requirements a	and in respect to tha	t work
	n respect to that work the aircraft / a								
1	✓ WHERE APPLICABLE								

PARTS					ADDITIONAL											MOD RECORD
LABELED & RETURNED	KAISED	INSP.	RUN	UHK.	WORKSHEET	DEFECT	FUKECASI	UPDATE	UPDATE	STATUS	LUG BOUK	BOOK	LUG BUUK	CARD	LUG (ARD	BOOK

	xyAerospace	Tel: +603 7734	ziz Shah Airport, 47: 7226 Fax: +603 7 rospace.my enquiry	734 7526				
LIENT/C	WNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATIO	DN 2
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R	EF: 9M-PSN-1	5998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER W	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 1	1 OF	50
eason f NVERSI SED INS	OR TAISING: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11- IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requiren	nents/informatio	n:
tem		Descr	ription			Technician	* Eng. CRS	Date
24	BATTERY BOX (GILL LEAD ACID	ONLY) (122).						
	243010- BATTERY BOX (GILL LE	AD ACID ONLY) (12	22).					
			,					
	INSPECT FOR CORROSION, CO	NDITION AND SEC	URITY OF INST	ALLATION.				
	REMARKS:							
25	BATTERY VENT TUBES (122).							
	243011- BATTERY VENT TUBES	(122).						
	INSPECT FOR CONDITION, OBS	STRUCTIONS AND S	SECURITY OF I	NSTALLATIO	DN			
	REMARKS:							
26	BLEED AIR PRESSURE REGULA	ATOR (122).						
	301007- BLEED AIR PRESSURE							
	SUIDON- BELED AIR PRESSORE	REGULATOR (122)						
	BLEED AIR PRESSURE REGULA	•						
	208B0316 NOT INCORPORATING REFER TO CHAPTER 36, PNEU							
	REMARKS:							
	fies that the work specified above,			arried out in	accordance with CAA Malay	ysia Requirements a	and in respect to th	nat work
	rcraft / aircraft component is consi fies that the work specified above,			arried out in	accordance with			
	a respect to that work the aircraft /	aircraft component	is considered re	eady for relea	ase to service.			

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
RETURNED									

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.		WORKS	
	DWNER: ROYAL MALAYSIA POLICE (ICP)	AIRCRAFT	SERIAL NO. 20800231	HOURS REFER W	LDG/CYCLE /ORKPACK	WORKSHEET WORK/INSP/D	10000 000	12
	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	/ORKPACK	WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK	AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 1	2 OF	50
leason Onversi Ased ins	for raising: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirer	nents/information:	
ltem		Desc	ription			Technician	* Eng. CRS	Date
27	P3 FILTER (122).							
	723001- P3 FILTER (122).							
	INSPECT FOR GENERAL COND	ITION AND CLEAN.						
	REMARKS:							
28	ENGINE FUEL PUMP (122).							
	731004- ENGINE FUEL PUMP (12	22).						
	INSPECT FOR SECURITY OF IN	STALLATION AND I	FUEL LEAKS.					
	INSPECT OVERBOARD DRAIN L	INE FOR SECURIT	Y OF INSTALLA	TION AND C	CONDITION.			
	REMARKS:							
20								
29	FUEL CONTROL (122).							
	732001- FUEL CONTROL (122).							
	INSPECT FOR SECURITY OF IN	STALLATION AND I	FUEL LEAKS.					
	REMARKS:							
the ai Cert	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance with	aysia Requirements	and in respect to tha	t work
and in	n respect to that work the aircraft /	aircraft component	is considered r	eady for rele	ase to service.			
7 тіск ч	WHERE APPLICABLE							

REIUKINED	PARTS LABELED & RETURNED				FLIGHT TEST		ADDITIONAL WORKSHEET											
-----------	--------------------------------	--	--	--	-------------	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
REGISTE		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	3 OF	50
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
30	FUEL CONTROL (122).								
	732002- FUEL CONTROL (122).								
	CHECK FOR F.C.U. BEARING WA F.C.U. OVERBOARD VENT.	SHOUT INDICATE	ED BY BLUE DY	E (GREASE	AND FUEL MIX	(ED) AT			
	REMARKS:								
31	FUEL FLOW TRANSDUCER (122)								
	733001- FUEL FLOW TRANSDUC	ER (122).							
	INSPECT FOR SECURITY OF INS	TALLATION, FUE	L LEAKS, AND E	EVIDENCE O	F DAMAGE.				
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e	lered ready for rele except as otherwise	ease to service. e specified, was c	carried out in	accordance w		sia Requirements a	and in respect to tha	t work
and in	n respect to that work the aircraft / a	ircraft component	t is considered r	eady for relea	ase to service.				
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET						
KEIÜKNED										

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	/CLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D		12
AIRCRA	T TYPE: CARAVAN 208 BATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	4 OF	50
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
32	FUEL TOTALIZER SIGNAL COND	ITIONER (IF INST	ALLED) (122).						
	733002- FUEL TOTALIZER SIGNA	L CONDITIONER	(IF INSTALLED)	(122).					
	INSPECT FOR SECURITY OF INS DAMAGE.	STALLATION WIRI	NG CONNECTO	R FOR SEC	URITY, AND E	/IDENCE OF			
	REMARKS:								
33	ENGINE CONTROLS (122).								
	761001- ENGINE CONTROLS (122	2).							
	CHECK FOR FREEDOM OF OPER	RATION.							
	INSPECT FOR SECURITY OF INS AND DETERIORATION.	STALLATION, WEA	R, CORROSION	N, ROUTING	, EVIDENCE O	F DAMAGE,			
	CHECK RUBBER SEALS FOR DE	TERIORATION.							
	REMARKS:								
	ifies that the work specified above, e			carried out ir	1 accordance w	ith CAA Malay	sia Requirements	and in respect to tha	t work
□ *Cert	ifies that the work specified above, e n respect to that work the aircraft / a	except as otherwise	e specified, was o			ith			
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
REIURNED									

	xyAerospace tenance, repair, overhaul		Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	734 7526					
.IENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	/CLE	WORKSHEET	10000 000	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	0. 2.00	12
GISTF	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK				
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 1	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		5 OF	50
NVERS SED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. To	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
34	CONTROL LINKAGES AND ATTA	ACH BRACKETS (12	22).						
	761002- CONTROL LINKAGES A	ND ATTACH BRAC	KETS (122).						
	INSPECT FOR SECURITY OF IN FREEDOM OF MOVEMENT. REMARKS:	STALLATION, WEA	R, CORROSION	I, GENERAL	CONDITION, /	AND			
35	OIL FILLER CAP AND DIPSTICK	(122).							
	790003- OIL FILLER CAP AND D	IPSTICK (122).							
	INSPECT FOR CONDITION AND	SECURITY OF INS							
		SECONT OF INS	TALLA HON.						
	REMARKS:								
36	DRAIN OPENINGS AND VENT H	OLES IN BOTTOM	OF ENGINE CO	WLING (130)					
	717002- DRAIN OPENINGS AND	VENT HOLES IN B	OTTOM OF ENG	GINE COWLI	NG (130).				
	INSPECT FOR OBSTRUCTIONS								
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ease to service.				vsia Requirements	and in respect to tha	t work
	n respect to that work the aircraft /								

PARTS D.D. LABELED & RAISEE RETURNED	DUPLICATE D INSP.				ADDITIONAL WORKSHEET											
--	----------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. Bl lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C1	YCLE	WORKSHEET N	NO: 15998-003	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOI	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	6 OF	50
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	Muhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
37	ENGINE EXHAUST SYSTEM (130)		-						
	781001- ENGINE EXHAUST SYSTI	EM (130).							
	INSPECT PRIMARY AND SECONE INSTALLATION, AND EVIDENCE (R CRACKS, DIS	TORTION, S	ECURITY OF				
	REMARKS:								
38	FIREWALL MOUNTED FUEL FILTE								
30		IN WITT DIFAGO			10N) (131).				
	282006- FIREWALL MOUNTED FU	EL FILTER WITH	BYPASS FLAG	(RED WARN	IING BUTTON)	(151).			
	CLEAN.								
			1						
	INSPECT FOR LEAKS, SECURITY	AND CONDITION	l.						
	REMARKS:								
39	EPA CAN (151).								
	282007- EPA CAN (151).								
	INSPECT FOR LEAKAGE, SECURI	ITY AND CONDIT	ION.						
	DRAIN COMPLETELY.								
	REMARKS:								
the air	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for rele scept as otherwise	ease to service. specified, was c	arried out in	accordance w		sia Requirements a	and in respect to tha	t work
		-							
	WHERE APPLICABLE								

PARTS	D.D.	DUPLICATE	GROUND	FLIGHTTEST	TORQUE	ADDITIONAL	MONITORED	PLANNING	DIARY	STATUS	D.D.	AIRCRAFT	ENGINE LOG	PROPELLER	LOG	OEM/COMP	MOD RECORD
LABELED &	RAISED	INSP.	RUN		CHK.	WORKSHEET	DEFECT	FORECAST	UPDATE	UPDATE	STATUS	LOG BOOK	BOOK	LOG BOOK	CARD	LOG CARD	BOOK
RETURNED																	

		\erc			*	Suite 11-14, He Sultan Abdul A Tel: +603 7734	OSPACE (M) SDN elicopter Centre, ziz Shah Airport 7226 Fax: +60 rospace.my end	Malaysia Int 47200 Suba 3 7734 7526	ternational A ang, Selango S	or, Malaysia.	entre,						
CLIENT/	OWNER:	ROYAL	MALAYS	SIA			SERIAL NO). HOL	JRS	LDG/0	CYCLE		WORKSH	EET NO	D: 159	98-003	
		POLICE CARAVA	(ICP)		AIF	CRAFT	20800231	REF	ER WOR	KPACK			WORK/IN	SP/DES	SC: OPE	RATION	2
		9M-PSN			#1	ENGINE:	PCE 1747	REF	ER WOR	KPACK			WORKPA	CK REF	-: 9M-	PSN-1599	3
	CILITY:				#2	ENGINE:	NIL	REF	ER WOR	KPACK			AJL REF	NO.:	REF	ER WORI	PACK
	REFER WORKPA		JT: REFE	R						NG / N1	NF	/ N2	SHEET:	17	OF	:	50
leason ONVERS ASED IN:	for raisir ION OF M/ SPECTION	IG: AINTENANO PROGRAM	/ I.A.W. S	B CAB11	-5 R2 CO	MPLIANCE AN	CARE PROGR/ D AMP REF NO ON. OPERATIO	D.:	к-			mad	Other req	luireme	ents/infor	mation:	
Item						Descr	ription						Technicia	an	* Eng. (CRS	Date
40	BRAKE	SYSTEM	I RESEF	RVOIR (151).												
	INSPE	R TO CHA	SECURIT	FY, CON		AND LEAKS	. CHECK FLI SERVICING		L.								
41	793004	I- OIL PRI	ESSURE	INDIC/	ATOR PL	UMBING (EI	O FIREWALL	REWALL)									
the ai Cert : and i	ircraft / a ifies that n respect	ircraft con the work	mponen specifie ork the a	t is cons d above	sidered re , except a	eady for relea as otherwise	specified, wa ase to service specified, wa is consideree	s carried	out in acc	cordance	with	A Malays	ia Requirem	nents an	d in respe	ct to that	vork
PARTS BELED & TURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPEL LOG BC			

GAM/C-005 Rev 3 (06/22)

	xyAerospace	Sultan Abdul / Tel: +603 7734	lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 prospace.my enquiry	200 Subang, Se 734 7526	langor, Malaysia.	tre,		WORKS	
LIENT/(OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK F	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	8 OF	50
eason 1 DNVERSI ASED INS	for raising: ON OF MAINTENANCE PROGRAMME F IPECTION PROGRAM I.A.W. SB CAB11- IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %/2023	Other requirer	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Date
42	STATIC SYSTEM DRAIN VALVES	6 (215, 216).							
	341007- STATIC SYSTEM DRAIN	I VALVES (215, 216).						
	VISUALLY INSPECT FOR LEAKS	, AND PRESENCE	OF WATER IN [DRAIN FITTI	NGS.				
	DRAIN ACCUMULATED MOISTU	RE.							
	INSPECT CONDITION AND SEC	JRITY OF INSTALL	ATION.						
	REMARKS:								
43	INSTRUMENT PANEL LIGHTS (2	20, 221,222, 223,22	4).						
	330002- INSTRUMENT PANEL LI	GHTS (220, 221,22	2, 223,224).						
	PERFORM OPERATIONAL CHEC	CK.							
	REMARKS:								
44	PRIMARY FLAP SYSTEM (226).								
	275002- PRIMARY FLAP SYSTEM	М (226).							
	OPERATE FLAPS WITH FLAP CO RANGE OF TRAVEL AND OBSEF				-				
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele except as otherwise	ase to service. specified, was c	arried out ir	accordance w		vsia Requirements	and in respect to tha	t work
	n respect to that work the aircraft /								

			DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

CLIENT/OWNER: ROYAL MALAYSIA POLICE (CP) AIRCRAFT TYPE: CARAVA208 SERIAL NO. HOURS LDG/CYCLE WORKSHEET NO. 15998-003 AIRCRAFT TYPE: CARAVA208 #1 ENGINE: PC E17477 REFER WORKPACK WORKSHEET NO. 15998-003 BASEFACILTY: WBGG #2 ENGINE: NIL REFER WORKPACK WORKSHEET NO. 9M-PSN-159 BASEFACILTY: WBGG #2 ENGINE: NIL REFER WORKPACK WORKPACK REF: 9M-PSN-159 DATE IN: REFER OUT: WERER MORKPACK NIL NF / NI NF / NI NF / NI SHEET: 19 OF Reason for raising: SOMMERSHOW ORKPACK NIL NG / NI NF / NI NF / NI Other requirements/information: NUMWERNOCAMISAND NERVER AND ARP REF NO: SAMPAWENGCAMO/AMP/C208 ISSUE 1, REV 0. TO THE LATEST REVISION. OFERATION 2 Paised by and date: IOP MP Multamanali 08/06/2023 Other requirements/information: MARAWENGCAMO/AMP/C208 ISSUE 1, REV 0. TO THE LATEST REVISION. OFERATION 2 ZE004-FUEL SHUTOFF CONTROL (226). Technician * Eng. CRS 46 PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION. SCURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS. IIII IIIIIIIIIIIIIIIII	98
IRCRAFT TYPE: CARAVAN 208 AIRCHAPT 2000/231 HEPER WORKPACK WORKPACK.BUSCOME WORKPACK.REF: WORKPACK.REF: WORKPACK.REF: MUCHAPCH AIL REF NO:: REFER WORKPACK. Basch Zolltry: VBGG #2 ENGINE: NL REFER WORKPACK. WORKPACK.REF:: MUCHAPCH AIL REF NO:: REFER WORKPACK. Basch Zolltry: VUIT: REFER WORKPACK. Image: Not and the second s	98 RKPACK 50
EGISTRATION: 9M-PSN 41 ENGINE: PCE 17477 REFER WORKPACK UNDARACA REFER WORKPACK MSE/FACILITY: WBGG 42 REFER WORKPACK WORKPACK WORKPACK ALL REFER	RKPACK 50
ASE/FACILITY: WBGG #2 ENGINE: NIL REFER WORKPACK VIL REFER WORKPACK ATE IN: WORKPACK OUT: WORKPACK OUT: Refer WORKPACK SHEET: 19 OF Statistics: NISPECTOR PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK- SED INSPECTOR PROGRAMILAW SE CAB11-S R2 COMPLIANCE AND AMP REF NO: INAWARE IN JAWAITING Raised by and date: I/OP RMP Muhammad Anwar bin Jawaitin 08/06/2023 Other requirements/information: NL 46 FUEL SHUTOFF CONTROL (226). 282004- FUEL SHUTOFF CONTROL (226). Technician * Eng. CRS 46 PILOTS AND COPILOTS SEATS (231, 232). INSPECT SAID COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SEAT CUSHIONS FOR CONDITION AND SECURITY.	50
WITCH WORKPACK UD: WORKPACK WORKPACK <t< td=""><td></td></t<>	
INVERSION OF MAINTERNANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK- ECP RMP Muhammad Anwar bin Jawahir 08/06/2023 ICP RMP Muhammad Anwar bin Jawahir 08/06/2023 NIL Item Description Technician * Eng. CRS 45 FUEL SHUTOFF CONTROL (226). 282004- FUEL SHUTOFF CONTROL (226). 0PERATIONAL CHECK. Technician * Eng. CRS 46 PILOTS AND COPILOTS SEATS (231, 232). 251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. Ispect seat adjustment of the seat of t	Dat
45 FUEL SHUTOFF CONTROL (226). 282004- FUEL SHUTOFF CONTROL (226). OPERATIONAL CHECK. REMARKS: 46 PILOTS AND COPILOTS SEATS (231, 232). 251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	Dat
282004- FUEL SHUTOFF CONTROL (226). OPERATIONAL CHECK. REMARKS: 46 PILOTS AND COPILOTS SEATS (231, 232). 251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
OPERATIONAL CHECK. REMARKS: 46 PILOTS AND COPILOTS SEATS (231, 232). 251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
OPERATIONAL CHECK. REMARKS: 46 PILOTS AND COPILOTS SEATS (231, 232). 251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
REMARKS: REMARKS: 46 PILOTS AND COPILOTS SEATS (231, 232). 251002: PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
46 PILOTS AND COPILOTS SEATS (231, 232). 251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
46 PILOTS AND COPILOTS SEATS (231, 232). 251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
251002- PILOTS AND COPILOTS SEATS (231, 232). INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
INSPECT SEAT BRACKETS, GUIDES, AND STOPS FOR CONDITION AND SECURITY; CONTROLS FOR CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
CONDITION, SECURITY AND PROPER OPERATION AND SEAT STRUCTURE AND SEAT CUSHIONS FOR CONDITION AND SECURITY. SERVICE SEAT ADJUSTING SCREWS, BEARINGS AND LOCKING MECHANISMS.	
REMARKS:	
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with	t work
and in respect to that work the aircraft / aircraft component is considered ready for release to service.	
TICK ✓ WHERE APPLICABLE	

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

Gala		Aero			*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, ziz Shah Airport 7226 Fax: +60 rospace.my end	Malaysia In 47200 Sub 3 7734 7520	ternational A ang, Selange S	or, Malaysia.	entre,				-			
CLIENT/	OWNER	ROYAL	MALAY	SIA			SERIAL NO	D. HOL	JRS	LDG/0	CYCLE		WORKSH	EET NO	D: 1	5998-0	003	
		POLICE	(ICP)		AIF	CRAFT	20800231	REF	ER WOR	KPACK			WORK/IN	SP/DE	SC: C	PERA	TION 2	
		CARAV			#1	ENGINE:	PCE 1747	7 REF	ER WOR	KPACK			WORKPA	CK REI	F: 9	M-PSI	N-15998	
		WBGG	•		#2	ENGINE:	NIL	REF	ER WOR	KPACK			AJL REF	NO.:	F	EFER	WORK	PACK
DATE IN			UT: REFE	ER						NG / N1	NF	/ N2	SHEET:	20		OF		50
Reason CONVERS BASED IN	for raisi SION OF M SPECTION	İNG: IAINTENAN N PROGRA	CE PROC M I.A.W. S	GRAMME SB CAB11	-5 R2 CO	MPLIANCE AN	L CARE PROGR/ ID AMP REF N ON. OPERATIC	D.:	F	aised by ICP RMF Anwar		mad	Other req	Juireme	ents/in	forma	tion:	
Item						Descr	ription						Technicia	an	* Eng	g. CR	S	Date
47	PILOT	S AND CO	OPILOT	S SEAT	BACK ST	OP BOLTS	(231, 232).											
		ECT FOR I					BOLTS (231	, 232).										
48	26200	2- PORTA	BLE HA	ND FIRE	EEXTING	(231, 232). GUISHER (23						0						
	REMA					(ESSURE, C	CONDITION,											
the a the a the a the a	ircraft / a tifies tha in respec	aircraft co t the work	mponer specifie ork the	nt is cons ed above	sidered re , except a	eady for release as otherwise	specified, wa ase to service specified, wa is considered	s carried	out in ac	cordance	with	A Malays	ia Requirem	nents ar	nd in re	spect t	o that w	ork
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	torque Chk.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPEI LOG BO		LOG CARD	OEM/COMP LOG CARD	MOD RECORD BOOK

GAM/C-005 Rev 3 (06/22)

	xyAerospace tenance, repair, overhaul	Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	re,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	'CLE	WORKSHEET N	IO: 15998-003	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/DI		N 2
AIRCRAF REGISTF	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK RI	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	1 OF	50
Reason convers based ins	for raising: ION OF MAINTENANCE PROGRAMME FRO SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	R2 COMPLIANCE A	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
49	INTERIOR LIGHTING (231, 232, 25	1, 252, 255, 256).							
	332002- INTERIOR LIGHTING (231	232 251 252 2	55 256)						
	CHECK OPERATION OF CABIN, PA WHEEL MAP LIGHTING.		. ,	KING/SEATE	BELT, AND COM	ITROL			
	REMARKS:								
50	STANDBY FLAP SYSTEM (243).								
50	STANDDITEAT STOTEM (243).								
	275003- STANDBY FLAP SYSTEM	(243).							
	PERFORM STANDBY FLAP MOTO	R OPERATIONAI	CHECK.						
	REFER TO CHAPTER 27.								
	REMARKS:								
the ai	ifies that the work specified above, ex ircraft / aircraft component is conside ifies that the work specified above, ex	ered ready for release	ease to service. e specified, was c	carried out ir	n accordance wi		rsia Requirements a	and in respect to the	ıt work
and i	n respect to that work the aircraft / ai	rcraft component	t is considered r	eady for rele	ase to service.				
ТІСК	✓ WHERE APPLICABLE								

	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	ire,		WORKS	
AIRCRAF REGISTR BASE/FA	CILITY: WBGG	AIRCRAFT #1 ENGINE: #2 ENGINE:	SERIAL NO. 20800231 PCE 17477 NIL	REFER W	LDG/CY 70RKPACK 70RKPACK 70RKPACK		WORKSHEET N WORK/INSP/D WORKPACK R AJL REF NO.: SHEET: 2	ESC: OPERATION EF: 9M-PSN-159 REFER WOR	98
Reason f CONVERSI BASED INS	REFER WORKPACK OUT: REFER WORKPACK for raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 I IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		NG / N1 Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir		nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
51	TAILCONE DRAIN OPENING (311, 531004- TAILCONE DRAIN OPENII INSPECT FOR OBSTRUCTION AN BLOCKAGE. REMARKS:	NG (311, 312).	FOREIGN MATI	ERIAL FROM	I OPENING TO	PREVENT			
52	EMERGENCY LOCATOR INSTALL 256001- EMERGENCY LOCATOR		312).						
	INSPECT FOR SECURITY OF INST ELECTRICAL COMPONENTS. INSPECT STRUCTURE FOR CORF REMARKS:		ITION OF FUNC	TION SWITC		ITION OF			
the air *Certi and in	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for released to the ready for released to the ready for the r	ease to service. e specified, was c	carried out ir	n accordance wi		/sia Requirements a	and in respect to that	work

	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B delicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	ire,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D	10000 000	12
	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
REGISTE	CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	3 OF	50
Reason f CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 I NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
53	RUDDER (343).								
	272001- RUDDER (343). INSPECT RUDDER SKINS FOR CF CRACKS, AND SECURITY, HINGE JUMPER FOR EVIDENCE OF DAM	BOLTS, HINGE E	BEARINGS, HIN	GE ATTACH	FITTING, AND				
	INSTALLATION. INSPECT RUDDER HINGE BOLTS BALANCE WEIGHT FOR LOOSENI					. INSPECT			
	REMARKS:								
54	ELEVATOR TRIM TABS (371, 372).								
	273010- ELEVATOR TRIM TABS (3	371, 372).							
	INSPECT.								
	REMARKS:								
the ai	ifies that the work specified above, es rcraft / aircraft component is conside ifies that the work specified above, es n respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was c	carried out ir	n accordance w		sia Requirements a	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHT TEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELLER LOG BOOK	LOG CARD	OEM/COMP LOG CARD	MOD RECORD BOOK
REFORMED																	

CIENTOWINGER, BOYAL, MULAVISIA PROLECTION, VIEW COLLEGION, MICHAET THE: CARAVAR 2004 Image: Cientomic Ciento Ciento Ciento Ciento All CINAT THE: CARAVAR 2004 Image: Cientomic Ciento All CINAT THE: CARAVAR 2004 Image: Cientomic Ciento All CINAT THE: CIENTON CIENTO All CIENTO All CINAT ALL 2004 Image: Ciento All CINAT ALL 2004 Image: Ciento All CINAT ALL 2004 Image: Ciento All CINAT ALL 2004 Image: Ciento All CINAT ALL 2004 Image: Ciento All CINAT All CINAT ALL 2004 Image: Ciento All CINAT ALL 2004 Image: Ciento All CINAT All CINAT ALL 2004 Image: Ciento All CINAT All CINAT ALL 2004 Image: Ciento All CINAT ALL 2004 Image: Ciento All CINAT All CINAT ALL 2004 Image: Ciento All CINAT All CINAT All CINAT ALL 2004 Image: Ciento All CINAT ALL 2004 Image: Ciento All CINAT All CINAT All CIENTO All CIENTO		xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	onal Aerospace Centre, elangor, Malaysia.		WORKS	
REGESTRUCTOR SMARPSA ALL REF ND:: REF ND::	AIRCRAI	POLICE (ICP) T TYPE: CARAVAN 208		20800231	REFER W	VORKPACK	WORK/INSP/D	ESC: OPERATION	
BIOLE PLANUE NO. / IN. NO. / IN. <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th> <th></th>									
Besend for righting: based by and date: the property biotechange reconsumer reconsersace case records and to the construction of the property biotechange based by and date: the property biotechange reconstruction of the construction of the property biotechange and the biotechange reconstruction of the construction of the construction of the property biotechange and the biotechange reconstruction of the construction of the construction of the property biotechange and the biotechange reconstruction of the property			#2 ENGINE.	INIL	NEFEN V		SHEET: 2		
66 ELEVATOR (373, 374). INSPECT ELEVATOR SKINS FOR CRACKS AND LOOSE RIVETS: ELEVATOR HINGES FOR CONDITION. CRACKS, AND SECURITY, AND HINGE BOLTS, HINGE BRANINGS, TORQUE TURE, HORN, ATTACH- PETTINOS, AND BORDING JUMPERS FOR EVIDENCE OF DAMAGE OR WEAR, FALLED FASTENERS, AND SECURITY. INSPECT ELEVATOR HINGE BOLTS FOR PROPER SAFETYING OF NUTS WITH COTTER PINS. INSPECT BALANCE WEIGHTS FOR LOOSENESS AND SUPPORTING STRUCTURE FOR DAMAGE. INSPECT OUTBOARD TIPS FOR CRACKS IN RIB PLANGE. REMARKS: 56 WING ACCEESS PLATES (501, 503, 601, 603). 570006- WING ACCESS PLATES (501, 503, 601, 603). 570006- WING ACCESS PLATES (501, 503, 601, 603). 58 WING ACCEESS PLATES (501, 503, 601, 603). 59 STOUDG- WING ACCESS PLATES (501, 503, 601, 603). 59 STOUDG- WING ACCESS PLATES (501, 503, 601, 603). 59 WING ACCEESS PLATES (501, 503, 601, 603). 50 WING ACCEESS PLATES (501, 503, 601, 603). 50 WING ACCEESS PLATES (501, 503, 601, 603). 50 WING ACCEESS PLATES (501, 503, 601, 603). 51 INSPECT FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. REMARKS: INSPECT FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft /	Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir			
273001 - ELEVATOR (373, 374). ImsPECT ELEVATOR SINIS FOR CRACKS AND LOOSE RIVETS: ELEVATOR HINGES FOR CONDITION. DRACKS, AND SOCURITY, NO HINGE BOLTS, HINGE BEARINGS, TORQUE TURE, HORN, ATTACH PITTINGS, AND DROINIS JUMPERS FOR EVIDENCE OF DAMAGE OR WEAR, FALLED FASTENERS, AND SECURITY. INSPECT ELEVATOR HINGE BOLTS FOR PROPER SAFETYING OF NUTS WITH COTTER PINS, INSPECT BULANCE WEIGHTS FOR LOOSENESS AND SUPPORTING STRUCTURE FOR DAMAGE. 56 WING ACCESS PLATES (501, 503, 601, 603). STRUCTURE FOR MAGE. 57 STRUCT OF INSTALLATION AND EVIDENCE OF DAMAGE. STRUCTURE (501, 503, 601, 603). 58 STRUCT FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. STRUCT FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. C STRUCT FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. STRUCTURE FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. C C C STRUCT FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. STRUCTURE FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. C C STRUCTURE FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. STRUCTURE FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. C C STRUCTURE FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. STRUCTURE FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. C C STRUCTURE FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. STRUCTURE FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE.	Item		Desc	ription			Technician	* Eng. CRS	Date
INSPECT OUTBOARD TIPS FOR CRACKS IN RIB FLANGE. Image: Crack Sin Rib Flange. REMARKS: Image: Crack Sin Rib Flange. 56 WING ACCESS PLATES (501, 503, 601, 603). S70006- WING ACCESS PLATES (501, 503, 601, 603). Image: Crack Sin Rib Flange. Image: Remarks: Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Flange. Image: Crack Sin Rib Rib work Specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.	55	273001- ELEVATOR (373, 374). INSPECT ELEVATOR SKINS FOR CRACKS, AND SECURITY; AND F FITTINGS, AND BONDING JUMPE SECURITY.	HINGE BOLTS, HIN ERS FOR EVIDEN(IGE BEARINGS CE OF DAMAGE	, TORQUE 1 E OR WEAR,	UBE, HORN, ATTACH FAILED FASTENERS, AND			
\$70006- WING ACCESS PLATES (501, 503, 601, 603). INSPECT FOR SECURITY OF INSTALLATION AND EVIDENCE OF DAMAGE. REMARKS: Image: Contract of the state of the sta		BALANCE WEIGHTS FOR LOOSE	ENESS AND SUPP	ORTING STRUC					
REMARKS: Image: Ima	56			3).					
the aircraft / aircraft component is considered ready for release to service. Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.			STALLATION AND	EVIDENCE OF I	DAMAGE.				
the aircraft / aircraft component is considered ready for release to service. Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.									
the aircraft / aircraft component is considered ready for release to service. Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.									
	the ai	ircraft / aircraft component is consid ifies that the work specified above, e	lered ready for rele except as otherwise	ease to service. specified, was c	carried out in	n accordance with	aysia Requirements	and in respect to the	lt work

PARTS D.D. LABELED & RAISE RETURNED	.D. DUPLICATE SED INSP.				ADDITIONAL WORKSHEET											
---	----------------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D		2
AIRCRAF	T TYPE: CARAVAN 208 BATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	5 OF	50
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
57	PITOT TUBE(S) (503, 603).								
	341005- PITOT TUBE(S) (503, 603)).							
	VISUALLY CHECK TUBE(S) AND S			IONS.					
	INSPECT MAST(S) FOR BENDING ENSURE SEALANT AT MAST-TO-			TION.					
	REMARKS:								
58	FUEL SELECTOR VALVES AND LI	INKAGES (WING)	AREA) (511, 611).					
	282001- FUEL SELECTOR VALVE FUEL SELECTOR VALVES AND LI LINKAGE FOR CONDITION, SECU VALVE ARMS FOR PROPER CON REMARKS:	INKAGES (WING) IRITY AND EVIDE	AREA) - INSPEC	CT SHUTOFF GE. INSPEC	T ALL FUEL SE				
the ai	ifies that the work specified above, end rcraft / aircraft component is consid ifies that the work specified above, end n respect to that work the aircraft / and	ered ready for rele xcept as otherwise	ease to service. e specified, was c	carried out in	accordance wi		rsia Requirements a	and in respect to that	: work
	WHERE APPLICABLE								

	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C)		WORKSHEET		
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORKSHEET I WORK/INSP/D	10000 000	12
	T TYPE: CARAVAN 208 BATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R	OF ERVITION	
	ATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WOI	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	6 OF	50
eason DNVERS ASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Dat
59	FUEL TANK AREA (521, 621).								
	281001- FUEL TANK AREA (521,	621).							
	INSPECT FOR FUEL STAIN, DIS	COLORATION, AND	DEVIDENCE OF	FUEL LEAK	KS.				
	REMARKS:								
60	FUEL TANK FILLER CAP(S) AND	FLAPPER VALVE(S) (521, 621).						
	281003- FUEL TANK FILLER CAF	P(S) AND FLAPPER	VALVE(S) (521	, 621).					
	INSPECT FOR DAMAGE OR BRO	OKEN COMPONEN	TS AND CHECK	LOCK POS	ITION OF FILLE	ER CAP.			
	REMARKS:								
61	DRAIN VALVES (521, 621).								
	281004- DRAIN VALVES (521, 62	1).							
	CHECK OPERATION AND INSPE	CT FOR LEAKAGE							
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi						sia Requirements :	and in respect to tha	t work

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
RETURNED									

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 rrospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cer langor, Malaysia.	itre,		WORKS	
	DWNER: ROYAL MALAYSIA POLICE (ICP)	AIRCRAFT	SERIAL NO. 20800231	HOURS REFER W	LDG/C	YCLE	WORKSHEET N WORK/INSP/D	10000 000	N 2
	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	7 OF	50
leason i ONVERSI ASED INS	for raising: ON OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- IG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	:
Item		Desc	ription				Technician	* Eng. CRS	Date
62	FLAPS (527, 627).								
	275001- FLAPS (527, 627).								
	INSPECT FLAPS FOR LOOSE RI	IVETS, CRACKS, CO	ONDITION, AND	SECURITY	OF INSTALLA	TON			
	REMARKS:								
	KEWARKS.								
63	AILERON (571, 671).								
	271001- AILERON (571, 671).								
	271001- AILERON (371, 071).								
	INSPECT THE AILERON SKINS F CRACKS, AND SECURITY; HING JUMPERS FOR EVIDENCE OF D	E BOLTS, HINGE B	EARINGS, HIN	GE ATTACH	FITTINGS, AN				
	INSPECT THE AILERON HINGE	BOLTS FOR PROPI	ER SAFETYING	OF NUTS W	/ITH COTTER	-			
		OR LOOSENLOS A				JR DAWAGE.			
	REMARKS:								
	ifies that the work specified above,			carried out in	accordance w	rith CAA Mala	ysia Requirements a	and in respect to tha	at work
	rcraft / aircraft component is consi ifies that the work specified above,			carried out in	accordance w	rith			
	n respect to that work the aircraft /								
	WHERE APPLICABLE	-							

PARTS LABELED & RETURNED				ADDITIONAL WORKSHEET						
			1			[]	(I			1

CULTUROWNER, BOYA, MUNYAR, DUBRIO, SEPARA, NO, HOURS LDGACYOLE WORKREPT NO.: Hours of the program of		xyAerospace	Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
POLICE IOP INTEGRATION: MAPPIN RECOMMANDA ARCAPT 20000281 INTEGRATION: WAPPIN RECOMMANDA INTERPENDINGENALS. WORKMAPP/DESC: WAPPIN-1938 ALL REP NO: PORE RECOMMANDA WORKMAPP/DESC: WAPPIN-1938 ALL REP NO: PORE RECOMMENDING PORE NO. WORKMAPP/DESC: WAPPIN-1938 ALL REP NO: PORE RECOMMENDING PORE RECOMMENDING PORE PORE NO. WORKMAPP/DESC: WAPPIN-1938 ALL REP NO: PORE RECOMMENDING PORE PORE PORE PORE PORE PORE PORE PORE	CLIFNT/	OWNER: ROYAL MALAYSIA		SERIAL NO	HOURS	LDG/C)	/CLE	WORKSHEET	NO: 15998-003	
HEIGHT FUNCTION: SILVERS HEIGHT SIL		POLICE (ICP)	AIRCRAFT			1		-	500	2
Date In VICENTIAL VICE INIL INIT OF VICENTIAL ALL REF 100: VICENTIAL ALL REF 100: VICENTIAL<			#1 ENGINE:	PCE 17477				WORKPACK R		
ANTE IN: SHEET: 28 or 50 Passed to the result; NG / NI NF / N2 SHEET: 28 or 50 Passed to the result; Passed to the result; Other requirements/information: NI NBME MICK PROGRAM A.W. 86 out, 00 AW REP NO. Passed to yand date: IPP RMW Mammind NI NI NI NBME MICK PROGRAM A.W. 86 out, 00 and passed to the common sector of th				NIL				AJL REF NO.:	REFER WOR	RKPACK
Beason for righting: Developing to righting: Beason for righting: Beason for righting: Developing to righting to righting righting: Developing to righting: Developing to right							NF / N2	SHEET: 2	8 OF	50
64 ALERON TRIM TAB (671). 171014 - ALERON TRIM TAB (671). INSPECT THE TRIM TAB SKINS FOR CRACKS. LOOSE RIVETS, AND SECURITY: AND TRIM TAB HINGE FOR CRACKS, SECURITY AND EVIDENCE OF DAMAGE. 105 INSPECT HING PIN FOR PROPER INSTALLATION AT HINGE PIN RETAINER. 105 INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. 106 NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 102 322029 - NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 105 SECURITY OF INSTALLATION, THEN SERVICE. REFER TO CHAPTER 12. LUBRICANTS - DESCRIPTION AND OPERATION. 107 CHAPTER that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work. 107 Certrifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work.	Reason convers based ins	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 F	R2 COMPLIANCE A	ND AMP REF NO.:		ICP RMP N Anwar bir	/luhammad n Jawahir		nents/information:	
271014 ALERON TRIM TAB (871). INSPECT THE TRIM TAB (871). INSPECT THE TRIM TAB (871). INSPECT THE TRIM TAB (871). INSPECT THE TRIM TAB (871). INSPECT THERE IN TAB SKINS FOR CRACKS, LOOSE RIVETS, AND SECURITY; AND TRIM TAB HINGE POR CRACKS, SECURITY AND EVIDENCE OF DAMAGE. INSPECT HORE AND PUSHROP FOR EVIDENCE OF DAMAGE AND SECURITY. INSPECT HORE AND PUSHROP FOR EVIDENCE OF DAMAGE AND SECURITY. INSPECT HORE AND PUSHROP FOR EVIDENCE OF DAMAGE AND SECURITY. INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. REMARKS: OSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 322002-NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). REMARKS: OF A DOBE OURTOR OF INSTALLATION. THEN SERVICE. REFER TO CHAPTER 12, LUBRICANTS - DESCRIPTION AND OPERATION. REMARKS: OF A DOPERATION. OF	Item		Desc	ription				Technician	* Eng. CRS	Date
INSPECT THE TRIM TAB SKINS FOR CRACKS, LOOSE RIVETS, AND SECURITY; AND TRIM TAB HINGE FOR CRACKS, SECURITY AND EVIDENCE OF DAMAGE. INSPECT HINGE PIN FOR PROPER INSTALLATION AT HINGE PIN RETAINER. INSPECT THE TRIM TAB SKINS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. REMARKS: 65 NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 322002- NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT INSPECT FOR CONDITION, WEAR AT ATTACH POINTS AND SECURITY OF INSTALLATION, THEN SERVICE. REFER TO CHAPTER 12, LUBRICANTS - DESCRIPTION AND OPERATION, REMARKS: Image: Control of the trime of the security	64	AILERON TRIM TAB (671).								
FOR CRACKS, SECURITY AND EVIDENCE OF DAMAGE. INSPECT HINGE PIN FOR PROPER INSTALLATION AT HINGE PIN RETAINER. INSPECT HINGE PIN FOR PROPER INSTALLATION AT HINGE PIN RETAINER. INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. REMARKS: INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. REMARKS: INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. REMARKS: INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. REMARKS: INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. REMARKS: INSPECT PUSHROD BOLTS FOR CONDITION AND SHOCK STRUT (701). 322002- NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). INSPECT POR CONDITION, WEAR AT ATTACH POINTS AND SCIENTLY ON INSPECT POR CONDITION, WEAR AT ATTACH POINTS AND SCIENTLY ON INSPECT POR CONDITION, WEAR AT ATTACH POINTS AND SCIENTLY ON INSPECT POR CONDITION, WEAR AT ATTACH PORTS AND SCIENTLY OR INSTALLATION, THEN SERVICE: REFER TO CHAPTER 12, LUBRICANTS - DESCRIPTION AND OPERATION. REMARKS: INSPECT POR CONDITION AND OPERATION. INSPECT POR CONDITION AND OPERATION. INSPECT POR CONDUCTION AND OPERATION. INSPECT POR CONDUCTION, WEAR AT ATTACH POINTS AND PORTS PORTORIAL AND OPERATION. INSPECT PORTORIAL AND OPERATION. INSERTION AND OPERATION. INSPECT PORTORIAL AND OPERATION. INSPECT PORTORIAL AND OPERATION. INSPECT PORTORIAL AND AND										
INSPECT HORN AND PUSHROD FOR EVIDENCE OF DAMAGE AND SECURITY. INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. REMARKS: 95 NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 322002- NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 322002- INOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). REMARKS: Image: Comparison of the state of the structure of the str					ND SECURI	Y; AND TRIM	TAB HINGE			
INSPECT PUSHROD BOLTS FOR CONDITION AND PROPER SAFETYING OF NUTS WITH COTTER PINS. Image:		INSPECT HINGE PIN FOR PROPE	R INSTALLATION	I AT HINGE PIN	RETAINER.					
REMARKS: REMARKS: 65 NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 32202- NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 32202- NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). POINTS AND SECURITY OF INSTALLATION, THEN SERVICE. REFER TO CONDITION, WEAR AT ATTACH POINTS AND OPERATION. REMARKS: REMARKS:		INSPECT HORN AND PUSHROD F	OR EVIDENCE O	OF DAMAGE AN	D SECURITY	1.				
65 NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). 32202- NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). ROSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). ROSE GEAR TORQUE LINKS AND SHOCK STRUT (701). REMARKS: Image: Struct Struct (700) Image: Struct Struct (700) REMARKS: Image: Struct (700) <td></td> <td>INSPECT PUSHROD BOLTS FOR</td> <td>CONDITION AND</td> <td>PROPER SAFE</td> <td>TYING OF N</td> <td>IUTS WITH CO</td> <td>TTER PINS.</td> <td></td> <td></td> <td></td>		INSPECT PUSHROD BOLTS FOR	CONDITION AND	PROPER SAFE	TYING OF N	IUTS WITH CO	TTER PINS.			
322002- NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT INSPECT FOR CONDITION, WEAR AT ATTACH POINTS AND SECURITY OF INSTALLATION, THEN SERVICE. REFER TO CHAPTER 12, LUBRICANTS - DESCRIPTION AND OPERATION. REMARKS: Contract of the second		REMARKS:								
322002- NOSE GEAR TORQUE LINKS AND SHOCK STRUT (701). NOSE GEAR TORQUE LINKS AND SHOCK STRUT INSPECT FOR CONDITION, WEAR AT ATTACH POINTS AND SECURITY OF INSTALLATION, THEN SERVICE. REFER TO CHAPTER 12, LUBRICANTS - DESCRIPTION AND OPERATION. REMARKS: Contract of the second										
NOSE GEAR TORQUE LINKS AND SHOCK STRUT INSPECT FOR CONDITION, WEAR AT ATTACH POINTS AND SECURITY OF INSTALLATION, THEN SERVICE. REFER TO CHAPTER 12, LUBRICANTS - DESCRIPTION AND OPERATION. REMARKS: Construction of the second	65	NOSE GEAR TORQUE LINKS AND	SHOCK STRUT	(701).						
POINTS AND SECURITY OF INSTALLATION, THEN SERVICE. REFER TO CHAPTER 12, LUBRICANTS - DESCRIPTION AND OPERATION. REMARKS: REMARKS: Image: Im		322002- NOSE GEAR TORQUE LIN	NKS AND SHOCK	STRUT (701).						
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.		POINTS AND SECURITY OF INSTA								
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with		REMARKS:								
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with										
and in respect to that work the aircraft / aircraft component is considered ready for release to service.	the ai	rcraft / aircraft component is conside ifies that the work specified above, ex	ered ready for release	ease to service. e specified, was c	carried out ir	accordance w		vsia Requirements a	and in respect to that	work
	and i	n respect to that work the aircraft / ai	rcraft componen	t is considered r	eady for rele	ase to service.				

PARTS LABELED & RETURNED			GROUND RUN			ADDITIONAL WORKSHEET											
--------------------------------	--	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORK/INSP/DI		2
AIRCRAF	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK RI		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 29	9 OF	50
Reason CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FRG SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
66	NOSE GEAR SPRING YOKE (701).								
	322005- NOSE GEAR SPRING YOF	KE (701).							
	INSPECT BEARING FOR CORROS	ION END FREED	OM OF ROTAT	ION.					
	LUBRICATE BEARING (REFER TO	CHAPTER 12FO	R METHOD AN	D TYPE OF L	UBRICANT).				
	REINSTALL BOLT AND TORQUEP	ER CHAPTER 32	AND RESAFET	Υ.					
	REMARKS:								
67	NOSE LANDING GEAR WHEEL AN	ID TIRE (701).							
	324003- NOSE LANDING GEAR WI	HEEL AND TIRE (701).						
	NOSE GEAR FAIRINGS - INSPECT	FOR CONDITIO	N AND SECURI	TY OF INSTA	ALLATION.				
	(REFER TO CHAPTER 12 FOR TIR	E PRESSURE.)							
	REMARKS:								
68	NOSE GEAR SHIMMY DAMPER (7	01)							
	325001- NOSE GEAR SHIMMY DAI	MPER (701).							
	INSPECT FOR CONDITION AND S	ECURITY.							
	REMARKS:								
×Cart	ifies that the work specified above, ex	cent as otherwise	specified was	arried out in	accordance w	ith CAA Malay	sia Requiremento d	and in respect to that	work
the ai	rcraft / aircraft component is conside ifies that the work specified above, ex	ered ready for rele	ease to service.				on requirements ?	and in respect to tild	, HOIK
	n respect to that work the aircraft / ai								
	WHERE APPLICABLE								

PARTS LABELED & RETURNED	RAISED					ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--------	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET I	NO: 15998-003	
AIRCRAF	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 3	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	0 OF	50
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/information:	1
Item		Desc	ription				Technician	* Eng. CRS	Date
69	NOSE GEAR SHIMMY DAMPER ((701).							
	325002- NOSE GEAR SHIMMY D	AMPER (701).							
	CHECK FOR NEED TO SERVICE	. (REFER TO CHAP	PTER 32 FOR M	IETHOD AND	D TYPE OF FLU	JID.)			
70	NOSE GEAR STEERING STOP B 325006- NOSE GEAR STEERING INSPECT FOR CONDITION, SEC (BOLT HEAD DOWN.)	STOP BOLT OR B	LOCK (701).						
	REMARKS:								
the ai	tifies that the work specified above, e ircraft / aircraft component is consid tifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	carried out in	accordance wi		/sia Requirements a	and in respect to tha	t work
	✓ WHERE APPLICABLE								

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLF	WORKSHEET N	IO: 15998-003	2
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	OLL	WORK/INSP/DI	10000 000	
	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK RI		
	RATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER W	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	1 OF	50
NVERS	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	D AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/informatic	n:
tem		Descr	ription				Technician	* Eng. CRS	Date
71	MAIN LANDING GEAR WHEELS	AND TIRES (721, 72	22).						
	324001- MAIN LANDING GEAR W	HEELS AND TIRES	(721 722)						
			(121, 122).						
	CHECK FOR WEAR, PRESSURE	AND CONDITION.							
	ROTATE TIRES AS NECESSARY PRESSURE.)	TO ACHIEVE UNIF	ORM TIRE WE	AR. (REFER	TO CHAPTER	12 FOR TIRE			
	REMARKS:								
72		ICS (701 700)							
12	LANDING GEAR WHEEL BEARIN								
	324002- LANDING GEAR WHEEL	BEARINGS (721, 7	22).						
	INSPECT FOR CONDITION AND	REPACK.							
	(REFER TO CHAPTER 12 FOR M	ETHOD AND TYPE	OF LUBRICAN	Т.)					
	REMARKS:								
]*Cert	ifies that the work specified above, o	except as otherwise	specified was c	arried out in	accordance w	ith CAA Malay	sia Requiremente a	ind in respect to t	hat work
	rcraft / aircraft component is consid			out II	W	iviuidy	requirements t	a respect to t	
* ~ .	ifies that the work specified above, a	arreamt as oth arrives		anniad ant in		ith			

	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	2 OF	50
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
73	BRAKE ASSEMBLIES (721, 722).								
	324004- BRAKE ASSEMBLIES (72	1 722)							
		,).							
	INSPECT FOR WEAR OF LININGS	S, DISC WARPAG	E AND EVIDENC	CE OF LEAK	AGE.				
	REMARKS:								
74	EXTERIOR PLACARDS AND DEC	ALS (ALL).							
	112001- EXTERIOR PLACARDS A	ND DECALS (ALL).						
	INSPECT PRESENCE, LEGIBILITY	Y AND SECURITY							
	CONSULT THE AIRPLANE MAINT					ns			
				,i on nego					
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e	lered ready for released as otherwise	ease to service. e specified, was c	carried out in	accordance w		vsia Requirements	and in respect to tha	t work
and in	n respect to that work the aircraft / a	ircraft componen	t is considered r	eady for relea	ase to service.				
	WHERE APPLICABLE								

PARTS LABELED & RETURNED	RAISED			ADDITIONAL WORKSHEET						MOD RECORD BOOK
ILEFORTIED										

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	OSPACE (M) SDN. B elicopter Centre, Ma Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	laysia Internatic 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET I	NO: 15998-003	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATIO	N 2
AIRCRAF REGISTR	ALL DOL!	#1 ENGINE:	PCE 17477	REFER W	/ORKPACK	WORKPACK R	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER WC	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 3	3 OF	50
Reason 1 CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requiren	nents/information	:
Item		Desci	ription			Technician	* Eng. CRS	Date
75	INTERIOR PLACARDS AND DECA	LS (ALL).						
	113001- INTERIOR PLACARDS AN	ND DECALS (ALL).						
	INSPECT PRESENCE, LEGIBILITY	AND SECURITY.						
	CONSULT THE AIRPLANE MAINT	ENANCE MANUAL	., CHAPTER 11	FOR REQU	IRED PLACARDS.			
	REMARKS:							
76	AVIONICS COOLING FAN (BAT).							
	212005- AVIONICS COOLING FAN	I (BAT).						
	TURN BATTERY AND AVIONICS F OPERATION.		NO. 2 ON AND (HECK FOR	COOLING FAN			
	DEMADIZO							
	REMARKS:							
77	EMERGENCY LOCATOR TRANSM	/ITTER (BAT).						
	256002- EMERGENCY LOCATOR	TRANSMITTER (B	SAT).					
	PERFORM OPERATIONAL TEST. ACCORDANCE WITH FAR 91.207.		TIVE TIME AND	USEFUL LII	FE OF BATTERIES IN			
	REMARKS:							
the ai	ifies that the work specified above, e: rcraft / aircraft component is consid ifies that the work specified above, e:	ered ready for rele	ase to service.			vsia Requirements a	and in respect to th	at work
	n respect to that work the aircraft / a							
and ir	respect to that work the aircraft / a	ircraft component	is considered fo	eady for rele	ase to service.			

PARTS LABELED &			ADDITIONAL WORKSHEET						
RETURNED									

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	itre,	,	WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 2
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	I	AJL REF NO.: SHEET: 3	REFER WC	
DATE IN	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	OTILLI. 3	4 OF	50
CONVERS BASED IN	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	
Item		Desc	ription				Technician	* Eng. CRS	Date
78	PERFORM ENGINE FIRE DETECT	TION TEST. (BAT)							
	262001- PERFORM ENGINE FIRE	DETECTION TES	T (BAT)						
			(2/)						
	REMARKS:								
79	PITOT TUBE(S) HEATER (BAT).								
	341006- PITOT TUBE(S) HEATER	(BAT).							
	TURN ON THE PITOT/STATIC HE	AT SWITCH FOR	ΔΡΡΡΟΧΙΜΔΤΕ						
	THAT TUBE(S)ARE HEATING.	AT SWITCHT OK		LT 30 3LCO	ND3 ITIEN OF				
	REMARKS:								
80	EMERGENCY POWER LEVER AN		HT (BAT)						
	762001- EMERGENCY POWER LE	EVER ANNUNCIAT	for light (ba ⁻	Т).					
	PERFORM OPERATIONAL TEST.								
	REMARKS:								
	tifies that the work specified above, e			carried out ir	n accordance w	rith CAA Malay	ysia Requirements	and in respect to th	at work
	ircraft / aircraft component is consid tifies that the work specified above, e	•		carried out in	accordance w	rith			
	n respect to that work the aircraft / a								
		*		-					
	✓ WHERE APPLICABLE								

Gala		Aero			*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN lelicopter Centre, Aziz Shah Airport, 7226 Fax: +60 prospace.my end	Malaysia In 47200 Sub 3 7734 7526	ternational / ang, Selang S	or, Malaysia.	entre,							
CLIENT/	OWNER	ROYAL		SIA			SERIAL NO		-		CYCLE		WORKSH		~~ ~~	998-003		
AIRCRAI	FT TYPE	CARAV	AN 208		AIF	RCRAFT	20800231	REF	ER WOR	KPACK			WORK/IN		_	PERATIO		
REGIST	RATION:	9M-PSN			#1	ENGINE:	PCE 17477	REF	ER WOR	KPACK			WORKPA		0.	1-PSN-15		
BASE/FA					#2	ENGINE:	NIL	REF	ER WOR	KPACK			AJL REF		R	EFER WC		
DATE IN:	· REFER WORKP	ACK O	UT: REFI	ER RKPACK						NG / N1	NF	7 N2	SHEET:	35	(DF	5)
BASED INS	SION OF N	1AĬNTENAN N PROGRA	M I.A.W. S	SB CAB1	I-5 R2 CO	MPLIANCE AN	CARE PROGRAID AMP REF NO ON. OPERATIC	D.:	κ- F			imad	Other rec	luireme	ents/info	ormation	:	
Item						Desci	ription						Technicia	an	* Ena	. CRS		Date
81	CARIN			/INIDGUI		ROSTER (E							Teorinion		Ling	. 0110		Date
	PERF	ORM OPE	RATION	NAL CHE	ECK.		STER (ENG)											
82	STAN	DBY ELEC	CTRICAL	L SYSTE	M (ENGI	NE RUNNIN	IG)(ENG).											
	24200	5- STAND	BY ELE	CTRICA	L SYSTE	M (ENGINE	RUNNING) (ENG).										
				U TEOT							DOOK							
	PERF	ORM FUN	CTIONA	AL IESI	. REFER	TO SECTIO	N 9 OF THE		PERAII	NG HANL	BOOK.							
	REMA	ARKS:																
		-																
83	VOLT/	AMMETE	R (ENG)).														
	24300	5- VOLT/A	MMETE	R (FNG)													
	21000	0 1021//			<i>.</i>													
	PERF	ORM OPE	RATION	VAL CHE	CK OF E	ACH POSIT	ION. (ENGIN	E RUNNI	NG).									
	REMA	RKS:																
							specified, wa		out in ac	cordance	with CA	A Malays	ia Requiren	nents an	id in res	pect to th	at wor	k
							ase to service											
							specified, wa											
and i	n respec	t to that w	ork the	aırcraft	/ aircraft	component	is considered	ready to	r release	to service								
ТІСК	✓ WHERE	E APPLICAE	BLE															
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPEL LOG BC			'COMP CARD	MOD RECO BOOK

		Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	itre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D		
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	EF: 9M-PSN-159 REFER WOR	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		0.1557	6 OF	50
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		01	
CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE A	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 6/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
84	EXTERNAL POWER (ENG).								
	244002- EXTERNAL POWER (ENG	G).							
	PERFORM OPERATIONAL CHECI	K OF THE BUS AN	JDSTARTER FU	NCTIONS.					
	REMARKS:								
85	STALL WARNING HORN (ENG). 2	73025-							
	STALL WARNING HORN (ENG).								
	OPERATIONAL CHECK.								
	DEMADIZO:								
	REMARKS:								
86	STALL WARNING HEATER(ENG).								
	273026- STALL WARNING HEATE	R(ENG).							
	OPERATIONAL CHECK.								
	REMARKS:								
	ifies that the work specified above, e			carried out in	n accordance w	vith CAA Malay	ysia Requirements	and in respect to tha	t work
	rcraft / aircraft component is consid ifies that the work specified above, e			arried out in	n accordance w	zith			
	n respect to that work the aircraft / a								
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	onal Aerospace Cen elangor, Malaysia.	tre,	,	WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
AIRCRA	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	VORKPACK		WORK/INSP/D	OF ERVITION	12
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	7 OF	50
CONVERS BASED IN	for raising: NON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:				Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
87	RESERVOIR FUEL LOW ANNUNC	CIATOR (ENGINE	RUNNING)(ENG	i).					
	284001- RESERVOIR FUEL LOW	ANNUNCIATOR (E		NG)(ENG).					
	TURN OFF BOTH FUEL SELECTO	ORS.							
	THE RESERVOIR LOW WARNING DROPS BELOW FULL.	G LIGHT WILL COM	ME ON AS THE I	FUEL LEVEL	IN THE RESE	RVOIR TANK			
	WHEN IT DOES, TURN BOTH FUE	EL TANK SELECT	ORS BACK ON.						
	REMARKS:								
88	FUEL SELECTORS OFF WARNIN	G SYSTEM (ENG)							
	284002- FUEL SELECTORS OFF	WARNING SYSTE	M (ENG).						
	PERFORM OPERATIONAL CHEC	K OF WARNING S	SYSTEM.						
	REMARKS:								
	tifies that the work specified above, e ircraft / aircraft component is consid			carried out ir	n accordance w	ith CAA Malay	sia Requirements	and in respect to tha	t work
□ *Cer	tifies that the work specified above, e n respect to that work the aircraft / a	except as otherwise	e specified, was c			ith			
тіск	✓ WHERE APPLICABLE								
	-								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

59 SUCTION GAUGE (ENGINE RUNNING)(ENG). 371077. SUCTION GAUGE (ENGINE RUNNINGYENG). VERIFY OPERATION. REMARKS: 300 PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). st2004-PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: 311 PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). pERFORM CHECK. REMARKS: 311 PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). pERFORM CHECK. REMARKS: 311 PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). pERFORM CHECK. REMARKS: 312 *Crtifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.		xyAerospace tenance, repair, overhaul	Tel: +603 7734	lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	734 7526					
POURS NOP: POURS NOP: PREFER WORKENOX WORKINSPOSED:	LIENT/			SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET	NO: 15998-003	
Initial Stratunov, BM-PSN Initial Stratunov, BM-PSN (Stratunov, BR-PSN 2000-2000-2000-2000-2000-2000-2000-200		POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 2
SIFAPACILITY VIGG 42 ENGINE NU BEEEN WORKACK AND ALL REPORT WORKACK AND ALL REPORT VIG. B OF 100 MILES AND ALL REPORT VIG. B OF 100 MILES AND ALL REPORT VIG. AND ALL	EGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
IPE M. Workstatz OVE WORKStatz IPE M. WORKSTATZ IP		CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK			REFER WO	RKPACK
WEISION OF WARTENANCE PRODUMEDERSIDE CARE PRODUME TO TAGE. IVER PROF. PROF. PROVEMENT ANALY BLOCK AND PLET NO IVER. PROF. PROF. PROVEMENT ANALY BLOCK AND PLET NO IVER. PROF. PROF. PROVEMENT ANALY BLOCK AND PLET NO IVER. PROF.	ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	8 OF	50
B9 SUCTION GAUGE (ENGINE RUNNING/ENG). S1007. SUCTION GAUGE (ENGINE RUNNING/ENG). VERIFY OPERATION. REMARKS: B0 PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). S1000- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: B1 PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). S2004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: B1 PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). S2004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: B1 PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: B1 PERFORM CHECK. REMARKS: B2	ONVERS	ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-	5 R2 COMPLIANCE AN	ND AMP REF NO.:		ICP RMP M Anwar bin	luhammad I Jawahir		nents/information	:
371007- SUCTION GAUGE (ENGINE RUNNING)[ENG). VERIFY OPERATION. REMARKS: Image: Ima	Item		Desc	ription				Technician	* Eng. CRS	Dat
VERIFY OPERATION. REMARKS: PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). S1204- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: PERFORM CHECK. REMARKS: PERFORM CHECK. REMARKS: CITIES that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Reguirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.	89	SUCTION GAUGE (ENGINE RUN	NNING)(ENG).	-						
REMARKS: REMARKS: Image:		371007- SUCTION GAUGE (ENG	INE RUNNING)(EN	G).						
Image: Section of the section of th		VERIFY OPERATION.								
B12004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: Image: Control of the con		REMARKS:								
B12004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: Image: Control of the con										
B12004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: Image: Control of the con										
PERFORM CHECK. REMARKS: PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). E22004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: REMARKS: Image: Comparison of the comparison of t	90	PROPELLER GOVERNOR OPER	RATIONAL CHECK V	WITH ENGINE R	UNNING (EI	NG).				
REMARKS: Image: Control of the cont		612004- PROPELLER GOVERNO	OR OPERATIONAL (CHECK WITH E	NGINE RUN	NING (ENG).				
PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). Image: Comparison of the com		PERFORM CHECK.								
622004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: Image: Construct of the construc		REMARKS:								
622004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: Image: Construct of the construc										
622004- PROPELLER GOVERNOR OPERATIONAL CHECK WITH ENGINE RUNNING (ENG). PERFORM CHECK. REMARKS: Image: Construct of the construc										
PERFORM CHECK. REMARKS: REMARKS: Image: Construct of the second seco	91	PROPELLER GOVERNOR OPER	RATIONAL CHECK V	WITH ENGINE R	UNNING (EI	NG).				
REMARKS: Image: Construct on the specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.		622004- PROPELLER GOVERNO	OR OPERATIONAL (CHECK WITH E	NGINE RUN	NING (ENG).				
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.		PERFORM CHECK.								
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.		REMARKS:								
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
	the ai Cert	rcraft / aircraft component is consi ifies that the work specified above,	idered ready for rele except as otherwise	ease to service. e specified, was c	arried out in	1 accordance wi		vsia Requirements :	and in respect to the	at work
TICK ✓ WHERE APPLICABLE			1		,					

	INSP. GROUND			ADDITIONAL WORKSHEET											
--	--------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

		Aero			*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	OSPACE (M) SDN elicopter Centre, ziz Shah Airport, 7226 Fax: +60 rospace.my enc	Malaysia In 47200 Sub 3 7734 752	ternational / ang, Selang 3		entre,						
CLIENT	OWNER	ROYAL	MALAY	SIA			SERIAL NO). HOU	JRS	LDG/0	CYCLE		WORKSH	EET NO	D: 1599	98-003	
		POLICE	(ICP)		AIF	RCRAFT	20800231	REF	ER WOR	KPACK			WORK/IN	SP/DE		RATION 2	2
AIRCRA	FT TYPE	CARAV	AN 208 I		#1	ENGINE:	PCE 17477	REF	ER WOR	KPACK			WORKPA	CK REF	_	PSN-1599	
		WBGG	•			ENGINE:	NIL		ER WOR				AJL REF	NO.:	REF	ER WORF	(PACK
DATE IN			UT: REFE	ER	112			1121		NG / N1	NE	/ N2	SHEET:	39	OF		50
Reason	for raisi	ing:			FROM PR	OGRESSIVE	CARE PROGRA		F	Raised by	and da	ate:	Other rec	luireme			
BASED IN	SPECTION	N PROGRA	M I.A.W. S	SB CAB1	1-5 R2 COM	MPLIANCE AN	ID AMP REF NO	D.:			Muham bin Jawa 06/2023		NIL				
Item						Descr	ription						Technicia	an	* Eng. (CRS	Date
92	POWE	R LEVER	REVER	SE SPE	ED PICK			ENG).									
	76100 CHEC REMA	K.	R LEVEF	R REVEI	RSE SPE	ED PICKUP	(ENGINE RU	NNING)(ENG).								
93	ENGI	NE IDLE C	HECK (ENGINE	RUNNIN	G)(ENG)											
50																	
	76100	6- ENGIN	E IDLE (CHECK	(ENGINE	RUNNING)(ENG).										
	PERF	ORM CHE	CK.														
	REMA	ARKS:															
the a	ircraft / a	aircraft co	mponer	nt is con	sidered re	eady for rele	specified, wa ase to service specified, wa					A Malays	sia Requirem	nents an	d in respe	ct to that	vork
							is considered										
ТІСК	✓ WHERE	E APPLICAE	BLE														
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPEL LOG BC		OEM/CON LOG CARI	

Init/TOWNER, POYAL MALYNDA, CREAT TYDE, CARWAN 38, SEREAL 102, HOURS LDG-CYCLE WORKSAECH WORKS		xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Centi langor, Malaysia.	re,		WORKS	
RCDAPT TYPE: CMRWN 28 APLICAPT TEREN NUMBER 2000 WORKPACK NEE: WORKPAC	CLIENT/			SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET	NO: 15998-003	
SIGNTATION: MARCH MEDICAL INFORMATION AND LARKAGE (11, 212). S R R R R R R R R R R R R		POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
NUMBER NUL NUL <t< td=""><td></td><td></td><td>#1 ENGINE:</td><td>PCE 17477</td><td>REFER W</td><td>ORKPACK</td><td></td><td>_</td><td>EF: 9M-PSN-159</td><td>98</td></t<>			#1 ENGINE:	PCE 17477	REFER W	ORKPACK		_	EF: 9M-PSN-159	98
1 Nr / N / N / N / N / N / N / N / N / N /			#2 ENGINE:	NIL	REFER W	ORKPACK				RKPACK
MURRENDOW of WATUBANCE PROBAME FMOD PROBAMESING CARE PROBAME ICP MMF Managemed Watubance and the response of the constraint of t	DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	0 OF	50
94 OIL PRESSURE SWITCH AND FITTING (AFT SIDE OF FIREWALL) (201). 733003- OIL PRESSURE SWITCH AND FITTING (AFT SIDE OF FIREWALL) (201). INSPECT FOR SECURITY, CONDITION AND LEAKAGE. REMARKS: 96 RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). 272004- RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER OPEDALS AND RUDDER PEDAL LINKAGE (211, 212). INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS:	CONVERS	ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5	5 R2 COMPLIANCE A	ND AMP REF NO.:		ICP RMP M Anwar bin	luhammad 1 Jawahir		nents/information:	1
793000- OIL PRESSURE SWITCH AND FITTING (AFT SIDE OF FIREWALL) (201). Image: Image	Item		Desc	ription				Technician	* Eng. CRS	Date
INSPECT FOR SECURITY, CONDITION AND LEAKAGE. REMARKS: 98 RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). 222004- RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: Inspect to that work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.	94	OIL PRESSURE SWITCH AND FI	TTING (AFT SIDE (OF FIREWALL) ((201).					
REMARKS: RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). Image: Constant of the second secon		793003- OIL PRESSURE SWITCH	HAND FITTING (AF	T SIDE OF FIRE	EWALL) (201).				
Set RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). 272004- RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. PERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. Controls that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. PERATE RUDER CONTROLS AND CHECK SUBJECT CONTROLS AND CHECK SUBJECT CONTROLS AND CHECK SUBJECT READ CHECK SUBJECT CONTROLS AND CHECK SUBJECT READ CHECK SUBJ		INSPECT FOR SECURITY, CONE	DITION AND LEAKA	AGE.						
27204- RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS:		REMARKS:								
27204- RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS:										
27204- RUDDER PEDALS AND RUDDER PEDAL LINKAGE (211, 212). INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS:										
INSPECT FOR CONDITION AND SECURITY. OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: Image: Ima	95	RUDDER PEDALS AND RUDDER	PEDAL LINKAGE	(211, 212).						
OPERATE RUDDER CONTROLS AND CHECK FOR FREEDOM OF MOVEMENT. REMARKS: Controls and check for freedom of movement. Image: Control of the state of th		272004- RUDDER PEDALS AND I	RUDDER PEDAL L	INKAGE (211, 2	12).					
REMARKS: Image: Construction of the specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.		INSPECT FOR CONDITION AND	SECURITY.							
Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.			AND CHECK FOR	FREEDOM OF	MOVEMENT					
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.		REMARKS:								
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service.										
and in respect to that work the aircraft / aircraft component is considered ready for release to service.	the ai	ircraft / aircraft component is consid tifies that the work specified above, e	dered ready for rele except as otherwise	ease to service. e specified, was c	carried out ir	accordance wi		vsia Requirements a	and in respect to tha	t work

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquin	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET I	NO: 15998-003	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	12
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 4	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	1 OF	50
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
96	JACK PAD INSTALLATION (213, 2	14, 721, 722).							
	327001- JACK PAD INSTALLATION	N (213, 214, 721, 7	722).						
	CHECK FOR CONDITION AND SE	CURITY.							
	REMARKS:								
97	CONTROL WHEEL (215, 216).								
51									
	271006- CONTROL WHEEL (215, 2	216).							
	INSPECT CONTROL WHEEL FOR	CONDITION AND	SECURITY.						
	OPERATE CONTROL WHEEL AND	OCHECK FOR FR	EEDOM OF MO	VEMENT.					
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is consid- ifies that the work specified above, ex	ered ready for release	ease to service. specified, was c	carried out in	n accordance w		vsia Requirements a	and in respect to tha	t work
and in	n respect to that work the aircraft / ai	rcraft component	is considered r	eady for relea	ase to service.				
	WHERE APPLICABLE								

PARTS D.D. LABELED & RAISEI RETURNED		GROUND RUN			ADDITIONAL WORKSHEET											
--	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	IO: 15998-003	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK	-	WORK/INSP/D		2
RCRA	T TYPE: CARAVAN 208 RATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOF	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG/N1	NF / N2	SHEET: 4	2 OF	50
leason ONVERS ASED IN:	for raising: ION OF MAINTENANCE PROGRAMME FRO SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
98	CONTROL COLUMN (223, 224).								
	273006- CONTROL COLUMN (223,	224).							
	INSPECT CONTROL COLUMN FOR				ERS, AND SEC	URITY.			
	OPERATE CONTROL COLUMN AN	ID CHECK FOR F	REEDOM OF M	OVEMENT.					
	REMARKS:								
99	AILERON TRIM TAB CONTROL AN		26)						
55									
	271021- AILERON TRIM TAB CONT	FROL AND INDIC	ATOR (226).						
	INSPECT CONTROL AND INDICAT	OR FOR CONDI	FION AND SECU	JRITY.					
	OPERATE TRIM TAB CONTROL A	ND CHECK AILEF	RON TRIM TAB I	FOR FREED	OM OF MOVEN	MENT.			
	INSPECT GUIDE BLOCK FOR CON	DITION AND SE	CURITY.						
	REMARKS:								
	ifies that the work specified above, ex			arried out in	accordance wi	ith CAA Malay	sia Requirements a	and in respect to that	work
	rcraft / aircraft component is conside			annial and '		ith			
	ifies that the work specified above, ex n respect to that work the aircraft / air	cept as otherwise	. specifieu, was c	arrieu out m	accordance W				

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

T T I Call T	cenance , repair , overhaul	www.galaxyae	rospace.my enquir	y@galaxyaerosp	ace.my						
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	/CLE	WORKSHEET NO: 15998-003				
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D				
GISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:				
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK			REFER WO	50		
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		UF			
NVERS	for raising: ON OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP N Anwar bin 08/06	/luhammad n Jawahir	Other requiren	nents/informatior	1:		
ltem		Desc	ription				Technician	* Eng. CRS	Date		
100	RUDDER TRIM WHEEL AND IND	DICATOR (226).									
	272010- RUDDER TRIM WHEEL	AND INDICATOR (2	226).								
	INSPECT TRIM WHEEL AND IND	DICATOR FOR CON	DITION AND SE	CURITY.							
	OPERATE TRIM WHEEL AND CH	HECK RUDDER TRI	M FOR FREED	OM OF MOV	EMENT.						
	REMARKS:										
101	ELEVATOR TRIM TAB CONTROL	L AND INDICATOR	(226).								
	273017- ELEVATOR TRIM TAB C	CONTROL AND IND	CATOR (226).								
	INSPECT CONTROL AND INDIC/	ATOR FOR CONDIT	TION AND SECU	JRITY.							
	OPERATE TRIM TAB CONTROL	AND CHECK FOR F	FREEDOM OF N	MOVEMENT.							
	REMARKS:										
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ase to service.				vsia Requirements a	and in respect to th	at work		

PARTS LABELED & RETURNED		GROUND RUN	FLIGHTTEST	ADDITIONAL WORKSHEET						
RETURNED										

	xyAerospace	F Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 prospace.my enquin	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cent angor, Malaysia.	re,		WORKS	
	,				-		WODKOUSEZ	10	
	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET N WORK/INSP/DI		•
	T TYPE: CARAVAN 208		20800231 PCE 17477		ORKPACK		WORKPACK R	OF ERVITION	
REGISTE		#1 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WOR	
	CILITY: WBGG	#2 ENGINE:		SHEET: 44		50			
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		01	
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO ¹	Other requirem	nents/information:						
Item		Desc	ription				Technician	* Eng. CRS	Date
102	SEAT TRACKS (251, 252, 255, 256								
	252001- SEAT TRACKS (251, 252,	255, 256).							
	INSPECT SEAT TRACKS AND STO	OPS FOR CONDIT	ION AND, SECU	IRITY OF INS	STALLATION.				
	INSPECT SEAT TRACK STOPS FC	OR PROPER LOC	ATION, SECURI	TY AND INS	TALLATION.				
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex	ered ready for rele	ase to service.				rsia Requirements a	and in respect to that	work
	n respect to that work the aircraft / ai								
	✓ WHERE APPLICABLE								

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OEM/COMP LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK LOG BOOK CARD LOG BOOK CARD LOG CARD	
--	--

maini	xyAerospace	101. 1000 110-	4 7226 Fax: +603 7 prospace.my enquin	734 7526	langor, Malaysia. ace.my						
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET NO: 15998-003				
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D				
GISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:				
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	NF / N2	SHEET: 4	REFER WC 5 OF	50		
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1			01			
NVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar b	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/informatior			
tem		Technician	* Eng. CRS	Date							
103	AUTOPILOT ACTUATOR (ELEVA										
	221004- AUTOPILOT ACTUATOR										
	INSPECT BRIDAL CABLES FOR PROPER ROUTING.	FRAYING, CHAFIN	G, CLEANLINES	S, TURNBU	CKLE SAFET	(ING, AND					
	INSPECT CHAIN FOR PROPER S WITH ACTUATORS SPROCKETS		POINTS AND (CHAINS FOR	R PROPER AL	GNMENT					
	INSPECT PULLEYS, DRIVE SPR CORROSION, AND SECURITY.										
	INSPECT ELECTRICAL COMPO	NENTS FOR OPER	ATION, CONDIT	ION, AND SE	ECURITY.						
	REMARKS:										
104	RUDDER GUST LOCK (IF INSTA										
	272007- RUDDER GUST LOCK (I (320).	IF INSTALLED) 2080	00030 THRU 20	800236 AND	208B0001 TH	RU 208B0381					
	INSPECT FOR CONDITION, SEC	CURITY AND POSIT	IVE LOCKING A	CTION.							
	REMARKS:										
]*Cert	ifies that the work specified above, rcraft / aircraft component is consi			arried out in	accordance w	rith CAA Malay	ysia Requirements a	and in respect to th	at work		

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,	,	WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 2
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	6 OF	50
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:			Muhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
105	ELEVATOR TRIM TAB ACTUATOR	R PUSHRODS (37	3, 374).						
	273013- ELEVATOR TRIM TAB AC	CTUATOR PUSHR	ODS (373, 374).						
	INSPECT FOR CONDITION AND E	EVIDENCE OF DA	MAGE.						
	INSPECT ATTACHING HARDWAR	RE FOR WEAR AN	D SECURITY.						
	REMARKS:								
106	NOSE GEAR SHOCK STRUT (701)).							
	322001- NOSE GEAR SHOCK STR	RUT (701).							
	INSPECT FOR EVIDENCE OF LEA	AKAGE.							
	INSPECT STRUT BARREL FOR C	ORROSION, PITT	ING AND CLEA	NLINESS.					
	REMARKS:								
	REMARKO.								
107	NOSE GEAR FAIRINGS (701).								
107									
	322003- NOSE GEAR FAIRINGS (7	701).							
	INSPECT FOR CONDITION AND S	SECURITY.							
	REMARKS:								
the ai	tifies that the work specified above, ex ircraft / aircraft component is consid tifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance w		sia Requirements	and in respect to tha	lt work
aiiu I	in respect to that work the anerall / a	neran component	. 15 CONSIGNETCU I	uuy 101 1018					
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
REIURNED									

		Aer			*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, Aziz Shah Airport, 7226 Fax: +60 rospace.my enq	Malaysia Inter 47200 Suban 3 7734 7526	rnational ıg, Selanı	gor, Malaysia.	entre,						
LIENT/	OWNER	: ROYAL		SIA			SERIAL NO	. HOUF	RS	LDG/0	CYCLE		WORKSH	EET NO): 1599	8-003	
IRCRAI	T TYPF	POLICE CARAV	(ICP) AN 208		AIF	CRAFT	20800231	REFE	RWO	RKPACK			WORK/IN		01 21	RATION 2	2
EGISTE	RATION:	9M-PSN	1		#1	ENGINE:	PCE 17477	REFE	RWO	RKPACK			WORKPA		0	SN-1599	
		WBGG			#2	ENGINE:	NIL	REFE	RWO	RKPACK			AJL REF			ER WORF	
ATE IN:	REFER WORKP	ACK 0	UT: REFI	ER RKPACK						NG / N1	NF	: / N2	SHEET:	47	OF		50
ONVERS	SPECTION	IAĬNTENAN N PROGRA	M I.A.W. S	SB CAB11	I-5 R2 CON	/IPLIANCE AN	CARE PROGRA ID AMP REF NO ON. OPERATIC) .:	-			imad	Other rec	uireme	nts/inforn	nation:	
tem						Descr	ription						Technicia	an	* Eng. C	RS	Date
108	NOSE	GEAR FO	DRK (70	1).		0000	iption								Ling. O		Duio
			,	,													
	32200	4- NOSE	GEAR F	ORK (70)1).												
	INSPE	CT FOR	CONDIT		O SECUR	ITY.											
	DEMA	DKO															
	REMA	KKS:															
109	NOSE	WHEELS	STEERI	NG LINK	AGE (701	l).											
	32500	3- NOSE	WHEEL	STEERI	NG LINK/	AGE (701).											
	0.150																
	CHEC	K CONDI	FION, SI	ECURIT	Y AND TH	RAVEL.											
	REMA	RKS:															
110	NOSE	WHEELS	STEERI	NG LINK	AGE BOL	-TS (701).											
	32500	4- NOSE	WHEEL	STEERI	NG LINK	AGE BOLTS	6 (701).										
	INSPE	ECT FOR	CONDIT) SECUR	ITY.											
	REMA	RKS:															
*Cert	ifies that	t the work	specifie	ed above	, except a	s otherwise	specified, wa	s carried o	ut in a	ccordance	with CA	A Malays	ia Requirem	ients and	d in respec	t to that	work
the a	ircraft / a	aircraft co	mponer	nt is cons	sidered re	ady for rele	ase to service					1	-		Ĩ		
							specified, wa is considered										
and i	ii respec	i io that w	ork the	aircraft	/ aircraft	component	is considered	ready for	release	e to service							
] тіск	✓ WHERE	E APPLICAE	BLE														
ARTS	D.D.	DUPLICATE	GROUND	FLIGHT TEST	TORQUE	ADDITIONAL	MONITORED	PLANNING	DIARY	STATUS	D.D.	AIRCRAFT	ENGINE LOG	PROPELL	ER LOG	OEM/CON	IP MOD F
BELED &	RAISED	INSP.	RUN		CHK.	WORKSHEET	DEFECT	FORECAST	UPDATE	UPDATE	STATUS	LOG BOOK	BOOK	LOG BOO		LOG CAR	

GROUND FLIGHTTEST TORQUE RUN FLIGHTTEST CHK. ADDITIONAL WORKSHEET MONITORED DEFECT PLANNING FORECAST DIARY UPDATE STATUS UPDATE D.D. STATUS AIRCRAFT LOG BOOK ENGINE LOG BOOK PROPELLER LOG BOOK LOG CARD OEM/COMP LOG CARD MOD RECORD BOOK

	xyAerospace tenance, repair, overhaul	Tel: +603 7734	lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 prospace.my enquin	734 7526				WORKS	
LIENT/(OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	NO: 15998-003	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	0. 2	12
GISTR	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK				
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 4	REFER WO	50 RKPACK
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	4	8 OF	50
NVERSI SED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %/2023	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
111	NOSE GEAR SHIMMY DAMPER	PIVOTS (701).							
	325005- NOSE GEAR SHIMMY D	AMPER PIVOTS (7	01).						
	LUBRICATE.								
	(REFER TO CHAPTER 12 FOR M			T)					
				')					
	REMARKS:								
112	NOSE GEAR STEERING BELLCF	RANK(701).							
	325007- NOSE GEAR STEERING	BELLCRANK(701)							
	INSPECT FOR CONDITION, AND	SECURITY.							
	REMARKS:								
113	NOSE WHEEL STEERING ROD E	END (701).							
	325008- NOSE WHEEL STEERIN	IG ROD END (701).							
	INSPECT FOR CONDITION AND	SECURITY.							
	REMARKS:								
	ifies that the work specified above,			arried out in	accordance w	ith CAA Mala	ysia Requirements :	and in respect to tha	t work
	rcraft / aircraft component is consi ifies that the work specified above,			arried out in	accordance w	ith			
1.	n respect to that work the aircraft /	aircraft component	is considered r	and to the solo	ace to cervice				

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG BOOK BOOK LOG BOOK BOOK LOG BOOK BOOK BOOK LOG BOOK BOOK BOOK LOG BOOK BOOK BOOK BOOK BOOK BOOK BOOK BO				MOD RECORD BOOK
---	--	--	--	--------------------

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. Bl lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquin	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C1	/CLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 2
REGISTE	at 4 5 6 1 1	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	9 OF	50
Reason CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
114	MAIN LANDING GEAR SYSTEM (7	21, 722).							
	321001- MAIN LANDING GEAR SY	OTEM (721 722)							
	32 TOO T- MAIN LANDING GLAR ST	STEW (721, 722).							
	INSPECT FOR CONDITION AND S	ECURITY.							
	CHECK FREE PRAY BETWEEN TH	HE CENTER SPRI	NG AND GEAR	LEGS.					
	REMARKS:								
115	MAIN GEAR FAIRINGS (721, 722).								
	321002- MAIN GEAR FAIRINGS (72	21, 722).							
		·							
	INSPECT FOR CONDITION AND S	ECURITY.							
	CHECK FOR INTERFERENCE BET	TWEEN FAIRING	AND BRAKE LIN	IES.					
	REMARKS:								
	ifies that the work specified above, ex			arried out in	accordance w	ith CAA Malay	vsia Requirements :	and in respect to tha	at work
	rcraft / aircraft component is conside			arriad art	accordance	ith			
	ifies that the work specified above, ex n respect to that work the aircraft / ai								
		1							
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	ire,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET	NO: 15998-003	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D		12
REGIST	014 5011	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	0 OF	50
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
116	BRAKE SYSTEM PLUMBING (721,	,722).							
	324008- BRAKE SYSTEM PLUMBI	ING (721 722)							
	INSPECT FOR LEAKS. INSPECT F		GES AND DETE	RIORATION.					
	CHECK RIGID LINES FOR SECUR	RITY, PROPER RC	OUTING AND CH	IAFING.					
	REMARKS:								
117	WINDSHIELD ANTI-ICE SYSTEM ((AUX).							
	304003- WINDSHIELD ANTI-ICE S								
	PERFORM OPERATIONAL CHECI	K OF THE AUTO A	AND MANUAL S	YSTEMS.					
	VERIFY THAT THE WINDSHIELD	ANTI-ICE ANNUN	CIATOR LIGHT	ILLUMINATE	S.				
	REMARKS:								
118	COURTESY/CARGO LIGHT TIME	R (BAT).							
	332003- COURTESY/CARGO LIGH	HT TIMER (BAT).							
	PERFORM OPERATIONAL CHECK	К.							
	REMARKS:								
the ai	ifies that the work specified above, e ircraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. e specified, was c	arried out in	accordance wi		 vsia Requirements a	and in respect to tha	t work
		neran component			use to set vice.				
TICK	✓ WHERE APPLICABLE								

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 Prospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	onal Aerospace Centre elangor, Malaysia.	ð,		WORKS	
	WNER: ROYAL MALAYSIA POLICE (ICP)	AIRCRAFT	SERIAL NO. 20800231	HOURS	LDG/CYC	CLE	WORKSHEET I WORK/INSP/D	1000000	
IRCRAF	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477		VORKIACK		WORKPACK R	OI EIUTIOI	
	ATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		VORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET:	1 OF	55
leason f ONVERSI ASED INS	or raising: ON OF MAINTENANCE PROGRAMME FRO PECTION PROGRAM I.A.W. SB CAB11-5 F IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by an ICP RMP Mu Anwar bin 08/06/2	uhammad Jawahir	Other requiren	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
1	SERVICE BULETIN SB CAB11-5 R TO PERFORM OPERATION 3 PRO TASK/INSPECTION IN SB CAB11-5 BASED INSPECTION PROGRAM (I REFERENCE: SB CAB11-5 R2, OP AMP NO. RMPAW/ENG/CAM REMARKS:	OGRESSIVE CARE 5 R2 - CONVERSI END OF PROGRE ERATION 3	E PROGRAM AS ON TO MANUF, ESSIVE CARE C	ACTURER'S CYCLE OPEF	RECOMMENDE	D TASK-			
2	MCCAULEY PROPELLER SPINNER								
	- REMOVE, WASH, INSPECT FOR REMARKS:	CRACKS, FRACT	TURES, CONDIT	FION AND SI	ECURITY.				
3	MCCAULEY SPINNER BULKHEAD	(110)							
	621002 - MCCAULEY SPINNER BU								
	- INSPECT FOR CRACKS, CONDIT REMARKS:	ION AND SECUR	ALL T						
the ain *Certi and in	fies that the work specified above, ex rcraft / aircraft component is conside fies that the work specified above, ex a respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was c	carried out ii	n accordance wit		//////////////////////////////////////	and in respect to the	at work

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.: SHEET: 2	REFER WOR	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		2 OF	55
NVERS SED IN:	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-1 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad in Jawahir 5/2023	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
4	MCCAULEY PROPELLER BLADE	S (110)							
	621003 - MCCAULEY PROPELLE	R BLADES (110)							
	- WASH, CHECK FOR NICKS, GC	JUGES, SCRATCHI	ES CORROSION	N AND CRAC	KS.				
	REMARKS:								
5	MCCAULEY PROPELLER HUB (E	EXPOSED AREA) (1	110)						
	621005 - MCCAULEY PROPELLE	ER HUB (EXPOSED	0 AREA) (110)						
	- INSPECT FOR CRACKS, WEAR	, CONDITION, AND	SECURITY OF	COMPONE	NTS TO HUB.				
	REMARKS:								
6									
6	MCCAULEY PROPELLER (110)								
	621006 - MCCAULEY PROPELLE	R (110)							
	- INSPECT FOR OIL LEAKS.								
	REMARKS:								
	ifies that the work specified above, arcraft / aircraft component is considered.			arried out in	accordance w	vith CAA Mala	ysia Requirements a	and in respect to tha	t work
THE at	iciait / aircraft component is consi	uereu ready for rele	ase to service.						

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

RCRAFT EGISTRA ASE/FAC ATE IN: eason fo DNVERSIO	WNER: ROYAL MALAYSIA POLICE (ICP) TYPE: CARAVAN 208 TION: 9M-PSN ILITY: WBGG REFER WORKPACK OUT: REFER WORKPACK OUT: REFER WORKPACK OUT: NEFER WORKPACK OUT: REFER	AIRCRAFT #1 ENGINE:	20800231				WORK/INSP/D		
EGISTRA ASE/FAC ATE IN: v eason fo DNVERSION	TION: 9M-PSN HLITY: WBGG REFER OUT: REFER WORKPACK OUT: WORKPACK or raising:			NEFEN W	ORKPACK			ESC: OPERATIC	N 3
ASE/FAC ATE IN: ^F eason fo DNVERSION	HLITY: WBGG REFER OUT: REFER WORKPACK OUT: REFER WORKPACK		PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	5998
eason fo DNVERSIO	r raising:	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	ORKPACK
ONVERSIO					NG / N1	NF / N2	SHEET: ;	B OF	55
	ECTION PROGRAM I.A.W. SB CAB11-5 S/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir //2023	Other requirer	nents/informatior	1:
Item		Desci	ription				Technician	* Eng. CRS	Date
7	MCCAULEY PROPELLER MOUN	TING (110)							
	621007 - MCCAULEY PROPELLE	R MOUNTING (110)						
	- VISUALLY CHECK FOR SECUR	ITY OF INSTALLAT	ION.						
	REMARKS:								
8	MCCAULEY BETA SYSTEM FEEL	DBACK RING (110)							
	622001 MCCAULEY BETA SYSTE - INSPECT RING FOR CONDITIO - INSPECT CARBON BRUSH FOF - INSPECT LINKAGE FOR CONDI (REFER TO CHAPTER 61). REMARKS:	N, WARPAGE AND R WEAR AND EVID	SECURITY OF		ION.				
9	ENGINE PROPELLER SHAFT SE	AL (110)							
	720005 - ENGINE PROPELLER S	HAFT SEAL (110)							
	- INSPECT FOR LEAKS AND SEC	URITY.							
	REMARKS:								
	ies that the work specified above, e craft / aircraft component is consid			carried out ir	accordance w	ith CAA Mala	ysia Requirements	and in respect to th	at work

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	ntre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 3
REGISTE	ALL DOLL	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	• OF	55
CONVERS	for raising: ON OF MAINTENANCE PROGRAMME F IPECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad in Jawahir 5/2023	Other requiren	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
10	PROPELLER GOVERNOR AND C	OVERSPEED GOVE	RNOR (121)						
	612002 - PROPELLER GOVERNO	OR AND OVERSPE	ED GOVERNOR	R (121)					
	- PROPELLER GOVERNOR AND	OVERSPEED GOV	'ERNOR (121)						
	- INSPECT FOR OIL LEAKS, CON	NDITION AND SECU	JRITY.						
	REMARKS:								
11	PROPELLER GOVERNOR AND C	OVERSPEED GOVE	RNOR (121)						
	622002 - PROPELLER GOVERNO			2 (121)					
				. ,					
	- INSPECT FOR OIL LEAKS, CON	NDITION AND SECU	JRITY OF INST	ALLATION.					
	REMARKS:								
12	INDUCTION SYSTEM AND INER	TIAL SEPARATOR	(121)						
			()						
	716001 - INDUCTION SYSTEM A	ND INERTIAL SEP	RATOR (121)						
	- INSPECT FOR GENERAL CON				ATION.				
	- INSPECT DOOR PIVOT POINT			к.					
	- CHECK SEPARATOR LINKAGE	FOR PROPER OPI	ERATION.						
	- CHECK FOR LOOSE RIVETS.								
	REMARKS:								
	ifies that the work specified above,			carried out ir	accordance w	vith CAA Mala	ysia Requirements a	and in respect to the	at work
	rcraft / aircraft component is considinate of the second state of the specified above, where the specified above, where the specified above, where the specified above of the specified state of the specified			carried out ir	accordance w	vith			
	n respect to that work the aircraft /								
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	itre,		WORKS	
	WNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO. 20800231	HOURS	LDG/C	YCLE	WORKSHEET N WORK/INSP/D	- 10000 004	
	T TYPE: CARAVAN 208	AIRCRAFT #1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R	OF ERVITION	
	ATION: 9M-PSN CILITY: WBGG	#1 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WOR	
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	OF	55
Reason f CONVERSI BASED INS	TOTALIACE WORKLACE FOR MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
13	INERTIAL SEPARATOR (121) 716002 - INERTIAL SEPARATOR (- UNLOCK CONTROL AND PULL I - CHECK FOR FREEDOM OF MOV DUCT. REMARKS: OIL FILTER (121) - REMOVE, CLEAN AND INSPECT	NTO BYPASS.							
15	REMARKS:	FOR DAWAGE. F		ELECTROS					
22	716003 - INDUCTION AIR PLENUM - REMOVE ACCESS DOOR. INSPI OF INSTALLATION AND CONDITION REMARKS:	ECT FOR CRACK	S, SECURITY						
the air *Certi and ir	fies that the work specified above, en rcraft / aircraft component is consid fies that the work specified above, en a respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	n accordance w		vsia Requirements a	and in respect to tha	t work

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET I	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 6	6 OF	55
CONVERS BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
16	INERTAL SEPARATOR (121)								
	716005 - INERTAL SEPARATOR (1								
	- PERFORM INERTAL SEPARATO CHAPTER 71.	R FORWARD AN	D AFT VANE RI	VET INSPEC	TION. REFER	ТО			
	REMARKS:								
17	STARTER-GENERATOR (121)								
	801001 - STARTER-GENERATOR	(121)							
	- INSPECT SECURITY OF INSTAL FOR CLEANLINESS, EVIDENCE C					INECTIONS			
	REMARKS:								
18	HEAT DETECTION LOOP (121, 12	2)							
	261002 - HEAT DETECTION LOOP	9 (121, 122)							
	- INSPECT THE THREE LOOP SEC SPECIAL ATTENTION SHOULD BE					DAMAGE.			
	REMARKS:								
the ai *Cert and in	ifies that the work specified above, ex rcraft / aircraft component is consid- ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for rele xcept as otherwise	ease to service. e specified, was o	carried out ir	accordance w		/ /sia Requirements :	and in respect to tha	t work
TICK	WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	VO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATION	13
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.: SHEET: 7		55
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2		OF	
NVERS SED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requiren	nents/information:	1
tem		Desci	ription			Technician	* Eng. CRS	Date
19	ENGINE COMPARTMENT (121, 1	22)						
	720001 - ENGINE COMPARTMEN	NT (121, 122)						
	- INSPECT FOR GENERAL CONI							
		STION, SECORT	, LLANAGE, AN	D DAWAGE.				
	REMARKS:							
20	ENGINE AIR INLET SCREEN (12	1, 122)						
	720002 - ENGINE AIR INLET SCF	DEEN (121 122)						
	- INSPECT FOR CLEANLINESS A	ND SECURITY.						
	REMARKS:							
21	ENGINE GAS GENERATOR CAS	E (121, 122)						
			0)					
	720003 - ENGINE GAS GENERA	IOR CASE (121, 12	2)					
	- INSPECT FOR CRACKS, DISTC	ORTION, AND CORF	ROSION.					
	REMARKS:							
	ifies that the work specified above,			arried out ir	accordance with CAA Ma	laysia Requirements a	and in respect to tha	t work
	rcraft / aircraft component is consi ifies that the work specified above,							

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHT TEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELLER LOG BOOK	LOG CARD	OEM/COMP LOG CARD	MOD RECORD BOOK
--------------------------------	--------	--------------------	---------------	-------------	----------------	-------------------------	---------------------	----------------------	-----------------	------------------	----------------	----------------------	--------------------	-----------------------	-------------	----------------------	--------------------

	xyAerospace		Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquin	734 7526					
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-004	
IRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OI EIU(IIO)	۷3
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 8	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 8	B OF	55
ONVERSI	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %/2023	Other requiren	nents/information	:
tem		Desc	ription				Technician	* Eng. CRS	Dat
22	ENGINE ACCESSORIES (121, 12	22)							
	720007 - ENGINE ACCESSORIES	S (121, 122)							
	- INSPECT FOR SECURITY, GEN	IERAL CONDITION	AND LEAKAGE						
	REMARKS:								
23	FUEL LINES (121, 122)								
	731001 - FUEL LINES (121, 122) - INSPECT FUEL SUPPLY AND F LEAKS, AND SECURITY OF INST REMARKS:		V LINES FOR D	ETERIORAT	ION, CHAFING	G, FUEL			
24	FLOW DIVIDER (121, 122)								
	731010 - FLOW DIVIDER (121, 12	22)							
	- INSPECT FOR SECURITY OF II FUEL LEAKS.	NSTALLATION AND	EVIDENCE OF						
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ase to service.				ysia Requirements a	and in respect to the	at work
	n respect to that work the aircraft /								

PARTS LABELED &		GROUND RUN	FLIGHTTEST	ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		MOD RECORD BOOK
RETURNED										

	xyAerospace	Sultan Abdul / Tel: +603 7734	lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 Prospace.my enquir	200 Subang, Se 734 7526	angor, Malaysia.			WORKS	
CLIENT/C	WNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
ASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET:	9 OF	55
ONVERSI ASED INS	Or raising: ON OF MAINTENANCE PROGRAMME FF PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Date
25	IGNITORS (121, 122) 741003 IGNITORS (121, 122) - INSPECT FOR WEAR, CORROS - CLEAN INSULATOR AT LEAD AT REMARKS:				END.				
26	IGNITORS (121, 122) 741005 - IGNITORS (121, 122) - PERFORM OPERATIONAL CHEC SWITCH ON). VERIFY IGNITION O REMARKS:				n position (e	BATTERY			
27				122)					
	793002 - CHIP DETECTORS WITH			, 122)					
	- INSPECT.								
	REMARKS:								
the aiı Certi	fies that the work specified above, e creaft / aircraft component is consid fies that the work specified above, e a respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance w		/ /sia Requirements	and in respect to tha	 t work

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
REFORMED									

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 ↓ 7226 Fax: +603 7 rrospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	SERIAL NO. 20800231	HOURS REFER W	LDG/CYCLE /ORKPACK	WORKSHEET WORK/INSP/D	10000 001	13
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.: SHEET: 1	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET. 1	0 OF	55
CONVERS BASED IN	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirer	ments/information:	
Item		Desci	ription			Technician	* Eng. CRS	Date
28	CHIP DETECTORS WITH ANNUN			,221)				
	- INSPECT.							
	REMARKS:							
29	BATTERY CABLE DISCONNECT A	AND CABLES (122)					
	243001 - BATTERY CABLE DISCC	NNECT AND CAB	LES (122)					
	- INSPECT FOR CONDITION, COF	RROSION AND SE	CURITY.					
	- INSPECT BATTERY TERMINAL I	RECEPT ACLES F	OR OVERHEAT	ING OR BUI	RNING.			
	REMARKS:							
30	BATTERY TRAY (122)							
	243007 - BATTERY TRAY (122)							
	- INSPECT FOR CONDITION, COF	ROSION AND SE	CURITY.					
	- INSPECT LATCHING MECHANIS		OPERATION.					
	REMARKS:							
the ai *Cert and i	iffies that the work specified above, e ircraft / aircraft component is consid iffies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele xcept as otherwise	ase to service. specified, was c	arried out in	accordance with	laysia Requirements	and in respect to tha	t work
	-							

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,			
	OWNER: ROYAL MALAYSIA POLICE (ICP) T TYPE: CARAVAN 208 RATION: 9M-PSN	AIRCRAFT #1 ENGINE:	SERIAL NO. 20800231 PCE 17477		LDG/CY 70RKPACK 70RKPACK	/CLE	WORKSHEET I WORK/INSP/D WORKPACK R	ESC: OPERATION	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	1 OF	55
CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	1
Item		Desc	ription				Technician	* Eng. CRS	Date
31	BATTERY TEMPERATURE PROB 243008 BATTERY TEMPERATURE - INSPECT CONNECTOR AND AS INSTALLATION. - DISCONNECT PLUG FROM BAT - VERIFY BATTERY HOT AND BA WITH POWER ON. REMARKS:	E PROBE CONNE SOCIATED WIRIN TERY AND CHEC	CTOR - (NICAD IG FOR CONDIT K ANNUNCIATO	only) (122) Fion and Se Drs.	ECURITY OF	LUMINATED			
32	GILL FLOODED LEAD-ACID BATT								
	243009 - GILL FLOODED LEAD-AG	CID BATTERY (IF	INSTALLED) (12	22)					
	- CHECK GENERAL CONDITION A	AND SECURITY.							
	- CHECK LEVEL OF ELECTROLY	TE.							
	- CHECK TERMINALS FOR OVER	HEATING OR BUI	RNING.						
	REMARKS:								
the ai *Cert and in	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. e specified, was c	carried out ir	n accordance w		sia Requirements	and in respect to tha	t work

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C		WORKSHEET		5000.004	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	IOLL	WORK/INSP/D		5998-004 DPERATION	13
	T TYPE: CARAVAN 208 RATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R	C	M-PSN-159	
	RATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:		REFER WO	
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	2	OF	55
eason DNVERS (SED IN:	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %2023	Other requirer	nents/in	formation:	
Item		Descr	ription				Technician	* Eng	g. CRS	Date
33	BATTERY BOX (GILL LEAD ACID	ONLY) (122)								
	243010 - BATTERY BOX (GILL LE	EAD ACID ONLY) (1	22)							
	- INSPECT FOR CORROSION, C									
		ONDITION AND SE	CORTT.							
	REMARKS:									
34	BATTERY VENT TUBES (122)									
0.										
	243011 - BATTERY VENT TUBES	5 (122)								
	- INSPECT FOR CONDITION, OB	STRUCTIONS AND	SECURITY.							
	REMARKS:									
35	BLEED AIR PRESSURE REGULA	ATOR (122)								
	301006 - BLEED AIR PRESSURE	REGULATOR (122)							
	- PERFORM DISCHARGE PRESS	SURE CHECK.								
	- BEGINNING WITH 20800222 AN				1 20800221 4 1	D 208P0001				
	THRU 208B0316 WHEN MODIFIE				20000221 AN	D 200B0001				
	REMARKS:									
	NEMANKO.									
]*Cert	ifies that the work specified above,	except as otherwise	specified, was c	arried out in	accordance w	ith CAA Malay	sia Requirements	and in re	spect to tha	ıt work
	rcraft / aircraft component is consi ifies that the work specified above,			amial - · ·		:4].				
Cert	mes mai me work specified above,	encept as outer wise	specificu, was c	arried out III	accordance W	1111				

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
REFORMED									

	xyAerospace	Tel: +603 7734	Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	734 7526					
_IENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 3
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	/ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WO	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	3 OF	55
NVERSI SED INS	for raising: ON OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information	:
tem		Desci	ription				Technician	* Eng. CRS	Date
36	BLEED AIR PRESSURE REGULA	TOR (122)							
	301007 - BLEED AIR PRESSURE	REGULATOR (122)						
	- PERFORM DISCHARGE PRESS NOT MODIFIED PER SK208-112. (REFER TO CHAPTER 36).	SURE CHECK. 2080	00001 THRU 208	800221 AND	208B0001 TH	RU208B0316			
	REMARKS:								
37	ACCESSORY GEARBOX BREAT	HER LINE (122)							
	720006 - ACCESSORY GEARBO	X BREATHER LINE	(122)						
	- INSPECT FOR SECURITY AND	CONDITION.							
	REMARKS:								
38	P3 FILTER (122)								
	723001 - P3 FILTER (122)								
	- INSPECT FOR GENERAL CONE	DITION AND CLEAN	۱.						
	REMARKS:								
the ai	ifies that the work specified above, a rcraft / aircraft component is considered above.	dered ready for rele	ase to service.				ysia Requirements a	and in respect to the	at work
	ifies that the work specified above, on respect to that work the aircraft / a					/1th			

PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET	IO: 15998-004	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D	10000 004	13
IRCRAF	T TYPE: CARAVAN 208 AATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	4 OF	55
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Dat
39	ENGINE FUEL PUMP (122) 731004 - ENGINE FUEL PUMP (1	22)							
	- INSPECT FOR SECURITY OF I	NSTALLATION AND	FUEL LEAKS.						
	- INSPECT OVERBOARD DRAIN	LINE FOR SECUR	TY OF INSTALL	ATION AND	CONDITION.				
	REMARKS:								
40	FUEL CONTROL (122)								
	732001 - FUEL CONTROL (122)								
	- INSPECT FOR SECURITY OF I	NSTALLATION AND	FUEL LEAKS.						
	REMARKS:								
41	FUEL CONTROL (122)								
	732002 - FUEL CONTROL (122)								
	- CHECK FOR F.C.U. BEARING \ F.C.U. OVERBOARD VENT	VASHOUT INDICAT	ED BY BLUE D	YE (GREASE	E AND FUEL MI	IXED) AT			
	REMARKS:								
	ifies that the work specified above,			arried out in	accordance wi	ith CAA Malay	sia Requirements a	and in respect to tha	t work
	rcraft / aircraft component is consi ifies that the work specified above,								

PARTS D.D. LABELED & RAISED RETURNED					ADDITIONAL WORKSHEET											
--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47. 4 7226 Fax: +603 7 erospace.my enquin	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Centro langor, Malaysia.	e,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY(CLE	WORKSHEET	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	۷3
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	5 OF	55
CONVERSI BASED INS	Or raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by ar ICP RMP M Anwar bin 08/06/2	uhammad Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
42	FUEL FLOW TRANSDUCER (122) 733001 - FUEL FLOW TRANSDUC - INSPECT FOR SECURITY OF INS REMARKS: FUEL TOTALIZER SIGNAL CONDI	STALLATION, FU		EVIDENCE (OF DAMAGE.				
	733002 - FUEL TOTALIZER SIGNA - INSPECT FOR SECURITY OF INS OF DAMAGE. REMARKS:				CURITY, AND E	VIDENCE			
44	ENGINE CONTROLS (122) 761001 - ENGINE CONTROLS (122 - CHECK FOR FREEDOM OF OPE - INSPECT FOR SECURITY OF INS AND DETERIORATION. - CHECK RUBBER SEALS FOR DE REMARKS:	RATION. STALLATION, WE	AR, CORROSIC	N, ROUTING	G, EVIDENCE O	F DAMAGE,			
the ai *Certi and ir	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was c	arried out in	accordance wit		sia Requirements a	and in respect to tha	lt work

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	xyAerospace	Sultan Abdul / Tel: +603 7734	lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 Prospace.my enquir	200 Subang, Se 734 7526	langor, Malaysia.			WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OF ERVITION	13
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 1	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEEI: 1	6 OF	55
ONVERSI	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	D AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad Jawahir	Other requirer	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Date
45	CONTROL LINKAGES AND ATTA	ACH BRACKETS (12	22)						
	761002 - CONTROL LINKAGES A - INSPECT FOR SECURITY OF II FREEDOM OF MOVEMENT.		. ,	N, GENERA	L CONDITION,	AND			
	REMARKS:								
10		(400)							
46	OIL FILLER CAP AND DIPSTICK	(122)							
	790003 - OIL FILLER CAP AND D	DIPSTICK (122)							
	- INSPECT FOR CONDITION AN	D SECURITY.							
	REMARKS:								
47	STARTER-GENERATOR ELECTI	RICAL CABLES ANI	CONNECTOR	S (122)					
	801004 - STARTER-GENERATO	R ELECTRICAL CA	BLES AND CON	NECTORS (122)				
	- INSPECT CABLES FOR ROUTI HARDWARE.	NG, SUPPORT, SE	CURITY OF CO	NNECTIONS	AND CONNEC	TOR			
	REMARKS:								
	ifies that the work specified above,	avcant as ath ame	enacified	arried ant !	accordance	th CAA Male	rein Dogwinger ant-	and in roomast to the	t work-
the ai	rcraft / aircraft component is consi	idered ready for rele	ase to service.				sia requirements	and in respect to tha	L WOIK
*Cert	ifies that the work specified above,	except as otherwise	specified, was c			th			
and in	n respect to that work the aircraft /	aircraft component	is considered r	eady for relea	ase to service.				

			ADDITIONAL WORKSHEET						
KEIÜKNED									

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	VO: 159	98-004	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	500	ERATION	3
	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-	PSN-1599	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REF	ER WOR	KPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	7 OF	=	55
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/infor	mation:	
ltem		Desci	ription				Technician	* Eng. (CRS	Date
48	STANDBY ALTERNATOR DRIVE	DRAIN (IF APPLIC)	ABLE) (130)							
	242003 - STANDBY ALTERNATO	PR DRIVE DRAIN (IF	APPLICABLE)	(130)						
	- INSPECT FOR SECURITY OF I	NSTALLATION AND	CONDITION.							
	REMARKS:									
49	DRAIN OPENINGS AND VENT H COWLING (130)	OLES IN BOTTOM (OF ENGINE							
	717002 - DRAIN OPENINGS AND COWLING (130)	VENT HOLES IN B	OTTOM OF EN	GINE						
	- INSPECT FOR OBSTRUCTION	S.								
	REMARKS:									
50	ENGINE EXHAUST SYSTEM (13)	0)								
	781001 ENGINE EXHAUST SYST - INSPECT PRIMARY AND SECC			STORTION						
	INSTALLATION, AND EVIDENCE		IN UNAUNO, DR							
	REMARKS:									
	· · · · · · · · · · · · · · · · · · ·	, . 1 /	.0.1		1		·	1.		1
	ifies that the work specified above, rcraft / aircraft component is consi			arried out in	accordance w	un CAA Malay	sia kequirements	ana in respe	ect to that	work

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET N	NO: 15998-004	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTR	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 1	REFER WOI	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		8 OF	55
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
51	ENGINE EXHAUST SYSTEM (130) 781002 ENGINE EXHAUST SYSTE - PERFORM PRIMARY AND SECO REMARKS: FIREWALL MOUNTED FUEL FILT BUTTON) (151) 282006 FIREWALL MOUNTED FU BUTTON) (151)	EM (130) DNDARY EXHAUS ER WITH BYPASS EL FILTER WITH B	S FLAG (RED W) BYPASS FLAG (ARNING					
	- CLEAN. INSPECT FOR LEAKS, S	SECURITY AND C	ONDITION.						
53	EPA CAN (151)								
	282007 EPA CAN (151)								
	- INSPECT FOR LEAKAGE, SECU	RITY AND CONDI	TION. DRAIN C	OMPLETELY					
	REMARKS:								
the air *Certi and ir	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance w		 ysia Requirements a	and in respect to tha	t work

PARTS LABELED & RETURNED		ground Run	FLIGHT TEST	ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		MOD RECORD BOOK

	xyAerospace	Tel: +603 773	OSPACE (M) SDN. Bl Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen angor, Malaysia.	tre,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	3
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 1	REFER WOF	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	9 OF	55
CONVERSI BASED INS	For raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 I IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
54	BRAKE SYSTEM RESERVOIR (15 324005 BRAKE SYSTEM RESERV - INSPECT FOR SECURITY, CONE FOR BRAKE RESERVOIR SERVIC	OIR (151) DITION AND LEAK	(S. CHECK FLUI	ID LEVEL. (R	EFER TO CHA	APTER 12			
	REMARKS:								
55	OIL PRESSURE INDICATOR PLUM	IBING (ENGINE 1	o firewall) (151)					
	793004 OIL PRESSURE INDICATO	or Plumbing (Ei	NGINE TO FIRE	WALL) (151)					
	- INSPECT FOR SECURITY, CONE	DITION, LEAKAGE	AND EVIDENC		GE.				
	REMARKS:								
56	ENGINE FIRE SEALS (151, 152)								
	720004 ENGINE FIRE SEALS (151,	, 152)							
	- INSPECT FOR SECURITY AND G	GENERAL CONDI	TION.						
	REMARKS:								
the air *Certi and ir	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for released ready for released ready for released to the ready for the rea	ease to service. e specified, was c	arried out in	accordance w		/ rsia Requirements a	and in respect to that	t work

PARTS D.1 LABELED & RAIS RETURNED						ADDITIONAL WORKSHEET											
---	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Tel: +603 7734	DSPACE (M) SDN. Bl lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 rrospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	itre,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	0 OF	55
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FRO PECTION PROGRAM I.A.W. SB CAB11-5 F IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
57	STATIC SYSTEM DRAIN VALVES (215, 216)							
	341007 STATIC SYSTEM DRAIN V			DRAIN FITT	INGS				
	- DRAIN ACCUMULATED MOISTUF								
	- INSPECT CONDITION AND SECU	IRITY OF INSTAL	LATION.						
	REMARKS:								
58	INSTRUMENT PANEL LIGHTS (220), 221,222, 223,22	4)						
	330002 INSTRUMENT PANEL LIGH	ITS (220, 221,222	, 223,224)						
	- PERFORM OPERATIONAL CHEC	K.							
	REMARKS:								
59	PRIMARY FLAP SYSTEM (226)								
	275002 PRIMARY FLAP SYSTEM (2	226)							
	- OPERATE FLAPS WITH FLAP CO RANGE OF TRAVEL AND OBSERV								
	REMARKS:								
the air *Certi and ir	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / air	red ready for rele cept as otherwise	ase to service. specified, was c	arried out ir	accordance w		vsia Requirements a	and in respect to tha	t work

		RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 Prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	itre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	1 OF	55
CONVERS	for raising: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11-1 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
60	FUEL SHUTOFF CONTROL (226))							
	282004 FUEL SHUTOFF CONTRO	OL (226)							
	- OPERATIONAL CHECK.								
	REMARKS:								
61	PILOTS AND COPILOTS SEATS	(231, 232)							
62	251002 PILOTS AND COPILOTS - INSPECT SEAT BRACKETS, GL CONDITION, SECURITY AND PR CONDITION AND SECURITY. - SERVICE SEAT ADJUSTING SC REFERENCE: CAB11-5 R2 REMARKS: PILOTS AND COPILOTS SEAT B	JIDES, AND STOPS	N AND SEAT ST	RUCTURE A	AND SEAT CU				
	251005 PILOTS AND COPILOTS	SEAT BACK STOP	BOLTS (231, 23	32)					
	- INSPECT FOR LOOSE OR MISS	SING NUTS.							
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele except as otherwise	ase to service. specified, was c	carried out in	n accordance w		 /sia Requirements a	and in respect to the	l t work
and ii	n respect to that work the aircraft /	aircraft component	is considered r	eady for rele	ase to service.				

REIOINED	PARTS LABELED & RETURNED			GROUND RUN			ADDITIONAL WORKSHEET											
----------	--------------------------------	--	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

		Aero			*	Suite 11-14, He Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, ziz Shah Airport, 7226 Fax: +60 rospace.my enq	Malaysia Int 47200 Suba 3 7734 7526	ernational A ang, Selange	or, Malaysia.	entre,						
		ROYAL POLICE	(ICP)	SIA		CRAFT	SERIAL NC 20800231		IRS ER WOR		CYCLE		WORKSH WORK/IN	EET NO:	1599	8-004 RATION 3	
AIRCRA	FT TYPE	CARAV	AN 208			ENGINE:	PCE 17477		ER WOR				WORKPA		0	SN-15998	
		9M-PSN					-						AJL REF		0	ER WORK	
	ACILITY: REFER WORKP	WBGG	JT: REFE	ĒR	#2	ENGINE:	NIL	REF	ER WOR			/ N2	SHEET:	22	OF		55
			WOR	KPACK						NG / N1		7 N2			01		
ONVERS	SPECTIO	1AĬNTENAN N PROGRA	4 I.A.W. S	SB CAB11	-5 R2 CON	IPLIANCE AN	CARE PROGRA D AMP REF NO ON. OPERATIC	D.:	к- F			mad	Other rec	luiremer	ts/inforr	nation:	
Item						Descr	intion						Technicia	an	* Eng. C	BS	Date
63	PORT			EXTING		(231, 232)	iption						100111101		Ling. C		Date
		PECT FOR				UISHER (23	1, 232) CONDITION	, AND SE	CURITY.	CHECK	SERVICI	NG					
64			·			, 255, 256) 251, 252, 25	5, 256)										
	- CHE		ATION C	OF CABI			DING, NO SI	Moking/	SEATBEI	_T, AND (CONTRO	DL					
	REMA	RKS:															
the a	ircraft / a tifies tha	aircraft co t the work	mponen specifie	t is cons d above	idered re , except a	ady for released of the second s	specified, wa ase to service specified, wa is considerec	s carried	out in ac	cordance	with	A Malay	sia Requiren	nents and	in respec	t to that v	rork
] тіск	✓ WHERE	E APPLICAE	LE														
PARTS BELED & TURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHT TEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELLE LOG BOO		OEM/COM LOG CARD	MOD F BC

	xyAerospace	GALAXY AERO Suite 11-14, H Sultan Abdul / Tel: +603 7734 www.galaxyae	lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 rrospace.my enquir	200 Subang, Se 734 7526 y@galaxyaerosp	langor, Malaysia. ace.my			WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	IO: 15998-004	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/DI		N 3
	T TYPE: CARAVAN 208 AATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK RI	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WC	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	3 OF	55
eason f DNVERSI	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	D AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/information	:
tem		Desc	ription				Technician	* Eng. CRS	Date
	221001 AUTOPILOT ACTUATOR (- INSPECT BRIDAL CABLES FOR PROPER ROUTING. - INSPECT CHAIN FOR PROPER WITH ACTUATORS SPROCKETS - INSPECT PULLEYS, DRIVE SPR CORROSION, AND SECURITY. - INSPECT ELECTRICAL COMPO REMARKS:	FRAYING, CHAFII SAFETYING AT AL OCKETS, DRIVE (LL POINTS AND	OCHAINS FO	OR PROPER AL	IGNMENT			
66	STANDBY FLAP SYSTEM (243) 275003 STANDBY FLAP SYSTEM - PERFORM STANDBY FLAP MOT REFER TO CHAPTER 27.		AL CHECK.						
	REMARKS:								
the ai Cert*ך	ifies that the work specified above, e rcraft / aircraft component is consic ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ase to service. specified, was c	carried out in	accordance w		isia Requirements a	and in respect to th	at work

	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C1	/CLE	WORKSHEET I	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	4 OF	55
NVERS SED IN:	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
67	TAILCONE DRAIN OPENING (31	1, 312)							
	531004 TAILCONE DRAIN OPEN	ING (311-312)							
	- INSPECT FOR OBSTRUCTION BLOCKAGE.	AND REMOVE ANY	FOREIGN MAT	FERIAL FRO	M OPENING T	O PREVENT			
	REMARKS:								
	REMARNO.								
68	EMERGENCY LOCATOR INSTAL	LATION (312)							
			12)						
	256001 EMERGENCY LOCATOR	INSTALLATION (3	12)						
	- INSPECT FOR SECURITY OF II ELECTRICAL COMPONENTS.	NSTALLATION, POS	SITION OF FUN	CTION SWIT	CH AND CON	DITION OF			
	- INSPECT STRUCTURE FOR CO	ORROSION.							
	REMARKS:								
69	VERTICAL AND HORIZONTAL S	TABILIZERS (340, 3	41, 375, 376)						
	551001 VERTICAL AND HORIZO	NTAL STABILIZERS	6 (340, 341, 375	, 376)					
	- INSPECT STRUCTURE AND AT	TACH POINTS FOR	R CONDITION A	ND SECURI	TY.				
	- CHECK FOR MISSING OR DAM	IAGED VORTEX GE	NERATORS.						
	REMARKS:								
]*Cert	ifies that the work specified above,	except as otherwise	specified, was c	arried out in	accordance w	ith CAA Mala	vsia Requirements	and in respect to the	t work
the ai	rcraft / aircraft component is consi	dered ready for rele	ase to service.				/	copret to the	
*Cort	ifies that the work specified above,	avcont as otherwise	apacified was	arriad out in	accordance w	ith			

			ADDITIONAL WORKSHEET						
KEIÜKNED									

		Aer			*	Suite 11-14, He Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, zziz Shah Airport 7226 Fax: +60 rospace.my en	, Malaysia Ir , 47200 Sub)3 7734 752	iternational ang, Selan 6	gor, Malaysia.	entre,						
AIRCRA REGISTI BASE/FA	FT TYPE RATION: ACILITY:	WBGG	E (ICP) AN 208 N		#1	CRAFT ENGINE: ENGINE:	SERIAL NO 20800231 PCE 1747 NIL	REF 7 REF	ER WO	LDG/(RKPACK RKPACK RKPACK	CYCLE		WORKSH WORK/IN WORKPA AJL REF	SP/DES CK REF NO.:	6C: OPE	98-004 ERATION PSN-1599 ER WOR	98 KPACK
DATE IN	· REFER WORKP	ACK 0	UT: REF	ER RKPACK						NG / N1	NF	: / N2	SHEET:	25	OF	:	55
BASED IN	SION OF M	1AĬNTENAN N PROGRA	M I.A.W.	SB CAB1	1-5 R2 COM	OGRESSIVE (//PLIANCE AN TEST REVISIO	ate: Imad Ihir	Other rec	luireme	nts/infor	mation:						
Item							Technicia	an	* Eng. (CRS	Date						
70	RUDD)ER (343)									Duto						
71	- INSF CRAC JUMP - INSF BALAI REMA STATI	KS, AND ER FOR E PECT RUE NCE WER RKS: C WICKS	DDER S SECUR EVIDEN DDER H GHT FC (WING	KINS FO RTY; HIN CE OF D INGE BC R LOOS R LOOS S AND E	GE BOLT AMAGE (DLTS FOR ENESS A MPENNA	S, HINGE B DR WEAR, F ROPER S ND SUPPOI GE) (343, 37	DSE RIVETS, EARINGS, H FAILED FAST GAFETYLNG RTING STRU 71, 372, 575, (343, 371, 3	INGE AT TENERS, OF NUT: JCTURE 527, 571	TACH FI AND SE S WITH (FOR DA , 625, 82	ITTING, AN CURITY. COTTER P MAGE. 77, 671)	ID BONI	DING					
72						5)											
the a	ircraft / : tifies tha	aircraft co t the worl	ompone c specifi	nt is con ied above	sidered re e, except a	eady for releases otherwise	specified, wa ase to service specified, wa is considered	e. as carried	out in a	ccordance	with	A Malays	ia Requiren	nents and	d in respe	ct to that	work
тіск	✓ WHERE	E APPLICAE	BLE														
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHT TEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELL LOG BOO			

GAM/C-005 Rev 3 (06/22)

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	ire,		WORKS	
	·				1.00/01/		WORKSHEET		
	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET I WORK/INSP/D	- 10000 004	
AIRCRAF	T TYPE: CARAVAN 208	AIRCRAFT	20800231		ORKPACK		WORKPACK R		
REGISTE		#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	EF: 9M-PSN-159 REFER WO	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK			_	-
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	6 OF	55
CONVERS BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 I NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
73	ELEVATOR (373, 374) 273001 ELEVATOR (373, 374) - INSPECT ELEVATOR SKINS FOF CRACKS, AND SECURITY; AND H FITTINGS, AND BONDING JUMPE SECURITY. - INSPECT ELEVATOR HINGE BOI BALANCE WEIGHTS FOR LOOSEI - INSPECT OUTBOARD TIPS FOR REMARKS:	INGE BOLTS, HIN RS FOR EVIDEN(LTS FOR PROPEI NESS AND SUPP	IGE BEARINGS CE OF DAMAGE R SAFETYING (ORTING STRU(, TORQUE T E OR WEAR, DF NUTS WI	UBE, HORN, A FAILED FASTE TH COTTER PI	TTACH ENERS, AND			
74	ELEVATOR TRIM TAB ACTUATOR 273012 ELEVATOR TRIM TAB ACT - INSPECT FOR FREEPLAY IN AC REMARKS:	TUATORS (375, 3	,	: 27)					
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release except as otherwise	ease to service. specified, was c	carried out ir	n accordance wi		sia Requirements a	and in respect to the	ıt work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace ⁷	Sultan Abdul / Tel: +603 7734	lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	200 Subang, Se 734 7526	langor, Malaysia.	ur o ,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	7 OF	55
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
75	WINGS (500S, 600S) 570001 WINGS (500S, 600S) - INSPECT FOR LOOSE FASTENE FOR CONDITION AND SECURITY REMARKS: DRAIN OPENINGS AND VENT HO (501, 503, 527, 571, 601, 603, 627, - INSPECT FOR OBSTRUCTIONS. REMARKS:	LES IN BOTTOM 571) ENT HOLES IN BO 571)	OF WING		NTS AND ATT	ACH POINTS			
77	WING ACCESS PLATES (501, 503	, 601, 603)							
	570006 WING ACCESS PLATES (5	501, 503. 601. 603)						
	- INSPECT FOR SECURITY OF IN			DAMAGE.					
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is consid- ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for rele xcept as otherwise	ease to service. e specified, was c	arried out in	accordance w		 zsia Requirements	and in respect to tha	t work
and ir									

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						MOD RECORD BOOK

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP)	AIRCRAFT	SERIAL NO. 20800231	HOURS REFER W	LDG/CY	(CLE	WORKSHEET I WORK/INSP/D	10000 004	13
AIRCRAF	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	8 OF	55
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
78	PITOT TUBE(S) (503, 603)								
	341005 PITOT TUBE(S) (503, 603))							
	- VISUALLY CHECK TUBE(S) AND	STATIC PORTS I	FOR OBSTRUC	TIONS.					
	- INSPECT MAST(S) FOR BENDIN	IG AND EVIDENC	E OF DAMAGE.						
	- ENSURE SEALANT AT MAST-TO	D-WING JOINT IS I	N GOOD CONE	DITION.					
	REMARKS:								
79	FUEL SELECTOR VALVES AND L	INKAGES (WING /	AREA) (511, 611)					
	282001 FUEL SELECTOR VALVES	S AND LINKAGES	(WING AREA) (511, 611)					
	- INSPECT SHUTOFF VALVES, C OF DAMAGE.	ONTROLS AND LI	NKAGE FOR CO	ONDITION, S	ECURITY AND	EVIDENCE			
	REMARKS:								
80	WING SPAR FITTINGS (511, 611)								
	570002 WING SPAR FITTINGS (5	11, 611)							
	- INSPECT BOLTS FOR CONDITION	ON AND SECURIT	Υ.						
	REMARKS:								
the ai	ifies that the work specified above, e ircraft / aircraft component is consic ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was o	carried out ir	n accordance w		, zsia Requirements ;	and in respect to tha	t work
	✓ WHERE APPLICABLE								

PARTS LABELED &			ADDITIONAL WORKSHEET						
RETURNED									

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen angor, Malaysia.	tre,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	/CLE	WORKSHEET N	IO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	۷3
REGISTR	at 1 BON 1	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	9 OF	55
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO ¹	R2 COMPLIANCE AN	ND AMP REF NO.:			/luhammad n Jawahir	Other requiren	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Date
81	SPOILER (521, 621) 271013 SPOILER (521, 621) - INSPECT SPOILER SKINS FOR C SECURITY; PUSHRODS, PUSH RC DAMAGE OR WEAR, FAILED FAST - INSPECT BOLTS ON BOTH ENDS PINS. REMARKS:	DD BOLTS, BEAR TENERS, AND SE	INGS, AND BON CURITY.	NDING JUMF	PERS FOR EVI	DENCE OF			
82	FUEL TANK AREA (521, 621) 281001 FUEL TANK AREA (521, 62	21)							
	- INSPECT FOR FUEL STAIN, DISC FUEL LEAKS.	COLORATION, AN	ID EVIDENCE C	θF					
	REMARKS:								
83	FUEL TANK FILLER CAP(S) AND F	LAPPER VALVE	S) (521, 621)						
	281003 FUEL TANK FILLER CAP(S - INSPECT FOR DAMAGE OR BRC				SITION OF FIL	LER CAP.			
	REMARKS:								
the air Certiand ir	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release accept as otherwise	ease to service. specified, was c	arried out in	accordance w		, sia Requirements a	nd in respect to the	t work

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 3	REFER WOI	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	0 OF	55
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
84	DRAIN VALVES (521, 621) 281004 DRAIN VALVES (521, 621)							
	- CHECK FOR OPERATION AND	INSPECT FOR LEA	AKAGE.						
	REMARKS:								
85	FLAPS (527, 627)								
	275001 FLAPS (527, 627)								
	- INSPECT FLAPS FOR LOOSE R	IVETS, CRACKS, (CONDITION, AN	D SECURIT	Υ.				
	REMARKS:								
	REMARKS.								
86	WING STRUT (531, 631)								
	570003 WING STRUT (531, 631)								
	- INSPECT FOR EVIDENCE OF D	AMAGE, CONDITI	ON AND SECUF	RITY.					
	DEMARKO								
	REMARKS:								
the ai	tifies that the work specified above, e ircraft / aircraft component is consic tifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was o	carried out ir	accordance wi		zsia Requirements a	and in respect to tha	t work
		_							
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D		N 3
IRCRAI EGISTE	T TYPE: CARAVAN 208 RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
ASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WC	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	1 OF	55
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	D AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 6/2023	Other requiren	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Dat
87	WING STRUT FITTINGS (531, 63	1)							
	570004 WING STRUT FITTINGS	(531, 631)							
	- INSPECT BOLTS FOR CONDIT	ION AND SECURIT	Y.						
	REMARKS:								
88	AILERON (571, 671)								
	271001 AILERON (571, 671)								
	- INSPECT THE AILERON SKINS CRACKS, AND SECURITY; HING JUMPERS FOR EVIDENCE OF D	E BOLTS, HINGE B	EARINGS, HIN	GE ATTACH	FITTINGS, AN				
	- INSPECT THE AILERON HINGE INSPECT BALANCE WEIGHTS F								
	REMARKS:								
89	AILERON TRIM TAB ACTUATOR	(651)							
	271016 AILERON TRIM TAB ACT	UATOR (651)							
	- INSPECT FOR FREEPLAY IN A		TO CHAPTER	27)					
	REMARKS:								
*Cert	ifies that the work specified above,	except as otherwise	specified, was c	carried out in	1 accordance w	rith CAA Mala	ysia Requirements :	and in respect to the	at work
	ircraft / aircraft component is consi						-	-	

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	2 OF	55
Reason f CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FF PECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
90	AILERON TRIM TAB ACTUATOR 271017 AILERON TRIM TAB ACTU - INSPECT FOR FREEPLAY IN AC OF DAMAGE. - INSPECTATTACHING HARDWA	UATOR PUSHROD		ENCE					
	AND SECURITY. REMARKS:								
91	AILERON TRIM TAB (671) 271014 AILERON TRIM TAB (671) - INSPECT THE TRIM TAB SKINS FOR CRACKS, SECURITY AND E - INSPECT HINGE PIN FOR PROP - INSPECT HORN AND PUSHROU - INSPECT PUSHROD BOLTS FO REMARKS:	FOR CRACKS, LC VIDENCE OF DAN PER INSTALLATIO D FOR EVIDENCE	IAGE. IN AT HINGE PII OF DAMAGE AI	N RETAINER ND SECURIT	Ϋ́.				
	ifies that the work specified above, 6			arried out in	accordance w	ith CAA Malay	sia Requirements	and in respect to tha	t work
the air *Certi and ir	rcraft / aircraft component is consic ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. e specified, was c	arried out in	accordance w		-	-	

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OEM/COM LABELED & RAISED INSP. RUN FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG BOOK LOG BOOK CARD LOG CAR RETURNED	
--	--

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	ntre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	NO: 15998-004	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.: SHEET: 3	REFER WO	
DATE IN	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEEL. 3	3 OF	55
CONVERS	for raising: NON OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir \$/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
92	NOSE GEAR TORQUE LINKS AN	D SHOCK STRUT	(701)						
	322002 NOSE GEAR TORQUE LI	NKS AND SHOCK	STRUT (701)						
	- INSPECT FOR CONDITION, WE (REFER TO CHAPTER 12 FOR M				VICE.				
	REMARKS:								
93	NOSE GEAR SPRING YOKE (701)							
	322005 NOSE GEAR SPRING YO	KE (701)							
	- INSPECT BEARING FOR CORR	OSION END FREE	DOM OF ROTA	TION.					
	- LUBRICATE BEARING (REFER	TO CHAPTER 12F	OR METHOD AI	ND TYPE OF	LUBRICANT).				
	- REINSTALL BOLT AND TORQU	EPER CHAPTER 3	2 AND RESAFE	TY.					
	REMARKS:								
94	NOSE LANDING GEAR WHEEL A	ND TIRE (701)							
	324003 NOSE LANDING GEAR W	/HEEL AND TIRE (7	701)						
	- CHECK FOR WEAR, PRESSURI (REFER TO CHAPTER 12 FOR TI		I.						
	REMARKS:								
the a	tifies that the work specified above, e ircraft / aircraft component is consid tifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was o	carried out ir	n accordance w		ysia Requirements a	and in respect to tha	t work

PARTS LABELED &			ADDITIONAL WORKSHEET						
RETURNED									

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C		WORKSHEET		15998-004	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	IOLL	WORK/INSP/	DEOO	OPERATION	13
	T TYPE: CARAVAN 208 BATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK		9M-PSN-159	
	RATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.	:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET:	34	OF	55
Reason ONVERS ASED IN	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-1 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other require	ements/i	nformation:	
Item		Desci	ription				Technician	* Ei	ng. CRS	Date
95	NOSE GEAR SHIMMY DAMPER	(701)								
	325001 NOSE GEAR SHIMMY DA	AMPER (701)								
	- INSPECT FOR CONDITION AND	D SECURITY								
	REMARKS:									
		(704)								
96	NOSE GEAR SHIMMY DAMPER	(701)								
	325002 NOSE GEAR SHIMMY DA	AMPER (701)								
	- CHECK FOR NEED TO SERVIC	E. (REFER TO CHA	PTER 32 FOR I	METHOD AN	ID TYPE OF FL	LUID.)				
	REMARKS:									
97	NOSE GEAR STEERING STOP B	OLT OR BLOCK (70	01)							
	325006 NOSE GEAR STEERING	STOP BOLT OR BL	OCK (701)							
	- INSPECT FOR CONDITION, SE (BOLT HEAD DOWN.)	CURITY, AND INST	ALLATION.							
	REMARKS:									

PARTS LABELED & RETURNED	RAISED					ADDITIONAL WORKSHEET											
--------------------------------	--------	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

POLICE (ICP) SIGTRATION: 9M-PSN SIGTRATION: 9M-PSN SIGTRAT	LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	NO: 15998-004	
MINDARY BIOL MINDARY BIOL <th< th=""><th></th><th>POLICE (ICP)</th><th>AIRCRAFT</th><th>20800231</th><th>REFER W</th><th>ORKPACK</th><th>WORK/INSP/D</th><th>500</th><th>۷3</th></th<>		POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	500	۷3
BEFRACIUR: WILL REFER VOILVAUX. All. HER. YOUR All. HER. YOUR <t< th=""><th>-CRAF GISTF</th><th>ATION: 9M-PSN</th><th>#1 ENGINE:</th><th>PCE 17477</th><th>REFER W</th><th>ORKPACK</th><th>WORKPACK F</th><th>EF: 9M-PSN-159</th><th>998</th></t<>	-CRAF GISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK F	EF: 9M-PSN-159	998
			#2 ENGINE:	NIL	REFER W	ORKPACK		REFER WO	RKPACK
WERBORN OF WARDERSAME TROM FROORESSIVE CARE PROGRAM TO TASIC BINERCICION PROMINITAL W BLCART (REV DE COMULTACIAN DAMPER PAGE). WIEDRUCCIMMONAUNCZOR ISBUE 1, REV D. TO THE LATEST REVISION OFENTION 3 IDP RMP Musmmand Annothe II. Munitari WARDERSAME AND THE STORE 1, REV D. TO THE LATEST REVISION OFENTION 3 Technician * Eng. CRS Date Date em Description Technician * Eng. CRS Date at ADDING GEAR WHEELS AND TIRES (721, 722) Technician * Eng. CRS Date - CHECK FOR WEAR, PRESSURE AND CONDITION. - NOTATE TIRES AS NECESSARY TO ADHIEVE UNIFORM TIRE WEAR. (REFER TO CHAPTER 12 FOR THE PRESSURE.) Image: Comparison of the state	TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG/N1 NF/N	2 SHEET: 3	85 OF	55
98 MAIN LANDING GEAR WHEELS AND TIRES (721, 722) 324001 MAIN LANDING GEAR WHEELS AND TIRES (721, 722) - CHECK FOR WEAR, PRESSURE AND CONDITION. - ROTATE TIRES AS INECESSARY TO ACHIEVE UNIFORM TIRE WEAR, (REFER TO CHAPTER 12 FOR TIRE PRESSURE.) REMARKS: 99 LANDING GEAR WHEEL BEARINGS (721, 722) 324002 LANDING GEAR WHEEL BEARINGS (721, 722) 324002 LANDING GEAR WHEEL BEARINGS (721, 722) 324002 LANDING GEAR WHEEL BEARINGS (721, 722) INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: 00 BRAKE ASSEMBLIES (721, 722) 324004 BRAKE ASSEMBLIES (721, 722) INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: 00 BRAKE ASSEMBLIES (721, 722) INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:	NVERS	ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-	5 R2 COMPLIANCE AN	ID AMP REF NO.:		ICP RMP Muhammad Anwar bin Jawahir	. .	nents/information:	
324001 MAIN LANDING GEAR WHEELS AND TIRES (721, 722) - CHECK FOR WEAR, PRESSURE AND CONDITION. + ROTATE TIRES AS NECESSARY TO ACHEVE UNIFORM TIRE WEAR. (REFER TO CHAPTER 12 FOR TIRE PRESSURE.) REMARKS: 10 LANDING GEAR WHEEL BEARINGS (721, 722) 324002 LANDING GEAR WHEEL BEARINGS (721, 722) 324002 LANDING GEAR WHEEL BEARINGS (721, 722) NSPECT FOR COMMON AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: 00 BRAKE ASSEMBLIES (721, 722) 324004 BRAKE ASSEMBLIES (721, 722) NSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE: REMARKS:	tem		Desci	ription			Technician	* Eng. CRS	Date
- CHECK FOR WEAR, PRESSURE AND CONDITION. - ROTATE TIRES AS NECESSARY TO ACHIEVE UNIFORM TIRE WEAR. (REFER TO CHAPTER 12 FOR TIRE PRESSURE.) REMARKS: - CHECK FOR WHEEL BEARINGS (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - OT WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - OT THE THE WORK SPECIFIED above, except as otherwise specified, was carried out in accordance with CAA Malaysia Regultements and in respect to that work the attraft, attraft component is considered ready for release to service.	98	MAIN LANDING GEAR WHEELS	AND TIRES (721, 72	22)					
- CHECK FOR WEAR, PRESSURE AND CONDITION. - ROTATE TIRES AS NECESSARY TO ACHIEVE UNIFORM TIRE WEAR. (REFER TO CHAPTER 12 FOR TIRE PRESSURE.) REMARKS: - CHECK FOR WHEEL BEARINGS (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - OT WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - OT THE THE WORK SPECIFIED above, except as otherwise specified, was carried out in accordance with CAA Malaysia Regultements and in respect to that work the attraft, attraft component is considered ready for release to service.									
- CHECK FOR WEAR, PRESSURE AND CONDITION. - ROTATE TIRES AS NECESSARY TO ACHIEVE UNIFORM TIRE WEAR. (REFER TO CHAPTER 12 FOR TIRE PRESSURE.) REMARKS: - CHECK FOR WHEEL BEARINGS (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - OT WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - OT THE THE WORK SPECIFIED above, except as otherwise specified, was carried out in accordance with CAA Malaysia Regultements and in respect to that work the attraft, attraft component is considered ready for release to service.									
- CHECK FOR WEAR, PRESSURE AND CONDITION. - ROTATE TIRES AS NECESSARY TO ACHIEVE UNIFORM TIRE WEAR. (REFER TO CHAPTER 12 FOR TIRE PRESSURE.) REMARKS: - CHECK FOR WHEEL BEARINGS (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: - ON BRAKE ASSEMBLIES (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - OT WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - OT THE THE WORK SPECIFIED above, except as otherwise specified, was carried out in accordance with CAA Malaysia Regultements and in respect to that work the attraft, attraft component is considered ready for release to service.		324001 MAIN LANDING GEAR W	HEELS AND TIRES	(721, 722)					
- ROTATE TIRES AS NECESSARY TO ACHIEVE UNIFORM TIRE WEAR. (REFER TO CHAPTER 12 FOR TIRE PRESSURE.) Image: Imag									
TIRE PRESSURE.) TIRE PRESSURE.) REMARKS: Image:		- CHECK FOR WEAR, PRESSUR	E AND CONDITION	l.					
Image: Second second			RY TO ACHIEVE UN	IFORM TIRE W	EAR. (REFE	R TO CHAPTER 12 FOR			
324002 LANDING GEAR WHEEL BEARINGS (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: 00 BRAKE ASSEMBLIES (721, 722) 324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:		REMARKS:							
324002 LANDING GEAR WHEEL BEARINGS (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: 00 BRAKE ASSEMBLIES (721, 722) 324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:									
324002 LANDING GEAR WHEEL BEARINGS (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: 00 BRAKE ASSEMBLIES (721, 722) 324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:									
324002 LANDING GEAR WHEEL BEARINGS (721, 722) - INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: 00 BRAKE ASSEMBLIES (721, 722) 324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:									
• INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: Image: Comparison of the co	99	LANDING GEAR WHEEL BEARIN	NGS (721, 722)						
• INSPECT FOR CONDITION AND REPACK. (REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: Image: Comparison of the co									
REFER TO CHAPTER 12 FOR METHOD AND TYPE OF LUBRICANT.) REMARKS: REMARKS: Semicon and the semico		324002 LANDING GEAR WHEEL	BEARINGS (721, 72	22)					
REMARKS: REMARKS: 00 BRAKE ASSEMBLIES (721, 722) 324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: Image: Control of the state		- INSPECT FOR CONDITION ANI	D REPACK.						
Image: Second second		(REFER TO CHAPTER 12 FOR M	IETHOD AND TYPE	OF LUBRICAN	Т.)				
324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:		REMARKS:							
324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:									
324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:									
324004 BRAKE ASSEMBLIES (721, 722) - INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS:									
- INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft component is considered ready for release to service.	100	BRAKE ASSEMBLIES (721, 722)							
- INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft component is considered ready for release to service.									
- INSPECT FOR WEAR OF LININGS, DISC WARPAGE AND EVIDENCE OF LEAKAGE. REMARKS: *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft component is considered ready for release to service.		324004 BRAKE ASSEMBLIES (72	01 700)						
REMARKS: Image: Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.									
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service.		- INSPECT FOR WEAR OF LININ	GS, DISC WARPAG	E AND EVIDEN	ICE OF LEA	KAGE.			
the aircraft / aircraft component is considered ready for release to service.		REMARKS:							
the aircraft / aircraft component is considered ready for release to service.									
the aircraft / aircraft component is considered ready for release to service.									
the aircraft / aircraft component is considered ready for release to service.									
the aircraft / aircraft component is considered ready for release to service.									
the aircraft / aircraft component is considered ready for release to service.									
the aircraft / aircraft component is considered ready for release to service.									
					arried out in	accordance with CAA M	Ialaysia Requirements	and in respect to tha	at work
VELITIES THAT THE WOLK SDECTHED ADOVE, EXCEDITAS OTHERWISE SDECTHED, WAS CARTIED OUT IN ACCORDANCE WITH					annial · ·				

	PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											
--	--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	OWNER: ROYAL MALAYSIA						WORKSHEET		
	POLICE (ICP)	AIRCRAFT	SERIAL NO. 20800231	HOURS	LDG/C	YOLE	WORK/INSP/D	10000 004	13
	T TYPE: CARAVAN 208 RATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKIACK		WORKPACK R	OF ERVITION	
	RATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	6 OF	55
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad In Jawahir S/2023	Other requiren	nents/information:	
ltem		Desc	ription				Technician	* Eng. CRS	Date
101	EXTERIOR PLACARDS AND DEC								
	- INSPECT PRESENCE, LEGIBIL		Y.						
	- CONSULT THE AIRPLANE MAI	NTENANCE MANUL				RDS			
		TENANUL WANU/	, UNAFIER I	I, I UN REQ	UNED FLAUP				
	REMARKS:								
102	INTERIOR PLACARDS AND DEC	ALS (ALL)							
	113001 INTERIOR PLACARDS A	ND DECALS (ALL)							
	- INSPECT PRESENCE, LEGIBIL	ITY AND SECURIT	Y.						
	- CONSULT THE AIRPLANE MAI	NTENANCE MANU	AL, CHAPTER 1	1,FOR REQU	JIRED PLACA	RDS.			
	REMARKS:								
103	AVIONICS COOLING FAN (BAT)								
	212005 AVIONICS COOLING FAI	N (BAT)							
	- TURN BATTERY AND AVIONIC OPERATION.	S POWER SWITCH	NO. 2 ON AND	CHECK FOR	R COOLING F	AN			
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi			arried out in	accordance w	vith CAA Malay	vsia Requirements a	and in respect to tha	t work
	ifies that the work specified above,			_		. 1			

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OEM/CO- LABELED & RAISED INSP. RUN FLIGHTTEST CHK. WORKSHEET DEFECT FORECAST UPDATE STATUS LOG BOOK LOG BOOK LOG BOOK CARD LOG CARD LOG CARD

	D0						10	
LIENT/(OWNER: ROYAL MALAYSIA POLICE (ICP)	AUDODAET	SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET I WORK/INSP/D	500	
RCRAF	T TYPE: CARAVAN 208		20800231 PCE 17477		ORKPACK	WORK/INSP/D WORKPACK R		
	ATION: 9M-PSN CILITY: WBGG	#1 ENGINE: #2 ENGINE:	NIL		ORKPACK ORKPACK	AJL REF NO.:	REFER WOI	
	REFER WORKPACK OUT: REFER WORKPACK				NG/N1 NF/N2	SHEET: 3	7 OF	55
leason Onversi Ased ins	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-1 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requiren	nents/information:	
Item		Desc	ription			Technician	* Eng. CRS	Date
104	EMERGENCY LOCATOR TRANS							
	256002 EMERGENCY LOCATOR	T. CHECK CUMUL		D USEFUL L	IFE OF BATTERIES IN			
	ACCORDANCE WITH FAR 91.20	1						
	REMARKS:							
105	PERFORM ENGINE FIRE DETEC	TION TEST. (BAT)						
	262001 PERFORM ENGINE FIRE	DETECTION TEST	. (BAT)					
	- PERFORM ENGINE FIRE DETE	CTION TEST. (BAT)					
	REMARKS:							
106	PITOT TUBE(S) HEATER (BAT)							
	341006 PITOT TUBE(S) HEATER	(BAT)						
	- TURN ON THE PITOT/STATIC F THAT TUBE(S)ARE HEATING.	IEAT SWITCH FOR	APPROXIMATI	ELY 30 SEC	ONDS THEN OFF, VERIFY			
	REMARKS:							
	ifies that the work specified above, rcraft / aircraft component is consi			arried out in	accordance with CAA Mal	aysia Requirements :	and in respect to tha	t work

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cer langor, Malaysia.	itre,	,	WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
AIRCRAF	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OF ERVITION	13
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK				
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 3	REFER WO	55
_	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		01	
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
107	EMERGENCY POWER LEVER AN 762001 EMERGENCY POWER LE)					
	- PERFORM OPERATIONAL TES	г							
	REMARKS:								
108	CABIN HEATER AND WINDSHIEL	D DEFROSTER (E	NG)						
	214003 CABIN HEATER AND WIN	IDSHIELD DEFRO	STER (ENG)						
	- PERFORM OPERATIONAL CHE	CK							
	REMARKS:								
109	STANDBY ELECTRICAL SYSTEM	I (ENGINE RUNNIN	IG) (ENG)						
	242005 STANDBY ELECTRICAL S	SYSTEM (ENGINE	RUNNING) (EN	G)					
	- PERFORM FUNCTIONAL TEST.	REFER TO SECTI	ON 9 OF THE F	PILOTS OPE	RATING HAND	BOOK.			
	REMARKS:								
the ai	tifies that the work specified above, e ircraft / aircraft component is consic tifies that the work specified above, e n respect to that work the aircraft / e	lered ready for rele except as otherwise	ease to service. specified, was o	carried out in	n accordance w		rsia Requirements	and in respect to tha	t work
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
neronneb									

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 rrospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 3	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	9 OF	55
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:			Muhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
110	VOLT/AMMETER (ENG) 243005 VOLT/AMMETER (ENG) - PERFORM OPERATIONAL CHEC REMARKS: EXTERNAL POWER (ENG) 244002 EXTERNAL POWER (ENG		ITION. (ENGINE	RUNNING)					
	- PERFORM OPERATIONAL CHEC	CK OF THE BUS A	NDSTARTER F	UNCTIONS.					
112	STALL WARNING HORN (ENG) 273025 STALL WARNING HORN (I - OPERATIONAL CHECK.	ENG)							
	REMARKS:								
	if on that the work appricaded at an	voont oo otherwise	engelfed	arriad art 1		ith CAA Mal-	ria Paquinger or f	nd in respect to the	twork
the ai *Cert and in	ifies that the work specified above, ex rcraft / aircraft component is consid ifies that the work specified above, ex n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ase to service. specified, was c	arried out ir	accordance w		sia requirements a	and in respect to tha	ı work
TICK	WHERE APPLICABLE								

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OEM/COMP N LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LOG CARD LOG CARD

maint	senance, repair, overhaul		7226 Fax: +603 7 rospace.my enquir		ace.my				
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 3
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.: SHEET: 4	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	0 OF	55
ONVERS ASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	D AMP REF NO.:		Anwar bi	and date: Muhammad In Jawahir 5/2023	Other requiren	nents/information	:
ltem		Descr	iption				Technician	* Eng. CRS	Date
113	STALL WARNING HEATER (ENG	i)							
	273026 STALL WARNING HEATE	ER (ENG)							
	- OPERATIONAL CHECK.								
	REMARKS:								
114	RESERVOIR FUEL LOW ANNUN	CIATOR (ENGINE F	UNNING) (ENG	6)					
	284001 RESERVOIR FUEL LOW	ANNUNCIATOR (EI	IGINE RUNNIN	G) (ENG)					
	- TURN OFF BOTH FUEL SELEC	TORS.							
	- THE RESERVOIR LOW WARNII TANK DROPS BELOW FULL.	NG LIGHT WILL CO	ME ON AS THE	FUEL LEVE	L IN THE RES	ERVOIR			
	- WHEN IT DOES, TURN BOTH F	UEL TANK SELECT	ORS BACK ON	l.					
	REMARKS:								
115	FUEL SELECTORS OFF WARNIN	NG SYSTEM (ENG)							
	284002 FUEL SELECTORS OFF	WARNING SYSTEM	I (ENG)						
	- PERFORM OPERATIONAL CHE								
	REMARKS:								
	ifies that the work specified above,			arried out in	accordance w	vith CAA Mala	ysia Requirements a	and in respect to tha	at work
	rcraft / aircraft component is consi ifies that the work specified above,			arried out in	accordance w	vith			
	n respect to that work the aircraft /	er - ao ouier wise	-r						

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OE LABELED & RAISED INSP. RUN C.H WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LO	
--	--

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen angor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 4	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	1 OF	55
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	D AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
116	SUCTION GAUGE (ENGINE RUN	INING) (ENG)							
	371007 SUCTION GAUGE (ENGI	NE RUNNING) (EN	G)						
	- VERIFY OPERATION.								
	REMARKS:								
117	PROPELLER GOVERNOR OPER	ATIONAL CHECK V	VITH ENGINE R	UNNING (EI	NG)				
	612004 PROPELLER GOVERNO	R OPERATIONAL C			IING (ENG)				
	- PERFORM CHECK.								
	REMARKS:								
118	PROPELLER GOVERNOR OPER				IG)				
110									
	622004 PROPELLER GOVERNO	R OPERATIONAL C	HECK WITH EN	IGINE RUNN	IING (ENG)				
	- PERFORM CHECK.								
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi			carried out in	accordance w	ith CAA Malay	ysia Requirements a	and in respect to tha	t work
≺Cert	ifies that the work specified above,	except as otherwise	specified, was c			rith			
	n respect to that work the aircraft /								
	✓ WHERE APPLICABLE								

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
RETURNED									

	cenance, repair, overhaul	www.galaxyae	rospace.my enquiry	y@galaxyaerospa	ace.my		1		
LIENT/0	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/CY	YCLE	WORKSHEET I	500	
	T TYPE: CARAVAN 208	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D		
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	EF: 9M-PSN-159 REFER WO	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK			2 OF	55
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		01	
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP N Anwar bin 08/06	Muhammad n Jawahir	Other requirer	nents/information:	
Item		Desci	ription				Technician	* Eng. CRS	Date
119	POWER LEVER REVERSE SPEE			·					
	- CHECK.								
	REMARKS:								
120	ENGINE IDLE CHECK (ENGINE I	RUNNING) (ENG)							
	761006 ENGINE IDLE CHECK (E	NGINE RUNNING) (ENG)						
	- PERFORM CHECK.								
	REMARKS:								
121	RUDDER CONTROL SYSTEM (2	11, 212, 320)							
		,, o_o,							
	272008 RUDDER CONTROL SYS	·		ASTENERS V		CABI F			
	(REFER TO CHAPTER 20 FOR T								
	REMARKS:								
the ai	files that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ase to service.				vsia Requirements	and in respect to tha	l work
	n respect to that work the aircraft /								

LABELED & RAISED INSP. RUN CHOCK ADDITIONAL	AIRCRAFT ENGINE LOG PROPELLER LOG OEM/COMP MOD RECORD BOOK LOG BOOK CARD LOG CARD BOOK
---	--

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 J 7226 Fax: +603 7 rrospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 3
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.: SHEET: ⊿	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	3 OF	55
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
122	EXTERIOR LIGHTING (215) 334003 EXTERIOR LIGHTING (21 - PERFORM OPERATIONAL CHE								
	REMARKS:								
123	REMOTE MOUNTED AVIONICS (I	EMPENNAGE) (216	6)						
	230004 REMOTE MOUNTED AVIO								
	- INSPECT FOR SECURITY OF U WIRE ROUTING. ALSO CHECK F					ECORITY OF			
	REMARKS:								
124	NAVIGATION ANTENNA(S) (222)								
	340001 NAVIGATION ANTENNA(S	5) (222)							
	- INSPECT FOR CONDITION, SEC	CURITY OF INSTAI	LATION AND E	VIDENCE O	F DAMAGE.				
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consic ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance w		rsia Requirements	and in respect to the	at work
				Lauy 101 1018	use to service.				
TICK	WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
REFORMED									

	xyAerospace	vww.galaxyae	7226 Fax: +603 7 rospace.my enquin	734 7526 y@galaxyaerosp	ace.my				
LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	IO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIC	N 3
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	5998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	ORKPACK
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4.	4 OF	55
NVERS	for raising: ON OF MAINTENANCE PROGRAMME FRO SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/informatior	n:
tem		Desci	ription				Technician	* Eng. CRS	Date
125	ELEVATOR TRIM TAB CABLES (23 273014 ELEVATOR TRIM TAB CAE - INSPECT CABLES (FUSELAGE) F END PROPER ROUTING. - INSPECT CHAINS FOR PROPER ON SPROCKETS. INSPECT PULLE SECURITY. REMARKS:	BLES (233, 253, 25 FOR,FRAYING, CI SAFETYING AT A	HAFING, CLEAN	D CHAINS F	OR PROPER A	LIGNMENT			
126	FLAP BELL CRANKS, CONTROL R 275006 FLAP BELL CRANKS, CON - INSPECT BELL CRANKS, PULLE	TROL RODS, PUI	LLEYS, AND CA	BLES (252)	URITY.				
	- INSPECT ALL CONTROL RODS (FOR BENT RODS, CHAFING, SEIZ AND VERIFY ROD END THREAD E HOLE. - CHECK ROD END AND BELL CR/	ED OR WORN RO INGAGEMENT RE	DD END BEARIN EACHES AT LEA	NGS, LOOSE AST TO THE	E ROD END LO ROD END INS	CKNUTS, PECTION			
	TO CHAPTER 12 FOR METHOD A	ND TYPE OF LUB	RICANT).						
the ai Cert ۲	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for rele ccept as otherwise	ase to service. specified, was c	arried out in	accordance wi		sia Requirements a	and in respect to th	at work

PARTS D.D. DUPLICATE GROUND FLIGHT TEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OEM/COMP MOL LABELED & RAISED INSP. RUN FLIGHT TEST TORQUE CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE UPDATE STATUS LOG BOOK LOG BOOK CARD LOG CARD LOG CARD		RAISED																
--	--	--------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
AIRCRAF REGISTF BASE/FA	CILITY: WBGG	AIRCRAFT #1 ENGINE: #2 ENGINE:	SERIAL NO. 20800231 PCE 17477 NIL	REFER W	LDG/CY ORKPACK ORKPACK		WORKSHEET N WORK/INSP/D WORKPACK R AJL REF NO.: SHEET: 4	ESC: OPERATION EF: 9M-PSN-159 REFER WOF	98
Reason CONVERSI BASED INS	REFER WORKPACK OUT: REFER WORKPACK for raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE A	ND AMP REF NO.:		NG / N1 Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir		5 OF nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
127	FLAP ACTUATOR ASSEMBLY AND 275007 FLAP ACTUATOR ASSEMU - INSPECT CONDITION AND SECU - CLEAN DRIVE SCREW THREADS - INSPECT FLAP ACTUATOR ASS - INSPECT FUSELAGE SEAL ASSU REMARKS:	BLY AND FUSELA JRITY OF MOTOF S AND LUBRICAT EMBLY SUPPOR	AGE SEAL ASSE RS, DRIVE SCRI E WITH#10 WE T STRUCTURE	EMBLIES (25 EW, AND TR IGHT NON-E FOR CRACK	ANSMISSION. DETERGENT O	IL.			
128	ELEVATOR CABLES (311) 273005 ELEVATOR CABLES (311) - INSPECT CABLES (FUSELAGE) AND PROPER ROUTING. - INSPECT PULLEYS AND GUARD REMARKS:	FOR FRAYING, C							
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for rele scept as otherwise	ease to service. e specified, was c	carried out in	accordance w		sia Requirements a	and in respect to that	work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.	GROUND RUN			ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEE1	NO:	15998-004	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	-	WORK/INSP/	DESC:	OPERATION	۷3
	T TYPE: CARAVAN 208 ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK	REF:	9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.	:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET:	46	OF	55
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %/2023	Other require	ements/i	nformation:	
Item		Desci	ription				Technician	* E	ng. CRS	Date
129	ELEVATOR TRIM TAB CABLE ST	TOP BLOCKS (311,	312)							
	273016 ELEVATOR TRIM TAB C/	ABLE STOP BLOCK	S (311, 312)							
	- INSPECT FOR CONDITION AND	D SECURITY.								
	REMARKS:									
130	TAILCONE WIRE BUNDLES (311	, 312, 320, 330)								
	243013 TAILCONE WIRE BUNDL - INSPECT FOR PROPER POSIT			MOISTURE		ING				
	CONNECTOR.		TOTREVEN	MOIOTOINE						
	REFERENCE: CAB11-5 R2									
	REMARKS:									
131	RUDDER CABLES (311, 320)									
	272003 RUDDER CABLES (311, 3	320)								
	- INSPECT CABLES (EMPENNAC	GE) FOR DETERIOF	RATION.							
	- INSPECT CABLES FOR FRAYIN PROPER ROUTING.	NG, CHAFING, CLE	ANLINESS, TUF	RNBUCKLES	SAFETYING,	AND				
	- INSPECT PULLEYS AND GUAR	D PINS FOR CONE	DITION, WEAR,	CORROSION	N, AND SECUF	RITY.				
	REMARKS:									
*Cert	ifies that the work specified above,	except as otherwise dered ready for rele		arried out in	accordance w	ith CAA Malay	uysia Requirement	s and in 1	respect to that	at work

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
RCRAI	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 4	REFER WOR	
TE IN	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	011LL1. 4	7 OF	55
NVERS SED IN	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	D AMP REF NO.:		Anwar b	and date: Muhammad in Jawahir 6/2023	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
132	AUTOPILOT ELEVATOR ACTUA	TOR (312)							
	221003 AUTOPILOT ELEVATOR	ACTUATOR (312)							
	- INSPECT FOR CONDITION, SE	CURITY, AND EVID	ENCE OF OVE	RHEATING.					
	REMARKS:								
	NEMARKO.								
133	ELEVATOR BELLCRANK (AFT) (320, 330)							
	273002 ELEVATOR BELLCRANK	(AFT) (320, 330)							
	- INSPECT BELLCRANK, BEARIN EVIDENCE OF DAMAGE, FAIREI AND PUSHROD BOLTS FOR PRI 20 FOR TORQUE REQUIREMEN REMARKS:	D FASTENERS, AN OPER SAFETYING	D SECURITY; P	ROPER SAF	ETYING OF B	ELLCRANK			
134	ELEVATOR CONTROL SYSTEM	(320, 330)							
	273009 ELEVATOR CONTROL S	YSTEM (320, 330)							
	- CHECK JOINTS (PUSHRODS) F			OF FASTEN	IERS WHERE	APPLICABLE.			
	(REFERTO CHAPTER 20 FOR TO	JRQUE KEQUIKEN	IEN I 3).						
	REMARKS:								
*Cert	tifies that the work specified above, ircraft / aircraft component is consi			carried out in	accordance w	vith CAA Mala	ysia Requirements a	and in respect to tha	t work

PARTS LABELED & RETURNED		DUPLICATE INSP.	GROUND RUN			ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

		Tel: +603 773	OSPACE (M) SDN. Bl Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	re,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTR	ALL DOL!	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	8 OF	55
CONVERSI BASED INS	Or raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 I IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO ⁻	R2 COMPLIANCE A	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
135	RUDDER BELLCRANK(330) 272002 RUDDER BELLCRANK(330 - INSPECT BELLCRANK STOP BO - INSPECT CABLES ATTACHED TO REMARKS: 334001 EXTERIOR LIGHTS (330, 501, 503, 334001 EXTERIOR LIGHTS (330, 5 - INSPECT ELECTRICAL COMPON REMARKS:	LTS FOR CORRO OBELLCRANK FO 575601, 603, 674	DR PROPER CO	TTER PIN S		URITY.			
137	STABILIZER ABRASION BOOTS (I	F INSTALLED) (3	40, 375, 376)						
	551002 STABILIZER ABRASION B	OOTS (IF INSTAL	I FD) (340-375	376)					
		,		,					
	- CHECK FOR NICKS, CUTS, ,TEA	RS, SECURITY C	F ATTACHMEN	T AND EVID	ENCE OF OTH	ER DAMAGE.			
	REMARKS:								
the air *Certi and ir	fies that the work specified above, ex rcraft / aircraft component is conside fies that the work specified above, ex a respect to that work the aircraft / ai	ered ready for release	ease to service. e specified, was c	arried out in	accordance wi		sia Requirements a	and in respect to tha	t work

LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LOG CARD B				GROUND RUN	FLIGHT TEST		ADDITIONAL WORKSHEET											MOD RECO BOOK
---	--	--	--	---------------	-------------	--	-------------------------	--	--	--	--	--	--	--	--	--	--	------------------

AIRCRAFT TYPE: CARAVAN 208 REGISTRATION: 9M-PSN #1 ENGINE: PCE 17477 REFER WORKPACK WORKPACK REF: 9M-F	KSHEE
IARCHART TYPE: CARAVAN 208 ARCHART 2000000000000000000000000000000000000	3-004
HEGISTRATION: 9M-BN #TENCINE: PCE 1747 REFER WORKPACK WOMPACAL WOMPACAL REFER AGESTRACITY: WEGS #Z ENGINE: NIL PEFER WORKPACK WOMPACAL REF AGESTRACITY: WEGS NIL NEFER NG / NI NF / NZ REF AGESTRACITY: WEGSTRACK OUT: REFER MG / NI NF / NZ REFER AGESTRACITY: WEGSTRACK OUT: REFER AGE / NEW RESCONDANCE REFER AGE / NEW RESCONDANCE REFER AGESTRACITY: WEGSTRACK OUT: NG / NI NF / NZ Other requirements/informic / NL AGESTRACITY: WEGSTRACK Description Technician *Eng.C 118 RAM AIR (601, 601, 511, 611) Technician *Eng.C 121001 RAM AIR (601, 601, 511, 611) 138 RAM AIR (601, 601, 511, 611) 139 STALL WARNING SYSTEM (503)	RATION 3
ASE/FACILITY: WORK OUT: WEEPER ATE IN: PREPER VURKAULX SHEEPER MORE NOT WORK OUT: WORK	SN-15998
At Eline WORKPACK ODE WORKPACK NG / NI N / AZ A OF Statisting: Aligned Maintenance PRORMARE PROMERORME CARE PROGRAM TO TASK. Paised by and date: Other requirements/informal Statisting: Statisting: Statisting: Other requirements/informal Statisting: Statisting: Statisting: Other requirements/informal Statisting: Statisting: Statisting: Statisting: Statisting: Statisting: Description Technician * Eng. C 138 RAM AIR (501, 601, 511, 611) Technician * Eng. C - INSPECT CLAMPS, HOSES, VALVE, INLET SCREENS, AND VENTILATION SYSTEM FOR CONDITION AND SECURITY. REMARKS: Image: Statisting: Image: Statisting: 139 STALL WARNING SYSTEM (503) Image: Statisting: Image: Statisting: Image: Statisting: Image: Statisting: 140 STALL WARNING HEATER THERMOSTAT (503) Image: Statisting: Image: Statisting: </td <td>R WORKPACK</td>	R WORKPACK
ONVERSION OF MAINTENANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK. Incl PRIMA Multianmad Anwar bin Jawabir 08/06/2023 Incl PRIMA Multianmad Anwar bin Jawabir 08/06/2023 MEMOWENGCAMO/AMP/C208 ISSUE 1, REV 0. TO THE LATEST REVISION. OPERATION 3 Technician * Eng. C 138 RAM AIR (501, 601, 511, 611) Technician * Eng. C 138 RAM AIR (501, 601, 511, 611) Technician * Eng. C 139 STALL WARNING SYSTEM (503) Inspect FOR CONDITION AND SECURITY. REMARKS: 139 STALL WARNING SYSTEM (503) Inspect FOR CONDITION AND SECURITY OF INSTALLATION. Inspect FOR CONDITION AND SECURITY OF INSTALLATION. 140 STALL WARNING HEATER THERMOSTAT (503) Inspect FOR CONDITION AND SECURITY OF INSTALLATION. Inspect FOR CONDITION AND SECURITY OF INSTALLATION.	55
138 RAM AIR (501, 601, 511, 611) 211001 RAM AIR (501, 601, 511, 611) -INSPECT CLAMPS, HOSES, VALVE, INLET SCREENS, AND VENTILATION SYSTEM FOR CONDITION AND SECURITY. REMARKS: 139 STALL WARNING SYSTEM (503) -INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS: 140 STALL WARNING HEATER THERMOSTAT (503) -INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. 140 STALL WARNING HEATER THERMOSTAT (503) -INSPECT FOR CONDITION AND SECURITY OF INSTALLATION.	ation:
211001 RAM AIR (501, 601, 511, 611) -INSPECT CLAMPS, HOSES, VALVE, INLET SCREENS, AND VENTILATION SYSTEM FOR CONDITION AND SECURITY. REMARKS: 139 STALL WARNING SYSTEM (503) -INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS: 140 STALL WARNING HEATER THERMOSTAT (503) -INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS:	RS Date
-INSPECT CLAMPS, HOSES, VALVE, INLET SCREENS, AND VENTILATION SYSTEM FOR CONDITION AND SECURITY. Image: Constant of the state	
REMARKS:139STALL WARNING SYSTEM (503)273023 STALL WARNING SYSTEM (503)-INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS:140STALL WARNING HEATER THERMOSTAT (503)-INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS:	
139 STALL WARNING SYSTEM (503) 137 273023 STALL WARNING SYSTEM (503) 138 INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS: Image: Comparison of the state of the stat	
273023 STALL WARNING SYSTEM (503) - INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS: 140 STALL WARNING HEATER THERMOSTAT (503) - INSPECT FOR CONDITION AND SECURITY OF INSTALLATION.	
273023 STALL WARNING SYSTEM (503) - INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS: 140 STALL WARNING HEATER THERMOSTAT (503) - INSPECT FOR CONDITION AND SECURITY OF INSTALLATION.	
INSPECT FOR CONDITION AND SECURITY OF INSTALLATION. Image: Constant of the security of the secur	
REMARKS: REMARKS: 140 STALL WARNING HEATER THERMOSTAT (503) 273024 STALL WARNING HEATER THERMOSTAT (503) - INSPECT FOR CONDITION AND SECURITY OF INSTALLATION.	
140 STALL WARNING HEATER THERMOSTAT (503) 273024 STALL WARNING HEATER THERMOSTAT (503) - INSPECT FOR CONDITION AND SECURITY OF INSTALLATION.	
273024 STALL WARNING HEATER THERMOSTAT (503) - INSPECT FOR CONDITION AND SECURITY OF INSTALLATION.	
- INSPECT FOR CONDITION AND SECURITY OF INSTALLATION.	
- INSPECT FOR CONDITION AND SECURITY OF INSTALLATION.	
*Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respec	to that work
the aircraft / aircraft component is considered ready for release to service. ¬ *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with	
and in respect to that work the aircraft / aircraft component is considered ready for release to service.	

PARTS LABELED &		GROUND RUN	FLIGHT TEST	ADDITIONAL WORKSHEET						
RETURNED								 		

	xyAerospace	Tel: +603 7734	elicopter Centre, Ma Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	734 7526		,			
LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-004	
IRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D		
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK			REFER WO	55
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	-	01	
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
141	LANDING/TAXI LIGHTS (503, 603	3)							
	334002 LANDING/TAXI LIGHTS (503, 603)							
	- INSPECT FOR CONDITION ANI	D SECURITY.							
	REMARKS:								
142	STATIC SYSTEM (503, 603)								
	341001 STATIC SYSTEM (503, 6)	03)							
	- INSPECT PLUMBING FOR SEC	URITY OF INSTALL	ATION AND EV		DAMAGE				
					2.11				
	REMARKS:								
143	VENTILATING BLOWER (IF INST	ALLED) (511, 611)							
	212001 VENTILATING BLOWER	(IF INSTALLED) (51	1, 611)						
	- INSPECT FOR SECURITY OF II	NSTALLATION.							
	- INSPECT WIRING FOR EVIDEN	ICE OF DAMAGE A	NDSECURITY.						
	REMARKS:								
	ifies that the work specified above,			arried out in	accordance w	vith CAA Malay	ysia Requirements :	and in respect to tha	t work
	rcraft / aircraft component is consi ifies that the work specified above,			arried out in	accordance w	vith			
	n respect to that work the aircraft /								

PARTS LABELED & RETURNED	DUPLICATE INSP.		ADDITIONAL WORKSHEET						

	xyAerospace	Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centro langor, Malaysia.	e,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY(CLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	1 OF	55
CONVERS BASED IN	for raising: ION OF MAINTENANCE PROGRAMME FRO SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	2 COMPLIANCE AN	ND AMP REF NO.:		Raised by ar ICP RMP M Anwar bin 08/06/2	uhammad Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
144	AILERON WING CABLES (WING) (5 271002 AILERON WING CABLES (W - INSPECT WING CABLES FOR FR PROPER ROUTING. - INSPECT PULLEYS AND GUARD - INSPECT CABLE FOR DETERIOR REMARKS:	VING) (525, 551, AYING, CHAFING PINS FOR CONE	625, 651) G, CLEANLINES						
145	FLAP TRACKS (525, 625) 275004 FLAP TRACKS (525, 625) - INSPECT FLAP TRACKS AND RO DEFORMATION, AND CRACKS. REMARKS:	LLERS FOR COP	RROSION, FRO	ZEN BEARIN	IGS, FLAT SPO	TS, WEAR,			
the at	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ain	red ready for rele cept as otherwise	ease to service. specified, was c	carried out in	accordance wit		sia Requirements a	and in respect to tha	t work
П тіск	WHERE APPLICABLE								

PARTS D.D. LABELED & RAISED RETURNED					ADDITIONAL WORKSHEET											
--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Tel: +603 7734	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	ire,	,	WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/DI	ESC: OPERATIO	N 3
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK RI	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 52	2 OF	55
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	luhammad n Jawahir	Other requirem	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
146	AILERON/SPOILER BELLCRANK A 271004 AILERON/SPOILER BELLC - INSPECT AILERON BELLCRANK CORROSION, EVIDENCE OF DAM - INSPECT AILERON BELLCRANK - INSPECT PUSHROD ATTACH BC 20FOR TORQUE REQUIREMENTS REMARKS:	RANK AND PUSH AND PUSHRODS AGE TO QUADR BOLT AND STOF DLTS FOR SECUF	HRODS (551, 65 3 TON BOTH WI ANT ARM STOP 9 BOLTS FOR P	NGS) FOR (BOLTS, AN ROPER SAF	D SUPPORT B	RACKET.			
147	AILERON CONTROL SYSTEM (55 271010 AILERON CONTROL SYST - CHECK JOINTS (PUSHRODS) FO (REFER TO CHAPTER20 FOR TOP REMARKS:	EM (551, 651) DR SECURITY,AN		OF FASTEN	ERS WHERE A	PPLICABLE			
the ai Certi and ir	ifies that the work specified above, ex rcraft / aircraft component is consid- ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was c	arried out in	accordance wi		sia Requirements a	and in respect to the	at work

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent angor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	13
REGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	3 OF	55
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
148	AILERON SLOT LIP SPOILER PUS 271011 AILERON SLOT LIP SPOIL - LUBRICATE. (REFER TO CHAPT REMARKS:	LER PUSHRODS (551, 651)	OF LUBRIC/	ANT).				
149	FLUX DETECTOR (623) 221016 FLUX DETECTOR (623) FLUX DETECTOR OR MAGNETO ELECTRICAL CONNECTIONS AN CHECK FOR NON-MAGNETIC SC REMARKS:	D WIRE ROUTING	FOR CONDITION	ON AND SEC	URITY OF INS	TALLATION.			
	ifies that the work specified above, e			carried out in	accordance w	ith CAA Malay	sia Requirements a	and in respect to tha	t work
and in	ircraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	xcept as otherwise	specified, was o			ith			
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED D.D. RAISED DUPLICATE INSP. GROUND FLIGHTTEST TORQUE RUN FLIGHTTEST CHK. ADDITIONAL WORKSHEET MONITORED DEFECT PLANNING FORECAST DIARY UPDATE STATUS UPDATE D.D. STATUS AIRCRAFT LOG BOOK ENGINE LOG BOOK PROPELLER LOG BOOK OEM/COMP LOG CARD MOD RECORD BOOK LOG CARD

	xyAerospace	Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47, 7226 Fax: +603 7 rospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	tre,	١	NORKS	
CLIENT/C	WNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	O: 15998-004	
	POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/DE		13
AIRCRAF	T TYPE: CARAVAN 208 ATION · 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK RE	F: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 54	OF	55
Reason f CONVERSIO BASED INS	OR TAISING: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 F IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requirem	ents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
150	AILERON TRIM TAB CABLES (WIN 271018 AILERON TRIM TAB CABLE - INSPECT CABLES FOR FRAYING ROUTING. - INSPECT CHAINS FOR PROPER ON SPROCKETS, INSPECT PULLE SECURITY. REMARKS:	ES (WING) (625, 6), CHAFING, CLE SAFETYING AT /	ANLINESS, TUF	D CHAINS F	OR PROPER A	LIGNMENT			
151	AILERON TRIM TAB CABLE STOP 271020 AILERON TRIM TAB CABLE - INSPECT FOR CONDITION AND REMARKS:	E STOP BLOCKS		(671)					
the air *Certi and in	fies that the work specified above, ex craft / aircraft component is conside fies that the work specified above, ex a respect to that work the aircraft / ai	ered ready for rele ccept as otherwise	ase to service. specified, was c	arried out in	accordance wi		sia Requirements a	nd in respect to tha	t work

GROUND FLIGHTTEST TORQUE CHK. PARTS LABELED & RETURNED D.D. RAISED DUPLICATE INSP. ADDITIONAL WORKSHEET MONITORED DEFECT PLANNING FORECAST DIARY UPDATE STATUS UPDATE D.D. STATUS AIRCRAFT LOG BOOK ENGINE LOG BOOK PROPELLER LOG BOOK LOG CARD OEM/COMP LOG CARD MOD RECORD BOOK

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cent langor, Malaysia.	ire,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET N	NO: 15998-004	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	3
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	5 OF	55
CONVERSI BASED INS	Or raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
152	AILERON TRIM TAB ACTUATOR (271015 AILERON TRIM TAB ACTU - INSPECT ACTUATOR FOR SECU FOR EVIDENCEOF DAMAGE, CRA - IF TORQUE PUTTY IS BROKEN F - INSPECT ACTUATOR RODS FOR - INSPECT PUSHROD BOLTS AT A - INSPECT PUSHROD ENDS FOR REMARKS:	ATOR (651) JRITY AND EVIDE ACKS, AND SECU RETORQUE MOU R EVIDENCE OF F ACTUATOR FOR	RITY. NTING BOLTS. BENDING. PROPER SAFE ⁻	TYING OF N	UT WITH COTT				
	first that the work specified above as		enacified une c	arriad out in		ith CAA Malay			tungk
the air	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was c	arried out in	accordance w		sia Kequirements a	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OEM/COT LABELED & RAISED INSP. RUN FLIGHTTEST CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK LOG BOOK LOG BOOK CARD LOG CARD RETURNED

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY		WORKSHEET		
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D	10000 000	N 4
	T TYPE: CARAVAN 208 ATION · 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
REGISTR BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	OF	68
Reason f CONVERSI BASED INS	OR PAISING: ON OF MAINTENANCE PROGRAMME FRC PECTION PROGRAM I.A.W. SB CAB11-5 R IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad Jawahir	Other requiren	nents/informatior	
Item		Desci	ription				Technician	* Eng. CRS	Date
1	SERVICE BULETIN (SB) CAB11-5 R	2 COMPLIANCE	OPERATION 4						
	TO PERFORM OPERATION 4 PRO TASK/INSPECTION IN SB CAB11-5 BASED INSPECTION PROGRAM (E REFERENCE: SB CAB11-5 R2, OPE AMP NO. RMPAW/ENG/CAM REMARKS:	5 R2 - CONVERS END OF PROGRE ERATION 4	ON TO MANUF SSIVE CARE C	ACTURER'S	RECOMMEND	ED TASK-			
2	MCCAULEY PROPELLER SPINNER	R (110)							
	621002 - MCCAULEY PROPELLER - REMOVE, WASH, INSPECT FOR (REMARKS:	CRACKS, FRACT	URES, CONDIT	TON AND SE	CURITY.				
3	MCCAULEY SPINNER BULKHEAD								
	- INSPECT FOR CRACKS, CONDITI		ITV						
	REMARKS:								
the ai	fies that the work specified above, exercised above, exercised above, exercised above, exercised that the work specified above, exercised above, exercised above, the aircraft / air	red ready for rele cept as otherwise	ase to service. specified, was c	arried out in	accordance wi		 vsia Requirements a	and in respect to th	at work

PARTS LABELED & RETURNED	D.D. RAISED		GROUND RUN			ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	----------------	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	4
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.: SHEET: 2	REFER WOI	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		2 OF	68
NVERS SED IN:	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-1 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad in Jawahir 5/2023	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
4	MCCAULEY PROPELLER BLADE	S (110)							
	621003 - MCCAULEY PROPELLE	R BLADES (110)							
	- WASH, CHECK FOR NICKS, GC	JUGES, SCRATCHI	ES CORROSION	N AND CRAC	KS.				
	REMARKS:								
5	MCCAULEY PROPELLER HUB (E	EXPOSED AREA) (1	110)						
	621005 - MCCAULEY PROPELLE	ER HUB (EXPOSED	0 AREA) (110)						
	- INSPECT FOR CRACKS, WEAR	, CONDITION, AND	SECURITY OF	COMPONE	NTS TO HUB.				
	REMARKS:								
6									
6	MCCAULEY PROPELLER (110)								
	621006 - MCCAULEY PROPELLE	R (110)							
	- INSPECT FOR OIL LEAKS.								
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi			arried out in	accordance w	vith CAA Malay	ysia Requirements a	and in respect to tha	t work
une a	iciait / aircraft component is consi-	uereu ready for rele	ase to service.						

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Sultan Abdul A Tel: +603 7734	lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 Prospace.my enquin	200 Subang, Se 734 7526			WORKS	
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	NO: 15998-005	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	OF ERVITION	N 4
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R	EF: 9M-PSN-159	998
ASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 3	B OF	68
ONVERS	for raising: ON OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	D AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirer	nents/information:	:
ltem		Desc	ription			Technician	* Eng. CRS	Date
7	MCCAULEY PROPELLER MOUNT	TING (110)						
	621007 - MCCAULEY PROPELLE	R MOUNTING (110)					
	- VISUALLY CHECK FOR SECURI	ITY OF INSTALLAT	ION.					
	REMARKS:							
8	ENGINE PROPELLER SHAFT SE	AL (110)						
	720005 - ENGINE PROPELLER SI	HAFT SEAL (110)						
	- INSPECT FOR LEAKS AND SEC	URITY.						
	REMARKS:							
9	100 HOUR OPERATIONAL CHEC	K (WITH TKS)						
	301101 - 100 HOUR OPERATION		rks)					
			11(3)					
	- 100 HOUR OPERATIONAL CHEC INSTALLATION AT THE PROPELL PROPELLER SLINGER. CHECK C TEST TKS ANNUNCIATOR (NON-	LER BOOTS, PROP DPERATION OF PL	PELLER NOZZL JMPS, PUMP C/	.E, PROPELI AS ANNUNC	ER FEED TUBES, AND IATOR (G1000), PRESS			
	REMARKS:							
the ai	ifies that the work specified above, e rcraft / aircraft component is consic ifies that the work specified above, e	dered ready for rele	ase to service.			aysia Requirements a	and in respect to the	at work
	n respect to that work the aircraft / a							
	WHERE APPLICABLE							

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	ntre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 4
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.: SHEET: 2	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	4 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-4 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad in Jawahir 5/2023	Other requiren	nents/information:	:
Item		Desc	ription				Technician	* Eng. CRS	Date
10	PROPELLER GOVERNOR AND C	OVERSPEED GOVE	RNOR (121)						
	612002 - PROPELLER GOVERNO	OR AND OVERSPE	ED GOVERNOF	R (121)					
	- PROPELLER GOVERNOR AND	OVERSPEED GOV	'ERNOR (121)						
	- INSPECT FOR OIL LEAKS, CON	NDITION AND SECU	JRITY.						
	REMARKS:								
11	PROPELLER GOVERNOR AND C		RNOR (121)						
	622002 - PROPELLER GOVERNO	OR AND OVERSPE	ED GOVERNOF	R (121)					
	- INSPECT FOR OIL LEAKS, CON	NDITION AND SECU	JRITY OF INST	ALLATION.					
	REMARKS:								
12	INDUCTION SYSTEM AND INER	TIAL SEPARATOR	(121)						
	716001 - INDUCTION SYSTEM A	ND INERTIAL SEPA	ARATOR (121)						
	- INSPECT FOR GENERAL CON	DITION, SECURITY	, AND FREEDO	M OF OPER	ATION.				
	- INSPECT DOOR PIVOT POINT	BEARINGS FOR EX	CESSIVE WEA	R.					
	- CHECK SEPARATOR LINKAGE	FOR PROPER OP	ERATION.						
	- CHECK FOR LOOSE RIVETS.								
	REMARKS:								
the ai	ifies that the work specified above, ircraft / aircraft component is consi- ifies that the work specified above, n respect to that work the aircraft / a	dered ready for rele except as otherwise	ase to service. specified, was c	carried out ir	n accordance w		 ysia Requirements a	and in respect to the	lt work
		anerar component	is considered f						
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	SERIAL NO. 20800231	HOURS REFER W	LDG/C VORKPACK	YCLE	WORKSHEET N WORK/INSP/D	10000 000	14
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	OF	68
Reason f CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
13	INERTIAL SEPARATOR (121) 716002 - INERTIAL SEPARATOR (- UNLOCK CONTROL AND PULL I - CHECK FOR FREEDOM OF MOV DUCT. REMARKS:	NTO BYPASS.	R FULL OPENIN	G OF THE B	YPASS DOOR	IN THE AIR			
14	INERTAL SEPARATOR (121) 716005 - INERTAL SEPARATOR (7 - PERFORM INERTAL SEPARATO CHAPTER 71. REMARKS:		D AFT VANE RIV	/et inspec	TION. REFER	то			
15	OIL FILTER (121)								
	790004 - OIL FILTER (121)								
	- REMOVE, CLEAN AND INSPECT DESIRED. REMARKS:	FOR DAMAGE. F	ILTER MAY BE	ELECTROS	ONICALLY CLE	EANED IF			
the ai	ifies that the work specified above, end rcraft / aircraft component is consid ifies that the work specified above, end n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out ir	n accordance w		rsia Requirements a	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	itre,		WORKS	
AIRCRAF REGISTF BASE/FA	OWNER: ROYAL MALAYSIA POLICE (ICP) TTTYPE: CARAVAN 208 AATION: 9M-PSN CILITY: WBGG	AIRCRAFT #1 ENGINE: #2 ENGINE:	SERIAL NO. 20800231 PCE 17477 NIL	REFER W	LDG/C [\] ORKPACK ORKPACK	YCLE	WORKSHEET N WORK/INSP/D WORKPACK R AJL REF NO.: SHEET:	ESC: OPERATION EF: 9M-PSN-159 REFER WOI	98 RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 6	OF	68
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
16	HEAT DETECTION LOOP (121, 12 261002 - HEAT DETECTION LOOP - INSPECT THE THREE LOOP SE	P (121, 122)	IDITION, SECUI	RITY AND E'	VIDENCE OF [DAMAGE.			
	SPECIAL ATTENTION SHOULD B REMARKS:	E GIVEN TO THE	LOOP CONNEC	TION FITTIN	IGS.				
17	FUEL LINES (121, 122)								
	731001 - FUEL LINES (121, 122) - INSPECT FUEL SUPPLY AND FU LEAKS, AND SECURITY OF INST REMARKS:		V LINES FOR D	ETERIORAT	ION, CHAFING	S, FUEL			
18	FLOW DIVIDER (121, 122)								
	731010 - FLOW DIVIDER (121, 12: - INSPECT FOR SECURITY OF IN FUEL LEAKS. REMARKS:		EVIDENCE OF						
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance w		vsia Requirements a	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cen langor, Malaysia.	itre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET:	7 OF	68
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11- IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
19	IGNITORS (121, 122) 741003 IGNITORS (121, 122) - INSPECT FOR WEAR, CORROS - CLEAN INSULATOR AT LEAD A REMARKS:				END.				
20	IGNITORS (121, 122)								
	741005 - IGNITORS (121, 122)								
	- PERFORM OPERATIONAL CHE SWITCH ON). VERIFY IGNITION				N POSITION (E	BATTERY			
	REMARKS:								
21	CHIP DETECTORS WITHOUT AN	INUNCIATOR LIGH	T (121, 122)						
	793002 - CHIP DETECTORS WIT	HOUT ANNUNCIAT	OR LIGHT (121	, 122)					
	- INSPECT.								
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is considifies that the work specified above, n respect to that work the aircraft /	dered ready for rele except as otherwise	ease to service. specified, was c	carried out in	accordance w		vsia Requirements	and in respect to tha	t work
anu li	respect to that work the aircraft /	ancian component	is considered fo	cauy for relea	ase to service.				

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
RETURNED									

Gala		Aero			*	Suite 11-14, He Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, vziz Shah Airport, 7226 Fax: +60 rospace.my enc	Malaysia Int 47200 Suba 3 7734 7526	ernational A ing, Selange		entre,							
CLIENT	OWNER	: ROYAL	MALAY	SIA			SERIAL NO). HOU	RS	LDG/0	CYCLE		WORKSH	IEET NO	0:	15998	-005	
			(ICP)		AIF	CRAFT	20800231	REF	ER WOR	КРАСК			WORK/IN	SP/DE	SC:	OPER	ATION 4	1
REGIST	FT TYPE RATION:	9M-PSN	1		#1	ENGINE:	PCE 1747	REF	ER WOR	КРАСК			WORKPA	CK REI	F: 9	9M-PS	SN-1599	8
		WBGG			#2	ENGINE:	NIL	REF	ER WOR	KPACK			AJL REF	NO.:	I	REFE	R WORI	KPACK
DATE IN	: REFER WORKP	ACK O	UT: REF	ER Rkpack						NG / N1	NF	/ N2	SHEET:	8		OF		68
CONVERS BASED IN	SPECTION	IAÎNTENAN N PROGRA	M I.A.W. 3	SB CAB11	I-5 R2 COM	MPLIANCE AN	CARE PROGRA ID AMP REF NO ON. OPERATIC	D.:	к-			mad	Other rec	quireme	ents/ir	nform	ation:	
Item						Descr	ription						Technicia	an	* En	ig. CF	RS	Date
22	24300 - INSF	1 - BATTE PECT FOR PECT BAT	ERY CAE	BLE DISC	CONNEC	ABLES (122) T AND CABI ON AND SEC	LES (122)	ating of	R BURNI	NG.								
23	24300 - INSF	PECT LAT	RY TRA	TION, C		ON AND SEG	CURITY. DPERATION.											
the a the a the a	ircraft / a tifies tha in respec	aircraft co t the work	mponer specific vork the	nt is cons ed above	sidered re , except a / aircraft	eady for relea is otherwise	specified, wa ase to service specified, wa is considered	s carried	out in ac	cordance	with	A Malays	ia Requiren	nents an		LOG	to that	
LABELED & RETURNED	RAISED	INSP.	RUN		CHK.	WORKSHEET	DEFECT	FORECAST	UPDATE	UPDATE	STATUS	LOG BOOK	BOOK	LOG BO		CARD	LOG CAR	

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
EGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
ASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	VORKPACK		AJL REF NO.:	REFER WO	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 9	OF	68
NVERS SED IN:	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Dat
24	GILL FLOODED LEAD-ACID BAT	TERY (IF INSTALLE	ED) (122)						
	243009 - GILL FLOODED LEAD-4	ACID BATTERY (IF I	INSTALLED) (12	22)					
	- CHECK GENERAL CONDITION	AND SECURITY.							
	- CHECK LEVEL OF ELECTROLY	YTE.							
	- CHECK TERMINALS FOR OVE	RHEATING OR BUR	RNING.						
	REMARKS:								
25	BATTERY BOX (GILL LEAD ACIE	ONI Y) (122)							
20	243010 - BATTERY BOX (GILL LI		22)						
			,						
	- INSPECT FOR CORROSION, C	ONDITION AND SE	CURITY.						
	REMARKS:								
26	BATTERY VENT TUBES (122)								
	243011 - BATTERY VENT TUBES	5 (122)							
	- INSPECT FOR CONDITION, OF	STRUCTIONS AND	SECURITY.						
	REMARKS:								
	ifies that the work specified above,			carried out ir	n accordance w	ith CAA Malay	vsia Requirements	and in respect to tha	t work
	rcraft / aircraft component is consi ifies that the work specified above,								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 ‡ 7226 Fax: +603 7 erospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 4
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 1	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		0 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
27	CONCORD SEALED LEAD ACID E 243014 CONCORD SEALED LEAD - CHECK GENERAL CONDITION A	ACID BATTERY		(122)					
	- CHECK TERMINALS FOR OVER	HEATING OR BUF	NING.						
	- PERFORM CHECKS IN ACCORE	ANCE WITH SER	VICING PLACAI	RD ON THE	SIDE OF BATT	ERY.			
	REMARKS:								
28	BLEED AIR PRESSURE REGULAT	TOR (122)							
	301007 - BLEED AIR PRESSURE I	REGULATOR (122	:)						
	- PERFORM DISCHARGE PRESSI NOT MODIFIED PER SK208-112. (REFER TO CHAPTER 36). REMARKS:			300221 AND	208B0001 THF	RU208B0316			
29	P3 FILTER (122)								
	723001 - P3 FILTER (122) - INSPECT FOR GENERAL COND REMARKS:	ITION AND CLEAN	J.						
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance w		sia Requirements	and in respect to the	at work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	xyAerospace		4 7226 Fax: +603 7 prospace.my enquin		ace.my							
LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-005				
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/DESC: OPERATION 4					
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98			
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOI				
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK	NG / N1 NF / N2				NF / N2	SHEET: 1	1 OF	68			
NVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06	/luhammad n Jawahir	Other requiren	nents/information:				
tem		Desc	ription				Technician	* Eng. CRS	Date			
30	ENGINE FUEL PUMP (122) 731004 - ENGINE FUEL PUMP (1 - INSPECT FOR SECURITY OF II - INSPECT OVERBOARD DRAIN REMARKS:	NSTALLATION AND		ATION AND	CONDITION.							
31	FUEL CONTROL (122)											
	732001 - FUEL CONTROL (122)											
	- INSPECT FOR SECURITY OF I	NSTALLATION AND	FUEL LEAKS.									
	REMARKS:											
32	FUEL CONTROL (122)											
	732002 - FUEL CONTROL (122)											
	- CHECK FOR F.C.U. BEARING V F.C.U. OVERBOARD VENT	VASHOUT INDICAT	ED BY BLUE D	YE (GREASE	E AND FUEL M	IXED) AT						
	REMARKS:											
the ai Cert ך	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above, n respect to that work the aircraft /	dered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance w		vsia Requirements a	and in respect to tha	t work			

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47: 17226 Fax: +603 7 rrospace.my enquin	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cent angor, Malaysia.	tre,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	98	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 1	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEEI: 1	2 OF	68
CONVERSI BASED INS	OR PAISING: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 I IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	D AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
33	FUEL FLOW TRANSDUCER (122) 733001 - FUEL FLOW TRANSDUCH - INSPECT FOR SECURITY OF INS REMARKS:	STALLATION, FUE		EVIDENCE (OF DAMAGE.				
34	FUEL TOTALIZER SIGNAL CONDI 733002 - FUEL TOTALIZER SIGNA - INSPECT FOR SECURITY OF INS OF DAMAGE. REMARKS:	L CONDITIONER	(IF INSTALLED)		CURITY, AND E	VIDENCE			
35	ENGINE CONTROLS (122) 761001 - ENGINE CONTROLS (122 - CHECK FOR FREEDOM OF OPE - INSPECT FOR SECURITY OF INS AND DETERIORATION. - CHECK RUBBER SEALS FOR DE REMARKS:	RATION. STALLATION, WE	AR, CORROSIC	IN, ROUTING	5, EVIDENCE C	DF DAMAGE,			
the air *Certi and ir	fies that the work specified above, ex rcraft / aircraft component is conside fies that the work specified above, ex n respect to that work the aircraft / ai WHERE APPLICABLE	ered ready for release	ease to service. specified, was c	arried out in	accordance wi		sia Requirements a	and in respect to tha	t work

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

maint	tenance , repair , overhaul	www.galaxyae	7226 Fax: +603 7 rospace.my enquin	y@galaxyaerosp	ace.my				
_IENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	of Elothio	N 4
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 1	REFER WO	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	38221. 1	3 OF	68
NVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
em		Desci	ription				Technician	* Eng. CRS	Date
36	CONTROL LINKAGES AND ATTA	ACH BRACKETS (12	22)						
	761002 - CONTROL LINKAGES A - INSPECT FOR SECURITY OF IN FREEDOM OF MOVEMENT.			DN, GENERA	L CONDITION	, AND			
	REMARKS:								
37	OIL FILLER CAP AND DIPSTICK	(122)							
	790003 - OIL FILLER CAP AND D	IPSTICK (122)							
	- INSPECT FOR CONDITION ANI	D SECURITY.							
	REMARKS:								
38	DRAIN OPENINGS AND VENT H COWLING (130)	OLES IN BOTTOM	OF ENGINE						
	717002 - DRAIN OPENINGS AND COWLING (130)	VENT HOLES IN B	OTTOM OF EN	GINE					
	- INSPECT FOR OBSTRUCTIONS	6.							
	REMARKS:								
the ai *Cert	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above, n respect to that work the aircraft /	dered ready for rele except as otherwise	ase to service. specified, was c				vsia Requirements	and in respect to the	at work

PARTS LABELED & RETURNED		GROUND RUN	FLIGHT TEST	ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 P 7226 Fax: +603 7 rospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
REGISTF	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOI	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	4 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 I NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
39	ENGINE EXHAUST SYSTEM (130)								
	781001 ENGINE EXHAUST SYSTE	EM (130)							
	- INSPECT PRIMARY AND SECON INSTALLATION, AND EVIDENCE C		R CRACKS, DI	STORTION,	SECURITY OF				
	REMARKS:								
40	FIREWALL MOUNTED FUEL FILTE BUTTON) (151)	ER WITH BYPASS	FLAG (RED W/	ARNING					
	282006 FIREWALL MOUNTED FUE BUTTON) (151)	EL FILTER WITH E	BYPASS FLAG (RED WARN	ING				
	- CLEAN. INSPECT FOR LEAKS, S	ECURITY AND CO	ONDITION.						
	REMARKS:								
41	EPA CAN (151)								
71									
	282007 EPA CAN (151)								
	- INSPECT FOR LEAKAGE, SECUR	RITY AND CONDI	FION. DRAIN CO	OMPLETELY	.				
	REMARKS:								
_				_					
the ai	 ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex	ered ready for rele xcept as otherwise	ase to service. specified, was c	arried out ir	n accordance w		ysia Requirements :	and in respect to tha	t work
and in	n respect to that work the aircraft / ai	ircraft component	is considered r	eady for rele	ase to service.				
	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED	RAISED					ADDITIONAL WORKSHEET											
--------------------------------	--------	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 4
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	5 OF	68
NVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		-	Muhammad n Jawahir	Other requiren	nents/information:	:
tem		Desc	ription				Technician	* Eng. CRS	Date
42	BRAKE SYSTEM RESERVOIR (1	51)							
	324005 BRAKE SYSTEM RESER	VOIR (151)							
	- INSPECT FOR SECURITY, CON FOR BRAKE RESERVOIR SERVI		S. CHECK FLUI	ID LEVEL. (R	EFER TO CHA	APTER 12			
	REMARKS:								
43	OIL PRESSURE INDICATOR PLU	JMBING (ENGINE T	O FIREWALL) (151)					
		·							
	793004 OIL PRESSURE INDICAT			WALL) (151)					
		· ·		, , ,	05				
	- INSPECT FOR SECURITY, CON	NDITION, LEAKAGE		E OF DAMA	GE.				
	REMARKS:								
44	STATIC SYSTEM DRAIN VALVES	S (215, 216)							
	341007 STATIC SYSTEM DRAIN	VALVES (215, 216)							
	- VISUALLY INSPECT FOR LEAK	S, AND PRESENCE	E OF WATER IN	DRAIN FITT	INGS.				
	- DRAIN ACCUMULATED MOIST								
	- INSPECT CONDITION AND SEC		LATION.						
	REMARKS:								
]*Cert	ifies that the work specified above,	except as otherwise	specified, was c	arried out in	accordance w	ith CAA Mala	ysia Requirements :	and in respect to tha	at work
	rcraft / aircraft component is consi	dered ready for rele	ase to service						

PARTS LABELED & RETURNED	DUPLICATE INSP.		ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		

	tenance, repair, overhaul		rospace.my enquin				14/05/15/15		
	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS		YCLE	WORKSHEET WORK/INSP/D	1000000	
	T TYPE: CARAVAN 208	AIRCRAFT #1 ENGINE:	20800231 PCE 17477		ORKPACK		WORK/INSP/D	OI EIVIIIO	
	RATION: 9M-PSN CILITY: WBGG	#1 ENGINE: #2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WC	
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	6 OF	68
eason ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
Item		Desc	ription				Technician	* Eng. CRS	Dat
45	INSTRUMENT PANEL LIGHTS (2	20, 221,222, 223,22	4)						
	330002 INSTRUMENT PANEL LIC	GHTS (220, 221,222	, 223,224)						
	- PERFORM OPERATIONAL CHE	ECK.							
	REMARKS:								
46	PRIMARY FLAP SYSTEM (226)								
	275002 PRIMARY FLAP SYSTEM	1 (226)							
	- OPERATE FLAPS WITH FLAP (RANGE OF TRAVEL AND OBSEF				,				
	REMARKS:								
47	FUEL SHUTOFF CONTROL (226))							
	282004 FUEL SHUTOFF CONTR	OL (226)							
	- OPERATIONAL CHECK.								
	REMARKS:								
_	ifies that the work specified above,	except as otherwise		arried out in	accordance w	rith CAA Malay	vsia Requirements	and in respect to th	at work
	rcraft / aircraft component is consi	dered ready for rele	ase to service						

			ADDITIONAL WORKSHEET						
KEIÜKNED									

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C)		WORKSHEET I		
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORKSHEET I WORK/INSP/D	10000 000	N 4
	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R	OF ERVINO	
	ATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WC	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	7 OF	68
ason NVERS SED INS	for raising: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information	:
em		Desc	ription				Technician	* Eng. CRS	Dat
18	PILOTS AND COPILOTS SEATS 251002 PILOTS AND COPILOTS - INSPECT SEAT BRACKETS, GI CONDITION, SECURITY AND PF CONDITION AND SECURITY.	SEATS (231, 232) UIDES, AND STOPS							
	- SERVICE SEAT ADJUSTING SO	CREWS, BEARINGS	S AND LOCKING	6 MECHANIS	MS.				
	REMARKS:								
19	PILOTS AND COPILOTS SEAT B	ACK STOP BOLTS	(231, 232)						
	251005 PILOTS AND COPILOTS	SEAT BACK STOP	BOLTS (231, 23	32)					
	- INSPECT FOR LOOSE OR MIS	SING NUTS.							
	REMARKS:								
50	PORTABLE HAND FIRE EXTING	UISHER (231, 232)							
	262002 PORTABLE HAND FIRE	EXTINGUISHER (23	31, 232)						
	- INSPECT FOR PROPER OPER DATE.	ATING PRESSURE,	CONDITION, A	ND SECURI	TY. CHECK SE	RVICING			
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi			carried out in	accordance w	ith CAA Malay	vsia Requirements :	and in respect to th	at work

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		
KEIÜKNED										

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centi langor, Malaysia.	re,	,	WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	CLE	WORKSHEET N	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
REGISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOP	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	B OF	68
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06/	luhammad Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
51	INTERIOR LIGHTING (231, 232, 25	51, 252, 255, 256)							
	332002 INTERIOR LIGHTING (231	, 232, 251, 252, 25	5, 256)						
	- CHECK OPERATION OF CABIN, WHEEL MAP LIGHTING.	PASSENGER RE	ADING, NO SMO	OKING/SEAT	BELT, AND CO	NTROL			
	REMARKS:								
52	STANDBY FLAP SYSTEM (243)								
	275003 STANDBY FLAP SYSTEM	(243)							
	- PERFORM STANDBY FLAP MOT REFER TO CHAPTER 27.	FOR OPERATION/	AL CHECK.						
	REMARKS:								
53	TAILCONE DRAIN OPENING (311	212)							
55	TAILCONE DIVAIN OF LIVING (311	, 312)							
	531004 TAILCONE DRAIN OPENI	NG (311, 312)							
	- INSPECT FOR OBSTRUCTION A BLOCKAGE.	AND REMOVE AN	Y FOREIGN MA	FERIAL FRO	M OPENING TO	O PREVENT			
	REMARKS:								
*Cert	ifies that the work specified above, e	xcept as otherwise	specified, was c	arried out ir	accordance wi	th CAA Malay	' sia Requirements a	and in respect to tha	t work
the ai	rcraft / aircraft component is consid	lered ready for rele	ease to service.				1	1	
	ifies that the work specified above, e n respect to that work the aircraft / a					th			
			,	, for fele					
TICK	WHERE APPLICABLE								

PARTS LABELED &		GROUND RUN		ADDITIONAL WORKSHEET						
RETURNED										

		Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-005	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OI ERAHOR	14
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 1	9 OF	68
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
54	EMERGENCY LOCATOR INSTALL 256001 EMERGENCY LOCATOR I - INSPECT FOR SECURITY OF IN ELECTRICAL COMPONENTS. - INSPECT STRUCTURE FOR CO REMARKS:	INSTALLATION (3 STALLATION, PO	,	ICTION SWIT	CH AND CON	DITION OF			
55	RUDDER (343) 272001 RUDDER (343) - INSPECT RUDDER SKINS FOR O CRACKS, AND SECURITY; HINGE JUMPER FOR EVIDENCE OF DAM - INSPECT RUDDER HINGE BOLT BALANCE WEIGHT FOR LOOSEN REMARKS:	E BOLTS, HINGE E MAGE OR WEAR, IS FOR PROPER S	BEARINGS, HIN FAILED FASTEI SAFETYLNG OF	GE ATTACH NERS, AND S F NUTS WITH	FITTING, AND SECURITY. I COTTER PIN	BONDING			
×Certi	ifies that the work specified above, e	xcept as otherwise	e specified, was o	carried out ir	n accordance w	ith CAA Malay	rsia Requirements	and in respect to tha	t work
the ai *Certi and ir	rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele xcept as otherwise	ease to service. e specified, was o	carried out ir	accordance w				

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		
KEIÜKNED										

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATION	14
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R	EF: 9M-PSN-159	998
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 2	0 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requiren	nents/information:	_
Item		Desc	ription			Technician	* Eng. CRS	Date
56	ELEVATOR TRIM TABS (375, 376) 273010 ELEVATOR TRIM TABS (3							
	- INSPECT.							
	REMARKS:							
57	ELEVATOR (373, 374)							
	273001 ELEVATOR (373, 374)							
	- INSPECT ELEVATOR SKINS FO CRACKS, AND SECURITY; AND F FITTINGS, AND BONDING JUMPE SECURITY. - INSPECT ELEVATOR HINGE BC	HINGE BOLTS, HIN ERS FOR EVIDEN(IGE BEARINGS CE OF DAMAGE	, TORQUE T E OR WEAR,	UBE, HORN, ATTACH FAILED FASTENERS, AND			
	BALANCE WEIGHTS FOR LOOSE							
	- INSPECT OUTBOARD TIPS FOR	R CRACKS IN RIB	FLANGE.					
	REMARKS:							
the ai	ifies that the work specified above, e crcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was c	carried out ir	accordance with	rsia Requirements a	and in respect to tha	t work
	✓ WHERE APPLICABLE							

PARTS LABELED &	RAISED			ADDITIONAL WORKSHEET						
RETURNED										

	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO. 20800231	HOURS		YCLE	WORKSHEET N WORK/INSP/D	10000000	
IRCRAI	T TYPE: CARAVAN 208	AIRCRAFT #1 ENGINE:	PCE 17477		ORKPACK ORKPACK		WORKPACK R	OF ERVITION	
	RATION: 9M-PSN CILITY: WBGG	#1 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WO	
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	1 OF	68
leason ONVERS ASED IN:	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Dat
58	WING ACCESS PLATES (501, 50	93, 601, 603)							
	570006 WING ACCESS PLATES	(501, 503, 601, 603)	1						
	- INSPECT FOR SECURITY OF I	NSTALLATION AND	EVIDENCE OF	DAMAGE.					
	REMARKS:								
59	PITOT TUBE(S) (503, 603)								
	341005 PITOT TUBE(S) (503, 603	3)							
	- VISUALLY CHECK TUBE(S) AN	D STATIC PORTS F	OR OBSTRUC	TIONS.					
	- INSPECT MAST(S) FOR BENDI	NG AND EVIDENCE	OF DAMAGE.						
	- ENSURE SEALANT AT MAST-T	O-WING JOINT IS I	N GOOD COND	ITION.					
	REMARKS:								
60	FUEL SELECTOR VALVES AND	LINKAGES (WING A	AREA) (511, 611)					
	282001 FUEL SELECTOR VALVE	ES AND LINKAGES	(WING AREA) (511, 611)					
	- INSPECT SHUTOFF VALVES, O OF DAMAGE.	CONTROLS AND LI	NKAGE FOR CC	ONDITION, S	ECURITY AND	EVIDENCE			
	REMARKS:								
	ifies that the work specified above, ircraft / aircraft component is consi			arried out in	accordance w	rith CAA Malay	/ /sia Requirements a	and in respect to tha	it work
	ifies that the work specified above,			. 1	1	• 1			

PARTS D.D. DUPLICATE GL LABELED & RAISED INSP. RETURNED			ADDITIONAL WORKSHEET											
---	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 rrospace.my enquin	Ilaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATION	۱4
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R	EF: 9M-PSN-159	998
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 2	2 OF	68
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirer	nents/information:	
Item		Desc	ription			Technician	* Eng. CRS	Date
61	FUEL TANK AREA (521, 621)							
	281001 FUEL TANK AREA (521, 6 - INSPECT FOR FUEL STAIN, DIS FUEL LEAKS.		ID EVIDENCE C)F				
	REMARKS:							
62	FUEL TANK FILLER CAP(S) AND	FLAPPER VALVE	S) (521, 621)					
	281003 FUEL TANK FILLER CAP(S) AND FLAPPER	VALVE(S) (521,	621)				
	- INSPECT FOR DAMAGE OR BR	OKEN COMPONE	NTS AND CHEC	K LOCK PO	SITION OF FILLER CAP.			
	REMARKS:							
63	DRAIN VALVES (521, 621)							
	281004 DRAIN VALVES (521, 621))						
	- CHECK FOR OPERATION AND I		KAGE.					
	REMARKS:							
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was c	arried out ir	n accordance with	ysia Requirements	and in respect to tha	l work
		meran component	is considered fo	uuy 101 101e	use to service.			
ТІСК	✓ WHERE APPLICABLE							

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						MOD RECORD BOOK
REIURNED									

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	3 OF	68
Reason CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
64	FLAPS (527, 627) 275001 FLAPS (527, 627) - INSPECT FLAPS FOR LOOSE R REMARKS:	IVETS, CRACKS, I	CONDITION, AN	ID SECURIT	Υ.				
65	AILERON (571, 671)								
	271001 AILERON (571, 671) - INSPECT THE AILERON SKINS CRACKS, AND SECURITY; HINGE JUMPERS FOR EVIDENCE OF DA - INSPECT THE AILERON HINGE INSPECT BALANCE WEIGHTS FO REMARKS:	E BOLTS, HINGE E AMAGE OR WEAR BOLTS FOR PRO	BEARINGS, HING , FAILED FASTE PER SAFETYIN	GE ATTACH ENERS, AND G OF NUTS	FITTINGS, AN SECURITY. WITH COTTER	D BONDING			
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele xcept as otherwise	ease to service. e specified, was c	carried out in	accordance w		sia Requirements	and in respect to tha	t work
	WHERE APPLICABLE								

GROUND FLIGHTTEST TORQUE RUN MOD RECORD BOOK PARTS LABELED & RETURNED D.D. RAISED DUPLICATE INSP. ADDITIONAL WORKSHEET MONITORED DEFECT PLANNING FORECAST DIARY UPDATE STATUS UPDATE D.D. STATUS AIRCRAFT LOG BOOK ENGINE LOG BOOK PROPELLER LOG BOOK LOG CARD OEM/COMP LOG CARD

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	4
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	4 OF	68
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP N Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
66	AILERON TRIM TAB (671) 271014 AILERON TRIM TAB (671) - INSPECT THE TRIM TAB SKINS FOR CRACKS, SECURITY AND EV - INSPECT HINGE PIN FOR PROP - INSPECT HORN AND PUSHROD - INSPECT PUSHROD BOLTS FOR REMARKS:	FOR CRACKS, LO VIDENCE OF DAM PER INSTALLATIO PFOR EVIDENCE	/AGE. ON AT HINGE PII OF DAMAGE AI	N RETAINER ND SECURIT	Υ.				
67	NOSE GEAR TORQUE LINKS AND	O SHOCK STRUT	(701)						
	322002 NOSE GEAR TORQUE LIN	IKS AND SHOCK	STRUT (701)						
	- INSPECT FOR CONDITION, WEA (REFER TO CHAPTER 12 FOR ME				VICE.				
	REMARKS:								
the air Certi	ifies that the work specified above, ex rcraft / aircraft component is consid ifies that the work specified above, ex n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. e specified, was o	carried out ir	accordance w		sia Requirements a	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	tenance, repair, overhaul	Tel: +603 773	Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	734 7526					
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OI ERAHOR	14
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	5 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
68	NOSE GEAR SPRING YOKE (701) 322005 NOSE GEAR SPRING YOU - INSPECT BEARING FOR CORRO	KE (701)		TION					
	- LUBRICATE BEARING (REFER 1				LUBRICANT).				
	REMARKS:	FER CHAFTER 3	Z AND RESAFE	11.					
69	NOSE LANDING GEAR WHEEL AI	ND TIRE (701)							
	324003 NOSE LANDING GEAR W	HEEL AND TIRE (701)						
	- CHECK FOR WEAR, PRESSURE (REFER TO CHAPTER 12 FOR TH		1.						
	REMARKS:								
70	NOSE GEAR SHIMMY DAMPER (7	701)							
	325001 NOSE GEAR SHIMMY DA	MPER (701)							
	- INSPECT FOR CONDITION AND	SECURITY							
	REMARKS:								
	ifies that the work specified above, e			carried out in	accordance w	rith CAA Malay	//////////////////////////////////////	and in respect to tha	t work
□ *Cert	ircraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	xcept as otherwise	e specified, was c			rith			
	✓ WHERE APPLICABLE	_							

			DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	cenance , repair , overhaul		rospace.my enquin		,		1		
LIENT/0	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	10000 000	
	T TYPE: CARAVAN 208	AIRCRAFT #1 ENGINE:	20800231 PCE 17477		ORKPACK		WORK/INSP/D WORKPACK R	Of Electron	
	ATION: 9M-PSN CILITY: WBGG	#1 ENGINE: #2 ENGINE:	NIL		ORKPACK ORKPACK		AJL REF NO.:	REFER WOR	
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	6 OF	68
eason ONVERS ASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir S/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
71	NOSE GEAR SHIMMY DAMPER 325002 NOSE GEAR SHIMMY DA								
	- CHECK FOR NEED TO SERVIC REMARKS:	E. (REFER TO CHA	APTER 32 FOR I	METHOD AN	ID TYPE OF FI	LUID.)			
72	NOSE GEAR STEERING STOP E	BOLT OR BLOCK (7	01)						
	325006 NOSE GEAR STEERING - INSPECT FOR CONDITION, SE (BOLT HEAD DOWN.)								
	REMARKS:								
73	MAIN LANDING GEAR WHEELS	AND TIRES (721, 7	22)						
	324001 MAIN LANDING GEAR W - CHECK FOR WEAR, PRESSUR								
	- CHECK FOR WEAR, PRESSUR - ROTATE TIRES AS NECESSAR TIRE PRESSURE.)			EAR. (REFE	R TO CHAPTE	R 12 FOR			
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ase to service.				vsia Requirements a	and in respect to tha	t work

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET					OEM/COMP LOG CARD	

	xyAerospace	Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B elicopter Centre, Ma ziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	200 Subang, Se 734 7526	langor, Malaysia.	tre,			_
LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/E	DESC: OPERATIC	N 4
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK F		5998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	ORKPACK
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET:	27 OF	68
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	D AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	ments/informatior	1:
ltem		Desci	iption				Technician	* Eng. CRS	Date
74	LANDING GEAR WHEEL BEARIN	IGS (721, 722)							
	324002 LANDING GEAR WHEEL - INSPECT FOR CONDITION AND (REFER TO CHAPTER 12 FOR M	D REPACK.		Т.)					
	REMARKS:								
75	BRAKE ASSEMBLIES (721, 722)								
	324004 BRAKE ASSEMBLIES (72	21, 722)							
	- INSPECT FOR WEAR OF LININ	GS, DISC WARPAG	E AND EVIDEN	ICE OF LEA	KAGE.				
	REMARKS:								
76	EXTERIOR PLACARDS AND DEC	CALS (ALL)							
	112001 EXTERIOR PLACARDS A	AND DECALS (ALL)							
	- INSPECT PRESENCE, LEGIBIL	ITY AND SECURITY	<u>.</u>						
	- CONSULT THE AIRPLANE MAI	NTENANCE MANUA	L, CHAPTER 1	1, FOR REQ	UIRED PLACA	RDS.			
	REMARKS:								
the ai Cert ך	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above, n respect to that work the aircraft /	dered ready for rele except as otherwise	ase to service. specified, was c	arried out in	accordance w		ysia Requirements	and in respect to th	at work

PARTS LABELED & RETURNED	RAISED					ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--------	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	xyAerospace	Sultan Abdul A Tel: +603 7734	elicopter Centre, Ma Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquin	200 Subang, Se 734 7526	langor, Malaysia.	itre,		WORKS	
LIENT/C	WNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	4
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WO	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	8 OF	68
NVERSI SED INS	OF PAISING: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 6/2023	Other requirer	nents/information:	
em		Desci	ription				Technician	* Eng. CRS	Date
77	INTERIOR PLACARDS AND DEC	ALS (ALL)							
	113001 INTERIOR PLACARDS AN	ND DECALS (ALL)							
	- INSPECT PRESENCE, LEGIBILI	TY AND SECURITY	ί.						
	- CONSULT THE AIRPLANE MAIN	NTENANCE MANUA	AL, CHAPTER 1	1,FOR REQI	JIRED PLACA	RDS.			
	REMARKS:								
78	AVIONICS COOLING FAN (BAT)								
	212005 AVIONICS COOLING FAM	I (BAT)							
	- TURN BATTERY AND AVIONICS OPERATION.	S POWER SWITCH	NO. 2 ON AND	CHECK FOI	R COOLING F	AN			
	REMARKS:								
79	EMERGENCY LOCATOR TRANS	MITTER (BAT)							
	256002 EMERGENCY LOCATOR	TRANSMITTER (B/	AT)						
	- PERFORM OPERATIONAL TES ACCORDANCE WITH FAR 91.207		ATIVE TIME AN	D USEFUL L	IFE OF BATTE	RIES IN			
	REMARKS:								
the air *Certi	fies that the work specified above, or craft / aircraft component is consion fies that the work specified above, or	dered ready for rele except as otherwise	ase to service. specified, was c	arried out ir	n accordance w		ysia Requirements	and in respect to tha	t work
and ir	respect to that work the aircraft /	aircraft component	is considered r	eady for rele	ase to service.				

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 rrospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	ntre,		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP)	AIRCRAFT	SERIAL NO. 20800231	HOURS	LDG/C ^V	YCLE	WORKSHEET I WORK/INSP/D	10000 000	N 4
AIRCRAF	T TYPE: CARAVAN 208 AATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 2	9 OF	68
Reason CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-8 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
80	PERFORM ENGINE FIRE DETEC								
	262001 PERFORM ENGINE FIRE								
	- PERFORM ENGINE FIRE DETE	CTION TEST. (BAT)						
	REMARKS:								
81	PITOT TUBE(S) HEATER (BAT)								
	341006 PITOT TUBE(S) HEATER	(BAT)							
	- TURN ON THE PITOT/STATIC H THAT TUBE(S)ARE HEATING.	EAT SWITCH FOR	APPROXIMAT	ELY 30 SEC	ONDS THEN C	OFF, VERIFY			
	REMARKS:								
82	EMERGENCY POWER LEVER AN	NNUNCIATOR LIGH	IT (BAT)						
	762001 EMERGENCY POWER LE	EVER ANNUNCIAT	OR LIGHT (BAT)					
	- PERFORM OPERATIONAL TES	т							
	REMARKS:								
the ai	ifies that the work specified above, (rcraft / aircraft component is considifies that the work specified above, (n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	carried out ir	n accordance w		ysia Requirements a	and in respect to the	ut work
	WHERE APPLICABLE								

REIURNED	PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											
----------	--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

			rospace.my enquin	734 7526 /@galaxyaerosp	ace.my			
EGISTR	OWNER: ROYAL MALAYSIA POLICE (ICP) T TYPE: CARAVAN 208 (ATION: 9M-PSN	AIRCRAFT #1 ENGINE:	SERIAL NO. 20800231 PCE 17477		LDG/CYCLE ORKPACK ORKPACK	WORKSHEET I WORK/INSP/D WORKPACK R	ESC: OPERATION EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER WOI	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 3	0 OF	68
ONVERSI	for raising: ON OF MAINTENANCE PROGRAMME FI IPECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirer	nents/information:	
ltem		Descr	ription			Technician	* Eng. CRS	Date
83	CABIN HEATER AND WINDSHIEL	LD DEFROSTER (E	NG)					
	214003 CABIN HEATER AND WIN		STER (ENG)					
	- PERFORM OPERATIONAL CHE	:CK						
	REMARKS:							
84	STANDBY ELECTRICAL SYSTEM	1 (ENGINE RUNNIN	G) (ENG)					
	242005 STANDBY ELECTRICAL							
	- PERFORM FUNCTIONAL TEST.	REFER TO SECTI	ON 9 OF THE P	ILOTS OPEN	RATING HANDBOOK.			
	REMARKS:							
85	VOLT/AMMETER (ENG)							
	243005 VOLT/AMMETER (ENG)							
ĺ	- PERFORM OPERATIONAL CHE	CK OF EACH POS	TION. (ENGINE	RUNNING)				
	REMARKS:							
the air Certi	ifies that the work specified above, e rcraft / aircraft component is consid- ifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ase to service. specified, was c	arried out ir	accordance with	ysia Requirements	and in respect to tha	t work
a110 1f	respect to that work the aircraft / a	ancian component	is considered fo	auy for rele	ase to service.			

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						

	cenance , repair , overhaul	www.gaiaxyae	rospace.my enquin		-				
LIENT/0	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/CY	CLE		10000 000	
IRCRAF	T TYPE: CARAVAN 208		20800231 PCE 17477		ORKPACK		WORK/INSP/D WORKPACK R	Of Eloting	
	ATION: 9M-PSN CILITY: WBGG	#1 ENGINE: #2 ENGINE:	NIL		ORKPACK ORKPACK		AJL REF NO.:	REFER W	
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	1 OF	68
eason f ONVERSI ASED INS	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP N Anwar bin 08/06/	luhammad I Jawahir	Other requiren	nents/information	n:
Item		Desci	ription				Technician	* Eng. CRS	Date
86	EXTERNAL POWER (ENG) 244002 EXTERNAL POWER (ENG - PERFORM OPERATIONAL CHE REMARKS:		NDSTARTER F	UNCTIONS.					
87	STALL WARNING HORN (ENG) 273025 STALL WARNING HORN - OPERATIONAL CHECK.	(ENG)							
	REMARKS:								
88	STALL WARNING HEATER (ENG 273026 STALL WARNING HEATE								
	- OPERATIONAL CHECK.								
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid- ifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ase to service. specified, was c	arried out in			sia Requirements a	and in respect to th	nat work

	D.D. DUF XAISED II) FLIGHT TEST		ADDITIONAL WORKSHEET											
--	-----------------------	--	---------------	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma zziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	itre,	,	WORKS	
CLIENT/C	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 4
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	2 OF	68
CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FRC PECTION PROGRAM I.A.W. SB CAB11-5 R IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO T	2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad in Jawahir 5/2023	Other requirer	nents/informatior	
Item		Desc	ription				Technician	* Eng. CRS	Date
89	RESERVOIR FUEL LOW ANNUNCI 284001 RESERVOIR FUEL LOW AN - TURN OFF BOTH FUEL SELECTO - THE RESERVOIR LOW WARNING TANK DROPS BELOW FULL. - WHEN IT DOES, TURN BOTH FUE REMARKS:	INUNCIATOR (EI DRS. 5 LIGHT WILL CO	NGINE RUNNIN ME ON AS THE	G) (ENG) FUEL LEVE	L IN THE RES	SERVOIR			
90	FUEL SELECTORS OFF WARNING 284002 FUEL SELECTORS OFF W/ - PERFORM OPERATIONAL CHECK	ARNING SYSTEM	(
91	REMARKS: SUCTION GAUGE (ENGINE RUNNI								
91	371007 SUCTION GAUGE (ENGINE KONNI		3)						
	- VERIFY OPERATION.								
	REMARKS:								
the air *Certi and in	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / air	red ready for rele cept as otherwise	ase to service. specified, was c	arried out in	n accordance w		ysia Requirements	and in respect to th	at work

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
REIGRAED									

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 prospace.my enquin	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cent angor, Malaysia.	ire,		WORKS	
LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	(CLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATIO	N 4
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK F		998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WC	RKPACK
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	33 OF	68
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	luhammad n Jawahir	Other requirer	ments/information	:
Item		Desc	ription				Technician	* Eng. CRS	Date
92	PROPELLER GOVERNOR OPER 612004 PROPELLER GOVERNO - PERFORM CHECK. REMARKS:								
93	PROPELLER GOVERNOR OPER	ATIONAL CHECK V	VITH ENGINE R	UNNING (EM	IG)				
	622004 PROPELLER GOVERNON	R OPERATIONAL C	HECK WITH EN	IGINE RUNN	IING (ENG)				
94	POWER LEVER REVERSE SPEE	ED PICKUP (ENGIN	E RUNNING) (E	NG)					
	761003 POWER LEVER REVERS	SE SPEED PICKUP	(ENGINE RUNN	ling) (Eng)					
	- CHECK.								
	REMARKS:								
the ai Cert	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above, n respect to that work the aircraft / :	dered ready for rele except as otherwise	ase to service. specified, was c	arried out in	accordance wi		vsia Requirements	and in respect to th	at work
	WHERE APPLICABLE	*		-					

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
REIURINED									

	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C		WORKSHEET	NO: 45000.005	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK	TOLE	WORK/INSP/D	10000 000	
	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R	OI EIVING	
	ATION: 9M-PSN CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WO	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	4 OF	68
eason DNVERS	for raising: ON OF MAINTENANCE PROGRAMME F PPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/informatior	1:
tem		Desci	ription				Technician	* Eng. CRS	Date
95	ENGINE IDLE CHECK (ENGINE F	RUNNING) (ENG)							
	761006 ENGINE IDLE CHECK (EI	NGINE RUNNING) (ENG)						
	- PERFORM CHECK.								
	REMARKS:								
96	OIL PRESSURE SWITCH AND FI	TTING (AFT SIDE C	DF FIREWALL) (201).					
	793003- OIL PRESSURE SWITCH	-).				
	INSPECT FOR SECURITY, CONE	DITION AND LEAKA	GE.						
	REMARKS:								
97	RUDDER PEDALS AND RUDDER	PEDAL LINKAGE	(211, 212).						
	272004- RUDDER PEDALS AND	RUDDER PEDAL LI	NKAGE (211, 2 [.]	12).					
	INSPECT FOR CONDITION AND	SECURITY.							
	OPERATE RUDDER CONTROLS	AND CHECK FOR	FREEDOM OF I	MOVEMENT.					
	REMARKS:								
	ifies that the work specified above, rcraft / aircraft component is consi	dered ready for rele	ase to service.		accordance w accordance w		vsia Requirements	and in respect to th	at work

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OEM/CC LABELED & RAISED INSP. RUN FLIGHTTEST CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK LOG BOOK CARD LOG BOOK CARD LOG OEM/CC

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 prospace.my enquin	laysia Internatio 200 Subang, Sel 734 7526	nal Aerospace Cen langor, Malaysia.	tre,			
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	4
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	5 OF	68
Reason f CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR PECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir //2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
98	CONTROL WHEEL (215, 216).								
	271006- CONTROL WHEEL (215, 2	216).							
	INSPECT CONTROL WHEEL FOR	CONDITION AND	SECURITY.						
	OPERATE CONTROL WHEEL ANI	D CHECK FOR FR	EEDOM OF MO	VEMENT.					
	REMARKS:								
99	CONTROL COLUMN (223, 224).								
	273006- CONTROL COLUMN (223	3, 224).							
	INSPECT CONTROL COLUMN FO	R EVIDENCE OF	DAMAGE, FAILE	ED FASTENE	ERS, AND SEC	URITY.			
	OPERATE CONTROL COLUMN A	ND CHECK FOR F	REEDOM OF M	OVEMENT.					
	REMARKS:								
the ai Certi	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele xcept as otherwise	ase to service. specified, was c	arried out in	accordance w		vsia Requirements	and in respect to tha	t work
	WHERE APPLICABLE	incran component	is considered fo	eauy for relea	ase to service.				

PARTS LABELED & RJ RETURNED			GROUND RUN			ADDITIONAL WORKSHEET											MOD RECORD BOOK
-----------------------------------	--	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYC	LE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
REGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK				
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 3	REFER WO	68
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		01	
ONVERS	for raising: ON OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by an ICP RMP Mu Anwar bin J 08/06/20	hammad Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
100	AILERON TRIM TAB CONTROL A	AND INDICATOR (2	26).						
	271021- AILERON TRIM TAB CO	NTROL AND INDIC	ATOR (226).						
	INSPECT CONTROL AND INDIC	ATOR FOR CONDI	ION AND SECL	JRITY.					
	OPERATE TRIM TAB CONTROL	AND CHECK AILEF	RON TRIM TAB I	FOR FREED	OM OF MOVEME	ENT.			
	INSPECT GUIDE BLOCK FOR CO	ONDITION AND SE	CURITY.						
	REMARKS:								
101	RUDDER TRIM WHEEL AND IND	DICATOR (226).							
	272010- RUDDER TRIM WHEEL	AND INDICATOR (2	26).						
	INSPECT TRIM WHEEL AND IND	DICATOR FOR CON	DITION AND SE	CURITY.					
	OPERATE TRIM WHEEL AND CH	HECK RUDDER TRI	M FOR FREEDO	om of mov	EMENT.				
	REMARKS:								
*Cert	ifies that the work specified above,	except as otherwise	specified, was c	arried out ir	accordance with	n CAA Malay	vsia Requirements	and in respect to tha	t work
the ai	rcraft / aircraft component is consi	dered ready for rele	ase to service.				•	-	
1 °Cert	ifies that the work specified above,	except as otherwise	specified, was c	arried out in	accordance with	1			

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Tel: +603 7734	ziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquin	734 7526					
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	′CLE		NO: 15998-005	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/DI	ESC: OPERATIC	N 4
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK RI	EF: 9M-PSN-15	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	ORKPACK
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	7 OF	68
ONVERSI	for raising: ON OF MAINTENANCE PROGRAMME FRG SPECTION PROGRAM I.A.W. SB CAB11-5 F NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO 1	R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06/	luhammad n Jawahir	Other requiren	nents/informatior	1:
ltem		Descr	ription				Technician	* Eng. CRS	Date
102	ELEVATOR TRIM TAB CONTROL	AND INDICATOR ((226).						
	273017- ELEVATOR TRIM TAB CO	NTROL AND INDI	CATOR (226).						
	INSPECT CONTROL AND INDICAT	OR FOR CONDIT	ION AND SECU	JRITY.					
	OPERATE TRIM TAB CONTROL AI	ND CHECK FOR F	FREEDOM OF N	IOVEMENT.					
	REMARKS:								
103	252001 SEAT TRACKS (251, 252, 2	255, 256)							
	- INSPECT SEAT TRACKS AND ST	OPS FOR CONDI	TION AND.SEC	URITY OF I	NSTALLATION.				
	- INSPECT SEAT TRACK STOPS F								
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex	ered ready for rele	ase to service.				 vsia Requirements a	and in respect to th	at work
	n respect to that work the aircraft / ai								

PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	DSPACE (M) SDN. Bl lelicopter Centre, Ma Aziz Shah Airport, 47 17226 Fax: +603 7 rrospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 4
REGISTE	ALL DOLL	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 3	8 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	D AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
104	AUTOPILOT ACTUATOR (ELEVAT 221004- INSPECT BRIDAL CABLES AND PROPER ROUTING.	S FOR FRAYING,	,						
	 - INSPECT CHAIN FOR PROPER S WITH ACTUATORS SPROCKETS. - INSPECT PULLEYS, DRIVE SPROCORROSION, AND SECURITY. - INSPECT ELECTRICAL COMPONENTIAL COMPO	OCKETS, DRIVE	Chain, and gu	IARD PINS F	OR CONDITIC				
	REMARKS:								
105	RUDDER GUST LOCK (IF INSTALI 208B0001 THRU 208B0381 (320)	_ED) 20800030 TH	IRU 20800236 A	ND					
	272007- INSPECT FOR CONDITIO	N, SECURITY AN	D POSITIVE LO	CKING ACTI	ON.				
	REMARKS:								
106	RUDDER GUST LOCK 20800237 A	ND ON AND 208	80382 AND ON(:	320)					
	272011 - INSPECT IN ACCORDAN	CE WITH AERO T	WIN STC AIRW	ORTHINESS	S REQUIREME	NTS.			
	REMARKS:								
the ai *Cert and in	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for rele scept as otherwise	ase to service. specified, was c	arried out ir	accordance w		rsia Requirements a	and in respect to tha	it work

LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LOG CARD							ADDITIONAL WORKSHEET											MOD RECOR BOOK
---	--	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	-------------------

	tenance, repair, overhaul		rospace.my enquir	yegalaxyael03p	-				
LIENT/0	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET I	10000 000	
IRCRAF	T TYPE: CARAVAN 208	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D	OI EIVIIIO	
	RATION: 9M-PSN	#1 ENGINE: #2 ENGINE:	PCE 17477 NIL		ORKPACK		AJL REF NO.:	REFER WC	
	CILITY: WBGG REFER WORKPACK OUT: REFER WORKPACK	#2 ENGINE.	INIL		NG / N1	NF / N2	SHEET: 3	9 OF	68
eason ONVERS ASED INS	Tor raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a		Other requirer	nents/information	:
ltom		Deep	viation		08/06	5/2023	Technician	* Eng. CRS	Det
ltem 107	ELEVATOR TRIM TAB ACTUATO		ription 3, 374)				Technician	Elig. Cho	Date
	273013 - INSPECT FOR CONDIT								
	REMARKS:								
108	WINDSHIELD ANTI-ICE SYSTEM	I (AUX)							
	304003 - PERFORM OPERATION - VERIFY THAT THE WINDSHIEL								
	REMARKS:								
109	COURTESY/CARGO LIGHT TIME	ER (BAT)							
	332003 - PERFORM OPERATION	IAL CHECK.							
	REMARKS:								
the ai	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ase to service.				vsia Requirements	and in respect to th	at work

PARTS LABELED & RETURNED	DUPLICATE INSP.			ADDITIONAL WORKSHEET							
	·	L				¹	l	L		 	L

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	ntre,		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO. 20800231	HOURS	LDG/C	YCLE	WORKSHEET I WORK/INSP/D	- 10000 000	
	T TYPE: CARAVAN 208	AIRCRAFT #1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
REGISTR	ATION: 9M-PSN CILITY: WBGG	#1 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WOI	
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	0 OF	68
Reason f CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FR IPECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad in Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
110	FIRE DETECTION CONTROL UNI 261001 - INSPECT FOR CONDITIO		Y.						
	REMARKS:								
111	COMPRESSOR BELT (VAPOR C	YCLE COOLING S	YSTEM) (130)						
	215002 - INSPECT FOR WEAR, AI	LIGNMENT AND T	ENSION						
	REMARKS:								
112	VACUUM RELIEF VALVE FILTER	(201)							
	371003 - REPLACE URETHANE F CHAPTER 12 FORSERVICING.	ILTER ELEMENT(I	MORE OFTEN I	F CONDITIO	NS REQUIRE)). REFER TO			
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for released as otherwise	ease to service. specified, was c	carried out in	1 accordance w		rsia Requirements a	and in respect to tha	t work
	-	ponen	, constant of the						
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
REGISTR		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	1 OF	68
CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
113	VACUUM SYSTEM CENTRAL AIR 371004 - INSPECT FOR DAMAGE		N AND CONTAM	1INATION.					
	- REPLACE FILTER, IF REQUIRED	D.							
	REMARKS:								
114	VACUUM SYSTEM RELIEF VALVE	Ξ (201)							
	371005 - INSPECT FOR CONDITIO	ON AND SECURIT	Υ.						
	REMARKS:								
115	VACUUM SYSTEM HOSES (201, 2	202)							
	371002 - INSPECT FOR HARDNES	SS, DETERIORAT	ION, LOOSENE	SS OR COLL	APSED HOSE	S.			
	REMARKS:								
the ai	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for released as otherwise	ease to service. specified, was c	arried out in	n accordance w		vsia Requirements	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED		DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--------------------------------	--	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	onal Aerospace Centre, elangor, Malaysia.			WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCI	LE	WORKSHEET N	NO: 15998-005	
AIRCRAI	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	VORKPACK		WORK/INSP/D	OI ERAHOI	14
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	VORKPACK		WORKPACK R		
	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	VORKPACK		AJL REF NO.: SHEET: 4	REFER WOI	
DATE IN:	: REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEEI: 4	2 OF	68
CONVERS	for raising: SION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and ICP RMP Muh Anwar bin Ja 08/06/20	nammad awahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
116	FUEL SHUTOFF VALVE (203)								
	282003 - INSPECT LINKAGE AND VALVE FOR LEAKAGE.	VALVE FOR EVIE	DENCE OF DAM	AGE AND O	PERATION. INSP	ECT			
	REMARKS:								
117	PARKING BRAKE CONTROL AND	VALVE (203)							
	324007 - INSPECT FOR CONDITIC OPERATION.	DN, LEAKAGE, SE	CURITY AND F	REEDOM O	F OPERATION. CH	HECK			
	REMARKS:								
118	FUSELAGE STRUCTURE (211, 21 255, 256, 257, 258, 311, 312)	2, 215, 216231, 23	32, 251, 252,						
	531001 - INSPECT SKIN STRUCTI	URE AND FASTER	NERS FOR CON	IDITION AND	D SECURITY.				
	REMARKS:								
the ai	tifies that the work specified above, e ircraft / aircraft component is consid tifies that the work specified above, e n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. e specified, was c	carried out ii	n accordance with		rsia Requirements a	and in respect to tha	t work
	✓ WHERE APPLICABLE	-							
		I							

PARTS D.D. DUP LABELED & RAISED IN RETURNED				ADDITIONAL WORKSHEET											
---	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Tel: +603 7734	Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquin	734 7526					
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-005	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/DI	ESC: OPERATION	14
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK RI		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 4:	REFER WOI	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4;	3 OF	68
NVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T	5 R2 COMPLIANCE AN	ND AMP REF NO.:			Muhammad n Jawahir	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
119	ELEVATOR BELLCRANK (FORW								
	273003 - INSPECT BELLCRANK CORROSION, EVIDENCE OF DA BELLCRANK; AND PUSHROD B TO CHAPTER 20 FOR TORQUE	MAGE, FAILED FA	STENERS, AND	SECURITY;	PROPER SAF	ETYING OF			
	REMARKS:								
120	ELEVATOR CABLES (213, 217, 2	233, 253, 257)							
	273004 - INSPECT CABLES (TAI SAFETYING, AND PROPER ROL	,	'ING, CHAFING,	CLEANLINE	SS, TURNBUC	CKLE			
	- INSPECT PULLEYS AND GUAF	RD PINS FOR CONE	DITION, WEAR, O	CORROSION	N, AND SECUR	RITY.			
	REMARKS:								
121	ALTERNATOR AND GENERATO	R CONTROL UNITS	S (215)						
	243003 - INSPECT SECURITY O	F MOUNTING.							
	- INSPECT WIRING FOR CONDI	TION AND ROUTIN	Э.						
	REMARKS:								
the ai Cert	ifies that the work specified above, rcraft / aircraft component is cons ifies that the work specified above,	idered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance w		vsia Requirements a	and in respect to tha	t work
	n respect to that work the aircraft /		1 1	1 6 1					

PARTS D.D. LABELED & RAISED RETURNED					ADDITIONAL WORKSHEET											
--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) FT TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 4
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
BASE/FA	ACILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	4 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	Muhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
122	245001 SIDE CONSOLES, CIRCU JUNCTION BOXES (215) 245001 - INSPECT WIRING AND T								
	REMARKS:								
123	245002 SWITCHES (215)								
	245002 - CHECK OPERATION, TE INTERFERENCE. REMARKS:	RMINALS, WIRING	G AND MOUNTI	NG FOR CO	NDITION, SEC	URITY AND			
124	WINDSHIELD ANTI-ICE SYSTEM	(215)							
	304002 - CHECK CONDITION AND		CONTROLLER A	AND RELAY.					
	REMARKS:								
the ai *Cert and i	tifies that the work specified above, e ircraft / aircraft component is consid tifies that the work specified above, e n respect to that work the aircraft / a ✓ WHERE APPLICABLE	lered ready for rele xcept as otherwise	ease to service. specified, was c	carried out ir	accordance w		//////////////////////////////////////	and in respect to tha	t work

PARTS D.D. DU LABELED & RAISED RETURNED	DUPLICATE GROUND INSP. RUN			ADDITIONAL NORKSHEET											
---	-------------------------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	onal Aerospace Centre, Iangor, Malaysia.		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP) TT TYPE: CARAVAN 208	AIRCRAFT	SERIAL NO. 20800231	HOURS REFER W	LDG/CYCLE 70RKPACK	WORKSHEET WORK/INSP/E	ESC: OPERATION	14
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK F		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.: SHEET: 2		
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2		45 OF	68
CONVERS BASED IN	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023		ments/information:	
Item		Desc	ription			Technician	* Eng. CRS	Date
125	ALTERNATE STATIC SOURCE (2 341003 - INSPECT FOR EVIDENC		ND SECURITY (OF INSTALL	ATION.			
	REMARKS:							
126	FUSELAGE AND CONTROL COLI	UMN AILERON CA	BLES(215, 216,	231, 232)				
	271005 - INSPECT CABLES,FOR PROPER ROUTING. INSPECT PL SECURITY.							
	REMARKS:							
127	AUTOPILOT COMPUTER AMPLIF MOUNTING KNOB AND ELECTRI		⁻ S (216)					
	221017 - INSPECT FOR SECURIT	Y OF INSTALLATI	ON					
	REMARKS:							
the ai	ifies that the work specified above, e ircraft / aircraft component is consic ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was o	carried out ir	n accordance with	alaysia Requirements	and in respect to tha	t work
	✓ WHERE APPLICABLE	-						
	WITERE AFFLIUABLE							

PARTS D.D. LABELED & RAISE RETURNED		GROUND RUN			ADDITIONAL WORKSHEET											
---	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 I 7226 Fax: +603 7 prospace.my enquir	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.		WORKS	
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET I	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATION	14
GISTE	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R	EF: 9M-PSN-159	998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.:	REFER WO	RKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 4	6 OF	68
eason i NVERSI SED INS	for raising: ON OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requiren	nents/information:	
tem		Desci	ription			Technician	* Eng. CRS	Date
128	VOLT/AMMETER AND SELECTO 243004 - INSPECT FOR SECURI		ON					
	REMARKS:							
129	INSTRUMENT PANEL AND CON (220, 221, 222, 223, 224, 225, 226							
	240002 - INSPECT WIRING, MOL	JNTING AND TERM	INALS FOR CO	NDITION AN	ID SECURITY.			
	REMARKS:							
130	(MODEL 208 2088) AUTOPILOT M ANNUNCIATOR, SLAVING ACCE AUTOPILOT CONTROL WHEEL S AROUND BUTTON (IF INSTALLE	SSORY AND COMI	PENSATOR UN POWER LEVER					
	221019 - CHECK FOR SECURITY	Y OF INSTALLATIO	N AND SWITCH	ES FOR PR	OPER OPERATION.			
	REMARKS:							
the ai Cert	ifies that the work specified above, i rcraft / aircraft component is considing ifies that the work specified above, if a respect to that work the aircraft (dered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance with	aysia Requirements a	and in respect to tha	t work
and It	n respect to that work the aircraft /	aircraft component	is considered r	eady for relea	ase to service.			

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. Bl lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquin	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Centre, angor, Malaysia.			WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYC	LE	WORKSHEET N	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	4
REGISTF		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	RKPACK
	REFER OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	7 OF	68
Reason CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and ICP RMP Mul Anwar bin J 08/06/20	hammad Iawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
131	INSTRUMENT PANEL VENTILATIO (220, 224) 212004 - INSPECT DOORS, CABL				PERATION.				
	REMARKS:								
132	ENGINE OIL TEMPERATURE AND								
	793007 - INSPECT FOR SECURITY REMARKS:	Y OF INSTALLATI	ON.						
133	AIRSPEED WARNING SWITCH (22 341009 - INSPECT FOR CONDITIC		Y OF INSTALLA	TION.					
	REMARKS:								
the ai *Cert and ii	ifies that the work specified above, e: ircraft / aircraft component is consid- ifies that the work specified above, e: n respect to that work the aircraft / ai ✓ WHERE APPLICABLE	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance with		isia Requirements a	and in respect to tha	t work

PARTS E LABELED & RA RETURNED						ADDITIONAL WORKSHEET											
-------------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Sultan Abdul / Tel: +603 7734	Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	200 Subang, Se 734 7526	langor, Malaysia.			WORKS	
_IENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY(CLE	WORKSHEET N	NO: 15998-005	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OF ERVITION	N 4
GISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 4	REFER WO	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	8 OF	68
NVERSI SED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by ar ICP RMP M Anwar bin 08/06/2	uhammad Jawahir	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
134	LOW VACUUM WARNING SWITC	CH (222)							
	371006 - INSPECT FOR CONDIT	ION AND SECURIT	Y OF INSTALLA	TION.					
135	INERTIAL SEPARATOR CONTRO	DL (222)							
	761004 - INSPECT HANDLE AND	SHAFT FOR CON	DITION AND EV	IDENCE OF	DAMAGE.				
	REMARKS:								
136	MICROPHONES, HEADSETS, AN	ND JACKS (222, 224	4, 226)						
	230005 - INSPECT FOR CLEANL	INESS, SECURITY	AND EVIDENCI	e of Damag	GE.				
	REMARKS:								
the ai Cert	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance wit		vsia Requirements a	and in respect to tha	ut work
and it	n respect to that work the aircraft /	aircraft component	is considered r	eady for relea	ase to service.				

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B łelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cer langor, Malaysia.	itre,		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP)	AIRCBAFT	SERIAL NO. 20800231	HOURS	LDG/C	YCLE	WORKSHEET N WORK/INSP/D	10000 000	14
	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477		ORKPACK		WORKPACK R		
REGISTR	CILITY: WBGG	#2 ENGINE:	NIL		ORKPACK		AJL REF NO.:	REFER WO	
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 4	9 OF	68
Reason f CONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME F PECTION PROGRAM I.A.W. SB CAB11-8 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
137	KING FLIGHT CONTROL SYSTEM 221014 - CHECK FOR SECURITY		N AND CHECK	SWITCHES	FOR PROPER	OPERATION.			
	REMARKS:								
138	KING FLIGHT CONTROL SYSTEM	M (KFC-250) (223)							
	221015 - CHECK FOR SECURITY OPERATION.	OF INSTALLATIO	NS AND CHECP	SWITCHES	S FOR PROPE	R			
	REMARKS:								
139	INSTRUMENT PANEL MOUNTED PANEL, VHF NAV/COM(S), ADF, SYSTEM, RMI, RADAR ALTIMETI	TRANSPONDER, D	ME, COMPASS	3					
	230001 - INSPECT FOR DETERIC	DRATION, CRACKS	S, AND SECURI	TY OF INSTE	RUMENT PAN	EL MOUNTS.			
	- INSPECT FOR SECURITY OF E ROUTING.	LECTRICAL CONN	IECTIONS, CON	IDITION, AN	D SECURITY (OF WIRE			
	REMARKS:								
the ai	ifies that the work specified above, or rcraft / aircraft component is consid- ifies that the work specified above, on n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	carried out ir	n accordance w		/ ////////////////////////////////////	and in respect to tha	t work

PARTS D LABELED & RAI RETURNED						ADDITIONAL WORKSHEET											
--------------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	tenance, repair, overhaul	www.gaiaxyae	rospace.my enquiry	/@galaxyael0sp	ace.my				
LIENT/			SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	10000	5
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D	ULIXI	
EGISTF	RATION: 9M-PSN	#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	0	
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		0		ORKPACK 68
AIE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2		OF	
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 6/2023	Other requirer	ments/informatio	on:
ltem		Descr	ription				Technician	* Eng. CRS	Date
140	AVIONIC OPERATING CONTROL 230002 - INSPECT FOR SECURI ENSURE THAT ALL DIGITAL SEC	TY AND PROPER C			AND SWITCH	IES AND			
	REMARKS:								
141	RUDDER TRIM FLEX SHAFT (22	6)							
	272009 - INSPECT FOR DETERIO	ORATION AND CON	IDITION OF CO	UPLING ANI	D ROLL PINS /	AND SAFETY.			
	REMARKS:								
142	ELECTRIC ELEVATOR TRIM AC	TUATOR(226)							
	272009 - INSPECT ACTUATOR N	IOTOR FOR COND	ITION, SECURI	TY, AND EVI	DENCE OF O	/ERHEATING.			
	- INSPECT CHAIN FOR TENSION CORROSION, AND SECURITY.	N AND PROPER ALI	GNMENT, ACT	UATOR FOR	CONDITION,	WEAR,			
	REMARKS:								
the ai	ifies that the work specified above, ircraft / aircraft component is consi ifies that the work specified above,	dered ready for rele	ase to service.				vsia Requirements	and in respect to	that work

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						

	xyAerospace	GALAXY AERO Suite 11-14, H Sultan Abdul A Tel: +603 7734 www.galaxyae	ziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	200 Subang, Se 734 7526 /@galaxyaerosp	nal Aerospace Centre, langor, Malaysia. ace.my				
I IFNT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCL	E	WORKSHEET	NO: 15998-005	
	POLICE (ICP)	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D		
	T TYPE: CARAVAN 208 AATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-1	5998
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER W	ORKPACK
	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	1 OF	68
eason f DNVERSI	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by and ICP RMP Muh Anwar bin Ja 08/06/20	ammad awahir	Other requiren	nents/informatio	n:
tem		Descr	ription				Technician	* Eng. CRS	Date
143	FLAP CONTROL SYSTEM (226) 275005 - INSPECT FLAP CONTRO AND EVIDENCE OF DAMAGE. - INSPECT FLAP CONTROL AND INSTALLATION. REMARKS:								
144	CONTROL PEDESTAL (226) 531002 - INSPECT FOR CONDITI	ON AND SECURIT	Y.						
	REMARKS:								
145	CONTROL QUADRANT (226)								
	531003 - INSPECT FOR CONDITI	ON AND SECURIT	Υ.						
	REMARKS:								
the ai Cert	ifies that the work specified above, e rcraft / aircraft component is consid- ifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ase to service. specified, was c	arried out ir	accordance with		sia Requirements a	and in respect to t	hat work

PARTS LABELED & RETURNED	D.D. RAISED		GROUND RUN			ADDITIONAL WORKSHEET											
--------------------------------	----------------	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	cenance , repair , overhaul	www.galaxyae	rospace.my enquin						
CLIENT/0	OWNER: ROYAL MALAYSIA POLICE (ICP)		SERIAL NO.	HOURS	LDG/C	/CLE	WORKSHEET I	10000 000	
AIRCRAF	T TYPE: CARAVAN 208	AIRCRAFT	20800231		ORKPACK		WORK/INSP/D	OF ERVITIO	
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477 NIL		ORKPACK		AJL REF NO.:	REFER WC	
	CILITY: WBGG REFER WORKPACK OUT: REFER WORKPACK	#2 ENGINE:	INIL	REFER W	ORKPACK	NF / N2	SHEET: 5	2 OF	68
								-	
ONVERS ASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. T(5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	NIL	nents/information	
Item		Desc	ription				Technician	* Eng. CRS	Date
146	ICE DETECTOR LIGHT (231)								
	308001 - INSPECT FOR CONDIT	ION AND SECURIT	Υ.						
	REMARKS:								
147	PILOTS AND COPILOTS INERTIA	A REELS, SEAT BE	LTS AND SHOU	LDER					
	HARNESSES (231, 232)								
	251001 - INSPECT FOR SECURI AND PROPER OPERATION.	TY OF INSTALLATI	ON, FRAYED EI	DGES AND E	EVIDENCE OF	DAMAGE			
	REMARKS:								
148	WARNING HORNS INSTALLATIO	ON (231, 232)							
	251003 - INSPECT STALL WARN	IING, FUEL SELECT		HORNS (2)	AIRSPEED W	ARNING.			
	RADAR ALTIMETER AND FIRE D								
	DAMAGE.								
	- INSPECT GRILL COVER FOR C	CONDITION AND SE	CURITY.						
	REMARKS:								
	ifies that the work specified above,	except as otherwise	specified, was c	arried out in	accordance w	ith CAA Malay	vsia Requirements	and in respect to the	at work
*Cert		-					-	-	
the ai	rcraft / aircraft component is consi ifies that the work specified above,				-	. 1			

PARTS LABELED & RETURNED	RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											MOD RECORD BOOK
--------------------------------	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--------------------

		Aer			*	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, ziz Shah Airport, 7226 Fax: +60 rospace.my end	Malaysia In 47200 Sub 3 7734 752	ternational / ang, Selang 3	jor, Malaysia.	entre,				_	_	
CLIENT/	OWNER	ROYAL	MALAY	SIA			SERIAL NO	D. HOU	JRS	LDG/0	YCLE		WORKSH	EET NO	. 1599	8-005	
		POLICE	(ICP)		AIF	CRAFT	20800231	REF	ER WOR	RKPACK			WORK/IN	SP/DES	C: OPE	RATION	4
REGIST	FT TYPE RATION:	9M-PSN	1		#1	ENGINE:	PCE 1747	7 REF	ER WOF	RKPACK			WORKPA	CK REF	: 9M-F	PSN-1599	8
		WBGG			#2	ENGINE:	NIL	REF	ER WOR	RKPACK			AJL REF	NO.:	REF	ER WOR	KPACK
DATE IN	: REFER WORKP	ACK O	UT: REF	ER RKPACK						NG / N1	NF	/ N2	SHEET:	53	OF		68
BASED IN	SION OF M	1AĬNTENAN N PROGRA	M I.A.W. 3	SB CAB1	-5 R2 CO	MPLIANCE AN	CARE PROGR/ ID AMP REF NO ON. OPERATIO	D.:	sк-	Raised by ICP RMP Anwar I 08/0	Muham	mad	Other rec	luireme	nts/inforr	mation:	
Item						Descr	ription						Technicia	an	* Eng. C	CRS	Date
149	FLIGH	IT COMPA		ITLIGH	IS (231-2		iption										Duio
	33000 REMA	-	CT ELE	CTRICA	L COMPC	DNENTS FO	R CONDITIO	N AND S	ECURITY	<i>Y.</i>							
150	SMOK	(E GOGGI	_ES (IF	NSTALL	.ED) (231	, 232)											
	35100	3 - CHEC	K FOR (CONDITI	ON OF G	OGGLES AI	ND SECURIT	Y OF ST	ORAGE E	BAG TO B	ARRIER						
	REMA	RKS:															
151	VENT	ILATION (DUTLET	S (CABI	NOVERH	IEAD) (231,	232251, 252,	255, 256	i)								
	21200	3 - INSPE	CT FOR	SECUR	ITY, CON	NDITION AN	D OPERATIC	DN.									
	REMA	RKS:															
152	FLOC	OR COVER	RING (23	31, 232, 2	251, 252,	255, 256)											
	25200	3 - INSPE	CT FOR	CONDI	TION, SE	CURITY AN	D CLEANLIN	ESS.									
	REMA	RKS:															
the a	ircraft / a tifies tha	aircraft co t the work	mponer specifie	nt is cons ed above	sidered re , except a	eady for release as otherwise	specified, wa ase to service specified, wa is considered	s carried	out in ac	cordance	with	A Malays	ia Requirem	nents and	l in respe	ct to that	work
тіск	✓ WHERE	E APPLICAE	BLE														
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHT TEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELL LOG BOO		OEM/COP LOG CAR	

	xyAerospace tenance, repair, overhaul		Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	734 7526					
_IENT/(OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	Of Electricit	N 4
GISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-15	998
SE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	I	AJL REF NO.:	REFER WO	
TE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	4 OF	68
NVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. To	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information	:
tem		Desc	ription				Technician	* Eng. CRS	Date
153	FUEL LINE CONNECTOR COVE	RS AND DRAINS (2	33, 234)						
	282005 - INSPECT COVERS ANI	D DRAIN LINES FOR	R CONDITION A	ND SECURI	TY.				
	REMARKS:								
154	CENTER SECTION DRAIN HOLE	ES (233, 234, 253, 29	54, 257, 258)						
	532001 - INSPECT FOR OBSTRU PREVENT BLOCKAGE.	JCTION AND REMC	OVE ANY FORE	IGN MATERI	AL FROM HOL	.ES TO			
	REMARKS:								
155	RELIEF TUBE (IF INSTALLED) (2	233, 234, 256, 258)							
	251004 - INSPECT FOR CONDIT	ION, SECURITY,CL	EANLINESS AN	ID CORROS	ION.				
	REMARKS:								
the ai *Cert	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	idered ready for rele except as otherwise	ease to service. specified, was c	carried out in	accordance w		ysia Requirements	and in respect to the	at work
	n respect to that work the aircraft /								

PARTS LABELED & F RETURNED			GROUND RUN			ADDITIONAL WORKSHEET											
----------------------------------	--	--	---------------	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
REGISTE		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	5 OF	68
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
156	RUDDER CABLES (233, 253, 257) 272003 - INSPECT CABLES (FUSE - INSPECT CABLES FOR FRAYING PROPER ROUTING. INSPECT PU SECURITY. REMARKS:	G, CHAFING, CLE LLEYS AND GUA	ANLINESS, TUF						
	221002 - INSPECT FOR CONDITIC	DN, SECURITY, AI	ND EVIDENCE (DF OVERHE.	ATING.				
158	WINDSHIELD ANTI-ICE SYSTEM ((240)							
	304001 - INSPECT FOR CONDITIO PANEL. CHECK CONDITION OF S REMARKS:		F MOUNTING AN	ND ELECTRI	CAL WIRING C	OF HEATED			
×Cert	ifies that the work specified above, e	xcept as otherwise	specified, was c	arried out in	accordance w	ith CAA Malay	zsia Requirements a	and in respect to tha	t work
the ai	rcraft / aircraft component is consid ifies that the work specified above, en n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance w		•	•	
	WHERE APPLICABLE								

	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
RETURNED									

	xyAerospace	Suite 11-14, I Sultan Abdul Tel: +603 773	OSPACE (M) SDN. E Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 7200 Subang, Se 7734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP) TTYPE: CARAVAN 208	AIRCRAFT	SERIAL NO. 20800231	HOURS REFER W	LDG/CY /ORKPACK	(CLE	WORKSHEET I WORK/INSP/D	10000 000	14
REGIST		#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	6 OF	68
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AI	ND AMP REF NO.:		Raised by a ICP RMP M Anwar bin 08/06	/luhammad n Jawahir	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
159	AILERON WING CABLES (FUSE) 271002 - INSPECT WING CABLE AND PROPER ROUTING. - INSPECT PULLEYS AND GUAR - INSPECT CABLE FOR DETERIO	s for Fraying, (Rd Pins for Coni							
	REMARKS:								
160	WINDOWS AND WINDSHIELD (2 561001 - INSPECT FOR CONDIT PROPER LATCHING AND SEALI	ION AND SECURIT		TS FOUL WE	EATHER WIND	OW FOR			
	REMARKS:								
the ai *Cert and in	☐ iffies that the work specified above, ircraft / aircraft component is consi iffies that the work specified above, n respect to that work the aircraft / ✓ WHERE APPLICABLE	dered ready for rele except as otherwise	ease to service. e specified, was o	carried out ir	n accordance w		Jysia Requirements	and in respect to tha	t work

		RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

CLENT/OWNER: ROYAL MUAYSIA POLICE (LP) PAUCE (LP) AURCRAFT TYPE: SERIAL NO. INCRAFT TYPE: HOURS LDG/CYCLE WORK/INSPIDESC: WO		xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. E Helicopter Centre, Mi Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquir	alaysia Internatio 7200 Subang, Se 7734 7526	nal Aerospace Cer langor, Malaysia.	ntre,		WORKS	
AIRCRAFT TYPE: CARAVA 208 REGISTRATION: WARPAN BABE/FACILITY: WBGG BABE/FACILITY: WBGG BA	CLIENT/C			SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
REGISTRATION: 9M-PSN BASE/RACILTY, WBGG BASE/RACILTY, WBGG BASE/RACILTY, WBGG BASE/RACILTY, WBGG BASE/RACILTY, WBGG BASE/RACILTY, WBGG DATE IN: WERKER DUT WATCH AND AND REFER ST MIL REFER WORKPACK NG /N1 NF /N2 AUL REF NO:: ST OF 68 NET IN: WERKER DASE/RACILTY, WBGG DATE IN: WERKER DASE DASE/RACILTY, WBGG DASE/RACILTY, WBGG		POLICE (ICP)	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 4
LASE/PACILITY: WEEK NIL HETERN VORZALZALK SHEET: 57 OF 88 Basson for raising: OUT: NG / N NF / N2 SHEET: 57 OF 88 Basson for raising: OUT: NG / N NF / N2 SHEET: 57 OF 88 Basson for raising: OUT: NG / N NF / N2 SHEET: 57 OF 88 Basson for raising: OUT: NG / N NF / N2 SHEET: 57 OF 88 Basson for raising: OUT: NG / N NF / N2 SHEET: 57 OF 88 Basson for raising: OUT: NG / N NF / N2 SHEET: 57 OF 88 Basson for raising: OUT: NG / N NF / N2 SHEET: 57 OF 88 Basson for raising: Description To the LATEST REVISION OPERATION 4 Participantity Other requirements/information: NIL 181 FUEL SELECTOR LINKAGES (CABIN AREA) (243) Technician *Eng. CRS Date 182 FUEL SELECTOR OFF WARNING SYSTEM (243) SHEET: SHEET: SHEET: SHEET: SHEET: SHEET: SHEET: 182 FUEL SELECTOR OFF WARNI			#1 ENGINE:	PCE 17477	REFER W	ORKPACK				
Dute in workshark OUT: Workshark OUT: Workshark Out: Workshark Worksh			#2 ENGINE:	NIL	REFER W	ORKPACK			_	
COMPERSION OF MAINTENANCE PROGRAMME FROM PROGRESSIVE CARE PROGRAM TO TASK- BASED INSPECTON PROGRAM.UN SO BRAITS AT COMPLANCE ADD ADDRESSIVE CARE PROGRAM TO TASK- BASED INSPECT CONTROL SYSTEM (243) Term Description Technician * Eng. CRS Date 161 FUEL SELECTOR LINKAGES (CABIN AREA) (243) 262002 - INSPECT LINKAGES AND CONTROLS FOR CONDITION, SECURITY AND EVIDENCE OF DAMAGE. REMARKS: 162 FUEL SELECTOR OFF WARNING SYSTEM (243) 162 FUEL SELECTOR OFF WARNING SYSTEM (243) 163 OXYGEN CONTROL SYSTEM (243) 163 OXYGEN CONTROL SYSTEM (243) 163 OXYGEN CONTROL SYSTEM (243)	DATE IN:	WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	50000	OF	68
181 FUEL SELECTOR LINKAGES (CABIN AREA) (243) 282002 - INSPECT LINKAGE AND CONTROLS FOR CONDITION, SECURITY AND EVIDENCE OF DAMAGE. REMARKS: 162 FUEL SELECTOR OFF WARNING SYSTEM (243) 284003 - INSPECT RELAYS, SWITCHES, CONNECTORS AND ELECTRICAL WIRING FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS: 163 OXYGEN CONTROL SYSTEM (243) 350003 - INSPECT CONTROL HANDLE AND PRESSURE REGULATOR FOR CONDITION AND OPERATION.	CONVERSI BASED INS	ON OF MAINTENANCE PROGRAMME FF PECTION PROGRAM I.A.W. SB CAB11-5	R2 COMPLIANCE AN	ND AMP REF NO.:		ICP RMP I Anwar bi	Muhammad n Jawahir		nents/information:	
282002 - INSPECT LINKAGE AND CONTROLS FOR CONDITION, SECURITY AND EVIDENCE OF DAMAGE. REMARKS: 162 FUEL SELECTOR OFF WARNING SYSTEM (243) 284003 - INSPECT RELAYS, SWITCHES, CONNECTORS AND ELECTRICAL WIRING FOR CONDITION AND SECURITY OF INSTALLATION. 163 OXYGEN CONTROL SYSTEM (243) 164 OXYGEN CONTROL SYSTEM (243)	Item		Desc	ription				Technician	* Eng. CRS	Date
162 FUEL SELECTOR OFF WARNING SYSTEM (243) 162 FUEL SELECTOR OFF WARNING SYSTEM (243) 284003 - INSPECT RELAYS, SWITCHES, CONNECTORS AND ELECTRICAL WIRING FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS: 163 OXYGEN CONTROL SYSTEM (243) 350003 - INSPECT CONTROL HANDLE AND PRESSURE REGULATOR FOR CONDITION AND OPERATION.	161			CONDITION, S	ECURITY AN		OF DAMAGE.			
284003 - INSPECT RELAYS, SWITCHES, CONNECTORS AND ELECTRICAL WIRING FOR CONDITION AND SECURITY OF INSTALLATION. REMARKS: 163 OXYGEN CONTROL SYSTEM (243) 350003 - INSPECT CONTROL HANDLE AND PRESSURE REGULATOR FOR CONDITION AND OPERATION. Image: Control co										
SECURITY OF INSTALLATION. REMARKS: REMARKS: REMARKS: 163 OXYGEN CONTROL SYSTEM (243) 350003 - INSPECT CONTROL HANDLE AND PRESSURE REGULATOR FOR CONDITION AND OPERATION.	162	FUEL SELECTOR OFF WARNING	SYSTEM (243)							
163 OXYGEN CONTROL SYSTEM (243) 163 350003 - INSPECT CONTROL HANDLE AND PRESSURE REGULATOR FOR CONDITION AND OPERATION.			TCHES, CONNECT	FORS AND ELE	CTRICAL WI	RING FOR CO	NDITION AND			
350003 - INSPECT CONTROL HANDLE AND PRESSURE REGULATOR FOR CONDITION AND OPERATION.		REMARKS:								
OPERATION.	163	OXYGEN CONTROL SYSTEM (24	3)							
REMARKS:			NDLE AND PRESS	SURE REGULAT	TOR FOR CC	ONDITION AND)			
		REMARKS:								
 *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with CAA Malaysia Requirements and in respect to that work the aircraft / aircraft component is considered ready for release to service. *Certifies that the work specified above, except as otherwise specified, was carried out in accordance with and in respect to that work the aircraft / aircraft component is considered ready for release to service. 	the air	rcraft / aircraft component is consid ifies that the work specified above, e	lered ready for rele except as otherwise	ease to service. e specified, was o	carried out ir	n accordance w		rsia Requirements :	and in respect to tha	it work
		WHERE APPLICABLE								

PARTS LABELED &	DUPLICATE INSP.		ADDITIONAL WORKSHEET						
RETURNED									

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B Ielicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	tre,		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	N 4
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	998
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WO	RKPACK
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	8 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir %/2023	Other requirer	nents/information:	:
Item		Desc	ription				Technician	* Eng. CRS	Date
164	FUEL RESERVOIR TANK (244) 281002 - CHECK PLUMBING AND SECURITY, AND EVIDENCE OF L		PONENTS TO R	RESERVOIR	TANK FOR CC	ONDITION,			
	REMARKS:								
165	FUEL RESERVOIR AND FUEL TA	NKS (244)							
	281005 - CHECK AUXILIARY FUE SHUTOFF VALVE SCREENS FOR REMARKS:			G CHECK VA	LVES, AND FU	JEL			
166	CARGO NETS AND BARRIER (IF 255009 - CHECK FOR CONDITION DEVICES.			AND OPERA	TION OF ADJU	ISTMENT			
	REMARKS:								
the ai *Cert and i	ifies that the work specified above, e rcraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele except as otherwise	ease to service. specified, was c	arried out in	accordance w		 rsia Requirements	and in respect to tha	lt work
L TICK	✓ WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, H Sultan Abdul Tel: +603 773	OSPACE (M) SDN. B Helicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 erospace.my enquin	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.			WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCL	.E	WORKSHEET N	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
REGIST	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:	REFER WOR	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 5	9 OF	68
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and ICP RMP Muha Anwar bin Ja 08/06/202	ammad Iwahir	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
167	AILERON BELLCRANKS (ABOVE 271003 - INSPECT BELLCRANKS TO CABLE GUARD AND CABLE A	FOR SECURITY (CORROSION	I, EVIDENCE OF D	DAMAGE			
	- INSPECT ATTACH BOLTS FOR		ROPER SAFET	YING OF NU	TS.				
	REMARKS:								
168	INTERIOR FURNISHINGS (251, 25	52, 255, 256)							
	252002 - BINSPECT FOR CONDIT								
	- INSPECT ELECTRICAL COMPO	NENTS IN ACCOR	DANCE WITH E	LECTRICAL	POWER INSPECT	HON.			
	REMARKS:								
169	CARGO TIE-DOWN STRAPS 1 AN	ID FITTINGS (IF IN	ISTALLED) (251	, 252, 255, 2	56)				
	255001 - INSPECT FOR CONDITIO	ON, SECURITY AN	ND PROPER INS	STALLATION	S.				
	REMARKS:								
the ai	ifies that the work specified above, e ircraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for released as otherwise	ease to service. e specified, was c	carried out ir	accordance with	CAA Malay	rsia Requirements a	and in respect to tha	t work
	✓ WHERE APPLICABLE								

		RAISED	DUPLICATE INSP.				ADDITIONAL WORKSHEET											
--	--	--------	--------------------	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace tenance, repair, overhaul	Suite 11-14, H Sultan Abdul / Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio '200 Subang, Se '734 7526	nal Aerospace Centre, langor, Malaysia.	,	WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	NO: 15998-005	
AIRCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATION	14
REGISTR	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.: SHEET: 6	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1 NF / N2	SHEET: 6	0 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FF SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirer	nents/information:	
Item		Desc	ription			Technician	* Eng. CRS	Date
170	PASSENGER AND CARGO COMF	PARTMENT LIGHT	S (251, 252, 255	5, 256)				
	332001 - INSPECT ELECTRICAL (COMPONENTS FC	R CONDITION,	OPERATION	N, AND SECURITY.			
	REMARKS:							
171	VAPOR CYCLE COOLING SYSTE	M (251, 311)						
	215001 - INSPECT EVAPORATOR - INSPECT SYSTEM FOR EVIDEN SECURITY.							
	REMARKS:							
172	FLAP SWITCH ACTUATOR (252)							
	275008 - INSPECT FLAP SWITCH LINKAGE FOR CONDITION AND S		CHES, SUPPO	RT STRUCT	URE, AND ASSOCIATED			
	REMARKS:							
the ai	ifies that the work specified above, e ircraft / aircraft component is consid ifies that the work specified above, e n respect to that work the aircraft / a	lered ready for rele xcept as otherwise	ease to service. specified, was c	carried out ir	accordance with	ysia Requirements	and in respect to tha	t work
		-		-				
TICK	✓ WHERE APPLICABLE							

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. AIRCRAFT ENGINE LOG PROPELLER LOG OEM/COMM LABELED & RAISED INSP. RUN FLIGHTTEST CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE UPDATE LOG BOOK LOG BOOK LOG BOOK CARD LOG CARD
--

AIRCRAF REGISTR BASE/FA	DWNER: ROYAL MALAYSIA POLICE (ICP) T TYPE: CARAVAN 208 ATION: 9M-PSN CILITY: WBGG REFER WORKPACK OUT: REFER WORKPACK	AIRCRAFT	SERIAL NO.				1		
REGISTR BASE/FA	T TYPE: CARAVAN 208 ATION: 9M-PSN CILITY: WBGG	AIRCRAFT	00000004	HOURS	LDG/C	YCLE	WORKSHEET N WORK/INSP/D	10000 000	
BASE/FA	CILITY: WBGG		20800231		ORKPACK		WORK/INSP/D	OF ERVITION	
		#1 ENGINE:	PCE 17477		ORKPACK		AJL REF NO.:	REFER WO	
		#2 ENGINE:	NIL	REFER W	NG / N1	NF / N2	SHEET: 6		68
ONVERSI BASED INS	for raising: ON OF MAINTENANCE PROGRAMME FF IPECTION PROGRAM I.A.W. SB CAB11-5 IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad in Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
173	REMOTE MOUNTED AVIONICS (I	FUSELAGE) (311, 3	312)						
	230003 - INSPECT FOR SECURIT SECURITY OF WIRE ROUTING. A				,				
	REMARKS:								
174	ELEVATOR TRIM TAB CABLES (3	311, 320)							
	273015 - INSPECT CABLES (TAIL SAFETYING, AND PROPER ROU - INSPECT CHAINS FOR PROPER ON SPROCKETS.	TING.	ALL POINTS AN	D CHAINS F	OR PROPER	ALIGNMENT			
	- INSPECT PULLEYS AND GUARI REMARKS:	D PINS FOR CONL	DITION, WEAR,	CORROSIO	N, AND SECUF	ΚΠΥ .			
175	ELEVATOR TRIM TAB ACTUATO	RS (375, 376)							
	273011 - INSPECT ACTUATOR FO STRUCTURE FOR EVIDENCE OF HORIZONTAL STABILIZER.								
	REMARKS:								
the ain *Certi	ifies that the work specified above, e rcraft / aircraft component is consic ifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	arried out in	n accordance w		I vsia Requirements a	and in respect to tha	t work

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
KLIUKNED									

maint	tenance, repair, overhaul		7226 Fax: +603 7 rospace.my enquir	/@galaxyaerosp	ace.my					
LIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO:	15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/[DESC:	OPERATION	14
FGISTE	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK F	REF:	9M-PSN-159	98
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.:		REFER WO	RKPACK
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET:	62	OF	68
ONVERS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir /2023	Other require	ments/ii	nformation:	
Item		Desci	ription				Technician	* Er	ng. CRS	Date
176	FUEL FLOAT VENT LINE (575, 67	75)								
	282008 - INSPECT FOR EVIDENC	CE OF DAMAGE CL	EANLINESS AN	ID OBSTRU	CTION.					
	REMARKS:									
177	AILERON TRIM TAB CABLES (FU	JSELAGE) (625)								
	271018 - INSPECT CABLES FOR PROPER ROUTING.	FRAYING, CHAFIN	YING, AND							
	- INSPECT CHAINS FAR PROPE ON SPROCKETS.	LIGNMENT								
	- INSPECT PULLEYS AND GUAR	D PINS FAR COND	ITION, WEAR, (CORROSION	I, AND SECUR	NTY.				
	REMARKS:									
178	CREW DOORS LATCH PIN RECE	EPTACLE (801, 802))							
	520105 - INSPECT FOR DAMAGE	E, CRACKS AND WI	EAR.							
	REMARKS:									
the ai ⊤ Cert	ifies that the work specified above, ircraft / aircraft component is consi ifies that the work specified above, n respect to that work the aircraft / a	dered ready for rele except as otherwise	ase to service. specified, was c	arried out in	accordance w		vsia Requirements	and in r	espect to tha	t work

PARTS LABELED & RETURNED	DUPLICATE INSP.		ADDITIONAL WORKSHEET						

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.		WORKS	
CLIENT/	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK	WORK/INSP/D	ESC: OPERATION	N 4
	RATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK	WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	AJL REF NO.: SHEET: 6	REFER WO	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG/N1 NF/N2	OTILLI. 0	3 OF	68
CONVERS	for raising: ION OF MAINTENANCE PROGRAMME FI SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirer	nents/information:	
Item		Desc	ription			Technician	* Eng. CRS	Date
179	PILOT AND COPILOT CREW DOO 521001 - INSPECT FOR CONDITI		ID OPERATION					
	REMARKS:							
180	CREW DOOM SEAL (801, 802)							
	521002 - INSPECT FOR PROPER	NSTALLATION, C	CUTS, ABRASIO	NS AND EX	CESSIVE WEAR. CLEAN.			
	REMARKS:							
181	GREW DOOM LATCH PIN (801, 8	02)						
	521003 - INSPECT FOR DAMAGE	E, CRACKS, WEAR	AND RIGGING.					
	REMARKS:							
the ai *Cert and i	ifies that the work specified above, e ircraft / aircraft component is consid- ifies that the work specified above, e n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	carried out ir	accordance with	lysia Requirements	and in respect to tha	lt work
	✓ WHERE APPLICABLE							

PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MONITORED PLANNING DIARY STATUS D.D. ARCRAFT ENGINE LOG PROPELLER LOG OEM/COM LABELED & RAISED INSP. RUN FLIGHTTEST TORQUE ADDITIONAL WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS D.D. ARCRAFT ENGINE LOG BOOK LOG BOOK CARD	
---	--

	xyAerospace	Suite 11-14, H Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 7226 Fax: +603 7 rospace.my enquir	200 Subang, Sel 734 7526	nal Aerospace Cent langor, Malaysia.	tre,		WORKS	
LIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/CY	/CLE	WORKSHEET	IO: 15998-005	
RCRAF	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	OF ERVITION	14
EGISTF	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 64	REFER WO	
ATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 6	4 OF	68
NVERSI	for raising: ON OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11- IG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	5 R2 COMPLIANCE AN	ID AMP REF NO.:		Raised by a ICP RMP M Anwar bir 08/06	/luhammad n Jawahir	Other requiren	nents/information:	
tem		Desc	ription				Technician	* Eng. CRS	Date
182	CLEW DOORS LATCH PIN GUID	E (801, 802)							
	521004 - INSPECT FOR DAMAGE	E, CRACKS AND W	EAR.						
	REMARKS:								
183	CREW DOOR ENTRANCE STEP	S (801, 802)							
	521008 - INSPECT FOR CONDIT	ION, SECURITY AN							
	REMARKS:								
184	CREW DOOR LOCKS (801, 802)								
	521009 - CHECK PROPER OPER LOCK OPERATION.	ATION OF LOCKIN	G MECHANISM	IS INCLUDIN	IG THE EXTER	NAL KEY			
	REMARKS:								
the ai Cert	ifies that the work specified above, rcraft / aircraft component is consi ifies that the work specified above,	dered ready for rele except as otherwise	ase to service. specified, was c	carried out in	accordance wi		vsia Requirements a	and in respect to tha	t work
and in	n respect to that work the aircraft /	aircraft component	is considered r	eady for relea	ase to service.				

LABELED & RAISED INSP. RUN CHK. WORKSHEET DEFECT FORECAST UPDATE UPDATE STATUS LOG BOOK BOOK LOG BOOK CARD LOG CARD		D.D. DUPLICATE GROUND FLIGHT TES RAISED INSP. RUN									
---	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. Bl lelicopter Centre, Ma Aziz Shah Airport, 47 4 7226 Fax: +603 7 prospace.my enquin	laysia Internatio 200 Subang, Se 734 7526	nal Aerospace Cen langor, Malaysia.	itre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	14
	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R		
	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK		AJL REF NO.: SHEET: 6	REFER WOI	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET. 6	5 OF	68
CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FR SPECTION PROGRAM I.A.W. SB CAB11-5 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO.:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requirer	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
185	CARGO UPPER AND LOWER DOO 523001 - INSPECT FOR CONDITIO - INSPECT HINGES, LATCHES AN ADJUSTMENT. REMARKS: CARGO UPPER AND LOWER DOO 523002 - INSPECT FOR PROPER AND SERVICE.	DN, SECURITY AN ID LATCH PINS FO	DR DAMAGE, C	RACKS, WE					
	REMARKS:								
187	PASSENGER DOORS (804)								
	521007 - INSPECT FOR CONDITIC CABLES AND LATCH PINS FOR D REMARKS:								
the ai	ifies that the work specified above, end rcraft / aircraft component is consid ifies that the work specified above, end n respect to that work the aircraft / a	ered ready for rele xcept as otherwise	ease to service. specified, was c	arried out in	accordance w		sia Requirements	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED						ADDITIONAL WORKSHEET											
--------------------------------	--	--	--	--	--	-------------------------	--	--	--	--	--	--	--	--	--	--	--

	xyAerospace	Suite 11-14, F Sultan Abdul Tel: +603 7734	OSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47 \$ 7226 Fax: +603 7 prospace.my enquir	alaysia Internatio 200 Subang, Se 734 7526	nal Aerospace Centre, langor, Malaysia.		WORKS	
	OWNER: ROYAL MALAYSIA POLICE (ICP)	AIRCRAFT	SERIAL NO. 20800231	HOURS	LDG/CYCLE /ORKPACK	WORKSHEET WORK/INSP/D	500	1.4
	T TYPE: CARAVAN 208	#1 ENGINE:	PCE 17477		ORKPACK VORKPACK	WORKPACK R	er Erother	
REGISTE	RATION: 9M-PSN ACILITY: WBGG	#1 ENGINE:	NIL		ORKPACK	AJL REF NO.:	REFER WO	
	REFER OUT: REFER WORKPACK	#2 ENGINE.		NEFEN W	NG / N1 NF / N2	SHEET: 6	6 OF	68
Reason CONVERS BASED INS	for raising: ION OF MAINTENANCE PROGRAMME F SPECTION PROGRAM I.A.W. SB CAB11-4 NG/CAMO/AMP/C208 ISSUE 1, REV 0. TC	5 R2 COMPLIANCE AN	ND AMP REF NO.:		Raised by and date: ICP RMP Muhammad Anwar bin Jawahir 08/06/2023	Other requirer	nents/information:	
Item		Desc	ription			Technician	* Eng. CRS	Date
188	PASSENGER DOORS SEALS (80 521010 - INSPECT FOR PROPER		CUTS, ABRASIO	INS AND EX	CESSIVE WEAR. CLEAN.			
	REMARKS:							
189	CARGO POD DRAIN TUBES (IF I	NSTALLED) (901, 9	002, 903, 904)					
	255004 - INSPECT CARGO POD	DRAIN, TUBES FO	ION AND SECURITY.					
	REMARKS:							
190	CARGO POD (IF INSTALLED) (90	01, 902, 903, 904, 90	05, 906, 907, 90	8)				
	255003 - INSPECT STRUCTURE CONDITION OF SEALANT AT FU							
	REMARKS:							
the ai	ifies that the work specified above, ircraft / aircraft component is consi ifies that the work specified above, n respect to that work the aircraft / a	dered ready for rele except as otherwise	ease to service. specified, was c	carried out ir	accordance with	aysia Requirements	and in respect to tha	it work
	✓ WHERE APPLICABLE	1						

PARTS LABELED & RETURNED		GROUND RUN		ADDITIONAL WORKSHEET				PROPELLER LOG BOOK		
KEIÜKNED										

	xyAerospace	Suite 11-14, F Sultan Abdul / Tel: +603 7734	DSPACE (M) SDN. B lelicopter Centre, Ma Aziz Shah Airport, 47: 4 7226 Fax: +603 7 prospace.my enquin	laysia Internation 200 Subang, Sel 734 7526	nal Aerospace Cen angor, Malaysia.	tre,		WORKS	
CLIENT/0	OWNER: ROYAL MALAYSIA		SERIAL NO.	HOURS	LDG/C	YCLE	WORKSHEET N	NO: 15998-005	
	POLICE (ICP) T TYPE: CARAVAN 208	AIRCRAFT	20800231	REFER W	ORKPACK		WORK/INSP/D	ESC: OPERATION	4
REGISTR	ATION: 9M-PSN	#1 ENGINE:	PCE 17477	REFER W	ORKPACK		WORKPACK R	EF: 9M-PSN-159	98
BASE/FA	CILITY: WBGG	#2 ENGINE:	NIL	REFER W	ORKPACK	1	AJL REF NO.:	REFER WOP	
DATE IN:	REFER WORKPACK OUT: REFER WORKPACK				NG / N1	NF / N2	SHEET: 6	7 OF	68
CONVERSI BASED INS	for raising: ION OF MAINTENANCE PROGRAMME FRO SPECTION PROGRAM I.A.W. SB CAB11-5 I NG/CAMO/AMP/C208 ISSUE 1, REV 0. TO	R2 COMPLIANCE AN	ND AMP REF NO .:		Anwar bi	and date: Muhammad n Jawahir 5/2023	Other requiren	nents/information:	
Item		Desc	ription				Technician	* Eng. CRS	Date
191	CARGO POD DOORS (IF INSTALL 255005 - INSPECT DOOR STRUCT			ED OR DEBC	DNDED LAMIN	ATE.			
	- CHECK RUBBER DOOR SEALS F	FOR CONDITION	AND PROPER A	ATTACHMEN	IT.				
	REMARKS:								
192	CARGO POD DOOR HINGES AND	LATCHES (IF INS	STALLED) (921,	922, 923, 92	4)				
	255006 - INSPECT FOR EVIDENCE FASTENERS.	E OF DAMAGE, W							
	REMARKS:								
193	CARGO POD DOORS (IF INSTALL	FD) (921 922 92	3 924)						
		, (,,	, , , ,						
	255008 - CHECK LEGIBILITY OF W	/EIGHT, LIMITATI	ONS PLACARD	S.					
	REMARKS:								
the ai	ifies that the work specified above, ex rcraft / aircraft component is conside ifies that the work specified above, ex n respect to that work the aircraft / ai	ered ready for release	ease to service. specified, was c	arried out in	accordance w		vsia Requirements a	and in respect to tha	t work
	WHERE APPLICABLE								

PARTS LABELED & RETURNED			ADDITIONAL WORKSHEET						
REFORMED									

		Aerc			*	Suite 11-14, He Sultan Abdul A Tel: +603 7734	DSPACE (M) SDN elicopter Centre, Iziz Shah Airport, 7226 Fax: +60 rospace.my end	Malaysia Inte 47200 Subar 3 7734 7526	ernational ng, Selan	gor, Malaysia.	entre,						
CLIENT	OWNEF	ROYAL	MALAY	SIA			SERIAL NO	D. HOU	RS	LDG/0	CYCLE		WORKSH	EET NO:	15998	8-005	
		POLICE	(ICP)		AIF	CRAFT	20800231	REFE	ER WO	RKPACK			WORK/IN	SP/DESC	OPER	RATION 4	
AIRCRA REGIST	FT TYPE RATION:	9M-PSN	-in 200		#1	ENGINE:	PCE 1747	7 REFE	R WO	RKPACK			WORKPA	CK REF:	9M-P	SN-15998	
BASE/F/	ACILITY:	WBGG			#2	ENGINE:	NIL	REFE	ER WO	RKPACK			AJL REF	NO.:	REFE	R WORK	PACK
DATE IN	: REFER WORKP	ACK O	UT: REFE	ER KPACK						NG / N1	NF	: / N2	SHEET:	68	OF		68
CONVERS BASED IN	SPECTIO	1AĬNTENAN N PROGRAI	M I.A.W. S	SB CAB11	-5 R2 COM	MPLIANCE AN	CARE PROGRA ID AMP REF NO ON. OPERATIO	D.:	<-			imad	Other rec	uirement	s/inform	nation:	
Item						Descr	ription						Technicia	an *	Eng. C	RS	Date
194	24000	1 - INSPE	CT FOR	CHAFIN	NG, BROI	RING (ALL) Ken or Loo Ends in Wif	OSE TERMIN	IALS, GEN	IERAL	CONDITIO	N, BROI	KEN OR					
	REMA	ARKS:															
195	DOOF	RWARNIN	G ANNL	JNCIATO	OR LIGHT	Г (ВАТ)											
		N UPPER					′ THAT LIGH'					DR.					
the a □ *Cer	ircraft / : tifies tha	aircraft co t the work	mponen specifie	t is cons d above	sidered re , except a	eady for relea as otherwise	specified, wa ase to service specified, wa is considered	e. Is carried c	out in a	ccordance	with	A Malays	ia Requirem	uents and i	n respec	t to that w	ork
тіск	✓ WHERE	E APPLICAB	ile														
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	GROUND RUN	FLIGHTTEST	TORQUE CHK.	ADDITIONAL WORKSHEET	MONITORED DEFECT	PLANNING FORECAST	DIARY UPDATE	STATUS UPDATE	D.D. STATUS	AIRCRAFT LOG BOOK	ENGINE LOG BOOK	PROPELLER LOG BOOK	LOG CARD	OEM/COMI LOG CARD	MOD REC BOOK



CLIENT/		: ROYAL POLICE	(ICP)	SIA	AIR	CRAFT		AL NO 00231		RS ER WC		LDG/C ACK	YCL	LE				ET NO: P/DESC:	15998 SB C	3-001 AB11-R2	
		9M-PSN			#11	ENGINE:	PCE	17477	REFE	ER WO	ORKP	ACK						K REF:	9M-P	SN-15998	
BASE/FA						ENGINE:	١	١L	REFE	ER WO	ORKP	ACK				AJL I	REF N	0.:	REFE	R WORKPA	ACK
		RKPACK OL	JT: REFE	R WORKPA							NG	/ N1	T	NF / N2	,	SHE		1	OF		1
REASON CONVERS BASED IN RMPAW/E	FOR RA ION OF M SPECTION NG/CAMO	AISING: IAINTENAN N PROGRAI D/AMP/C208	CE PROG M I.A.W. S ISSUE 1	GRAMME SB CAB11 , REV 0. T	FROM PRO -5 R2 CON O THE LA	DGRESSIVE (IPLIANCE AN TEST REVISIO AM TO TASK-	D AMP I ON. SB (REF NO CAB11-I	.: R2	<-	Rais ICF	ed by P RMP	anc Mut	d date: nammad awahir		Othe	er requ	uirements/ NIL		nation:	
Itom	Da	art No			Doporinti	22			Serial	Numb	er			D			Lifed It	tem Informa	tion	Delesse De	(
Item	Pa	IT NO			Descripti	on		(Off		On	Qt	y	Position	Rea			SO/DUE/TI		Release Re	terence
													_								
NAME	1		1					FIRM	1				+	SIGN &	APPF	ROVAI				DATE	
													+							-	
						ept as othe considered						it in ac	ccor	dance v	vith (CAA N	/lalays	sia Require	ements	s and in res	spect to
						ept as othe	-					it in ad	cor	dance v	vith						
						raft compoi															
PARTS LABELED & RETURNED	D.D. RAISED	DUPLICATE INSP.	MONITO		PLANNING FORECAST	DIARY UPDAT		itatus Ipdate	D. STAT		CRAFT G BOOK		NE LOG DOK	PROPELLER LOG BOOK	LOG CARD	OEM/COMP LOG CARD	MOD RECORD BOOK				



CLIENT/	OWNER	: ROYAL POLICE				AL NO		1		_DG/C	YCLE			WOF	RKSHE	ET NO:	15998	8-002			
		CARAVA	AN 208			CRAFT		00231			ORKP/							P/DESC:		RATION 1	
		9M-PSN				ENGINE:		17477			ORKP/							K REF:		SN-15998	
BASE/FA						ENGINE:	r	NIL	REF	-R WO	ORKP/						REF N			ER WORKPA	
		RKPACK OL	JI: REFE	R WORKPA	CK						NG	/ N1	N	F / N2		SHE	ET:	1	OF		1
BASED IN	SION OF M	AINTENAN N PROGRAM	4 I.A.W. S	SB CAB11	-5 R2 CON	OGRESSIVE (IPLIANCE AN TEST REVISIO	D AMP I	REF NO	.:	ζ-		ed by RMP nwar b 08/0		ahir		Othe	er requ	iirements/ NII		nation:	
Item	Pa	ırt No			Descripti	on		(Serial Off		er On	Qt	/ Po	osition	Rea			em Informa SO/DUE/TII		Release Re	eference
												_									
												_									
NIANAE								EID!							4000					DATE	
NAME								FIRM	1				S	SIGN &	APPF	IUVAL				DATE	
						ept as othe considered						t in ac	corda	ince w	vith (CAA N	/lalays	ia Require	ement	s and in re	spect to
						ept as othe raft compo									vith						
тіск	✓ WHERE	E APPLICAB	ILE																		
PARTS LABELED & RETURNED	BELED & RAISED INSP. RUN CHK. WORKSHEET D									DIAR UPDA		iatus Pdate	D.D. STATUS		CRAFT BOOK		NE LOG DOK	PROPELLER LOG BOOK	LOG CARD	OEM/COMP LOG CARD	MOD RECORD BOOK



CLIENT/	OWNER	: ROYAL I POLICE			SERI/			1		_DG/C	YCL	E		WOF	RKSHE	ET NO:	15998	8-003			
		CARAVA	AN 208			CRAFT		00231			ORKP/							P/DESC:		RATION 2	
REGIST	RATION:	9M-PSN				ENGINE:		17477			ORKP/							K REF:		SN-15998	
BASE/FA						ENGINE:	۲ 		REF	ER WO	ORKP						REF N			ER WORKPA	
		RKPACK OL	JT: REFE	R WORKPA	СК						NG	/ N1		NF / N2	2	SHE	ET:	1	OF		1
BASED IN	ION OF M	AINTENAN N PROGRAM	/ I.A.W. S	SB CAB11	-5 R2 CON	DGRESSIVE (IPLIANCE AN TEST REVISIO	D AMP I	REF NO	.:	κ-			oin Ja	l date: nammad awahir 23		Othe	er requ	uirements/ NII		nation:	
Item	Pa	ırt No			Descripti	on		(Serial Off	1	er On	Qt	y I	Position	Re			em Informa SO/DUE/TII		Release Re	eference
									_												
													+								
													T								
													_								
													-								
												_	_								
													_								
												_	-		-						
													+								
NAME								FIRM	1					SIGN &	APPF	ROVAL				DATE	
						ept as othe considered						t in ac	cord	dance v	vith	CAA N	/lalays	ia Require	ement	s and in re	spect to
						ept as othe raft compo									vith						
	-	E APPLICAB			ait / dllC	an compoi		CONSI		auy I		sase l	u se	a vice.							
PARTS	D.D.	PARTS D.D. DUPLICATE GROUND FLIGHTTEST TORQUE ADDITIONAL MC IBELED & RAISED INSP. RUN CHK WORKSHEET T										TATUS PDATE	D.E STAT		CRAFT 6 BOOK		NE LOG DOK	PROPELLER LOG BOOK	LOG CARD	OEM/COMP LOG CARD	MOD RECORD BOOK



CLIENT/	OWNER	: ROYAL POLICE			SERI			1		_DG/C	YCLE			WOF	RKSHE	ET NO:	15998	3-004			
		CARAVA	AN 208			CRAFT		00231			ORKP							SP/DESC:		RATION 3	
REGIST	RATION:	9M-PSN				ENGINE:		17477										K REF:		SN-15998	
BASE/FA						ENGINE:	1	NIL	REF	R W	ORKP						REF N			R WORKP	
		RKPACK OL	JT: REFE	R WORKPA	СК					-	NG	/ N1	N	IF / N2		SHE	ET:	1	OF		1
BASED IN	SION OF M	AINTENAN N PROGRAM	M I.A.W. S	SB CAB11	-5 R2 CON	DGRESSIVE (IPLIANCE AN TEST REVISIO	D AMP I	REF NO	.:	<i>κ</i> -		nwar b				Othe	er requ	uirements/ NII		nation:	
Item	Pa	ırt No			Descripti	on		(Serial Off	1	er On	Qt	y Pc	osition	Rea	ason		tem Informa SO/DUE/TII		Release Re	ference
												_	_								
													_								
NIABAT													+							DATE	
NAME								FIRM	1					SIGN &	APPF	NUVAL				DATE	
that	work the	e aircraft	/ aircra	ft comp	onent is	ept as othe considered	d read	y for re	elease to	o serv	rice.						-		ements	s and in res	spect to
						ept as othe raft compoi									vith						
тіск	✓ WHERE	E APPLICAB	BLE																		
PARTS LABELED & RETURNED	BELED & RAISED INSP. RUN CHK. WORKSHEET D									DIAR UPDA		atus Pdate	D.D. STATUS		CRAFT BOOK		INE LOG OOK	PROPELLER LOG BOOK	LOG CARD	OEM/COMP LOG CARD	MOD RECORD BOOK



CLIENT/	OWNER			AL NO				LDG/C	YCL	E		WOF	RKSHE	ET NO:	1599	8-005					
AIRCRA	FT TYPE	POLICE			AIR	CRAFT		00231			ORKP/							SP/DESC:		RATION 4	
		9M-PSN	l		#1	ENGINE:		17477			ORKP/	-						CK REF:		SN-15998	
BASE/FA						ENGINE:	1	NIL	REF	ER W	ORKP		-				REF N			ER WORKPA	
DATE IN	REFER WC	RKPACK OL	JT: REFE	R WORKPA	CK						NG	/ N1		NF / N2	2	SHE	ET:	1	OF		1
BASED IN	SION OF M	AINTENAN N PROGRAM	M I.A.W. S	SB CAB11	-5 R2 CON	OGRESSIVE (IPLIANCE AN TEST REVISIO	D AMP I	REF NO	.:	К-		nwar b		l date: nammad awahir 23		Othe	er requ	uirements/ NII		nation:	
Item	Pa	ırt No			Descripti	on		(Serial Off	1	er On	QI	iy I	Position	Re			tem Informa SO/DUE/TI		Release Re	ference
													_								
NAME								FIRM	1				+	SIGN &	APPF	ROVAL				DATE	
													+								
						ept as othe considered						it in ac	ccore	dance v	vith		Malays	sia Require	ement	s and in res	spect to
						ept as othe raft compo									vith						
ТІСК	✓ WHERE	E APPLICAB	BLE																		
PARTS LABELED & RETURNED	SELED & RAISED INSP. RUN CHK. WORKSHEET D									DIAR UPDA		TATUS PDATE	D.I STAT		CRAFT 6 BOOK		INE LOG OOK	PROPELLER LOG BOOK	LOG CARD	OEM/COMP LOG CARD	MOD RECORD BOOK