

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

Tools Information					Calibration Date and Status, Serviceable Y = Yes, N = No.							
ID	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D-Day, M-Month, Y-Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D-Day, M-Month, Y-Year)		Location.
-30	TOOL KIT, AIRCRAFT MAINTENANCE (1ST LINE/NSCM K 0058)	SNAP ON	WG1488-0014-041	M501-3	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-35	KEY (BOTTLE / NSCM K4233)	SNAP ON	035834	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-40	FLASHLIGHT (RIGHT ANGLE / NSCM K2504)	SNAP ON	570-183	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-50	PLIERS (DUCK BILL / NSCM K5773)	SNAP ON	61ACP	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-60	CUTTER (6.1-4IN / NSCM K5773)	SNAP ON	86BCP	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-70	VALVE ADAPTOR ASSEMBLY (NSCM U1809)	SNAP ON	FZ13	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
			4820-99-5326725									
-80	TOOL (VALVE CORE & STEM / NSCM K5773)	SNAP ON	GA143A	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-90	MIRROR (NSCM K5773)	SNAP ON	GA295	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-100	LOCK (NSCM B8551)	SNAP ON	MODEL35	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-110	LABEL (PART NO / NSCM K0058)	SNAP ON	MDS2781-1	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-120	SCRWDRVR (FLAT TIP / NSCM K5773)	SNAP ON	SDD80	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-130	SCRWDRVR (1-8INX3INLONG / NSCM K5773)	SNAP ON	SSDE43B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-140	WRENCH (OFFSET BOX / NSCM K5773)	SNAP ON	X02024	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-150	GAUGE (TYRE PRESSURE / NSCM K5773)	SNAP ON	YA804	G 50313	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-160	CASE, STOWAGE (NSCM K4967)	SNAP ON	TYPEG2CAT1	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

ID	Tools Information				Calibration Date and Status, Serviceable Y = Yes, N = No.							
	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D-Day, M-Month, Y-Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D-Day, M-Month, Y-Year)		Location.
-170	TOOLKIT AIRFRAME SERVICING (NSCM K0058)	SNAP ON	WG1488-0036-041	M501-3	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-175	WRENCH, 11/ 32 COMBINATION (NSCM K5773)	SNAP ON	0EX110B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-180	WRENCH, 1/ 4 COMBINATION (NSCM K5773)	SNAP ON	0EX8B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-185	WRENCH, 5MM COMBINATION (NSCM K5773)	SNAP ON	0XIM5SB	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-190	WRENCH, CROWFOOT 30MM (NSCM B8551)	SNAP ON	1950M30	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-195	MAGNIFIR, FOLDINGX10 (NSCM U1185)	SNAP ON	246-1060-00	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-200	KEY, BOTTLE (NSCM K4233)	SNAP ON	3637	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-205	DEPTH GAUGE (NSCM U1748)	SNAP ON	43	G 50314	N/A	N/A	N/A	YES	20-OCT 22	N/A	N/A	LOCATION RMN.
-210	FLASHLIGHT (RIGHT ANGLE / NSCM K2504)	SNAP ON	570-183	N/A	N/A	N/A	N/A	NO	N/A	N/A	N/A	U/S (BER IN PROGRESS).
-215	TORCH, SAFETY STRAIGHT (NSCM K2504)	SNAP ON	571-962	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-220	PLIERS, LINEMAN (NSCM K5773)	SNAP ON	57AHL P	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-225	PLIERS (DUCK BILL / NSCM K5773)	SNAP ON	61ACP	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-230	SPANNER, 32-36 MM OPEN END (NSCM B8551)	SNAP ON	6M32-36	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-235	PLIERS, CIRCLIP (NSCM K5773)	SNAP ON	7066	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-240	PLIERS, SIDE CUTTING 6IN (NSCM K5773)	SNAP ON	86	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

ID	Tools Information				Calibration Date and Status, Serviceable Y = Yes, N = No.							
	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D-Day, M-Month, Y-Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D-Day, M-Month, Y-Year)		Location.
-245	PLIERS, NEEDLE NOSE (NSCM K5773)	SNAP ON	95BCP	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-250	ADAPTOR, 3-8 - 1/ 2 INCH (NSCM K5773)	SNAP ON	A2A	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-255	GAUGE, FORCE ADVANCED (NSCM U7297)	SNAP ON	AFG250N	G 50315	N/A	N/A	N/A	NO	20-OCT 22	N/A	N/A	U/S (BER)
-260	WRENCH, L-SHAPED 2.5MM HEX (NSCM K5773)	SNAP ON	AWM2-5C	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-265	WRENCH, L-SHAPED HEX2MM (NSCM K5773)	SNAP ON	AWM2C	N/A	N/A	N/A	N/A	NO	N/A	N/A	N/A	U/S (DEFECT)
-270	WRENCH, L-SHAPED HEX3MM (NSCM K5773)	SNAP ON	AWM3C	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-275	WRENCH, L-SHAPE4MM (NSCM K5773)	SNAP ON	AWM4C	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-280	WRENCH, L-SHAPED HEX5MM (NSCM K5773)	SNAP ON	AWM5C	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-285	WRENCH, L-SHAPED HEX6MM (NSCM K5773)	SNAP ON	AWM6C	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-290	HAMMER, SOFT FACED 2 LB (NSCM K5773)	SNAP ON	BH232A	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-295	HAMMER, 16OZ.BALLPEIN (NSCM K5773)	SNAP ON	BPN16B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-300	TOOL, SPLIT PIN REMOVAL (NSCM K5773)	SNAP ON	CP9	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-305	RULE, STEEL 12 INCH (NSCM U1122)	SNAP ON	ER212	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-310	RATCHET, 3/ 8 INCH (NSCM K5773)	SNAP ON	ERGOPALM2	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-315	BAR, BREAKER (NSCM K5773)	SNAP ON	F10LB	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

ID	Tools Information				Calibration Date and Status, Serviceable Y = Yes, N = No.							
	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D- Day, M- Month, Y- Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D- Day, M-Month, Y- Year)		Location.
-320	RATCHET, 3/ 8 INCH (NSCM K5773)	SNAP ON	F936	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-325	SET, FEELER (METRIC) (NSCM K5773)	SNAP ON	FBM320	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-330	SPANNER, 16MM (NSCM K5773)	SNAP ON	FC0M16	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-335	WRENCH, 17MM (NSCM K5773)	SNAP ON	FC0M17	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-340	WRENCH, 19MM (NSCM K5773)	SNAP ON	FC0M19	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-345	SPANNER, 0-E22MM (NSCM K5773)	SNAP ON	FC0M22	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-350	WRENCH, CROWFOOT 24MMX3-8DR (NSCM K5773)	SNAP ON	FC0M24	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-355	WRENCH, CROWFOOT 5/8 (NSCM K5773)	SNAP ON	FC20B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-360	WRENCH, CROWFOOT 1-3/8 (NSCM K5773)	SNAP ON	FC44A	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-365	SPANNER (NSCM 55719)	SNAP ON	FC46A	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-370	WRENCH, CROWFOOT 1-5/8 (NSCM K5773)	SNAP ON	FC52A	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-380	SOCKET, 11MM 3/8 (NSCM K5773)	SNAP ON	FM11	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-385	SOCKET, 12MM 3/8 (NSCM K5773)	SNAP ON	FM12	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-390	SOCKET, 14MM 3/8 (NSCM K5773)	SNAP ON	FM14	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

ID	Tools Information				Calibration Date and Status, Serviceable Y = Yes, N = No.							
	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D-Day, M-Month, Y-Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D-Day, M-Month, Y-Year)		Location.
-395	SOCKET, 8MM 3/8 (NSCM K5773)	SNAP ON	FM8	N/A	N/A	N/A	N/A	NO	N/A	N/A	N/A	U/S (DEFECT)
-400	SOCKET, 9MM 3/8 (NSCM K5773)	SNAP ON	FM9	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-405	ADAPTOR, 10MM 3/8 (NSCM K5773)	SNAP ON	FRDHM10	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-405	ADAPTOR, TORQUE ((PREFERRED ALTERNATIVE TO FRDHM10) / NSCM K0058)	SNAP ON	WG1388-0255-105	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-410	EXTENSIN, 3/8 X 279 LONG (NSCM K5773)	SNAP ON	FXK11	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-415	EXTENSIN, 3/8 X 76 LONG (NSCM K5773)	SNAP ON	FXK3	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-420	EXTENSIN, 3/8 X 120 LONG (NSCM K5773)	SNAP ON	FXK4	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-425	EXTENSIN, 3/8 X 204 LONG (NSCM K5773)	SNAP ON	FXK8	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-430	TOOL, FINGER 450MM (NSCM K5773)	SNAP ON	GA265A	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-435	TAPE, MEASURING (NSCM K5773)	SNAP ON	GA427A	N/A	N/A	N/A	N/A	NO	N/A	N/A	N/A	U/S (DEFECT)
-440	WRENCH, 'L' SHAPE-050IN (NSCM K5773)	SNAP ON	GAW050	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-445	WRENCH, 'L' SHAPE 5-16IN (NSCM K5773)	SNAP ON	GAW10	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-450	LOCK (NSCM B8551)	SNAP ON	MODEL35	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-455	LABEL (PART NO / NSCM K0058)	SNAP ON	MDS2781-1	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-460	BALANCE, SPRING MODEL 15 (NSCM U1842)	SNAP ON	N0-15-20KG44LB	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

ID	Tools Information				Calibration Date and Status, Serviceable Y = Yes, N = No.							
	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D- Day, M- Month, Y- Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D- Day, M-Month, Y- Year)		Location.
-465	PLIERS, WIRE LOCKING (NSCM K5773)	SNAP ON	PR311	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-470	TOOL, PICK UP MAGNETIC (NSCM K5773)	SNAP ON	PT28E	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-475	TOOL, PICK UP MAGNETIC (NSCM K5773)	SNAP ON	PTM143	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-480	SCRWDRVR, FLAT 3 5/16 LONG (NSCM K5773)	SNAP ON	SDD10	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-485	SCRWDRVR, FLAT 10 29/32 LONG (NSCM K5773)	SNAP ON	SDD60	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-490	SOCKET, 3/8 INCH (NSCM K5773)	SNAP ON	SF121	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-495	SOCKET, 5-8AFX3-8INSQDR (NSCM K5773)	SNAP ON	SF201	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-500	SOCKET, 11-16INX3-8INSQDR (NSCM K5773)	SNAP ON	SF221	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-505	SOCKET, 10MM 3/8 (NSCM K5773)	SNAP ON	SFM10	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-510	SOCKET, 8MMX3-8INSQDR (NSCM K5773)	SNAP ON	SFM8	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-515	SCRWDRVR (NSCM K5773)	SNAP ON	SSDE44B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-520	SCRWDRVR, 3/ 16INX10INLONG (NSCM K5773)	SNAP ON	SSDE610B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-525	SCRWDRVR, 3-16INX3INLONG (NSCM K5773)	SNAP ON	SSDE63B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-530	SCRWDRVR, 3-16INX3INLONG (NSCM K5773)	SNAP ON	STMD10	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-535	SOCKET, 3-8AFX1-4INSQDR (NSCM K5773)	SNAP ON	STMD12	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

Tools Information					Calibration Date and Status, Serviceable Y = Yes, N = No.							
ID	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D- Day, M- Month, Y- Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D- Day, M-Month, Y- Year)		Location.
-540	SOCKET (1-4AFX1-4INSQDR / NSCM K5773)	SNAP ON	STMD8	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-545	SOCKET, 6MM 1/4 (NSCM K5773)	SNAP ON	STMM6	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-550	SOCKET, 7MM 1/4 (NSCM K5773)	SNAP ON	STMM7	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-555	SOCKET, 17MM 1/2 (NSCM K5773)	SNAP ON	SWM171	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-560	SOCKET, 19MM 1/2 (NSCM K5773)	SNAP ON	SWM191	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-565	SOCKET, 22MM 1/2 (NSCM K5773)	SNAP ON	SWM221	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-570	SOCKET, 24MM 1/2 (NSCM K5773)	SNAP ON	SWM241	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-575	SOCKET, 27MM 1/2 (NSCM K5773)	SNAP ON	SWM271	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-580	SOCKET, 30MM 1/2 (NSCM K5773)	SNAP ON	SWM301	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-590	BAR, EXTENSION 51MM 1/2 (NSCM K5773)	SNAP ON	SX2	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-595	BAR, EXTENSION 102MM 1/2 (NSCM K5773)	SNAP ON	SX5	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-598	BAR, EXTENTION 280MM 1/2 (NSCM K5773)	SNAP ON	SXK11	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-600	RATCHET (1/4 INCH DRIVE / NSCM K5773)	SNAP ON	T936	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-605	ADAPTOR (NSCM K5773)	SNAP ON	TM1	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-610	DRIVER, 5/32 HEX 1/4 DRIVE (NSCM K5773)	SNAP ON	TMA5E	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

ID	Tools Information				Calibration Date and Status, Serviceable Y = Yes, N = No.							
	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D-Day, M-Month, Y-Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D-Day, M-Month, Y-Year)		Location.
-615	SOCKET, SHORT REACH (NSCM K5773)	SNAP ON	TMMD5	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-620	SOCKET, SHORT REACH (NSCM K5773)	SNAP ON	TMMD6	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-625	SOCKET, 7MM 1/4SD (NSCM K5773)	SNAP ON	TMMD7	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-630	DRIVER, PHILLIPS 2 1/4 (NSCM K5773)	SNAP ON	TMP22E	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-635	JOINT, UNIV1-4INX1-4INSQDR (NSCM K5773)	SNAP ON	TMU8	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-640	EXTENSIN, 1/4 INCH X 51 LONG (NSCM K5773)	SNAP ON	TMXK2	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-645	EXTENSIN (DRIVER 1/4 / NSCM K5773)	SNAP ON	TMXK4	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-650	EXTENSIN, 1/4 INCH X 153 LONG (NSCM K5773)	SNAP ON	TMXK60	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-655	SCRWDRVR, TORQUE SET (NSCM K4856)	SNAP ON	TS201P1-4	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-660	SCRWDRVR, TORQUE SET (NSCM K4856)	SNAP ON	TS201P10	N/A	N/A	N/A	N/A	NO	N/A	N/A	N/A	U/S (BER IN PROGRESS)
-665	SCRWDRVR, TORQUE SET (NSCM K4856)	SNAP ON	TS201P4	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-670	SCRWDRVR, TORQUE SET (NSCM K4856)	SNAP ON	TS201P5	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-675	SCRWDRVR, TORQUE SET (NSCM K4856)	SNAP ON	TS201P6	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-680	SCRWDRVR, TORQUE SET (NSCM K4856)	SNAP ON	TS201P8	N/A	N/A	N/A	N/A	NO	N/A	N/A	N/A	U/S (BER IN PROGRESS)
-685	SCRWDRVR, TRI-WING NO 5 (NSCM K4856)	SNAP ON	TW301P5	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.



<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	


ID	Tools Information				Calibration Date and Status, Serviceable Y = Yes, N = No.							
	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D-Day, M-Month, Y-Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D-Day, M-Month, Y-Year)		Location.
-690	CASE, DARK GREY (NSCM K4967)	SNAP ON	TYPEBCATV	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-695	WRENCH, 11-13MM OPEN END (NSCM K5773)	SNAP ON	V0M1113	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-700	WRENCH, 12-14MM OPEN END (NSCM K5773)	SNAP ON	V0M1214B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-705	WRENCH, 13-15MM OPEN END (NSCM K5773)	SNAP ON	V0M1315B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-710	WRENCH, 16-18MM OPEN END (NSCM K5773)	SNAP ON	V0M1618B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-715	WRENCH, 17-19MM OPEN END (NSCM K5773)	SNAP ON	V0M1719B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-720	WRENCH, 18-21MM OPEN END (NSCM K5773)	SNAP ON	V0M1821B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-725	WRENCH, 22-24MM OPEN END (NSCM K5773)	SNAP ON	V0M2224B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-730	WRENCH, 27-30MM OPEN END (NSCM K5773)	SNAP ON	V0M2730B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-735	WRENCH, 30-32MM OPEN END (NSCM K5773)	SNAP ON	V0M3032B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-740	WRENCH, 6-7MM OPEN END (NSCM K5773)	SNAP ON	V0M67B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-745	WRENCH, 8-10MM OPEN END (NSCM K5773)	SNAP ON	V0M810B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-750	WRENCH, 9-10MM OPEN END (NSCM K5773)	SNAP ON	V0M910B	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-755	ADAPTOR TQ M.R.H (TORQUE WRENCH / NSCM K0058)	SNAP ON	WG0188-7106-051	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-760	DRIFT, PIN COPPER (NSCM K0058)	SNAP ON	WG1388-0159-101	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	TOOLS BOX M501-3 SUPER LYNX LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

ID	Calibration Tools Information				Inspection Date and Status, Serviceable Y = Yes, N = No.							
	Description	Model	Part Number	Serial Number	Carried out (date)	Interval (D-Day, M-Month, Y-Year)		Serviceable Status (Yes/No)	Next Due. (date)	Remaining (D-Day, M-Month, Y-Year)		Location.
-765	SOCKET, 12.5MM 3/8 (NSCM K0058)	SNAP ON	WG1388-0165-101	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-770	ADAPTOR, SCHRADER (NSCM K0058)	SNAP ON	WG1388-0254-101	N/A	N/A	N/A	N/A	NO	N/A	N/A	N/A	U/S (DEFECT)
-775	ADAPTOR, TORQUE (NSCM K0058)	SNAP ON	WG1388-0653-041	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
		SNAP ON	5120-99-7178159									
-780	PIN, DRIFT ALUMINIUM (NSCM K0058)	SNAP ON	WG1388-0800-101	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
			5120-99-7179345									
-785	SPANNER, 12.5MM (NSCM K0058)	SNAP ON	WG1388-0801-10	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
			5120-99-7193309									
-790	SOCKET, 8MM 1/4 (NSCM K0058)	SNAP ON	WG1388-0887-101	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
			5120-99-7193310									
-795	SPIGOT, WINDSCREEN (NSCM K0058)	SNAP ON	WG1488-0053-101	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-800	SPANNER, 10MMX11MM (NSCM K5773)	SNAP ON	XBM1011	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-805	SPANNER, 12MMX14MM (NSCM K5773)	SNAP ON	XBM1213	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-810	SPANNER, 14MMX15MM (NSCM K5773)	SNAP ON	XBM1415	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-815	SPANNER, 16MMX18MM (NSCM K5773)	SNAP ON	XBM1618	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-820	SPANNER, 17MMX19MM (NSCM K5773)	SNAP ON	XBM1719	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
825	SPANNER, 6MMX7MM (NSCM K5773)	SNAP ON	XSM67	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

<input checked="" type="checkbox"/> TOOLS	<input type="checkbox"/> CALIBRATED TOOLS	<input type="checkbox"/> JBPM TOOL	<b>MASTER LIST</b>
<input type="checkbox"/> GSE	<input type="checkbox"/> SPECIAL TOOL	<input checked="" type="checkbox"/> OTHER TOOL SUPER LYNX	

-830	SPANNER, 8MMX9MM (NSCM K5773)	SNAP ON	XSM89	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.
-835	SPANNER, 9MMX10MM (NSCM K5773)	SNAP ON	XSM910	N/A	N/A	N/A	N/A	YES	N/A	N/A	N/A	LOCATION RMN.

	MOHD FADZLIE BIN ADAM
DATE	04-JAN-2022
SIGNATURE	

NAME	MOHD MAHADIR BIN HANAFIAH
DATE	07-JAN-2022
SIGNATURE	