No STATUS SOURCE OF SAFER CARD NAME HAZARD REPORT No. NAME	DEPT. MONTH OCCURRENCE Report DATE Received Date	LOCATION Report Type	REPORT DESCRIPTION	tisk index (BEFORE)	(YES/NO)	PIC	DEPARTMENT	ROOT CAUSE ANALYSIS	IMMEDIATE CORRECTIVE ACTION (IF ANY)	FINAL ACTION TAKEN	(AFTER) REMARK
PENDING Refer Carl CAME PURS ECC2020001 YONG	ENG Jan 4-Jan-22 ENG Jan 5-Jan-22	PGU KK Unsalte Condition Equipment NIA NIA No jurgle survival at in PGU KK alroant when as thing inside area. PGU KK NCR Not Comply NIA NIA There is no spare wheel assy onable for quick surranound of wheel assy change. When	Purchase jungle survival kit. Aborate main wheel and nose wheel assy, one each, at PGUKK	2D 2D	NO NO		SMSLOGISTICS SMSLOGISTICS SMSLOGISTICS SAFETY SAFETY				357 22-Email to To Resident
3 PENDING Safer Card GAM-ENG/SC/22/0003 YONG 4 CLOSED Safer Card GAM-ENG/SC/22/0004 AHMAD MAHMOOD	ENG Jan 6-Jan-22 ENG JAN 13-Jan-22	PGU KK Linsale Condition Tools Equipment N/A N/A No is safe, rouge available in PGUISC has for the inflation after the change PGUI SZE Unasel Condition Heared SMA-PMD PDRM NGCRAFT TYPE: ARVISE PGUI Death Unasel Condition Heared SMA-PMD DRM NGCRAFT TYPE: ARVISE PGUI Death Condition Heared SMA-PMD DRM NGCRAFT TYPE: ARVISE PGUI SMA CONDITION OF THE CONDITION OF TH	Allocate 1 tire unlesy cage for PGU KK. DURING TAKEOFF INSTRUCTOR SIBLUATE OF TRAINING AFTER TOP (TAKEOFF	30	NO YES	N/ZAM	SMS/LOGISTICS	Particle exist in the cearbox	Particle testing carried out at spectro lab.	The particle was not from the gearbox. Suspected from DEM. Since the duration of TQ exceedance only for 5 seconds, it is considered not	20 Earle Lake Will CAM-ENG/20/2008.
5 CLOSED Safer Card GAM-FING-SC/220005 MOHAMAD RAZIF 5 CLOSED Safer Card GAM-GAMO/SC/220005 NUB HAMPS	ENG Jan 14-Jan-22 CAMO JAN 17-Jan-22	BOLLOW MAN West Engineered	During inspection of fine detection system, found LH and RH fire bottle mounting bracket. Pest correct problem. Termite have been attacking document cabinets because it rested. I	30	NO NO	N/ZAM N/ZAM		Wear and tear	010 Document remove from the area.	Pesi control contractor encaced to eliminate termits.	3E 3E
7 CLOSED Safer Card GAM-ENGSC/22/0007 AHMAD MAHMOOD	ENG JAN 17-Jan-22	PGU SZB Unsafe Condition Hazard 964-9WF AW139 Rotor blade delam	IMPRE LANCED IN WASA AT 2000H (17010020) AFTER ING TRAINING POST ACTION OF AFTER UNICE AND REGION OF THE TOTAL UNICED COMPANION CHARGES AND THE TOTAL UNICED COMPANION CHARGES AND THE TOTAL UNICED COMPANION CHARGES AND THE	30					Debit inspection carried out and inquiery to Leo H was done. Particle testing carried out at spectro lab.	B. Standard Contractor of Standard or Standard or Standard Standar	20 share with unic year 22 old 1
S CALIFORM CAMAR TO GRADE CONTROL MASS MARCH STATE 6 CADISTO BARE CORD CAMAR STATE ANAMA MARKAGE CONTROL 7 CADISTO BARE CORD CAMAR STATE CORD ANAMA MARKAGE CONTROL 8 PENNING CADISTO CAMAR STATE CONTROL ANAMA MARKAGE CONTROL 9 PENNING CADISTO CAMAR STATE CONTROL ANAMA MARKAGE CONTROL 10 CALORIO CAMAR CONTROL ANAMA MARKAGE CONTROL	ENG JAN 25-Jan-22 ENG JAN 25-Jan-22	POUZED United Confession Program	DIE YOTENVISIA VESNIKON POLIKI VOLIKOSOM FEIZ. TER YOT WAR	30 20	YES NO	NZAM NZAM	SAFETY	Determination cause by delivioperation. Particle exist in the gearbox. Wear and tear task	FOD removed	I he particle was not not the gearnox, suspected non-uca. Since the current of 1 Q exceedance only for 5 seconds, it is considered not. To have PGU inspect and receir all defect at the aircraft shelter.	20
10 CLOSED Safer Cand GAM-ENG/SC/22/9010 AHMAD MAHMOOD 11 GPEN Safer Cand GAM-ENG/SC/22/9011 MOHD MUQODDM		PGU SZB Unsafe Condition Hazard SM-PMD AW139 TAL ROTOR BLADE FOUND CRACK BLAND AR Unsafe Condition Tools Equipment TOW Rate Hazardar During eleming the AW139 too bar, Unweet of the tow bar accidently stuck in a small	To replace the tow bar wheel. All personnel working at Island Air hangar need to be more						at yellow & white tail rotor blade.	Yellow & white tail rotor blade replaced as per UMC-PMD.22-016	AL 01018 as elevano. 8 8 22 6 mail sent in Mugalitin
10	CAMO FEB 17-Feb-22 CAMO FEB 17-Feb-22	GAMPA Death Condition RECTRECK N.K. N.K. Restrict descriptions on the condition RECTRECK N.K. N.K. Restrict descriptions contained and one of the condition RECTRECK N.K. N.K. RESTRICT, GROUND STRUCTURE OF THE CONTINUE OF THE C	Classrical found intermittent. Circuit breaker turn-down after reset	30	NO NO	NIZAM NIZAM	SAFETY	Some issue with GAM-CAMO/22/0000 report. Some issue with GAM-CAMO/22/0000 report. Some issue with GAM-CAMO/22/0000 report.		Monitoring the electrical into at GAMCC gince 8 Apr - 24 May 2022, Nil resocuring was found, Issue closed	1D
14 CLOSED Safer Card GAM-CAMO/SC/220014 SITI ASHAH 15 CLOSED Safer Card GAM-ENG/SC/220015 HARRY	CAMO FEB 17-Feb-22	GAM HQ Unsafe Condition ELECTRICAL NIA NIA Electrical found intermittent. Circuit breaker turn down after reset	WRING CHECK ON ALL SWITCHES Recons left because door cas soring uts can fit personnel head due to suddenly falling	30	NO.	NZAM	SAFETY	Same issue with GAM-CAMO/22/0020 report.		Monitoring the electrical trip is GAMCC since 8 Apr - 24 May 2022, Nil reoccuring was found, lasses closed	1D
15 CLOSED Safer Card GAM-ENG-SC/22/0015 HARRY 16 CLOSED Safer Card GAM-ENG-SC/22/0016 YONG	ENG MAR 17-Mar-22	PGU KK Ussale Condition Work invitorients 88-990A PDIBS BAGGGGG DOOR HYDRAULAS LINESPRINGERS E PGU KK Ussale Condition Hazard N/A N/A N/O PROPER HUMS TRAINING FOR INC CREW PGU KK Ussale Condition Procedures N/A N/A N/A No last quality control pricing an eithic company manual.	Se part of training requirement for establishment of LAG.	30	NO NO	NZAM	SAFETY	Staff base at KK lack of HUMS knowledge		Training date scheduled on 25 August 2022 by En. Muzrim.	3E 387.32 Smalled Marine for belong
	ENG MAR 17-Mar-22 CAMO MAR 29-Mar-22	POLISK Usuda Condition Named NA NA NA NO PROPER NAME TRANSPORT OF CONTROL OF THE POLISK USE OF THE NAME TRANSPORT OF CONTROL OF THE POLISK USE OF THE NAME TRANSPORT OF THE NAME TRANSPORT OF THE NAME	Establish fuel quality control policy and procedure.	3D 2C	NO NO	NIZAM NIZAM	SAFETY	Staff base at KX lack of HUNS knowledge Already look at the compactor cabinet.	Advice is given to end-user to ensure not to put too heavy		20
19 CLOSED Safer Card GAM-CAMO/SC/22/0019 NUR YASMIN 20 CLOSED Safer Card GAM-CAMO/SC/22/0020 ZETY NUDHRBAH	CAMO Mar 29-Mar-22 CAMO Apr 7-Apr-22	GAM HU Unisse Condition Electrical N/A N/A Aircond leaking	CHECK AND SERVICE AR CONDITIONER CONDITION	2C 2C	NO NO	NIZAM NIZAM	SAFETY	Somebody switch off the aircond switch due to not awar Troubleshoot internally carried out found 32A MCB	Turn back on the switch. Need to give awareness to GAM.OX 2. Admin Kistina informed.	Admin already put up a sticker to not turn off the aircord switch. Aircord to be turn off via remote control. Monitoring the electrical trio at GAMOC airce 8 Apr - 24 May 2022. Nil responsition was found, bases closed	2D Pending stilf austress
21 CLOSED SHIP CHIS GAN-CHUSCIZZOZI CINNING	Litto may interpreta	PGU SZB Unsafe Condition Tools Equipment N/A N/A CTE 259 pressure gauge over read in a dangerous margin	-it shows 160ps as datum when it should be 0 psi. (calibration due on ABC1811 (bis-douc) was grounded at sain base since 01,2/2021 due to	20	NO.	NZAM	SAFETY	Gauge defected due to wear and tear	U/S gauge replaced with calibrated serviceable gauge.	The gauge and MAT You City control. The gauge man which MAT You City control. With discounts, it is decided to be the few with wide to show the few and at opening outs 137 paceables (CRICI).	1D 25.1.2. December with EC Mannage.
22 GLOSES Sete Card - GAM-BY05C/200022 MA-HAMANAO GLOSES Set Card - GAM-BY05C/200022 MA-HAMANAO GLOSES Set Card - GAM-BY05C/200022 MA-HAMANAO GLOSES Set Card - GAM-BY05C/2000034 GLAVIN GLOSES Set Card - GAM-BY05C/2000034 GLAVIN GLOSES Set Card - GAM-BY05C/2000035 MA-HAMANAO GLOSES SET CARD - GAM-BY05C/2000	ENG May 28-Apr-22	PGU SZB Urozafe Act Other's N/A KA 250 TO USE PROTECTIVE MAT DURING EVERY REFLELING OF KA250 AIRCRAFT	PROTECTIVE MAT THIS BEEN KEPT IN LIT WING LUCKER TO ALL	2C	YES	NZAM	SAFETY	atated for LTP aircraft to be checked its bleed valve. -Contact stain on the delcino boots due to refuelino prof NL NL	New equipment to be introduced by EIC Serawanan to mining	Stelf implementing the carpet for refueling. Safety dept. to monitor fueling activity.	2D 300127 Surrellance canted out. Report
24 CLOSED Safer Card GAM-ENG/SC/22/0034 IZAHAN 25 CLOSED Safer Card GAM-ENG/SC/22/0025 IZAHAN	SMS May 25-May-22 SMS May 25-May-22	GAMOC Others Other's NIA NIA NIA NIA	NA NA		NO NO	NIL NIL	NL NL	NL NL	NIL NIL	NL.	NE. Testing sales card
26 CLOSED Safer Card GAM-ENG/SC/22/0025 MUSTAGM MOFTY 27 CLOSED Safer Card GAM-ENG/SC/22/0027 (ZAHAN)	SMS May 25-May-22 SMS May 25-May-22	GAMAC Others Other's NIA NIA NIA NIA GAMAC Other's Other's NIA	N/A N/A		NO NO	NIL NIL	NL NL NL	NL NL	NE.	NE.	NE. Tecting sales card NE. Tecting sales card
28 PENDING Safer Card GAM-ENG/SC/22/0028 YONG	ENG May 25-May-22	PGU KK Unsafe Condition Equipment N/A N/A N/A	-	30	NO	NL	NL	A printer producing Volatile Organic Compound.	A room painting: <0.3mg (LOW) Garbage bin being emptled by GAM staff since its being used by the maintenance team.	NUL. A primar is not carrying a heast nax on producing W.A. but putting a time side or a workstation is not recommended, it is advisable to find a Briefing carried out with Heaviers and Boreta maintenance team. Garbage is to be brought into the refuse house upon the garbage is ful.	1.6.22 enail to BICXX 7.6.22 enail sent to Rosas.
		MAT Unsale Condition Work Environment 9M-SOC JBPM AVVISD Found rats roaming around the hanger floor and also raft parking area	During functional check of Host System on APMM AWI 38 IM72-011	20	NO	NZAM	SAFETY	Suspected it is cause by Garbage bin is full. NI Root Cause vet to established due to awating for	by the maintenance team.	Approximately cone a water reason and sortion reasonable reason describes a to be problem and the reason reason describes and the control of	20 76.22 Received reply and entail to MATRIC for bringing
50 CLOSED Safer Card GMM-NNSSSC200303 Naudathes Safehaddes 11 AUGSED Safer Card GMM-NNSSSC200303 Systematics 12 CLOSED Safer Card GMM-NNSSSC200303 Systematics 23 CLOSED Safer Card GMM-NNSSSC200303 Systematics 24 CLOSED Safer Card GMM-CAMSCSC200303 Systematics 25 CLOSED Safer Card GMM-CAMSCSC200303 AMR CAMSCSC200303 AMR CAMSCS200303 AMR CAMSCSC200303 AM	CAMO Jun 7-Jun-22	APMM Unask Condition Equipment APMM INVIDED Told coller Contribiging authorized submissionally during functional check. GAMOC Unasks Condition Electrical NIA NIA Enterioral Door Malfunctions	One of this secess door in Great Operation Centric (Levill 1) naise Creato Found air hose lawns at the front door may cause peccels who use this	3D	NO NO	N/ZAM	SAFETY	Ni Root Cause yet to established due to awating for Wear and tear due to daily usage Staff occupied with heavies work, leaving the hose on	13.7.22-CAP: Corrected the wrongly installed wiring. - Admin said it is IT dept. responsible.	IT called the technician and had the button replaced.	20 76.22 Email to Clain for molification
32 CLOSED Safer Card GAM-SMS/SC/22/0032 Syed Rastem 33 CLOSED Safer Card GAM-CAMO/SC/22/0033 AMR	SMS Jun 7-Jun-22 CAMO Jun 9-Jun-22	MRT Useafs Condition Heard of No. No. Hose hears send of No. One o	The entirence door at GAM CC is unable 50 be opened from the inside	2C 3C	NO.	Izahan	SAFETY	Staff occupied with heavies work, leaving the hose on Wear and lear due to delly usance caused by replacing and adjustments were made	Ask OJT Fairuz to assist on rolling the air hose and sending i	-Carried out a joint briefing with Heavise and Bomba team @ MAT.	2D 76.33 Enail to MAT EIC the report. Awaiting 1D 86.32 report combined with GASP
34 CLOSED Safer Card GAM-CAMO/SC/22/0034 NOR (ZZATI 35 CLOSED Safer Card GAM-ENG/SC/22/0035 AHMAD ZHARRI 36 CLOSED Safer Card GAM-ENG/SC/22/0035	CAMO Jun 16-Jun-22 ENG Jun 17-Jun-22	Miles Checkline Mascri Sa. No. Con North proceeds for North doc.	Noise position come from the total started 13th June 2022.	2C 3C	NO NO	MUSTAQIM SYED	SAFETY	caused by replacing and adjustments were made. Rat finding food around the harmer.	Maintenance team carried out briefing and decided to have the	Replacement has been done on 20th June 2022. MINT to have pest control vendor to handle the rat infestation issue. Ernell Trail as reference.	1C 20.8.37-6 mail sent to Dan. 1C 21.6.37-email to Rouse MRT.
36 CLOSED Safer Cand GAM-DTS/SC/22/0006 PRESIDENCE COMPANY	DOA Jun 23-Jun-22	MAXT Usasia Condition Work Environment 08-85/20F 38956 AV/1500 Cividence of rar entending allocate SERRA Chiera Electrical N/A N/A LED table mediumcition at DTS Dupt, Siera BERTAM Unsale Condition Hazared N/A N/A venomous strake (plack cobrs)	Found LED bulb was malfunction.	30	NO NO NO	MUSTAQIM	SAFETY	Assuming LED bulb malfunction due to electrical issue	Malfunction bulb LED has been replaced.	NR. To have suffer powder to be placed around the hanger and office area.	TO Email sent to Admin Digit for multivation. 127.29 Small to Not for superment
38 CLOSED Safer Card GAM-ENG/SC/22/0036 Yong	ENG JUL 20-Jul-22	BENTAM Unsane Condition Plasmed N/A N/A vencemous areaks (black cobrs)	BERTAM hangar. I sess stoned off on 13th July 2022 post maintenance without corrective	3C	1100	SYED	SAFETY	Snake in the hanger HUMS data produced a reading over limit	Catch and put it in a water bottle can be taken to. It is a possibility for the sensor not firm in	10 nave sanur powder to be piaced around the hangar and office area.	3E 217.D England to EC Rodge
102 CPEN Safer Card GAM-SNS/SC/22/0039 Syed Rastam 40 CLOSED Safer Card GAM-ENG/SC/22/0040 Yong	SMS JUL 28-Jul-22 ENG Jul 2-Aug-22	PGU BH Unsafe Condition Equipment N/A N/A Sent towher PGU KK NCR Procedures N/A N/A Define what is repetitive defects.	becomes the towber weak point. The tow ber is expected to be shear at. There is no specific criteria or classification on what is classified as receil.	3D	NO NO	SYED SYED SYED	SAFETY	Wear and tear	said it is unsuitable to use a fabricate towbar due to previous Email to CAMO & QA for lustification	To have the izatification cleared with the recorder, for Repetitive definition is in CAMO 1st Level Doc. Under CAME 1.7.4.	205.20 Communicate with En. Systhol (EM) 2D 18.20 Email to Area CAMO & Areas CA for
25 1889 Julie Deef CAMONOSCICROSS ABB 1889 Julie Camonoscicross ABB 188	ENG Aug 2-Aug-22 4-Aug-22	PGU 528 Usasle Condition Hazard 9M-PMD PDMM AW139 SM-PMD was said to experience an "Over Torque"	'Over Torque'	30	NO	SYED	SAFETY	RCA Plint started to perform training for "Short Field Re-	Technical Quiry sent to Leo.H for advise.	Here are clasfication from Leo H regarding this matter, as follows:	2D 18.334096 salest
Column C											
45			L						1		
47			<u></u>								
46 49			ı F				-		Í.		
50											
52											
55											
55											
57											
55											
60											
E2											
64											
60											
67											
70											
71											
73	' 										
75											
76											
78											
79 80											
81 82											
83											
2											
87											
55 52					$\perp \perp \perp$				<u> </u>		
90					$\vdash \exists$		—				
92											
94											
6											
27 28						-	-				- T
22											
100											
64											
					$\vdash \exists$		—				
nd .											
66											
100											
100											
94											
101											

20											
NA CONTRACTOR OF THE CONTRACTO											
M I											

5											- T
**											

				1	T T			I		
				+	 					
	- - - - - - - - - - 					+				
				+	 					
										
				+	 					
	-+		+	1	++	 1			-	
				<u> </u>		1			+	
					\bot	1				
	\rightarrow			1	+	1				
	-	+-	+ $ -$	+ -	$+\mp$	1	— T		$- \exists$	
				<u> </u>		1			+	
	+	+	+	+	+	1				
				+	+	1			1	
						+				
				+	 					

	20														
	20														
							+					<u> </u>		<u> </u>	
	24														
	**														
	44														
					_										
					_										
					_										
					_										
					_										
					_										
					_										
	H						-								
	H + + + + + + + + + + + + + + + + + + +			+-+							-+				
	H + +			 				-+			-+				
					士										
				+									-		
	H + +							-							
	 														
					_										
	 														
	H	++-	1								-				
			1	 							-				
				1 -									-		
									-	-					
														<u> </u>	
	H + +							-							
							+					<u> </u>		<u> </u>	
	H + +			\vdash \vdash		$ \top$	-				$-\Box$				
														<u> </u>	
							+					<u> </u>		<u> </u>	
	H T				_				·				-		
	H + +							-							
	H	\vdash		 			F		<u> </u>		-				
				+ +							-+				
			1				-								
			1				-								
	H			 	_										
	H	\vdash		-			 F	-	·		-+				
			1				-								
			1												

\perp			_											
+			_											+
+			_	_										+
														+
														+
														1
+			_											+
+			_											+
\vdash														+
				_										+
-										1				
														† – – – †
												· · · · · · · · · · · · · · · · · · ·		
+												· ·		
+														
+						-	1							+
H			-+		-	-							-	+
+			_	_										+
-				_										+
														+
														+
+														
			_											
+			_											+
														+
				_										+
														†
						-	1							+
														1
			-				-							+
+-+			_			-	1							+
\vdash			_											t —
														†
												·		
$\perp \perp \perp \perp$														\perp
$H \rightarrow I$														
+						-	1							+
+			-+		-	-							-	+
H-H			-+		-	-	1		_				-	+
\vdash			_			†	l							t
\vdash										1				
1 1 1														
		1												+
														+