

TERHAD

Directorate General Technical Airworthiness
d/a Pangkalan Udara Subang
40000 SHAH ALAM
Selangor Darul Ehsan


Tel: 03-78444555 Samb 3234
Faks: 03-78417124

6 Jan 24

DGTA.212/65/1

Galaxy Aerospace (M) Sdn Bhd
Suite 11-14, Helicopter Centre
Malaysia International Aerospace Centre
Lapangan Terbang Sultan Abdul Shah
47200 Subang
Selangor Darul Ehsan

(Untuk Perhatian: *Senior Maintenance Manager*
Quality Manager)



MAKLUM BALAS PINDAAN MAINTENANCE MANAGEMENT PLAN (MMP)
SYARIKAT GALAXY AEROSPACE (M) SDN BHD (GAM/MMP/AS555SN – ISSUE
1 AMENDMENT 2 BERTARIKH 5 DIS 23)

Rujuk:

- A. GAM/QA/DGTA-FENNEC/24-001 bertarikh 3 Jan 24.
- B. PU 2103 *Technical Airworthiness Management Manual (TAMM) 2nd Edition*.

1. Adalah dengan segala hormatnya dimaklumkan bahawa Directorate General Technical Airworthiness (DGTA) telah menerima satu pindaan *hardcopy Maintenance Management Plan (MMP)* syarikat seperti di Rujuk A.
2. Setelah diteliti dan dibuat semakan selaras dengan peraturan di Rujuk B, DGTA secara dasarnya bersetuju menerima pindaan MMP tersebut. Pihak DGTA merakamkan ucapan terima kasih di atas segala komitmen dan tindakan yang diambil bagi memastikan segala regulasi dipatuhi.
3. Sekian untuk tindakan pihak syarikat selanjutnya. Terima kasih.

A large, stylized handwritten signature in black ink is written over the name and title of the official.

ROSHENRY BIN MD SHARIF
Lt Kol
bp *State Airworthiness Authority*

Salinan Kepada:

Luar:

TERHAD

Maklumat:

Markas Udara TLDM
Pangkalan TLDM Lumut
32100 LUMUT
Perak
(Untuk Perhatian: AKS Logistik)

Galaxy Aerospace (M) Sdn Bhd
Suite 11-14, Helicopter Centre
Malaysia International Aerospace Centre
Lapangan Terbang Sultan Abdul Shah
47200 Subang
Selangor Darul Ehsan
(Untuk Perhatian: *Accountable Manager*)

Dalam:

Tindakan:

MST *Cell*

Maklumat:

Ketua Pengarah
Pengarah AAMR

- *Technical Airworthiness Regulator*

**MAINTENANCE MANAGEMENT PLAN
(MMP)**

OF

**GALAXY AEROSPACE (M) SDN. BHD.
(GAM)**

FOR

ROYAL MALAYSIAN NAVY

AS555SN FENNEC

OFFICE : Suite 11-14, Helicopter Centre,
Malaysia International Aerospace Centre,
Sultan Abdul Aziz Shah Airport,
47200, Subang, Selangor Darul Ehsan.
Malaysia

TELEPHONE NO : +603-7734 7226
FAX NO : +603-7734 7526

COPY NO. 02 – Quality Manager (QM) GAM

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 0.0 1 of 1

PART 0

AUTHORISATION

MAINTENANCE MANAGEMENT PLAN

0.1 LIST OF EFFECTIVE PAGES

MMP Chapter	MMP Reference	Page No.	Issue No.	Amend. No.	Date
PART 0	AUTHORISATION				
0.1	List of effective pages	1 – 4	1	2	5 Dec 2023
0.2	Record of Revisions	1	1	2	5 Dec 2023
0.3	Distributions List	1	1	0	01 st Apr 2021
PART 1	TABLE OF CONTENTS				
1.1	Table of Contents	1 – 4	1	2	5 Dec 2023
PART 2	INTRODUCTION				
2.1	Condition of Use	1	1	0	01 st Apr 2021
2.2	Notification Procedure to Directorate General Technical Airworthiness (DGTA) Regarding Changes to the Organisation's Activities / Approval / Location / Personnel	1	1	0	01 st Apr 2021
2.3	Exposition Administration and Amendment Procedures	1 – 2	1	0	01 st Apr 2021
2.4	Corporate Commitment	1	1	0	01 st Apr 2021
PART 3	LIST OF ABBREVIATIONS				
3.1	List of Abbreviation	1 – 3	1	0	01 st Apr 2021
PART 4	TAMM REGULATION 4 – APPROVED MAINTENANCE ORGANISATION				
4.1	GENERAL				
4.1.1	Applicability - Who May Maintain State-Registered Aircraft, Aeronautical Product and Aircraft-Related Equipment	1 – 3	1	2	5 Dec 2023
4.2	AUTHORISATIONS				
4.2.1	Application for AMO Certification	1	1	0	01 st Apr 2021
4.2.2	Awarded and Retention of AMO Certification	1 – 2	1	2	5 Dec 2023
4.2.3	Reserved	1	1	0	01 st Apr 2021
4.2.4	Changes to AMO Certification	1	1	0	01 st Apr 2021
4.2.5	Validity of AMO Certification	1	1	0	01 st Apr 2021
4.2.6	Suspension, Revocation and Limitation of AMO Certification	1	1	0	01 st Apr 2021
4.3	EXEMPTIONS				
4.3.1	Exemption Requirements	1 – 4	1	0	01 st Apr 2021
4.4	MAINTENANCE ORGANISATIONAL STRUCTURE				
4.4.1	Key Appointments and Groups within an AMO	1 – 3	1	0	01 st Apr 2021

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 0.1 1 of 4

MAINTENANCE MANAGEMENT PLAN

MMP Chapter	MMP Reference	Page No.	Issue No.	Amend. No.	Date
4.4.2	Documentation of Organisational Structure	1 – 2	1	2	5 Dec 2023
4.4.3	Maintenance Support Networks (MSN)	1 – 2	1	0	01 st Apr 2021
4.4.4	Quality Management System (QMS)	1	1	0	01 st Apr 2021
4.5	PERSONNEL REQUIREMENTS				
4.5.1	Maintenance Authority	1 – 3	1	0	01 st Apr 2021
4.5.2	Accountable Manager	1	1	0	01 st Apr 2021
4.5.3	Senior Maintenance Manager (SMM)	1 – 2	1	0	01 st Apr 2021
4.5.4	Quality Manager (QM)	1 – 2	1	0	01 st Apr 2021
4.5.5	Maintenance Manager (MM)	1 – 3	1	0	01 st Apr 2021
4.5.6	Maintenance Inspector/Supervisor (MI/S)	1 – 2	1	0	01 st Apr 2021
4.5.7	Authorised Tradespersons (ATP)	1 – 2	1	0	01 st Apr 2021
4.5.8	Aircrew	1	1	0	01 st Apr 2021
4.5.9	Non-Trade Personnel (NTP)	1 – 2	1	0	01 st Apr 2021
4.5.10	Human Factors in Maintenance	1	1	0	01 st Apr 2021
4.6	FACILITIES				
4.6.1	AMO Facilities	1 – 4	1	1	20 th May 2021
4.6.2	Storage Facilities	1	1	0	01 st Apr 2021
4.6.3	Alternative Facilities	1 – 6	1	0	01 st Apr 2021
PART 5	TAMM REGULATION 5 - AIRCRAFT MAINTENANCE AND MANAGEMENT PROCEDURES				
5.1	CONDUCT OF MAINTENANCE				
5.1.1	Maintenance Authority	1 – 2	1	0	01 st Apr 2021
5.1.2	Publications, Instructions, Orders and Data	1 – 2	1	0	01 st Apr 2021
5.1.3	Foreign Source Data	1	1	0	01 st Apr 2021
5.1.4	Maintenance Procedure	1	1	0	01 st Apr 2021
5.1.5	Maintenance Certification	1	1	0	01 st Apr 2021
5.1.6	Independent Maintenance Inspection	1 – 2	1	0	01 st Apr 2021
5.1.7	Maintenance of Aircraft During the Period of Operation	1 – 2	1	0	01 st Apr 2021
5.1.8	Foreign Object Control	1 – 3	1	0	01 st Apr 2021
5.1.9	Safety	1 – 2	1	0	01 st Apr 2021
5.1.10	Reserved	1	1	0	01 st Apr 2021
5.1.11	Carried Forward Unserviceability (CFU)	1 – 2	1	0	01 st Apr 2021

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 0.1 2 of 4

MAINTENANCE MANAGEMENT PLAN


MMP Chapter	MMP Reference	Page No.	Issue No.	Amend. No.	Date
5.1.12	Maintenance Test Flights	1	1	0	01 st Apr 2021
5.1.13	Maintenance Ground Runs	1	1	0	01 st Apr 2021
5.1.14	Aircraft Ground Handling	1	1	0	01 st Apr 2021
5.1.15	Standard Repairs	1 – 2	1	0	01 st Apr 2021
5.1.16	Modifications	1	1	0	01 st Apr 2021
5.1.17	Weight and Balance	1	1	0	01 st Apr 2021
5.1.18	Adhoc Non-Destructive Testing	1	1	0	01 st Apr 2021
5.1.19	Non-Standard Repairs	1	1	0	01 st Apr 2021
5.1.20	Contingency Maintenance and Aircraft Battle Damage Repair	1	1	0	01 st Apr 2021
5.2	MAINTENANCE RECORDS AND DOCUMENTATION				
5.2.1	Maintenance Records and Documentation Requirements	1 – 2	1	0	01 st Apr 2021
5.2.2	Electronic Records	1	1	0	01 st Apr 2021
5.2.3	Retention and Review of Maintenance Documentation and Records	1	1	0	01 st Apr 2021
5.2.4	Falsification, Reproduction or Alteration of Maintenance Records	1	1	0	01 st Apr 2021
5.3	REPORTING AND INVESTIGATION REQUIREMENTS				
5.3.1	Reporting of Unserviceable Conditions	1	1	0	01 st Apr 2021
5.3.2	Reporting of Un-airworthy Conditions	1	1	0	01 st Apr 2021
5.3.3	AMO Investigation of Reported Unserviceable and Unairworthy Conditions	1	1	0	01 st Apr 2021
5.3.4	Maintenance Incident Reporting	1	1	0	01 st Apr 2021
5.3.5	Other Reporting Requirements	1	1	0	01 st Apr 2021
5.3.6	Technical Reporting Systems	1	1	0	01 st Apr 2021
5.4	DEVIATIONS				
5.4.1	Deviations	1	1	0	01 st Apr 2021
5.5	TOOLS, EQUIPMENT AND AERONAUTICAL PRODUCT				
5.5.1	Tools and Support Equipment	1 – 2	2	2	5 Dec 2023
5.5.2	Local Manufacture or Modification of Tooling	1	1	0	01 st Apr 2021
5.5.3	Maintenance Tools and Material During Period of Operation	1	1	0	01 st Apr 2021
5.5.4	Aeronautical Products	1 – 2	1	0	01 st Apr 2021
5.5.5	Transfer of Aeronautical Product (Cannibalisation)	1	1	0	01 st Apr 2021

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 0.1 3 of 4


MAINTENANCE MANAGEMENT PLAN

MMP Chapter	MMP Reference	Page No.	Issue No.	Amend. No.	Date
5.5.6	Local Manufacture of Aeronautical Products	1	1	0	01 st Apr 2021
5.6	AIRCRAFT ACCIDENTS				
5.6.1	Initial Requirements	1	1	0	01 st Apr 2021
5.6.2	Recovery of Aircraft	1	1	0	01 st Apr 2021
5.6.3	Salvage	1	1	0	01 st Apr 2021
PART 6	ANNEXES				
Appendix 1	Qualification, Training and Experience of Management & Maintenance Personnel	1 – 4	1	0	01 st Apr 2021
Appendix 2	List of Management and Maintenance Personnel for As555sn Fennec RMN	1	1	0	01 st Apr 2021
PART 7	COMPLIANCE MATRIX				
7.1	Compliance Matrix Table	1 – 4	1	0	01 st Apr 2021

Prepared by :

Name	:	OMAR BIN AHMAD
Position	:	QUALITY MANAGER
Signature	:	
Date	:	05 DEC 2023

Verified by :

Name	:	SYAFRUL YAMANI B SAFRUDDIN
Position	:	SENIOR MAINTENANCE MANAGER
Signature	:	
Date	:	05 DEC 2023

DOCUMENT REFERENCE:	GAM/MMP/AS555SN	DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2
		PAGE:	MMP 0.1 4 of 4

MAINTENANCE MANAGEMENT PLAN

0.3 DISTRIBUTIONS LIST

NO	APPOINTMENT	ORGANISATION	COPY NO
1	Accountable Manager	GAM	01
2	Quality Manager	GAM	02
3	Senior Maintenance Manager	GAM	03
4	Director General	Directorate General Technical Airworthiness (DGTA)	04
5	Design Acceptance Representative (DAR)	Royal Malaysian Navy (RMN)	05
6	KD Rajawali 502 Sqn	Royal Malaysian Navy (RMN)	06
7	Technical Publication Library	GAM	07
8	GAM Lumut Branch	GAM	08

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 0.3 1 of 1

MAINTENANCE MANAGEMENT PLAN

1.1 TABLE OF CONTENTS

<u>MMP</u>	<u>CONTENTS</u>	<u>NO. OF PAGE</u>	
PART 0	AUTHORISATIONS		
0.1	List of Effective Pages	4	
0.2	Record of Revisions	1	
0.3	Distributions List	1	
PART 1	TABLE OF CONTENTS		
1.1	Table of Contents	4	
PART 2	INTRODUCTION		
2.1	Condition of Use	1	
2.2	Notification Procedure to Directorate General Technical Airworthiness (DGTA) Regarding Changes to the Organization's Activities/Approval/ Location/Personnel	1	
2.3	Exposition Administration and Amendment Procedures	2	
2.4	Corporate Commitment	1	
PART 3	LIST OF ABBREVIATIONS		
3.1	List of Abbreviations	3	
PART 4	TAMM REGULATION 4 – APPROVED MAINTENANCE ORGANISATION		
4.1	GENERAL		
4.1.1	Applicability - Who May Maintain State-Registered Aircraft, Aeronautical Product and Aircraft-Related Equipment	3	
4.2	AUTHORISATION		
4.2.1	Application for AMO Certification	1	
4.2.2	Award and Retention of AMO Certification	2	
4.2.3	Reserved	1	
4.2.4	Changes to AMO Certification	1	
4.2.5	Validity of AMO Certification	1	
DOCUMENT REFERENCE:	GAM/MMP/AS555SN	DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2
		PAGE:	MMP 1.1 1 of 4

MAINTENANCE MANAGEMENT PLAN

<u>MMP</u>	<u>CONTENTS</u>	<u>NO. OF PAGE</u>
4.2.6	Suspension, Revocation and Limitation of AMO Certification	1
4.3	EXEMPTIONS	
4.3.1	Exemption Requirements	4
4.4	MAINTENANCE ORGANISATIONAL STRUCTURE	
4.4.1	Key Appointments and Groups within an AMO	3
4.4.2	Documentation of Organisational Structure	2
4.4.3	Maintenance Support Networks (MSN)	2
4.4.4	Quality Management System (QMS)	1
4.5	PERSONNEL REQUIREMENTS	
4.5.1	Maintenance Authority	3
4.5.2	Accountable Manager	1
4.5.3	Senior Maintenance Manager (SMM)	2
4.5.4	Quality Manager (QM)	2
4.5.5	Maintenance Manager (MM)	3
4.5.6	Maintenance Inspector/Supervisor (MI/S)	2
4.5.7	Authorized Tradespersons (ATP)	2
4.5.8	Authorised Aircrew	1
4.5.9	Non-Trade Personnel (NTP)	2
4.5.10	Human Factors in Maintenance	1
4.6	FACILITIES	
4.6.1	AMO Facilities	4
4.6.2	Storage Facilities	1
4.6.3	Alternative Facilities	6
PART 5	TAMM REGULATION 5 – AIRCRAFT MAINTENANCE AND MANAGEMENT PROCEDURES	
5.1	Conduct of Maintenance	

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	MMP 1.1 2 of 4

MAINTENANCE MANAGEMENT PLAN

<u>MMP</u>	<u>CONTENTS</u>	<u>NO. OF PAGE</u>
5.1.1	Maintenance Authority	2
5.1.2	Publications, Instructions, Orders and Data	2
5.1.3	Foreign Source Data	1
5.1.4	Maintenance Procedure	1
5.1.5	Maintenance Certification	1
5.1.6	Independent Maintenance Inspection	2
5.1.7	Maintenance of Aircraft During the Period of Operation	2
5.1.8	Foreign Object Control	3
5.1.9	Safety	2
5.1.10	Reserved	1
5.1.11	Carried Forward Unserviceability (CFU)	2
5.1.12	Maintenance Test Flights	1
5.1.13	Maintenance Ground Runs	1
5.1.14	Aircraft Ground Handling	1
5.1.15	Standard Repair	2
5.1.16	Modification	1
5.1.17	Weight and Balance	1
5.1.18	Ad-hoc Non-Destructive Testing	1
5.1.19	Non-Standard Repairs	1
5.1.20	Contingency Maintenance and Aircraft Battle Damage Repair	1
5.2 Maintenance Records and Documentation		
5.2.1	Maintenance Records and Documentation Requirements	2
5.2.2	Electronic Records	1
5.2.3	Retention and Review of Maintenance Documentation and Records	1
5.2.4	Falsification, Reproduction or Alteration of Maintenance Records	1
5.3 Reporting and Investigation Requirements		
5.3.1	Reporting of Unserviceable Conditions	1
5.3.2	Reporting of Un-airworthy Conditions	1
5.3.3	AMO Investigation of reported Unserviceable and Unairworthy Conditions	1

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	MMP 1.1 3 of 4

MAINTENANCE MANAGEMENT PLAN

<u>MMP</u>	<u>CONTENTS</u>	<u>NO. OF PAGE</u>
5.3.4	Maintenance Incident Reporting	1
5.3.5	Other Reporting Requirements	1
5.3.6	Technical Reporting Systems	1
5.4 Deviations		
5.4.1	Deviations	1
5.5 Tools, Equipment and Aeronautical Products		
5.5.1	Tools and Support Equipment	2
5.5.2	Local Manufacture or Modification of Tooling	1
5.5.3	Maintenance Tools and Material During Period of Operational.	1
5.5.4	Aeronautical Product	2
5.5.5	Transfer of Aeronautical Product (Cannibalisation)	1
5.5.6	Local Manufacture of Aeronautical Product	1
5.6 AIRCRAFT ACCIDENTS		
5.6.1	Initial Requirements	1
5.6.2	Recovery of Aircraft	1
5.6.3	Salvage	1
PART 6 ANNEXES		
Appendix 1	Qualification, Training and Experience of Management & Maintenance Personnel	4
Appendix 2	List of Management and Maintenance Personnel for As555sn Fennec RMN	1
PART 7 COMPLIANCE MATRIX		
7.1	Compliance Matrix Table	4

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	MMP 1.1 4 of 4

MAINTENANCE MANAGEMENT PLAN

2.1 CONDITION OF USE

1. This Maintenance Management Plan (MMP) is the property of the Galaxy Aerospace (M) Sdn. Bhd. (GAM). It is not to be copied or communicated in part or as a whole to any person not employed by the company without the written consent of the Accountable Manager.

2. Distribution List of this MMP is described in MMP 0.3.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 2.1 1 of 1

MAINTENANCE MANAGEMENT PLAN

2.2 NOTIFICATION PROCEDURE TO DIRECTORATE GENERAL TECHNICAL AIRWORTHINESS (DGTA) REGARDING CHANGES TO THE ORGANIZATION'S ACTIVITIES / APPROVAL / LOCATION / PERSONNEL

1. GAM as an AMO must notify the DGTA of any proposal to carry out any of the following changes that take place to enable the DGTA to determine continued compliance with the Regulation and to amend, if necessary, the approval certificate, except that in the case of proposed changes in personnel not known to the management beforehand, these changes must be notified at the earliest opportunity.

2. This procedure applies whenever notification is required to be made to the DGTA on the above-mentioned changes.

3. Notification of changes to the approved maintenance organization
 - a. Changes to the following will require notification to the DGTA.
 - i. Name of company and location (including any additional location).
 - ii. Quality Manager.
 - iii. Senior Maintenance Manager.
 - iv. Facilities, equipment, tools, material, procedures, scope and level of work, technical arrangement, maintenance and certifying staff that could affect the maintenance approval.
 - b. The notification will be made, as soon as practical via fax, telex or letter, whichever is suitable.
 - c. The Quality Manager shall be responsible for notifying the DGTA of any of the above-mentioned changes.
 - d. DGTA may prescribe the conditions under which approved maintenance organization may operate during such changes unless determines that the approval should be suspended.

4. Exemption from Compliance with "State Airworthiness Authority" requirements:
 - a. Whenever the need to defer compliance with or deviation from DGTA arises, the Quality Manager shall submit such request in writing to the DGTA providing details of the justification.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 2.2 1 of 1

MAINTENANCE MANAGEMENT PLAN

2.3 EXPOSITION ADMINISTRATION AND AMENDMENT PROCEDURES

1. This procedure applies to amendments of MMP.
2. Amendment request may originate from any Maintenance or Operations personnel using the Publication Discrepancies / Amendment Request Form (GAM/E-002).
3. The QM is responsible for the amendment and approval application process with DGTA for any other amendment of the MMP except for amendments raised to correct typographical errors only which can be approved by QM.
4. Amendment that involves changes in maintenance procedures will be jointly reviewed by the QM and SMM.
5. All pages of MMP shall be controlled. Each page of the manual shall have the following:
 - a. Document Reference.
 - b. Issue Number.
 - c. Amendment No.
 - d. Date.
 - e. Page Number.
6. The contents of the List of Effective pages (LoEP) shall reflect all the pages in the MMP and be verified by the SMM. He/she then must forward the revision with new List of Effective Pages and the Transmittal Letter to Technical Publication.
7. Technical Publication shall be responsible for providing constant amendment service to holder of manuals.
8. Technical Publication shall distribute the revision to the MMP holders. To verify whether the amendment has been executed correctly, each batch of revised pages will be accompanied by a new List of Effective Pages.
9. Amendment to the manuals shall be indicated by a dark vertical line running along the left-hand side of the page, highlighting revised portion of the text.
10. QM shall review the MMP at once every six (6) month's intervals to ensure that MMP reflect the latest information.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 2.3 1 of 1

MAINTENANCE MANAGEMENT PLAN

2.4 CORPORATE COMMITMENT

This MMP and any associated referenced manuals defines the organization and relevant procedures within GAM upon which the approval is based. These procedures are approved by the undersigned and shall be complied with, as applicable, when work or instructions are being progressed under the Terms of Approval issued by the DGTA.

It is accepted that where these procedures are in conflict with the DGTA or any new or amended requirements published or adopted by the DGTA from time to time, then these procedures shall not override such regulations or requirements.

I accept and commit that GAM shall provide the highest quality of services in accordance with the TAMM. I shall ensure all personnel employed in GAM adhere to this plan and shall penalize those personnel who do not conform to this plan in accordance to GAM's company procedures. I shall bear responsibilities and accept all liabilities arising from non-conformities committed by my personnel.

It is understood that the DGTA will continue to approve this Organization so long as the DGTA is satisfied that these procedures are being followed and acceptable standards maintained.

It is further understood that the DGTA reserves the right to suspend, vary or cancel this approval if the DGTA has evidence that said procedures are not followed or acceptable standards not upheld. When a conflict arises between this MMP and TAMM, I shall be committed to ensure that the MMP do not override the necessity of complying with TAMM.

GAM shall assure of technical airworthiness of state registered aircraft and are maintain according to standard and quality.

Signed :  Date: **01 APR 2021**

DATO' SHAMSUL KAMAR BIN SAMSUDIN
 Managing Director/Accountable Manager
For and behalf of
GALAXY AEROSPACE (M) SDN. BHD.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 2.4 1 of 1

MAINTENANCE MANAGEMENT PLAN

3.1 LIST OF ABBREVIATIONS

ABDR	Aircraft Battle Damage Repair
AD	Airworthiness Directives
ADD	Acceptable Deferred Defects
AEO	Authorised Engineering Organisation
AM	Accountable Manager (GMD/MD)
AMO	Approved Maintenance Organisation
ARC	Authorised Release Certificate
ASR	Airworthiness Standard Representatives
ATP	Authorised Tradespersons
AVL	Approved Vendors List
BCAR	British Civil Aviation Regulation
CAAM	Civil Aviation Authority of Malaysia
CAESE	Centre of Aerospace Engineering Services Establishment, also known as PUSPEKA
CAR	Corrective Action Request
CFU	Carried Forward Unserviceability's
CI	Configuration Items
CM	Configuration Manager
CMAINT	Contingency Maintenance
COC	Certificate of Conformity
CoG	Center of Gravity
CRS	Certificate of Release to Service
DAR	Design Acceptance Representatives (RMN)
DGTA	Directorate General Technical Airworthiness
DR	Discrepancy Report
EASA	European Aviation Safety Agency
EIE	Enter in Error
EPM	Engineering Procedure Manual
FAA	Federal Aviation Administration
FOD	Foreign Object Damage
GAM	Galaxy Aerospace (M) Sdn. Bhd.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 3.1 1 of 3

MAINTENANCE MANAGEMENT PLAN

GSE	Ground Support Equipment
HR	Human Resource
ID	Identification Details
IMI	Independent Maintenance Inspectors
IPD	Illustrated Parts Data
IQA	Internal Quality Audit
LMA	Letter of Maintenance Authority
LOA	Letter of Acceptance/Award
MA	Maintenance Authority
MAO	Maintenance Authorising Office (RMN)
MMEL/MEL	Master Minimum Equipment List/Minimum Equipment List
MI/S	Maintenance Inspector/Supervisor
MM	Maintenance Manager
MMP	Maintenance Management Plan
MMS	Maintenance Management System
MRO	Maintenance Repair and Overhaul
MSDS	Material Safety Data Sheet
MRB	Management Review Board
MSN	Maintenance Support Network
NAA	National Aviation Authority
NCR	Non-Conformance Report
NDT	Non-Destructive Testing
NTP	Non-Technical Personnel
OEM	Original Equipment Manufacturer
PPE	Personnel Protective Equipment
RMN	Royal Malaysian Navy
QM	Quality Manager
QMS	Quality Management System
QRM	Quality Review Meeting
SAO	State Aircraft Operators
SMM	Senior Maintenance Manager
SRM	Structural Repair Manual

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 3.1 2 of 3

MAINTENANCE MANAGEMENT PLAN

STI	Special Technical Instruction
TAMM	Technical Airworthiness Management Manual

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 3.1 3 of 3

MAINTENANCE MANAGEMENT PLAN

4.1.1 APPLICABILITY - WHO MAY MAINTAIN STATE-REGISTERED AIRCRAFT, AERONAUTICAL PRODUCT AND AIRCRAFT-RELATED EQUIPMENT (REGULATION 4.1.1)

1. GAM is permitted to maintain AS555SN Fennec, aeronautical product and aircraft-related equipment are those that have been certified as AMOs by DGTA and authorised to undertake work by the MAO.
2. GAM shall only operate as an AMO with a valid AMO certificate issued by DGTA.
3. The Letter of Maintenance Authority (LMA) issued by DGTA with each AMO certificate shall be considered a part of the certificate.
4. The LMA shall define the scope and level of activity for which the certificate is issued [as per listed in MMP Part 5.1.1. Maintenance Authority.](#)
5. [The organization can proceed the maintenance and repair without valid AMO certification only when:](#)
 - a. [The organization is part of an AMO's Maintenance Support Network \(MSN\) and is performing maintenance in behalf of and within the authorized scope and level of an AMO as per Regulation 4.4.3 of Part 2 PU 2103 2nd Edition – TAMM.](#)
 - b. [An AMO outsources maintenance to an organization which is not part of its MSN and endorsed by DAR in writing. However, GAM shall retain full accountability for the technical integrity of the work as per Regulation 4.4.3.b of Part 2 PU 2103 2nd Edition – TAMM.](#)
 - c. [An organization holds the following approval:](#)
 - i. [Interim Approval by DGTA.](#) Organisation shall be issued with Interim Approval by DGTA after been audited, who is having a government contract or MAO sponsorship letter to undertake maintenance as part of the transition to AMO Certification. Interim Approval should be for a limited period, relate to a specific scope and level, and be a justifiable alternative to AMO certification. Consultation with DGTA in each case is recommended. For the issuance of Interim Approval, organisation shall posses the minimum requirement of organisational management system, sufficient competent and approved personnel documented and approved processes meets approved standards, relevant authorised data from approved sources, adequate facilities and equipment and maintenance support network. In the case Interim Approval, the maximum duration of approval is six (6) months.
 - ii. [Temporary Approval by DAR.](#) Temporary Approval may be granted by Design Acceptance Representative (DAR) to organization to conduct maintenance for a period of time not exceeding 12 months when previous contract and AMO certificate

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 December 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 4.1.1 1 of 3

MAINTENANCE MANAGEMENT PLAN

expired for approval. However, it must be not granted to allow an organisation to conduct maintenance of a complete State Aircraft or a complete aircraft engines. Organisation shall make a request to the DAR for approval and DAR shall assess the organisation Maintenance Management System (MMS) before granted approval in the form of formal letter issued from DAR to organisation. DAR shall ensure the following requirement are adhere as below:

- a) A nominated individual, meeting the intent of the Regulation 4.5.1 (Maintenance Authority) is responsible for all maintenance conducted.
 - b) Documented processes, meeting the intent of the Regulation 4.5.3 (Senior Maintenance Manager) are in place in assessing and authorizing personnel as competent to perform and supervise maintenance.
 - c) Suitable facilities meeting the intent of Regulation 4.6.1 (AMO facilities) are available.
 - d) Suitable system are in place to ensure that only Authorised Maintenance Data meeting the intent of Regulation 5.1.1 (Maintenance Authority) is used to conduct maintenance.
 - e) All maintenance performs or supervised is certified in manner that meets the intent of Regulation 5.1.2 (Publication, Instructions, Orders and Data).
 - f) Procedures are in place for the control of foreign object during conduct of maintenance is in place.
 - g) Records of maintenance work are documented meet the intent of Regulation 5.2 (Maintenance Records and Documentation).
 - h) Unserviceable and non-airworthy conditions and maintenance incidents that occur during maintenance are investigated and reported i.a.w Regulation 5.3 (Reporting and Investigation Requirements).
 - i) All tools and support equipment are available and managed properly i.a.w Regulation 5.5.1 (Tools and Support Equipment).
 - j) All aeronautical product is managed i.a.w Regulation 5.4.4 (Aeronautical Product).
- iii. In this case, DAR shall be accountable for the technical integrity of the work. DAR must notify DGTA when temporary approval has been granted, suspended, removed or expired.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 December 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 4.1.1 2 of 3

MAINTENANCE MANAGEMENT PLAN

- d. There may be occasions where maintenance could be outsourced to organization that hold accreditations for other National Airworthiness Authority (NAA) for the same scope of work. noting that DGTA recognized NAA can include both civil and military authorities and which provide an applicable Authorised Released Certificate for the maintenance performed.
 - e. Any organization that hold an Authorised Engineering Organisation (AEO) undertaking maintenance confined to the installatopn of modification, which have been developed by that AEO as per Regulation 3.5.20.c of Part 2 PU 2103 2nd Edition – TAMM.
6. GAM is responsible to maintain AS555SN Helicopter and its related system equipment. GAM is also responsible for Organisation Level Maintenance (OLM) and Intermediate Level Maintenance (ILM). GAM conduct scheduled and unscheduled maintenance i.a.w applicable publication or maintenance data as required. These include the management of training/currency for GAM AS555SN AMO Personnel.
7. The Maintenance Management System (MMS) applied to all aircraft and related support equipment maintained by GAM is accurately reflected in this MMP and all plans, procedures and instructions referenced hereafter. Compliance with TAMM Regulations 4 and 5 are illustrated in the compliance matrix in this document. The scope and level of maintenance carried out is detailed in MMP 5.1.1 (Maintenance Authority).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	5 December 2023
ISSUE:	1	AMENDMENT:	2	PAGE:	MMP 4.1.1 3 of 3

MAINTENANCE MANAGEMENT PLAN

4.2.1 APPLICATION FOR CERTIFICATION (REGULATION 4.2.1)

1. AMO application is made by the GAM Accountable Manager to DGTA, which is the Technical Airworthiness Authority (TAA) through the MAO for AS555SN Fennec and aeronautical products. The authorisation from the MAO shall be in the form of contract and sponsorship letter.

2. The submitted application shall include details of the following:
 - a. Company Name and Address.
 - b. Reason for application.
 - c. MMP enlisting the scope and level of maintenance and associated requirement.
 - d. Exemption required (if any).
 - e. A copy of relevant maintenance contract and LOA / Contract for AS555SN Fennec helicopters.
 - f. Any relevant certifications held by GAM.
 - g. Additional documentation in support when requested to do so by the MAO or DGTA.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.2.1 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.2.2 AWARD AND RETENTION OF AMO CERTIFICATION (REGULATION 4.2.2)

1. The award and retention of the AMO certification is subjected to the following requirement are complied with and also subjected to the Compliance Audit and Surveillance Audit carried out by DGTA and the following conditions:
 - a. AMO and its MMS comply and continue to comply with all the applicable regulations in the Regulation 4 and 5 of TAMM.
 - b. Submission of the MMP shall be contained explanation of the maintenance processes on aircraft, aeronautical product and aircraft related equipment is being performed to DGTA approved standards, with the competent and authorized personnel acting as members of an approved organization and based on approved procedures and using approved data.
 - c. The maintenance on AS555SN Fennec, its and aeronautical product is carried out to the approved standards, with the sufficient, competent and authorized personnel belong to the organization whose work is certified as correct and within the scope and level applied in this MMP.
 - d. Appropriate and adequate facilities in accordance with the scope and level of the maintenance.
 - e. Availability of all the necessary tools, equipment and other material to support the conduct of maintenance within the approved scope and level of this MMP.
2. GAM shall allow DGTA unfettered access to on GAM facilities, personnel and records/documentation as required. All the documentation as required. All documentation supporting its certification shall be:
 - a. Complete
 - b. Up to date
 - c. Accessible
 - d. Readable
 - e. In good physical condition
 - f. Available to DGTA (or its representative) when requested.
3. Application satisfying the requirements of Regulations 4.2.1 and 4.2.2.a, followed by satisfactory compliance assessment, GAM is entitled to be formally certified as an AMO by issuance of a certificate and accompanying LMA.
4. Failure to comply with Regulations 4.2.1 and 4.2.2.a will be a basis for rejection of the application. Such rejection shall be fully documented and disclosed to GAM by DGTA.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 December 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 4.2.2 1 of 2

MAINTENANCE MANAGEMENT PLAN

5. The continued validity of an AMO certification shall be re-assessed by a process and at a frequency determined by DGTA. Failure to comply with TAMM Regulations 4 and 5 shall be a basis for the AMO certificate to be suspended or revoked.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	5 December 2023
ISSUE:	1	AMENDMENT:	2	PAGE:	MMP 4.2.2 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.2.3 RESERVED

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.2.3 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.2.4 CHANGES TO AMO CERTIFICATION (REGULATION 4.2.4)

1. GAM shall comply and continue to comply with all the requirements defined in the TAMM Regulation 4 and 5 and shall ensure that no changes are made that contrary to the regulation.

2. Any changes to the basis of AMO certification, it shall be forwarded by SMM through QM to DGTA within **seven (7) working days** of the change and seek approval for that change through the MAO. The proposal should include, as a minimum, the following details:
 - a. The nature and effective date of the proposed change.

 - b. The effect of the change on airworthiness.

3. QM shall update the MMP once DGTA has approved any changes requested to the basis of an AMO's certification.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.2.4 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.2.5 VALIDITY OF AMO CERTIFICATION (REGULATION 4.2.5)

1. The AMO certification issued by DGTA with Letter of Maintenance Authority (LMA) shall remain in force and valid until 30 September 2023 or it's terminated, surrendered, suspended or superseded. GAM is to surrender its AMO certificate if the contract expires or otherwise stated by DGTA.

2. The period/duration of AMO certification is correlated to the ongoing compliance with TAMM regulation.

3. Any requests for changes to the duration of a certification are to be submitted to DGTA, through the MAO.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.2.5 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.2.6 SUSPENSION, REVOCATION AND LIMITATION OF AMO CERTIFICATION (REGULATION 4.2.6)

1. DGTA has full discretionary powers to suspend, revoke or limit any AMO certification if sufficient evidence is available to support such an action.
2. AMO certificate shall be suspended when DGTA observes on reasonable grounds during audit where evidence proved the AMO to be noncompliant to the regulations or any evidence that there is possible safety threat.'
3. There will be two categories of non-compliance which may result in the termination of AMO certification. The categories are Major and Minor non-compliances.
4. A significant non-compliance to the Regulation 4 and 5 is categorised as Major noncompliance. Examples are as follows:
 - a. Failure to gain access to the organisation during normal operating hours of the organisation in accordance with Regulation 4.2.2 b.
 - b. If the calibration control of equipment as specified in Regulation 5.5.1.d had previously broken down on a particular type product line such that most "calibrated" equipment was suspect from that time. Note: A complete product line is defined as all the aircraft, engine or component of a particular type.
 - c. Usage of wrong tools.
 - d. Torque loading is not carried out or improper value of torque being applied.
5. For the Minor non-compliance, it occurs when DGTA finds a non-compliance with TAMM Regulation 4 and 5. Examples are as follows:
 - a. One time use of a component without any serviceable tag.
 - b. The training documents of the certifying staff are not completed.
 - c. Maintenance certification is not accurately cross referred to the applicable technical publication.
6. DGTA shall suspend, revoke, or limit the scope and/or level of the AMO certification when the AMO has not implemented the necessary corrective action either for Major and/or Minor non compliances within that stipulated period or after it has been granted a further period of up to three months, subject to the DGTA notifying the Accountable Manager. In exceptional circumstances and subject to a realistic and satisfactory corrective action plan being in place, DGTA may extend the period for corrective action to a maximum 6 months.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.2.6 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.3.1 EXEMPTIONS (REGULATION 4.3.1)

1. Where GAM finds that it cannot comply with the regulations or believes that sufficient justification exists not to (strictly) comply with regulatory requirements, GAM is required to apply for an Exemption from DGTA. A request for Exemption is a written submission to DGTA and is processed through the MAO.
2. Approval from the DGTA is required prior to the maintenance organisation operating in accordance with the intent of any proposed Exemption.
3. Whenever the need to defer compliance with or deviation from DGTA Regulation 4 and 5 or GAM MMP arises, the QM shall submit such request in writing to the DGTA providing details of the justification through the MAO.
4. The Request for Exemption shall contain following information but not limited to:
 - a. Basic description of the request.
 - b. Description of the problem and its origin.
 - c. Nature and extent of the Exemption required, including expected duration.
 - d. Impact on aircraft maintenance and maintenance standards (if determinable).
 - e. Impact on engineering, aircraft safety and maintenance standards.
 - f. Details of why the organization is unable to meet the subject regulatory requirement and attempts that have been made to do so.
 - g. Any other relevant supporting documents.
5. Once approved (or not approved) by the DGTA, Record of Exemptions shall be documented, which includes reasons of exemption, duration (if any), and terms and condition. List of Exempted Regulations shall be stated in Annex A of this section. GAM is to notify DGTA in writing within seven (7) working days when any of the Exemption is no longer applicable and update this MMP once the exemption is no longer applied.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.3.1 1 of 2

MAINTENANCE MANAGEMENT PLAN

4.4.1 KEY APPOINTMENTS AND GROUPS WITHIN AN AMO (REGULATION 4.4.1)

1. In compliance to the TAMM regulations, GAM has listed its organization structure with the key appointment and group to plan, perform, supervise, inspect or certified maintenance as certified by DGTA as follows:

a. Top Management:

- i. Accountable Manager (AM)
 - 1. GAM is headed by the Managing Director (MD) who acts as the Accountable Manager under TAMM regulation.
 - 2. The details of the specific roles and responsibilities for AM is described in MMP 4.5.2 (Accountable Manager).

b. Management:

- i. Senior Maintenance Manager (SMM)
 - 1. SMM who is appointed by the AM is to lead and manage the maintenance for the AMO. SMM is supported by MM, MI/S, ATP and NTP.
 - 2. The details of the specific roles and responsibilities for SMM is described in MMP 4.5.3 (Senior Maintenance Manager).
- ii. Quality Manager (QM)
 - 1. QM who is appointed by the AM is to ensure GAM perform aircraft maintenance and management within the requirement of DGTA on a day-to-day basis and responsible for all quality activities in order to assure that GAM meets the requirements as an AMO.
 - 2. The details of the specific roles and responsibilities for QM is described in MMP 4.5.4 (Quality Manager).
- iii. Maintenance Manager (MM)
 - 1. The details of the specific roles and responsibilities for MM is described in MMP 4.5.5 (Maintenance Manager).

c. Supervisory:

- i. Maintenance Inspector/Supervisor
 - 1. The details of the specific roles and responsibilities for MI/S is described in MMP 4.5.6 (Maintenance Inspector/Supervisor).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.4.1 1 of 2

MAINTENANCE MANAGEMENT PLAN

d. Working:

i. Authorised Tradesperson (ATP)

1. The details of the specific roles and responsibilities for ATP is described in Part 4.5.7 (Authorised Tradesperson).

ii. Aircrew

1. GAM does not possess any aircrew for this AMO certification as company only provides maintenance for the AS555SN Fennec helicopters. Aircrew are from the RMN as the SAO.

iii. Non-Trade Personnel (NTP)

1. The details of the specific roles and responsibilities for NTP is described in MMP 4.5.9 (Non-Trade Personnel).
2. Personnel in management capacity are not authorised to release aircraft or aeronautical product unless Regulation 4.5.1 is fulfilled.
3. List of key personnel in GAM AMO structure together with their QTE is referred to Appendix 1 and 2 of the Annexes.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.4.1 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.4.2 DOCUMENTATION OF ORGANISATIONAL STRUCTURE (REGULATION 4.4.2)

1. In compliance to TAMM Regulation 4.4.2, GAM management positions and supervisory position is detailed in MMP 4.4.1 (Key Appointments and Groups Within An AMO).
2. An organisational chart showing associated entails a management framework within which the above key appointments and groups operate is as per Annex 4.4.2 (Maintenance Organisational Structure/Chart) of this chapter.
3. GAM manpower allocated for AS555 SN Fennec are as below:


No	Designation	No. of Personnel
1.	Senior Maintenance Manager (SMM)	1
2.	Quality Manager	1
3.	MI/S – Mechanical	6
4.	MI/S – Avionics	5
5.	ATP – Mechanical	0
6.	ATP – Avionics	0
7.	NTP	1
Total		14

4. Based on the allocated manpower, GAM is able to perform a maximum of 2 aircraft for maintenance at one time.
5. If GAM is unable to meet the aircraft maintenance requirements based on manpower and aircraft, GAM will obtain technical support services from the OEM or appointed MSN.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	MMP 4.4.2 1 of 2

MAINTENANCE MANAGEMENT PLAN

Annex 4.4.2 - Maintenance Organisational Structure/Chart



DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 4.4.2 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.4.3 MAINTENANCE SUPPORT NETWORK (REGULATION 4.4.3)

1. Where GAM does not have the sufficient internal resources or full capability to conduct the required maintenance activities, therefore, some of the maintenance function will be outsourced to the Original Equipment Manufacturer (OEM) or other approved maintenance facility (vendors).
2. GAM shall provide and control the list (List of Maintenance Support Network (GAM/Q-057)) of the external organization with the details of organisations and defined scope and level of maintenance that will be outsourced to the applicable vendors.
3. GAM shall ensure and be held accountable to DGTA for the technical integrity of the state registered aircraft and/or ground support equipment whenever maintenance is outsourced to vendors. The assessment and authorization of vendors shall comply with the requirement as set forth in the TAMM regulation.
4. The procedure for outsourcing maintenance of components/parts shall define requirement for vendor assessment/evaluation and authorization which shall include the relevant documentation, what to be done (audit/assessment and etc.) before outsourcing is to take place, documents availability, certificate, validity period of the vendors to become MSN to GAM (whichever is applicable). The organisation which has been identified will be evaluated as per EPM 3-04 (Vendor Audit) and EPM 3-05 (Vendor Approval).
5. The Quality Department shall maintain the latest Maintenance Support Network (GAM/Q-057) of all acceptable vendors.
6. GAM is fully supported by the two main OEM of the Airbus AS555SN Fennec Helicopters and other Maintenance Support Network which are:
 - a. Airbus Helicopter – Airframe and aeronautical product.
 - b. Global Turbine Asia – Engine and aeronautical product.
 - c. Other MSN listed in the List of Maintenance Support Network (GAM/Q-057).
7. Where applicable, whenever GAM need support from its MSN to carry out maintenance activity, a formal written maintenance contract or Purchase Order (PO) between the GAM and the Contractor shall be executed (whichever is applicable/to be defined once the need is arise). The contract or PO shall clearly specify the maintenance work scope to be carried out.
8. All work undertaken shall be coordinated by the SMM who will provide the necessary maintenance support including manpower, facility and equipment if required.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.4.3 1 of 2

MAINTENANCE MANAGEMENT PLAN

9. The MSN shall comprise of appropriately trained and competent personnel. All work must be done in accordance with approved data and other technical publications and using appropriate tools and material.

10. The MSN shall certify for the tasks accomplished in accordance with Aviation Authority requirements in any documents i.e. work package, engineering order, certificate of conformance (C of C), EASA Form 1, FAA Form 8130 or any other equivalent documents. GAM authorized personnel shall sign Certificate of Release to Service after the work is completed.

11. In the case of urgency or ad-hoc basis, one-time approval is granted for aeronautical product supplier/service. However, the following condition shall be applied:
 - a. Only applicable for one-time product purchase/service. The company has the capability to supply/servicing the product and acknowledge by Quality personnel through at least, company profile or company website.
 - b. The approved sub-contractor which has the same capability could not respond to the request made due to high cost, longer lead time and demanding company.
 - c. Verification from Quality department, approval from QM is required prior any purchase/service being made.
 - d. Capable to produce required documentation such as Certificate of Conformity, EASA Form 1 or other relevant documents.
 - e. Detail procedure of this paragraph is defined in the EPM 3-04 (Vendor Audit) and 3-05 (Vendor Approval).
 - f. MAO to be notified on the use of vendor under this paragraph.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.4.3 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.4.4 QUALITY MANAGEMENT SYSTEM (REGULATION 4.4.4)

1. The basic quality requirements to achieve this standard are laid down in this Maintenance Management Plan. It also set out the Company's Quality Policy by specifying the personnel directly responsible for quality matters and the particular procedures and practices that must be observed. Adherence to this standard also ensures compliance with the airworthiness requirement.
2. Quality is not the sole responsibility of the QM / Department. It is the duty of all employees to comply with this policy and to strive to improve quality standard at every opportunity.
3. The Quality Department is an independent monitoring department which has the responsibility and authority to monitor the compliance of all policies, procedures, practices and administration system related to airworthiness. The compliance regime shall consist of general surveillance, sampling inspections, planned and unscheduled audits.
4. The Quality standards are set by the Quality Department and monitored by the QM. The Accountable Manager shall receive a copy of all Audit Report and a copy extended to DGTA upon request.
5. For the purpose of audit, DGTA is allowed to access the necessary record on quality. Accountable Manager shall allow DGTA to access the Quality Management System.
6. In ensuring the desired quality products and services are achieved, a yearly IQA is conducted to check the processes and procedures are being followed.
7. All internal / external audit findings and issues related to the quality will be reviewed in 6 months interval meeting known as QRM chaired by Accountable Manager to review not only current quality issue, aircraft maintenance program, processes, procedures, audit findings, internal quality indicators but shall also emphasize on the broad aspect of ongoing compliance with processes, procedures, effectiveness of corrective action and preventive actions as well.
8. The audit system should clearly establish a means by which audit report containing observations about non-compliance or poor standards can be actioned.
9. The detail procedure of audit plan, process and the implementation are defined in EPM 3-06 (Quality Department Audit Programme), EPM 3-07 (Quality Audit - Hangar), EPM 3-08 (Quality Audit – Technical Support Department), EPM 3-09 (Audit – Quality Department), and EPM 3-10 (Documentation Audit Programme).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.4.4 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.5.1 MAINTENANCE AUTHORITY (REGULATION 4.5.1)

1. Every person who plans, performs, supervises, inspects or certifies maintenance shall be assessed and authorised to do so. This is called Internal Maintenance Authority (IMA). The assignment of IMA shall not be done in an unreliable manner but in a way that ensures that personnel authorised to maintain and manage maintenance of AS555SN Fennec, its aeronautical product and related equipment are competent to do so.

2. The assessment and authorization for the maintenance personnel to the level of authority assigned to each technical personnel in GAM is to ensure that maintenance activities have been performed, supervised and inspected by competent and authorized personnel. The re-assessment and re-authorization to all the maintenance personnel shall be carried out once a year. Procedure for Company Approval System, Issuance, Renewal or extension of Company Approval are detailed in EPM 3-01 (Issuance of Company Approval), EPM 3-03 (Quality Department – Approval Renewal) and EPM 3-12 (Company Approval System).

3. The IMA that corresponds to the group listed by Regulation 4.4.1 is as per Table 4.5.1 of this chapter.

4. The personnel requirement in term of Qualification, Training and Experience (QTE) for every position are listed in the Appendix 1 of the Annexes.

5. GAM shall maintain records of all assessments and approvals for the assignment of Maintenance Authority in accordance with MMP 5.2.2 (Maintenance Record and Documentation).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.1 1 of 3

MAINTENANCE MANAGEMENT PLAN

Table 4.5.1

TITLE	JOB SCOPE DOCUMENT REFERENCE			
Managing Director (Accountable Manager)	MMP 4.5.2			
Senior Maintenance Manager (SMM)	MMP 4.5.3			
Quality Manager	MMP 4.5.4			
TITLE	JOB SCOPE DOCUMENT REFERENCE	ASSESSMENT CRITERIA	ASSESSMENT METHOD	AUTHORISATION DURATION
Maintenance Manager	MMP 4.5.5	<ul style="list-style-type: none"> • Technical background and experience • Conversant to company procedure • Management skill 	Interview	12 months / as required by SMM
Maintenance Inspector/Supervisor (Approval Holder/ Certifying Staff)	MMP 4.5.6	<ul style="list-style-type: none"> • Technical background and experience • Level of conversant with company procedure • Working attitude • Supervisory skill 	Written and Oral Test	12 months / expiry of Local Authority License / as required by SMM
Authorized Tradespersons (Technician)	MMP 4.5.7	<ul style="list-style-type: none"> • Technical background and experience • Familiarization to company procedures • Working attitude 	Written and Oral Test	12 months / as required by SMM
Aircrew	MMP 4.5.8	N/A	N/A	N/A

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	MMP 4.5.1 2 of 3

MAINTENANCE MANAGEMENT PLAN

<p>Non-Technical Personnel</p> <ul style="list-style-type: none"> • Tools Store Personnel • Warehouse Personnel • Apprentice/Trainee 	MMP 4.5.9	<ul style="list-style-type: none"> • Suitable qualification and experience background for the job scope • Familiarization to company procedures • Working attitude 	Written and Oral Test	12 months / as required by SMM
--	-----------	---	-----------------------	--------------------------------

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.1 3 of 3

MAINTENANCE MANAGEMENT PLAN

4.5.2 ACCOUNTABLE MANAGER (REGULATION 4.5.2)

A. Immediate Superior

1. Board of Director

B. Main Responsibilities

1. Responsible to ensure that maintenance carried out in compliance by the Company with the standard and requirements of DGTA.

C. Specific Functions

1. Responsible for ensuring that maintenance carried out meets the standards required by DGTA.
2. Responsible for ensuring that the necessary finance, manpower resources and facilities are available to enable the company to perform the maintenance activities within the GAM maintenance scope and level as stated in the AMO authorization and certification.
3. To ensure through a quality management system, that effective management and control systems are established and maintained within the company to monitor and maintaining compliance with approved procedures, standards and practices.
4. Responsible for ensuring the competence of all personnel including management personnel has been assessed.
5. Taking immediate action to resolve any issues which affect the company's ability to provide the required quality of maintenance activities.
6. To ensure that the DGTA and MAO are notified immediately, in writing, of any issues that affect the company's ability to provide the required quality of maintenance as stipulated in the AMO certification.
7. He has the authority to appoint Senior Maintenance Manager (SMM) and Quality Manager (QM).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.2 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.5.3 SENIOR MAINTENANCE MANAGER (REGULATION 4.5.3)

A. Immediate Superior

1. Accountable Manager (Managing Director)

B. Main Responsibilities & Specific Functions

1. SMM is a position appointed by the Accountable Manager.
2. Responsible to plan, direct and manage all aircraft maintenance activities to provide safe and airworthy aircraft, meet the requirement of approved AMO and client's requirements.
3. To advise DGTA (through the responsible AM and MAO) any changes which affect the company's AMO certification.
4. To ensure that all Engineering organization maintenance, overhaul, and repair of aircraft and components activities and its related supporting program meets the Quality Standards and all requirements for the grant as an Approved Maintenance Organisation.
5. To facilitate engineering and maintenance to meet the requirement of AMO with the provision of:
 - a. Facilitate appropriate to the planned work
 - b. Office accommodation appropriate to the management planned of the planned work
 - c. A working environment appropriate to tasks being undertaken
 - d. Storage facilities for parts, tools, equipment and materials
 - e. Appropriate, serviceable, calibrated (where appropriate) and sufficient tools, GSE, specialist equipment and material to perform the planned tasks.
 - f. Sufficient personnel to plan, perform, supervise, inspect and certify the work being performed.
 - g. Maintenance data from the aircraft manufacturer and airworthiness data from DGTA, necessary to the task being performed.
6. Establish and maintain administration and operation of AMO.
7. Communicate with QM and DGTA on airworthiness matters to ensure that all its operations conform to statutory and legal requirements.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.3 1 of 2

MAINTENANCE MANAGEMENT PLAN

8. Liaise with manufacturers, vendors and approved design organisations in support of aircraft and component maintenance.
9. To ensure that all audit findings carried out internally and by DGTA are attended to and resolved within the agreed time-frame.
10. To monitor the level of service provided to clients and take appropriate steps to achieved desired levels.
11. Cultivate a positive attitude and response in engineering personnel on the compliance of industrial safety, health and environmental regulations, procedures and practices in order to ensure safe working environments in the interest of personnel and the company.
12. To ensure that all Maintenance personnel are provided with appropriate technical, knowledge and skill training.
13. Direct the planning and implementation of training, development, projects and growth related to Engineering.
14. Oversee the Engineering Support Section of their function as Technical Planning, Publication and Record, and Warehouse.
15. To ensure that maintenance personnel are authorized to perform maintenance activities through an approved and documented system based on the evaluation of formal qualification and experience.
16. Operating a system for the training, assessment, authorization and periodic re-assessment of personnel.
17. To nominate maintenance task to be performed by authorized Non-Technical Personnel and Aircrew.
18. To establish FOD control programs/systems.
19. To set maintenance duty time limits.
20. Responsible to assess and re-assess, authorize and re-authorize the MM, MI/S, ATP, NTP through an authorization system stipulated in the EPM.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.3 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.5.4 QUALITY MANAGER (REGULATION 4.5.4)

A. Immediate Superior

1. Managing Director (Accountable Manager).

B. Main Responsibilities & Specific Functions

1. QM is a position appointed by the Accountable Manager.
2. To ensure GAM perform aircraft maintenance and management within the requirement of DGTA on a day-to-day basis. Responsible for all quality activities in order to assure that GAM meets the requirements as an AMO.
3. Responsible on all matters regarding quality and main function is monitoring GAM compliance to the regulatory requirement outline in TAMM.
4. Establish an independent quality system to monitor compliance with TAMM regulations. Formulate and issue instructions to establish and maintain his departments at high standard of efficiency and economy.
5. Responsible for implementing a quality audit programmed in which compliance with all maintenance procedures is reviewed at regular intervals and any observed non-compliance or poor standards are brought to the attention of the person responsible for corrective action.
6. Carry out surveillance, sampling inspection and audit to ensure that engineering maintenance activities are in accordance with the requirement of the company and the DGTA.
7. Liaise, consult and negotiate with DGTA on aircraft airworthiness matter including the implementation of Quality Assurance functions.
8. To manage all audit finding carried out internally and by DGTA to assure they are attended to and resolved within the agreed time-frame.
9. Control administers and issue Company Approval to qualified personnel.
10. Initiate and co-ordinate aircraft accident/incident investigation work to identify the causes and come up with preventive measures.
11. Evaluation and approval of supplier and sub-contractor.
12. Advice the Accountable Manager in the event of any discrepancies is not being adequately attended to by the relevant person or in respect any disagreement over nature of the discrepancies.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.4 1 of 2

MAINTENANCE MANAGEMENT PLAN

13. Ensuring that the requirement of training, safety program requirements and continuous training of technical staffs are in conformance with the standards and requirement of DGTA, other relevant Airworthiness Authorities and the Company.

14. Review MMP, standard practices and maintenance procedures for use within the Company, derived from approved sources, and keeping them up to date.

15. Preparing standard practices and procedures for use within the organization, derived from approved sources, and keeping them up to date.

16. Coordinating with all departments to ensure they are in compliance with all relevant airworthiness requirements.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.4 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.5.5 MAINTENANCE MANAGER (REGULATION 4.5.5)

A. Immediate Superior

1. Senior Maintenance Manager

B. Main Responsibilities & Specific Functions

1. Carry out aircraft planning, restore and maintain GAM aircraft to a serviceable, safe and airworthy condition in accordance with company and TAMM approved methods and procedures.
2. Daily administration control of Maintenance Department.
3. Ensure correct and efficient execution of maintenance activities and task associated with aircrafts and parts. All maintenance task and procedures must conform to the organization and TAMM standards.
4. Ensure that aircraft and equipment maintenance is performed, supervised and inspected in accordance with the relevant instructions, orders and publications.
5. Facilitate the provision of adequate facilities, supporting equipment and qualified personnel to perform maintenance on aircraft and equipment.
6. Make available to maintenance personnel the necessary overhaul manual, service bulletins, service letters, airworthiness directives, maintenance manual and any other required technical data.
7. Coordinate with Warehouse section for proper upkeep of store section and provision of adequate spare and consumable for forecasted maintenance and defect rectification.
8. The Maintenance Manager will allocate and supervise work for personnel under his control.
9. Manage all activities concerned with aircraft status, maintenance forecast and maintenance programs (Approved Maintenance Scheduled) in accordance with statutory and legal requirements to ensure timely availability of aircraft to meet contractual obligation.
10. Ensures the necessary documentations are raised for all works performed on aircraft and its equipment for proper completion and certification.
11. Review relevant Airworthiness Directives, Service Bulletin and any other technical instruction together with other member of AD/SB review board for applicability and compliance.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.5 1 of 2

MAINTENANCE MANAGEMENT PLAN

12. Liaise and consult Quality Manager on airworthiness matter such as Certificate of Airworthiness renewal, approval of Maintenance Schedule concession or extension etc.
13. Responds to quality deficiencies arising from Quality Audit and DGTA audit findings.
14. Ensures all acceptable deferred defects are monitored and rectified within the stipulated time frame.
15. Ensures that aircraft released to service meets the technical contractual obligation and quality of workmanship is acceptable to the organization and the DGTA.
16. Provides updates to the SMM on technical matters which affect the aircraft delivery status.
17. Ensure that all Maintenance personnel are in possession of correct skills and are given appropriate training, authorized and aware of their responsibilities.
18. Plan, organize and control the hangar operation to restore and maintain the aircraft serviceability in accordance with company, customer and relevant Aviation Authorities requirements in the most effective and productive manner.
19. Responsible for maintaining a clean and safe working environment at all time.
20. Maintenance Manager is authorized by SMM to manage specific maintenance activities in the AMO.
21. Maintenance Manager (MM) is assessed and authorized by SMM via letter of authorization and is responsible for the maintenance management and functions.
22. MM shall be initially authorized by SMM for duration of 12 months after a formal assessment to determine his competency, knowledge on maintenance, supervision, inspection, and technical administration requirement. MM shall be re-assessed and re-authorized upon completion 12 months tenure/as required by SMM.
23. The authority for the MM may be revoked by SMM if the MM is unable to demonstrate a sound working knowledge of the organization's MMP.
24. Maintenance Manager competency assessment will be conducted by SMM with reference to this MMP and EPM.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.5 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.5.6 MAINTENANCE INSPECTOR / SUPERVISOR (CERTIFYING STAFF / APPROVAL HOLDER) (REGULATION 4.5.6)

A. Immediate Superior

1. Maintenance Manager (MM)

B. Main Responsibilities & Specific Functions

1. To undertake and supervise the maintenance, inspection, repair, replacement, modification, rectification and certification of aircraft in accordance with company and relevant aviation authority's approved methods and procedures.
2. The SMM is responsible for selecting, certifying and authorizing MI/S.
3. The authorized MI/S shall have a sufficient knowledge of maintenance, supervision, verification and inspection process. He is responsible for correctness and quality of specific tasks performed by personnel under his supervision.
4. The SMM shall formally re-assess and re-authorize the MI/S once a year (12 months)/expiry of Authority License/as required by SMM.
5. Maintenance Inspector/Supervisor competency assessment will be conducted by SMM and Quality Department as detailed in GAM EPM 5-02 (Job Competence Assessment). Relevant records and documentation shall be maintained accordingly.
6. Carry out aircraft, components and ground equipment maintenance tasks efficiently.
7. Carry out and certify (as applicable) assigned tasks in accordance with the requirements of the MMP.
8. Organise available manpower and other resources to meet operational requirements.
9. Ensure defects are rectified correctly in an efficient manner.
10. Exhibit high standard and quality of maintenance work and corresponding certification in accordance with company and DGTA requirements.
11. Co-ordinate and liaise with Supervisor or other relevant personnel to effect efficient maintenance action.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.6 1 of 2

MAINTENANCE MANAGEMENT PLAN

12. Ensure high standard of engineering housekeeping and security in the place of work such as aircraft interior/exterior, hangar, workshops and other engineering maintenance areas.
13. Ensure relevant documentation and procedures are in accordance to established practices.
14. Ensure technical instructions, manuals are in good condition and updated to current status when used.
15. Ensure correct inventory of special tool and support equipment are in serviceable condition for proper and safe usage.
16. Ensure personnel under his supervision namely Technicians maintain a high standard or personal and work disciplines.
17. Maintain constant and effective communication with his superior, peers and subordinates.
18. Provide guidance and on-job-training to personnel under his charge to maintain desired quality and standard of work.
19. Act in the capacity of Engineering Maintenance Supervisor when required and/or called upon to do so and ensure proper hand-over is accomplished.
20. Cultivate a positive attitude and general respect for the compliance of industrial safety, health and environmental regulations, procedures and practices for personnel protection as well as company's interest.
21. Carry out any other duties assigned by immediate superior.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.6 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.5.7 AUTHORIZED TRADESPERSONS (ATP) (REGULATION 4.5.7)

A. Immediate Superior

1. Maintenance Manager

B. Main Responsibilities & Specific Functions

1. To perform aircraft maintenance related tasks as assigned to the best quality standards in a specific time frame whilst maintaining conducive working environment and observing safety and discipline in accordance with the company and relevant aviation authorities requirements.
2. All personnel performing 'hands on' maintenance on the state registered aircraft and ground support equipment must have an authorization from the SMM that specify their competency level in the relevant trade.
3. ATP must pass the assessment before considered fit to work on aircraft.
4. The ATP shall be formally re-assessed and re-authorized by the SMM once a year (12 months). The SMM has the authority to revoke ATP or allows ATP to continue performing maintenance works after the re-assessment and re-authorizing process. The re-assessment process is detailed in EPM 5-02 (Job Competence Assessment).
5. For those ATP that holds GAM Company Approval, EPM 3-01 (Issuance of Company Approval) shall be refers.
6. ATP competency assessment will be conducted by SMM or delegated MM with reference to EPM 5-02 (Job Competency Assessment). Relevant records and documentation shall be maintained accordingly.
7. Carry out aircraft components and equipment maintenance tasks efficiently.
8. Carry out and certify as required assigned tasks in accordance with the requirements of the MMP and EPM.
9. Communicate and liaise with MI/S or other relevant personnel to effect efficient maintenance actions.
10. Exhibit high standard and quality of maintenance work and corresponding certification (if applicable) in accordance with company and DGTA requirements.
11. Ensure high standard of engineering housekeeping and security in the place of work such as aircraft interior/exterior, hangar, workshops and other engineering maintenance areas.
12. Ensure technical instructions, manuals are in good condition and updated to current status when used.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.7 1 of 2

MAINTENANCE MANAGEMENT PLAN

13. Carry out any other duties assigned by any duly delegated superior.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.7 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.5.8 AIRCREW (REGULATION 4.5.8)

1. GAM does not possess any aircrew for this AMO certification as company only provides maintenance for the AS555SN Fennec helicopters. Aircrew are from the Royal Malaysian Navy (RMN) as State Aircraft Operator (SAO).

2. Only appropriately trained, qualified and authorised aircrew may perform defined maintenance. In this case, the maintenance defined as Ground Run and Maintenance Test Flight to the AS555SN Fennec they are authorized to operate. The aircrew shall declare that they are trained, qualified and authorized to conduct the defined maintenance.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.8 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.5.9 NON-TRADE PERSONNEL (REGULATION 4.5.9)

A. Scope

1. The SMM is allowed to authorize and employ Non-trade Personnel (NTP) to perform, specific maintenance tasks in GAM but under close supervision by Maintenance Inspector / Supervisor. SMM will define and specified the scope of maintenance work that he / she allows to carry out. Once he / she pass the assessment, he / she is considered fits to work on aircraft. The SMM shall re-assess and re-authorize the NTP every 12 months.

2. Each NTP shall be authorized for maintenance works with proper scope and level in his / her authorization letter. NTP is not authorized to perform any maintenance activities beyond the authorized scope. NTP is to be closely supervised by MM and MI/S.

3. Non-trade Personnel includes but not limited to, the following personnel:
 - a. Technical Record Personnel.
 - b. Technical Planning Personnel.
 - c. Technical Publication Personnel.
 - d. Tools Store Personnel.
 - e. Warehouse Personnel.
 - f. Apprentice/Trainee.

4. The considerations required when selecting maintenance tasks as being suitable for the application of non-trade labour include, but are not limited to, the following:
 - a. Task technical complexity,
 - b. Task training requirements,
 - c. Task competencies and currencies required,
 - d. Any associated security issues, and
 - e. Any environmental considerations.

5. Responsibilities and function of the Non-trade Personnel can be referred to EPM 5-01 (Terms of Reference of Engineering Personnel).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.9 1 of 2

MAINTENANCE MANAGEMENT PLAN

6. NTP competency assessment will be conducted by SMM in accordance with EPM 5-02 (Job Competency Assessment). Relevant records and documentation shall be maintained accordingly.
7. For any NTP that holds GAM Company Approval, he/she shall refer to related EPM for the scope of work.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.9 2 of 2

MAINTENANCE MANAGEMENT PLAN

4.5.10 HUMAN FACTOR IN MAINTENANCE (REGULATION 4.5.10)

1. GAM management will ensure that all maintenance staff in GAM should adequately understand Human Factors involving aircraft and aeronautical products. Therefore, maintenance related personnel are required to attend Human Factors training as part of human factor awareness program. Other human factor awareness program includes, but not limited to, awareness posters and briefing. This is to create an understanding and appreciation about their relationship with company procedures, with equipment and tools, and working environment, and also about their relationship with the other people in the team.
2. MI/S who is constantly involved in making maintenance decisions in the maintenance release and inspection works, must be aware of the human performance, capabilities, and limitations under various environmental conditions.
3. SMM, MM, MI/S and ATP shall be required to attend continuation training in Human Factors every two years. This course maybe conducted by company itself to inculcate the human factors awareness among company staff.
4. As a part of compliance to Malaysia Labor Law, working hours for the employees shall not exceed 12 hours per day and any arrangement for shift and duty rosters shall be take into account the rest day or period prior the shift or duty roster assignment. Any requirement for duty period extension shall be identified and authorized by Maintenance Manager. SMM shall ensure the Accountable Manager is aware of the need to work extended hours. All employees must be alcohol and drug free during working hours. This is to avoid performance impairment caused by fatigue, alcohol and drug.
5. All maintenance personnel shall be responsible to notify their immediate superior should they be or suspect any person of to be under influence of drugs or alcohol, physiological or psychological condition that may adversely affect the performance of their duties.
6. It is requirement for supervisors who identify a person whom they believe is impaired to immediately remove the person from the task at hand to ensure correct procedures are implemented for the return of tools, foreign object control and completion of maintenance documentation and to consider any requirement for checking work completed by the person.
7. The SMM has the authority to revoke the authorization for MM, MI/S, ATP and NTP if they are found psychologically and physiologically not suitable to carry out maintenance tasks in accordance with regulation 4.5.10.
8. Procedure for Human Factor training is detailed in EPM 3-11 (Human Factor Training).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.5.10 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.6.1 AMO FACILITIES (REGULATION 4.6.1)

1. GAM shall ensure the facilities;
 - a. Have an appropriate working space for the performance of maintenance within the assigned scope and level.
 - b. Assure that the AS555SN aircraft, aeronautical product and aircraft related equipment being maintained are kept secure and protected from any adverse environmental conditions.
 - c. Promote and protect the physical safety, efficiency and comfort of all the organisation's employees so as to not impair the quality of work performed or the ability for employees to safely and effectively perform their duties.
 - d. Have an adequate office accommodation for the effective management and planning of maintenance appropriate for the scoped activities.
 - e. Have an adequate protection of maintenance documentation, data, instructions and records to prevent deterioration.
 - f. Where required, have adequate segregation from other state-registered aircraft, aeronautical product and aircraft-related equipment and/or from other weapon systems being maintained and/or stored.

2. GAM facilities consist of:
 - a. The UniKL- MIAT facility for aircraft maintenance and management offices rendered for:
 - i. Maintenance Management.
 - ii. Planning.
 - b. The GAM's management office rendered for:
 - i. Quality.
 - ii. Warehouse
 - c. Hangar and Equipment.
 - i. The maintenance of the AS555SN Fennec will be carried out in UniKL- MIAT's Hangar.
 - Maintenance Bay for AS555SN Fennec.
 - Aircraft Starting Fire Extinguisher
 - Planning and Technical Record Office
 - Crew Rest and Standby Area
 - POL Cabinet

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	20 th May 2021
ISSUE:	1	AMENDMENT:	1	PAGE:	MMP 4.6.1 1 of 4

MAINTENANCE MANAGEMENT PLAN

- Tool Store

 - ii. GAM designated maintenance office provided by UniKL-MIAT is located at the middle of the hangar office facilities as per floor plan provided.
3. The above facilities have a common official contact at:


Hangar 2, UniKL-MIAT, Persiaran A,
Off Jalan Lapangan Terbang Subang,
47200 Subang,
Selangor Darul Ehsan.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	20 th May 2021
ISSUE:	1	AMENDMENT:	1	PAGE:	MMP 4.6.1 2 of 4

MAINTENANCE MANAGEMENT PLAN

UniKL-MIAT Hangar

A. GAM at UniKL Miat Hangar Floor Plan.



Legends:


- 1 AS555SN Fennec Maintenance Area
- 2 Crew Rest Area
- 3 AS555SN Fennec Maintenance Area

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	20 th May 2021
ISSUE:	1	AMENDMENT:	1	PAGE: MMP 4.6.1 3 of 4


MAINTENANCE MANAGEMENT PLAN

GAM HQ Office

A. Ground Floor Plan.



B. First Floor Plan.



DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	20 th May 2021
ISSUE:	1	AMENDMENT:	1	PAGE: MMP 4.6.1 4 of 4

MAINTENANCE MANAGEMENT PLAN

4.6.2 STORAGE FACILITIES (REGULATION 4.6.2)

- a. GAM's aeronautical warehouse located at GAM HQ facility and the warehouse is managed, controlled and regulated under GAM Part 145 approved organization by CAAM. The warehouse has been dedicated as a common store for both Civil and Stated registered aircraft.
- b. During office hours storage facilities are accessible only to Warehouse Personnel and locked at the other time.
- c. Consist of environmentally controlled bonded store for storing of parts and components, a segregated Quarantine storage and receipt and dispatch area. Storage facilities are maintained in clean, air conditioned and humidity controlled conditioned.
- d. Storage racks are strong enough to hold large components so that components are not distorted during storage.
- e. Wherever practicable, all aeronautical products should remain packaged in protective material and remain inhibited until ready for installation to minimize damage and corrosion during storage.
- f. A POL item storage at the cabin and located outside of GAM HQ Main Office for storage of fuel, grease and lubricants.
- g. All special tools and equipment for aircraft maintenance are located in a dedicated tools store.
- h. Procedures of store procedures and storage of aircraft component are detailed in the EPM 2-01 (Acceptance of Aircraft Components and Materials).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.6.2 1 of 1

MAINTENANCE MANAGEMENT PLAN

4.6.3 ALTERNATIVE FACILITY (REGULATION 4.6.3)

1. Subjected to the maintenance contract, the alternative facilities to conduct maintenance of the AS555SN Fennec and/or aeronautical products away from the main maintenance facility will be assessed first before being approved.
2. The alternative facilities to conduct maintenance of AS555SN Fennec and/or aeronautical products away from the main maintenance facility are as listed below:

Royal Malaysian Navy (RMN)

KD Rajawali (Sqn 502).
 Pangkalan TLDM,
 32100 Lumut,
 Perak Darul Ridzuan

and

at any other place of performance shall be mutually agreed in terms and conditions, when it is required and permissible by the Government/RMN.

3. Scope and Level of Maintenance at the Alternative Facility is not limited to contractual agreement and subjected to RMN request. The request shall be the request highlighted in the regular meeting with the RMN.
4. The alternative facilities are subjected to the on-site assessment which to be carried out by the Quality Department and shall only be used after approved by DGTA.
5. The assessment input shall be followed but not limited to the following criteria:
 - a. Basic facilities requirement such as hangar space, area to carry out compass swing and weight & balance, ground run activities, utilities, compressed air, GSE and etc.
 - b. Storage facilities i.e. unserviceable area, holding rack, tools store, consumable store, POL storage & etc.
 - c. Environmental issue i.e. waste disposal, waste storage, waste management.
 - d. Safety and security i.e. access to the maintenance area, storage area, fire protection, explosive ordinance requirements & etc.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.6.3 1 of 5

MAINTENANCE MANAGEMENT PLAN


- e. All findings shall be recorded and if any deficiency detected, facilities owner shall be notified. In the meantime, GAM shall take initiative to propose and provide countermeasure to ensure the maintenance activity could take place at the alternative facilities.
 - f. All records and related documentation for the alternative facilities assessment shall be forwarded to the Accountable Manager, facilities owner and shall be maintained accordingly.
6. Tools, equipment, ground service equipment and publication to be used for maintenance activities at RMN KD Rajawali facility is loan from the RMN in accordance with the RMN procedures.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 4.6.3 2 of 5

MAINTENANCE MANAGEMENT PLAN

Alternative Facility – RMN KD Rajawali Sqn 502 Hangar


A. Ground Floor Plan – Aircraft Operation and Maintenance.



DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 4.6.3 3 of 5

MAINTENANCE MANAGEMENT PLAN

B. First Floor Plan – RMN Administration Office.




DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 4.6.3 4 of 5

MAINTENANCE MANAGEMENT PLAN

Alternative Facility – GAM Lumut

A. GAM Main Office Lumut.



DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 4.6.3 5 of 5

MAINTENANCE MANAGEMENT PLAN

5.1.1 MAINTENANCE AUTHORITY (REGULATION 5.1.1)

1. GAM shall only operate as an AMO with a valid AMO certificate issued by DGTA.
2. The Letter of Maintenance Authority (LMA) issued by DGTA with each AMO certificate shall be considered a part of the certificate.
3. The LMA shall define the scope and level of activity for which the certificate is issued.
4. GAM shall be certified by the DGTA and authorized as Approved Maintenance Organisation (AMO) for maintenance of AS555SN Fennec and its aeronautical products by the MAO.
5. The DGTA AMO scope and level of maintenance activities are as follows:

No	Scope	Level
1.	AS555SN FENNEC	a) 1st Line Maintenance b) Scheduled Base Maintenance for AS555SN as per Airworthiness Limitation Section and Maintenance Schedule Manual (ALS & MSM) up to 144 months (calendar), 5400 hours (Hours), and 500 hours/72 months (Hours/Calendar), unscheduled maintenance, defect rectification, troubleshooting, preservation, Service Bulletin (SB) and Airworthiness Directive (AD) compliance, modification embodiment, component replacement, repair on the aircraft and its sub system. c) Excluding component overhaul which not included in the scope of Aircraft Maintenance Manual. Depot Line Maintenance activities will be carried out by the applicable MSN. d) Detail of the maintenance tasks are as in the Table 5.1.1 of this chapter. e) Local Manufacture of aeronautical products.
2.	Safran Helicopter Engine Arrius1A	a) Maintenance on the Arrius1A engine as per Chapter 5 of the Engine Maintenance Manual up to 1250 hours inspection including scheduled & unscheduled maintenance, preservation, defect rectification, troubleshooting, Service Bulletins (SB) and

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 5.1.1 1 of 4

MAINTENANCE MANAGEMENT PLAN

		<p>Airworthiness Directive (AD) compliance, modification embodiment and component replacement.</p> <p>b) Excluding engine and component overhaul. Depot Line Maintenance activities will be carried out by the applicable MSN.</p> <p>c) Detail of the maintenance tasks are as in the Table 5.1.1 of this chapter.</p>
--	--	---

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 5.1.1 2 of 4

MAINTENANCE MANAGEMENT PLAN

Table 5.5.1 – AS555SN FENNEC SCHEDULE INSPECTION

A. AIRFRAME SCHEDULE INSPECTIONS - HOUR INTERVAL

NO.	INSPECTION	REFERENCE
1	10 FH INSPECTION	ALS 04-20-00, MSM 05-20-01
2	20 FH INSPECTION	ALS 04-20-00
3	25 FH INSPECTION	ALS 04-20-00
4	30 FH INSPECTION	ALS 04-20-00, MSM 05-25-00
5	50 FH INSPECTION	ALS 04-20-00, MSM 05-25-00
6	100 FH INSPECTION	ALS 04-20-00, MSM 05-25-00
7	150 FH INSPECTION	ALS 04-20-00, MSM 05-21-01
8	200 FH INSPECTION	ALS 04-20-00
9	250 FH INSPECTION	MSM 05-25-00
10	300 FH INSPECTION	ALS 04-10-00, MSM 05-25-00
11	500 FH INSPECTION	ALS 04-20-00
12	600 FH INSPECTION	ALS 04-20-00, MSM 05-22-01
13	1200 FH INSPECTION	MSM 05-10-00, MSM 05-23-01
14	1800 FH INSPECTION	MSM 05-25-00
15	2400 FH INSPECTION	MSM 05-25-00
16	5400 FH INSPECTION	MSM 05-25-00

B. AIRFRAME SCHEDULED INSPECTIONS - SPECIFIC INTERVAL

NO.	INSPECTION	REFERENCE
1	50 FH // 6 M INSPECTION	ALS 04-20-00
2	150 FH // 3 M INSPECTION	MSM 05-25-00
3	150 FH // 6 M INSPECTION	MSM 05-25-00
4	150 FH // 12 M INSPECTION	MSM 05-21-00
5	500 FH // 24 M INSPECTION	ALS 04-20-00, MSM 05-25-00
6	600 FH // 6 M INSPECTION	MSM 05-25-00
7	600 FH // 24 M INSPECTION	MSM 05-11-00, MSM 05-22-00
8	600 FH // 36 M INSPECTION	MSM 05-25-00
9	1200 FH // 24 M INSPECTION	MSM 05-25-00
10	1200 FH // 48 M INSPECTION	MSM 05-23-00
11	1800 FH // 72 M INSPECTION	MSM 05-25-00
12	2400 FH // 72 M INSPECTION	MSM 05-25-00
13	2500 FH // 48 M INSPECTION	MSM 05-25-00
14	2500 FH // 72 M INSPECTION	MSM 05-25-00
15	3000 FH // 72 M INSPECTION	MSM 05-25-00
16	5000 FH // 72 M INSPECTION	MSM 05-25-00
17	3000 FH // 60000 TC	ALS 04-20-00

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 5.1.1 3 of 4

MAINTENANCE MANAGEMENT PLAN

C. AIRFRAME SCHEDULED INSPECTIONS - CALENDAR INTERVAL

NO.	INSPECTION	REFERENCE
1	7 D INSPECTION	MSM 05-25-00
2	1 M INSPECTION	MSM 05-25-00
3	3 M INSPECTION	MSM 05-25-00
4	6 M INSPECTION	MSM 05-25-00
5	12 M INSPECTION	MSM 05-11-00, MSM 05-21-02
6	24 M INSPECTION	MSM 05-11-00, MSM 05-22-02
7	30 M INSPECTION	MSM 05-25-00
8	48 M INSPECTION	MSM 05-25-00, MSM 05-23-02
9	5 Y INSPECTION	ALS 04-10-00, MSM 05-10-00, MSM 05-11-00, MSM 05-25-00
10	72 M INSPECTION	MSM 05-25-00
11	144 M INSPECTION	MSM 05-24-02

D. ENGINE SCHEDULED INSPECTIONS

NO.	INSPECTION	REFERENCE
1	100 FH INSPECTION	EMM 05-20-10-201-820-A01
2	150 FH INSPECTION	EMM 05-20-10-201-825-A01
3	500 FH INSPECTION	EMM 05-20-10-201-846-A01
4	600 FH INSPECTION	EMM 05-20-10-201-850-A01
5	1250 FH INSPECTION	EMM 05-20-10-201-866-A01
6	600 FH // 24 M INSPECTION	EMM 05-20-10-201-850-A01

E. ENGINE CCP PROGRAM

NO.	INSPECTION	REFERENCE
1	ENGINE RINSING	EMM 71-01-00-610-801-A01
2	ENGINE WASHING	EMM 71-01-00-610-801-A01
3	ENGINE CLEANING	EMM 71-01-00-610-801-A01
4	ENGINE INTERNAL PROTECTION	EMM 71-01-00-610-802-A01
5	ENGINE EXTERNAL PROTECTION	EMM 71-01-00-610-801-A01

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 5.1.1 4 of 4

MAINTENANCE MANAGEMENT PLAN

5.1.2 PUBLICATIONS, INSTRUCTIONS, ORDERS AND DATA (REGULATION 5.1.2)

1. An AMO needs to have access to all the information required to conduct maintenance to the scope and level to which it is certified. That information will be located in publications, instructions, orders or other data repository (for example, electronic media). Valid authorisation for its use needs to be ensured through effective ongoing management.
2. GAM is obliged to perform maintenance on state registered aircraft, aeronautical products and aircraft-related equipment in accordance with DAR and relevant OEM approved technical publications, instructions, orders and data. The AMO needs to ensure that any information authorised by DAR or the relevant OEM is applicable to its authorised scope and level.
3. The term Technical Publications is interpreted to include all technical information including specifications, drawings and Technical Publications, produced in any format such as hard copy, soft copy, compact disc, microfilm and videotape.
4. All maintenance work performed by GAM on aircraft and related component shall be carried out in accordance with approved and up to date data applicable to authorized scope and level of maintenance. All the data used for maintenance shall be authorised by DAR or OEM and approved by DAR before use.
5. SMM shall ensure the Technical Library receive, update and distribute all the applicable Technical Publications. The data shall be received from DAR and/or OEM.
6. A Publication Master List (GAM/E-020) shall be maintained where it will record the details for all technical publication available in GAM. The list shall contain, as minimum, the publication reference, title, amendment no, amendment date, source and location. The list shall be approved by SMM and must tally with the physical holding and adequate for AMO scope and level at all time.
7. All relevant manufacturers and vendors' manual, notices and other literatures necessary for the satisfactory functioning of the maintenance must be available, complete and in sufficient quantities for the easy reference of all concerned.
8. Maintenance Managers are responsible for the following:
 - i. Maintain an up-to-date Publication Master List (GAM/E-020) of all technical references held in their respective section.
 - ii. Ensure the receipt of the publications from the Technical Publications Section and perform frequent check for the current status of Technical Publications against the Master List.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.2 1 of 2

MAINTENANCE MANAGEMENT PLAN

- iii. Ensure that necessary and prompt corrective actions are taken for technical references found not current or of latest update.
 - iv. For any inaccurate, incomplete or ambiguous procedure, practice, information or maintenance instruction found in maintenance technical publication, Senior Maintenance Manager should be formally informed.
9. All Technical Publication shall be check frequently for availability of revision.
 10. An audit to confirm the status of all technical data held by Maintenance Department shall be carried out by the QM.
 11. Maintenance documentation prepared by Technical Records Department is subjected to Surveillance/Audits in respect of approved capabilities, facilities, equipment, appropriate skills and certification procedures.
 12. All approved publication and maintenance data for the helicopter AS555SN Fennec are controlled and updated in Publication Master List (GAM/E-020).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.2 2 of 2

MAINTENANCE MANAGEMENT PLAN

5.1.3 FOREIGN SOURCE DATA (REGULATION 5.1.3)

1. FSD is any data that has been acquired from sources other than DAR or OEM. Foreign source data may include, but are not limited to, manufacturer's handbook, user/operator guides, engineering drawings, instructions used by other in-services organization and foreign military forces and government regulations.
2. If there is need to use foreign source data, the data should be identified and controlled according to the company procedures.
3. When there is requirement, SMM shall submit the FSD to DAR for approval prior to use by GAM.
4. Procedure for foreign source data is detailed in EPM 4-01 (Technical Publication Control).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.3 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.4 MAINTENANCE PROCEDURES (REGULATION 5.1.4)

- a. GAM shall only use approved and suitable maintenance procedures which are relevant with company's scope of maintenance which shall be in line with AEO requirements (if applicable).
- b. Any deficiencies or deviation to the maintenance procedures due to facility differences or unique local constraint shall be approved by DAR prior to implementation.
- c. The SMM may issue instructions, orders or memoranda for the amplification and guidance to maintenance procedures within the AMO, provided such amplification or clarification does not constitute a Design Change.
- d. Nevertheless, GAM has established EPM 4-03 (Approved Publication Discrepancy), which details out the locally developed maintenance procedure to ensure the efficiency of maintenance activity.
- e. SMM may authorize local procedures which being generated to clarify the approved maintenance procedures as long as it does not constitute a design change. Any local maintenance orders shall be drafted and reviewed by appropriate person identified by SMM and authorized by SMM prior to use the orders.
- f. All maintenance policies, procedures and plan shall be identified and controlled according to company procedures.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.4 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.5 MAINTENANCE CERTIFICATION (REGULATION 5.1.5)

1. ATP shall accurately and progressively document all maintenance work which had been performed i.e. in work order, work sheet and technical log. For the maintenance work which involves a number of steps and take longer time to be completed, progressive certification is required where ATP shall place their initial, approval stamp and appropriately dated upon work performed.
2. All entries in the maintenance records shall be made in legible ink, where cursive writing is not allowed.
3. Upon completion of the task, MI/S shall certify the work performed by document his initial/sign, approval stamp and appropriately dated.
4. The list of ATP and MI/S signature and MI/S stamps had been maintained accordingly by the company.
5. The respective MI/S shall ensure that all certifications had been referred to applicable technical instruction which had been used during maintenance. For any maintenance task which involves tolerance, dimension and test figures, record of the value shall be available in relevant documentation and being certified accordingly.
6. For MI/S responsible to certify aircraft or component to release shall ensure the following:
 - a. All required maintenance had been completed and certified accordingly.
 - b. For any deferred maintenance, it had been complied with EPM 1-11 (Defect Deferment - ADDs).
 - c. The aircraft or aeronautical product is in an approved configuration.
 - d. All relevant documentation had been completed and compiled including the work package, relevant forms, serviceable label (GAM/E-005), CoC / EASA Form 1, reports and etc.
 - e. All tools and test equipment used during maintenance had been removed from the aircraft or aeronautical product and/or accounted for.
7. Where an authorized person is responsible for supervising a person under training, the authorized person shall accept full responsibility and certify the maintenance performed.
8. Failure by an individual to comply with the requirements and procedures may result in the withdrawal of the approval from the individual.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.5 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.6 INDEPENDENT MAINTENANCE INSPECTION (REGULATION 5.1.6)

1. Independent Maintenance Inspection is also known as Duplicate Inspection. The Duplicate Inspection is required after initial assembly or disturbance of safety-critical items (i.e adjustment, overhaul, repair, modification or replacement of any part of flight or engine control system).
2. Where Vital Points have been identified and listed in maintenance document for the aircraft, such points shall be subjected to Duplicate Inspection following initial assembly or any disturbance.
3. Duplicate inspection shall be recorded and certified by appropriate Approval Holder on maintenance work documents such as Tech Log, Work Cards, Worksheets and etc. After the duplicate inspection is certified, a Certificate of Release to Service shall be signed which relates to the work that required the duplicate inspection.
4. Only authorised personnel who has not been involved in the maintenance task being inspected shall perform Independent Maintenance Inspections.
5. Example of tasks that requires Duplicate Inspection are:
 - a. Flying controls and associated equipment.
 - b. Engine controls and associated equipment.
 - c. Undercarriage controls, brake and steering controls and controls and associated equipment.
 - d. Installed airborne oxygen equipment.
 - e. Aircrew escape and survival equipment.
 - f. Explosive ordnance and associated equipment.
 - g. As stipulated in respective approved Aircraft Maintenance Manual/Component Maintenance Manual or any other approved maintenance manual.
6. In this context, duplicate inspection shall include inspection to ensure:
 - a. Full, free and correct movement of controls is obtained throughout the system relative to movements of the crew controls.
 - b. All items are correctly assembled, adjusted and locked.
 - c. Free from FOD.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.6 1 of 2

MAINTENANCE MANAGEMENT PLAN

7. Control system subject to duplicate inspection must not be disturbed again or re-adjusted after the first part of duplicate inspection has been certified. The second part of duplicate inspection must be carried out immediately after the first part.
8. In some circumstances, due to peculiarities of assembly, it may be necessary for both parts of duplicate inspection to be made simultaneously.
9. If a control system is disturbed after completion of duplicate inspection that part which has been disturbed shall again be inspected in duplicate before flight.
10. Duplicate inspection shall be the final operation to establish integrity of control system when all work has been completed.
11. The procedure for the Independent Maintenance Inspections/ Duplicate Inspection is stipulated in EPM 1-01 (Independent Maintenance Inspection). SMM shall specify additional Independent Inspection/Duplicate Inspection as required in the systems that they are maintaining.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.6 2 of 2

MAINTENANCE MANAGEMENT PLAN

5.1.7 MAINTENANCE OF AIRCRAFT DURING THE PERIOD OF OPERATION (REGULATION 5.1.7)

1. Maintenance shall only be performed on aircraft after aircraft captain has released the aircraft in which means that when aircraft is no more operating (aircraft captain had signed off for the aircraft).

2. However, minor maintenance is allowed to be performed (during the 'Period of Operation' i.e while aircraft is being operated by aircrew or already accepted by them provided that maintenance procedure is authorized by the SMM or DAR, the maintenance that is to be performed is authorized by the aircraft captain and SMM specify and documents/ the types of maintenance tasks that are permissible during the period of operation.

3. The SMM shall document the maintenance tasks that are permissible during that operation which does not enjoy the safe airworthiness safeguards.

4. Maintenance task that can be carried out during period of operation can include but not limited to:
 - a. Minor maintenance tasks identified during aircrew walk around.

 - b. Minor maintenance tasks that are necessary during operational check prior to, or during flight.

 - c. Correction of unserviceability identified in flight that can be rectified without adversely affecting technical airworthiness or compromising safety.

 - d. Lubrication and servicing which does not involve secondary dismantling other than opening and securing access panel.

 - e. Pre-flight and End of Day inspection i.a.w Flight Manual requirement.

 - f. Aircraft refueling.

 - g. Rectification of defect recorded by Flight Crew in Aircraft Technical Log.

 - h. Minor maintenance where complexity is straight forward, and routine and no secondary dismantling is required other than:
 - i. Opening and securing access panel.

 - ii. Disconnecting and reconnecting of cabling.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.7 1 of 2

MAINTENANCE MANAGEMENT PLAN

- iii. Unfastening and refastening of standard quick release fittings where incorrect assembly is easily detected, or design precludes incorrect assembly.

- 5. Every procedure for maintenance that needs to be carried out during period of operation must be prior approved by SMM or DAR.

- 6. Maintenance is to be carried out by authorized personnel by SMM.

- 7. The needs of maintenance had been identified and acknowledge by SMM.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.7 2 of 2

MAINTENANCE MANAGEMENT PLAN

5.1.8 FOREIGN OBJECT CONTROL (REGULATION 5.1.8)

1. Foreign Object Damage (FOD) is a general term which applies to all loose objects which are a danger to the safety and integrity of an aircraft and which, therefore, must not be left in any area so as to constitute a hazard. The list of FOD items most frequently found on the apron is long and principally includes: -
 - a. Plastic and paper bags/sheets, rags, empty oil and hydraulic fluid cans, empty soft drink cans, nuts and bolts, tools and equipment, luggage wheels and tags, metal cutlery, burst ballast bags, broken wooden items and miscellaneous rubbish.

2. The presence of FOD is due mainly to the carelessness of staff and their lack of understanding of the consequences.

3. GAM maintenance personnel are responsible for taking adequate measures to ensure the safety of aircraft, vehicles and persons using the aprons. A fundamental element of the safety effort is to maintain the aprons in a clean condition and free from obstructions.

4. Foreign objects are regularly deposited on the Movement Area and it is essential that all personnel understand the danger to flight safety that such objects represent. Foreign objects may be ingested into aircraft engines causing damage leading to engine failure, which is especially critical if it occurs in flight, particularly if it occurs during the take-off phase. At best, such damage leads directly to premature engine removal and replacement. In addition, damage caused by foreign objects can occur to tires and undercarriages, control systems and other parts of the airframe. All such damage could lead to in-flight failures and inevitably requires expensive repairs to be made. All foreign objects are a threat to aircraft safety.

5. Every individual has responsibility to ensure that the risk of damage to aircraft from FOD is minimized. Any items of FOD found by a staff member in the course of their work should be removed. An item of FOD seen in an area that a staff member is not authorized to enter should be brought to the attention of Maintenance Manager.

6. Training/Briefing/Awareness.
 - a. Training/Briefing/Awareness on FOD prevention shall be provided to all employees.

7. Housekeeping.
 - a. "Clean-As-You-Go" is the on-going practice which removing Damage during modification, operation, maintenance on/in the aircraft, part,

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.8 1 of 3

MAINTENANCE MANAGEMENT PLAN

component or engine to ensure the product is FOD free. “Clean-As-You-Go” shall be enforced throughout the company.

- b. Maintaining clean and neat working area. Work Damage shall be removed during daily cleanup at the end of each shift. This includes floor sweeping, cleaning work benches, machinery and equipment.
- c. All loose objects either on ramp, maintenance stand and support equipment shall be secured.
- d. Proper disposal containers shall be placed near the work area.
- e. All potential FOD or lost items shall be reported to immediate supervisor or management for further action to be taken. For lost items, cease activity in affected area, continue with thorough search until the item is found or adequate assurances are made that the item is not in the area.

8. Material handling, packaging, shipping and storage.

- a. Warehouse personnel shall perform receiving inspections on all material and parts received. This is to ensure items were not damage during shipping, items are properly packaged, preserved and properly identified. Proper storage, identification and preservation of all material waiting to be issued to maintenance.
- b. Materials to be used in the packaging, shipping, and storage, of the parts shall be clean and free of contamination.
- c. All items, assemblies and components which are subject to foreign object intrusion after removal shall have fittings, ports or opening properly capped or covered with protective devices (caps, plus, protector). Whenever required, these items will be preserved to prevent corrosion or deterioration.
- d. All removed items shall be properly tagged and stored in designated area to prevent damage by physical contact or contamination.
- e. All removed, overhauled or new items shall be inspected prior to installation for FOD and contamination. Removal/installation documentation to track items.

9. Tool control and accountability.

- a. Tool loan out/in shall be recorded for traceability.
- b. Personal tools shall be identified by unique marking system.
- c. Easy detection for missing tools i.e. shadow board in tool boxes.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.8 2 of 3

MAINTENANCE MANAGEMENT PLAN

- d. Keeping toolbox inventories and checking for tools daily.
 - e. Immediate notification to superior upon lost tool or discovery of lost tools.
10. Whenever there is an incident which suspected to cause by FOD, Quality Manager shall be immediately informed, and all maintenance work related to the aircraft or component shall be stopped. Aircraft or component shall be quarantined until the investigation completed and aircraft or component release for repair/rectification.
 11. Thorough FOD incident investigation shall be carried out to prevent recurrence by identifying and eliminating the root causes. The causes of the damage shall be determined and any maintenance practices or procedures which may contribute to the incident shall be highlighted.
 12. Findings in the investigation report shall be highlighted to management and shall be followed up accordingly. Necessary changes shall be implemented to FOD Prevention Program if required.
 13. Procedure for foreign object control is further detailed in EPM 1-07 Cleanliness of Aircraft (FOD Control).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.8 3 of 3

MAINTENANCE MANAGEMENT PLAN

5.1.9 SAFETY (REGULATION 5.1.9)

A. GAM Safety Policy

1. GAM is committed to provide and maintain a safe work environment for all employees and all other persons on site. Safety is of primary importance in conducting GAM day-to-day operations. In conducting its activities, process and services, GAM shall:
 - a. Regard safety as prime consideration at all times.
 - b. Apply Human Factor principles.
 - c. Encourage personnel to report maintenance related errors/incidents.
 - d. Recognize that the compliance with procedures, quality standards, safety standards and regulation is the duty of all personnel.
 - e. Recognize the need for all personnel to cooperate with Quality Auditors.
 - f. Comply with all applicable Malaysian Health, Safety and Environment legislations.
 - g. Establish and adhere to procedures to identify, evaluate and control or eliminate safety hazards.
 - h. Provide necessary safety training to all employees.

Note : Detail of safety policy refer to the SMS Manual (GAM/CAAM/SMS).

B. Personnel Protection Equipment (PPE)

1. Company will provide basic PPE such as safety shoe, marshalling vest and ear defender for each maintenance staff. Goggle, mask and glove also being made available to be used.
2. Any specific PPE which to be used for specific maintenance activity shall be provided upon request from maintenance.

C. Material Safety Data Sheet (MSDS)

1. All chemical, hazardous, flammable materials to be used for maintenance work shall be accompanied with material data sheet.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.9 1 of 2

MAINTENANCE MANAGEMENT PLAN

2. Therefore, all activities involve the materials i.e. storage, handling, usage, precautions, PPE to be used and others shall be carried out according to the information given in Material Safety Data Sheet.

D. Safety Procedure During Aircraft Maintenance

1. During aircraft maintenance, all maintenance staff shall adhere to the safety precautions highlighted in the Aircraft Maintenance Manual and other applicable publications or documentations.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.9 2 of 2

MAINTENANCE MANAGEMENT PLAN

5.1.10 RESERVED

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.10 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.11 CARRIED FORWARD UNSERVICEABILITY (REGULATION 5.1.11)

1. Although an aircraft should be completely serviceable at all times, many systems and structures are duplicated, or have built in redundancy. In the process of maintaining an aircraft or Configuration Item (CI) operational commitment sometimes necessitate maintenance actions or rectification to be deferred/delayed/carry forward for a limited period of time. The aircraft manufacturer recognizes this and make provision for an aircraft to fly for limited periods with inoperative system, under strictly defined conditions.
2. Maintenance CFU, which are recorded and controlled within the maintenance control system at the Maintenance Base.
3. SMM in conducting aircraft and/aeronautical products maintenance is allowed to perform CFU. CFU shall be assessed from both technical and operational perspective/considerations. Defect which considered cannot be cleared shall be entered in front of Technical Log defer defect sheet and filled up Carried Forwards form/Deferred Defect Record.
4. For all CFU which affects the handling and/operational characteristics of an aircraft, the SMM or his authorized personnel shall obtain an operational endorsement from appropriate authorized aircrew representative prior to approving CFU.
5. All CFU shall be approved by the SMM or in the absence of SMM, the MI/S shall approve the CFU in accordance with the Acceptable Deferred Fault Log (Part 2 and Part 3) endorsed by DAR.
6. The SMM/authorized personnel by SMM is responsible for ensuring all defects are rectified or, where rectification action cannot be completed and the defect is suitable, transferred to CFU's prior to completion of the maintenance input. All work carried out to rectify defects will be certified by the issue of CRS in the appropriate categories.
7. In the occasion of insufficient access to technical data and/information pertaining to the technical unserviceability and to ensure the decision made is adequate and correct, the DAR and OEM advise shall be obtained before approving any CFU.
8. Control of CFU`'s is the responsibility of the SMM responsible for the maintenance will ascertain if the defect is suitable for carrying forward to a future input, and the length of time, within limited boundaries, the deferment may be given. The final authority of the CFU, (the person authorising its issue), will be the person issuing the CRS for the maintenance input.
9. SMM is the person who will co-ordinate with Planning and ensure materials and equipment are available for a prescribed maintenance input.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.11 1 of 2

MAINTENANCE MANAGEMENT PLAN

10. SMM shall perform CFU within the AMO with the defined scope. SMM may also authorize STI to be deferred as a CFU (for e.g. in the absence of spares) provided the DAR allows in writing in the STI itself.
11. For the benefit to aircrew during their acceptance of the aircraft prior to flight, all CFU are to be filled up/recorded and made visible to the aircrews and the decision to defer the said maintenance tasks CFU shall be annotated in the respective sections in the aircraft logbook and etc.
12. SMM needs to personally and regularly review all CFU decision to ensure all CFU decision and limitation is correct and appropriate. Then he/she is to ensure that the correct process has been followed and CFU are rectified as soon as possible and within the time period defined in the approved CFU.
13. Work packs are raised for each maintenance input, which include all scheduled maintenance, special checks and any CFUs planned to be action during the input. Work packs have an index sheet, which lists the contents of the pack. Worksheets raised during a maintenance input will be recorded on the maintenance certificate sheet prior to the recording of the defects.
14. On completion of maintenance input the responsible supervisor will ensure all scheduled requirements have been done and that all defects are certified prior to releasing the aircraft for service.
15. Any CFU's are raised on Acceptable Deferred Fault Log which is passed to the SMM for control. When planned for accomplishment the SMM will ensure the CFU is issued with the relevant work pack.
16. A register is maintained of CFU's raised, which provides a record of all CFU's and enables the issue of a serialized number, which is unique to each CFU.
17. All completed documentation is stored in the technical records and eventually in the archive store.
18. Procedure for carried forward unserviceability is detailed in EPM 1-11 (Defect Deferment - ADDs).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.11 2 of 2

MAINTENANCE MANAGEMENT PLAN

5.1.12 MAINTENANCE TEST FLIGHTS (REGULATION 5.1.12)

1. Maintenance Test Flights shall be carried out whenever a flight safety critical item is changed, adjusted or maintained or it is defined in the Aircraft Maintenance Manual and etc. Example: Replacement/installation of new engine, its adjustment which could not be confirmed/proven during the maintenance ground run and etc. The maintenance test flights shall also be carried out if it is called for in the manual.
2. GAM shall provide pilot with DAR and/or ASR or OEM approved maintenance test flight schedule documentation covering the range of applicable functional tests and checks.
3. A requirement of maintenance test flights shall only be generated to verify the performance of an aircraft and aircraft system after successfully completion of workshops test, bay tests and maintenance ground run.
4. Upon completion of maintenance task, a CRS shall be signed off by the appropriate MI/S. The aircrew shall be provided with the approved maintenance test flight schedule/pro-forma which shall covers all the applicable range of functional tests and checks. Crew notification request shall be submitted to SAO and to confirm the appropriately qualified pilots are performing the maintenance test flights.
5. Appropriate MI/S is authorized to conduct MTF as Flight Test Maintainer if required (i.e. track and balance). The authorisation management of personnel that capable to conduct MTF as Flight Test Maintainer is stated in the Company Approval Certificate (GAM/Q-013).
6. Procedure for maintenance test flight is detailed in EPM 1-03 (Flight Test) and EPM 1-13 (Aircraft Marshalling).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.12 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.13 MAINTENANCE GROUND RUNS (REGULATION 5.1.13)

1. Maintenance ground runs shall be performed, unless specifically stated otherwise by the DAR, when the safe, full or partial correct operation of an aircraft or aeronautical product needs to be proven serviceability before the aircraft or aeronautical product is returned to service or cleared for a maintenance test flight.

2. Maintenance ground runs shall be performed in accordance with DAR or OEM approved procedures and shall only be performed by competent and authorised personnel.

3. As AS555SN is a rotary wing aircraft, GAM is not authorized to conduct any maintenance ground run on the aircraft. For the purpose of conducting Maintenance Ground Run, the appropriately qualified pilots will be officially requested through RMN office. Only personnel qualified on the aircraft type and authorised by the SMM may conduct installed engine runs for maintenance purposes.

4. Procedure for performance of AS555SN maintenance ground run is detailed in EPM 1-02 (Ground Running Procedure) and EPM 1-13 (Aircraft Marshalling).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.13 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.14 AIRCRAFT GROUND HANDLING (REGULATION 5.1.14)

1. All maintenance personnel who conduct aircraft ground handling processes are trained and certified by Safety Department. Only qualified and certified personnel are permitted to conduct aircraft ground handling operations.
2. The following are general safety precautions that shall be observed before ground handling aircraft commences:
 - a. Towing passage must be clear of any obstructions.
 - b. Towing equipment - tractor, tow bar, towing wheels must be in serviceable condition.
 - c. Center of gravity of aircraft should be known to ensure that there is sufficient weight on nose/tail Wheel and ballast installed as applicable.
3. The SMM shall ensure that only marshalling signals approved and specified by DAR are used in accordance with RMN procedure.
4. SMM shall ensure procedures and equipment approved by the DAR are used when ground handling aircraft.
5. Reference should be made to respective Maintenance Manual for specific precaution, permissible towing angles/loads, requirements and limitations.
6. As for aircraft ground handling processes, all procedures are stipulated in the EPM 1-04 (Towing and Parking) and EPM 1-13 (Aircraft Marshalling).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.14 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.15 STANDARD REPAIRS (REGULATION 5.1.15)

1. Standards repairs are those standard repairs works of aircraft or Aeronautical Product which are to be carried out are based on approved maintenance publication by Original Equipment Manufacturer (OEM), Standard / Structure Repair Manual (SRM).
2. Standard repairs are repairs which were already defined and documented in the SRM. The standard repairs to primary and secondary structures should always need to be notified to the relevant DAR as could potentially affect future changes, modification and any repairs in the adjacent area.
3. Where damage has occurred to an aircraft either due to an accident as a result of wear, corrosion or failure, it may be possible to carry out a repair to the damaged area. All such repairs require investigation into the level of damage and the extent of the required repair.
4. In all cases the repair process should aim to return the aircraft to a serviceable condition by the quickest means, balanced by cost effectiveness.
5. All the standard repair details/information shall be forwarded to the DAR. Standard repair details forwarded to the DAR should include as a minimum:
 - a. Aircraft or aeronautical product identification/serial number.
 - b. Details of the damage (including location).
 - c. Details of the repair carried out.
 - d. Relevant structural repair manual authorising the repair.
 - e. Date of repair.
 - f. Details of any other previous repairs removed or altered during the repair.
6. GAM does not hold design approval for this aircraft type. All repairs are certified under the Company's approval by individual engineers under their personal authorisations using manufacturers' Structural Repair Manuals, or Approved Repair Scheme obtained from any other design organisations approved by the DGTA.
7. Approval of repairs rests with the approved source of the repair, and records of all repairs are kept with the aircraft records. Repair manuals are controlled publications under the Technical Library.
8. Worksheets will be completed for all repairs detailing the work carried out, stage by stage, with inspections being certified for each stage and area as completed. The worksheets will cross refer to the repair drawings and detail any special requirements or processes, with certificates attached from any contractors/ subcontractors.
9. Inspection and control of repairs is the same as any other maintenance action.
10. Standard repair procedure is detailed in EPM 1-05 (Repair Procedure).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.15 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.16 MODIFICATIONS (REGULATION 5.1.16)

1. During the life of an aircraft or aeronautical product, operational or logistical factors will arise that require the development and incorporation of modifications. Modifications are changes made to particular aircraft, including its components, engines, radio apparatus, accessories, instruments, equipment, and their installation. Substitution of one type for another when applied to the aircraft is considered to be a modification as well.
2. A modification to the aircraft, engines and its subsystems directly from the OEM shall be in the form of Service Bulletin.
3. A modification produce locally shall be developed by an approved AEO and the data package approved by DGTA.
4. Any modification proposal including SB either Mandatory or Optional in nature will be submitted to DAR through SMM for approval. The format required when forwarding modification proposals to the relevant DAR should facilitate the capture of all of the information necessary to fully disclose the modification. The minimum information required should include the reason for the proposed modification, publication references, the item/area being modified, the manufacturing process (where applicable), materials used and a detailed description and/or drawing of the proposed change.
5. Incorporation of modifications shall be documented in accordance with MMP 5.2.2 (Maintenance Records and Documentation).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.16 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.17 WEIGHT AND BALANCE (REGULATION 5.1.17)

1. SMM shall ensure that aircraft are weighed in accordance with OEM Maintenance Manual with serviceable and calibrated weighing equipment.
2. SMM shall ensure all the information on aircraft weight and balance is accurate and updated.
3. SMM shall transfer all pertinent weight and balance details in aircraft record.
4. Aircraft shall be weighed whenever:
 - a. After any maintenance or modification which is significantly alter the aircraft weight and Center of Gravity (C of G).
 - b. As requested by DAR.
5. The details of Weight and balance information shall be forwarded to DAR accordingly.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.17 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.18 ADHOC NON-DESTRUCTIVE TEST (REGULATION 5.1.18)

1. During the course of maintenance, serviceability assessments may require the application of Non-Destructive Test. Non-Destructive Test is the development and application of technical methods to examine materials or components in ways that do not impair serviceability.
2. GAM AMO capable to perform NDT limited to Dye Penetrant Method only and the application within the Maintenance Manual limitation.
3. Other methods of NDT i.e., X-ray, Eddy Current, Ultrasound, Magnetic Particle Test services will be sourced out to an Approved MSN whenever required.
4. The NDT procedure for the methods in para 3 if arise, shall be obtained from the OEM or approved AEO either for once-off or on-going basis.
5. The procedure shall be approved by SMM prior to implementation.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.18 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.19 NON-STANDARD REPAIRS (REGULATION 5.1.19)

1. Non-standard repairs are repairs that are not documented in the approved maintenance publications or instructions and will require design approval, design acceptance and incorporation approval by the relevant DAR prior to incorporation. The application of Aircraft Battle Damage Repair during peacetime is also considered as non-standard repair.
2. Aircraft and aeronautical product may incur damage or malfunctions for which there is no standard repair scheme.
3. When the situation occur, SMM shall request for a repair scheme from the DAR or shall obtain DAR approval for a proposed repair scheme.
4. For Primary and secondary aircraft structure and Safety critical items or systems, the OEM or appropriate AEO approved repair scheme only shall be used.
5. The fabrication of parts GAM can only fabricate a restricted range of parts to be used in the course of undergoing work within its own facilities.
6. Prior to any non-standards repair to be incorporated, SMM shall ensure the maintenance data has been approved by DAR with all the information about the design details of non-standard repairs obtained either from OEM/AEO or a repair scheme developed by the AMO itself.
7. The maintenance data needs to contain the following information:
 - a. Aircraft or aeronautical product identification/serial number.
 - b. Details of the damage, including location.
 - c. Relevant maintenance publication that make reference to damaged area.
 - d. Details of proposed repair scheme.
8. SMM shall ensure all repair documentation is retained accordingly.
9. All approved design package and documentation shall be maintained in accordance with MMP 5.2.2 (Maintenance Record and Documentation).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.19 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.1.20 CONTINGENCY MAINTENANCE AND AIRCRAFT BATTLE DAMAGE REPAIR **(REGULATION 5.1.20)**

1. Not applicable since it is the responsibility of the RMN.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.1.20 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.2.1 MAINTENANCE RECORDS AND DOCUMENTATION REQUIREMENTS (REGULATION 5.2.1)

1. All maintenance tasks carried out on aircraft and aeronautical products shall be properly documented and recorded.
2. All maintenance entries in maintenance records shall be done by authorized personnel with reference to the approved maintenance data and using correct & serviceable tools and equipment.
3. Occasions and prerequisites when entries may be made into maintenance documentation and records. The circumstances are:
 - a. Annotation of maintenance that is due.
 - b. Certification of maintenance done.
 - c. Recording of Carried Forward Unserviceability.
 - d. Certification of serviceability of an aeronautical product.
 - e. Release of an aircraft from maintenance.
 - f. Recording of flying hours, cycles, fatigue and other life accumulation readings.
4. SMM shall ensure entries in any maintenance documentation and records describing unserviceable conditions shall ensure that all entries contain of minimum information such as:
 - a. Accurate and concise description of defect or unserviceable condition.
 - b. The name and signature of the person making entry, date and approval stamp.
 - c. The date and time the unserviceable condition was entered.
5. Upon completion of maintenance, it shall describe:
 - a. Activity, corrective action or rectification taken.
 - b. Applicable reference for the rectification.
 - c. Certification had been carried out as specified in MMP 4.2 (Maintenance Certification).
6. The SMM shall ensure that the maintenance documentation and records contain sufficient detail to show the make, model, identification number and/or serial number of the aircraft.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.2.1 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.2.2 ELECTRONIC RECORDS (REGULATION 5.2.2)

1. Not applicable since all records are maintained and kept in hard copy/paper format.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.2.2 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.2.3 RETENTION AND REVIEW OF MAINTENANCE DOCUMENTATION & RECORDS. **(REGULATION 5.2.3)**

1. Technical Record Department will determine all the aircraft documentation and records. Paper record keeping system are stored in a safe manner to ensure free from deterioration with regard to fire, flood, theft, and unauthorised access in the suitable storage media.
2. All the records shall be kept in company archives and any other department authorized by Quality Department.
3. All the records shall be made available for scrutiny by Government / RMN or to their authorized representative.
4. All aircraft records are required to be kept for a retention period determined by the SAO.
5. A periodic review of record security, condition, completeness and accuracy shall be performed annually.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.2.3 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.2.4 FALSIFICATION, REPRODUCTION OR ALTERATION OF MAINTENANCE RECORDS (REGULATION 5.2.4)

1. Alteration of maintenance records shall only be performed by authorized personnel in proper manner:
 - a. Legible ink
 - b. Crossed out/strike off/circled the false records, stamp and dated
 - c. There will be also a wording “E.I.E” as “Enter in Error” on top of the “strike off” or “circled” or “crossed out”.

2. No person shall make or be caused to make:
 - a. Any intentionally false entry in any maintenance records
 - b. Any intentionally reproduction of maintenance records for fraudulent purposes
 - c. Alterations in maintenance records for fraudulent purposes

3. Reproduction of any maintenance records or document shall only allowable upon receiving writing request mentioning specific records required and clear and relevant purpose requisition. The records shall only be reproduced after received approval from SMM and DAR.

4. To ensure information integrity, alteration to completed maintenance records is only allowed to be carried out by the authorized personnel under the authorization of SMM. This is to minimize the risk of inadvertent or fraudulent maintenance records and alteration.

5. SMM shall ensure that no alteration to maintenance records is allowed without his permission. SMM shall ensure that serious action to be taken against those personnel who ignore or try to ignore or breach the above requirement in accordance with company procedures.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.2.4 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.3.1 REPORTING OF UNSERVICEABLE CONDITIONS (REGULATION 5.3.1)

1. Unserviceable condition is defined as a loss in performance compared to the stated limits in approved design of an aircraft or aeronautical products which may include but not limited to damage or cracking due to normal wear.
2. All unserviceable condition or defect found shall be recorded before rectification being carried out including defect found:
 - a. During flight servicing.
 - b. Engine ground run.
 - c. Aircraft system tests.
 - d. Leak check.
 - e. And whenever maintenance personnel leaving the maintenance area.
3. For defect highlighted by pilot or aircrew, it will be reflected in technical log. For any straightforward rectification, the rectification process shall be recorded in the same technical log. Otherwise, if necessary, aircraft will need to be grounded for further inspection and troubleshooting. In this case, maintenance shall record it in a work pack.
4. Any detected defect during maintenance inspection, new entry shall be raised in the same work pack to annotate the defect and rectification process carried out.
5. Procedure for unserviceable condition which is the result of other than fair wear and tear, DAR shall be informed either in writing or via email. All aircraft or component which is considered as unserviceable under this condition shall be identified, labeled, recorded and keep apart from serviceable aircraft or component. Refer to EPM 1-12 (Reporting procedure).
6. Details of all unserviceable conditions which are reported during operation or maintenance shall be recorded at the first opportunity as required.
7. Reporting shall be done before the next flight or before release to of an aircraft or aeronautical product to service.
8. All the unserviceability / defect / nonconformities shall be documented in the respective maintenance records detailing the type of unserviceability / defects / nonconformities, records on how it was rectified and completed in accordance with MMP 5.2.2 (Maintenance Record and Documentation).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.3.1 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.3.2 REPORTING OF UN-AIRWORTHY CONDITIONS

1. Unairworthy condition is known as when an unserviceable condition may adversely affect airworthiness which may cause:
 - a. A primary structural failure in aircraft.
 - b. A control system failure in an aircraft.
 - c. An engine failure, particularly an engine structural failure.
 - d. Failure to aircraft safety system.
 - e. Fire in aircraft.
 - f. Other adverse effect on technical airworthiness which subject to SMM assessment.

2. GAM shall report to DAR within twenty-four (24) hours either in writing or via email for any conditions that have the following characteristics:
 - a. The condition or failure of an aircraft or aeronautical product that could cause the loss of an aircraft ;
 - b. Any failure of an emergency system or life support system ; or
 - c. The condition or failure of an aircraft or aeronautical product that could adversely affect wider fleet operations.

3. Reporting procedures refer to EPM 1-12 (Reporting Procedure).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.3.2 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.3.3 AMO INVESTIGATION OF REPORTED UNSERVICEABLE AND UNAIRWORTHY CONDITIONS (REGULATION 5.3.3)

1. GAM shall investigate all unserviceable and unairworthy conditions reported in accordance with Regulation 5.3.1.d and 5.3.2 and forward the report to the DAR within the time frame stipulated by the SAO.
2. GAM shall report to the DAR and DGTA within twenty-four (24) hours when, during the investigation of the defect becomes aware of the following:
 - a. The condition of failure on an aircraft or aeronautical product could cause the loss on an aircraft or,
 - b. The condition or any failure/defects/un-airworthy of an aircraft or aeronautical product which directly or indirectly could adversely affect wider fleet operation.
3. Where GAM is unable to meet the specified time limits, or where the investigation is beyond the GAM capability, GAM should seek advice from the DAR.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.3.3 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.3.4 MAINTENANCE INCIDENT REPORTING (REGULATION 5.3.4)

1. GAM will conduct an investigation when an incorrect or inappropriate maintenance activity that adversely impacts technical airworthiness has occurred. Formal report will be submitted to the DGTA and DAR accordingly.

2. GAM shall conduct an investigation if there is an incident of incorrect or inappropriate maintenance activity that could adversely impact technical airworthiness has occurred.

3. Incident or accident occurred during maintenance activities that have effect to personnel, aircraft or material shall be reported to DGTA and DAR immediately for subsequent preventive action.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.3.4 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.3.5 OTHER REPORTING REQUIREMENTS (REGULATION 5.3.5)

1. GAM shall submit a report to the DAR (whenever required) immediately when the following conditions are to be found:
 - a. Received unapproved aeronautical products.
 - b. Aircraft system component that had been installed has been identified as an unapproved aeronautical product.
 - c. System or component is believed to make the aircraft or aeronautical product substandard for the required system performance.
 - d. The packaging of an aircraft or aeronautical product compromises technical integrity.
 - e. Conditions that affect the aircraft that warrant the aircraft to be declared 'un-airworthy' shall be reported to the SAO.
 - f. Any other failure or unairworthy condition defined by DAR.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.3.5 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.3.6 TECHNICAL REPORTING SYSTEMS (REGULATION 5.3.6)

1. Technical reports shall also be used to notify DGTA or DAR on the inability to comply with, or to forecast problems in complying with, promulgated maintenance instructions.

2. The technical reporting system shall capture as much information as possible to allow full analysis, investigation and/or corrective action to take place. Systems used to notify authorities of compliance inability, defects, maintenance deficiencies, and equipment condition and damage or safety issues; should do so in a timely manner to allow for the appraisal of airworthiness impact and intervention if required.

3. SMM to ensure that all technical reporting requirements shall complied with SAO requirement whenever necessary.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.3.6 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.4.1 DEVIATIONS (REGULATION 5.4.1)

1. Any request for Deviation should be initially assessed by SMM. If the SMM deems the request is justified, then a request for deviation is to be submitted to DAR stating all relevant details pertaining to the deviation being sought. Each request for deviation should be restricted to individual aircraft or individual aeronautical products/parts.

2. Deviation shall be applied whenever:
 - a. Temporarily depart from the DAR approved weapon system type design.

 - b. Incorporation of non-standard repair to aircraft primary or secondary structure and safety critical system shall obtain approval from the OEM or AEO.

 - c. Temporarily depart from aircraft maintenance instruction or publication.

3. Upon receiving approval from DAR, GAM shall ensure that:
 - a. The work is performed in accordance with the instruction detailed in the deviation documents.

 - b. A permanent record of the deviation implementation is made in the applicable aircraft or aeronautical product maintenance documentation.

 - c. A copy of the deviation approval will be retained as aircraft maintenance records.

4. Whenever a deviation has been corrected or no longer applies, an entry in the maintenance documentation should be made to reflect the change. Additionally, the DAR needs to be informed of all reworks that have been completed.

5. Procedure for deviation is detailed in EPM 3-02 (Deviations Against A Procedure).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.4.1 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.5.1 TOOLS AND SUPPORT EQUIPMENT (REGULATION 5.5.1)

1. GAM had acquired the appropriate tools and support equipment (common/general tools, special tools, test and precision measuring equipment, test equipment, ground handling and support equipment) to carry out the maintenance activity according to GAM maintenance scope and level.
2. In addition, RMN has allowed GAM to use RMN tools and equipment as and when required as per MK UDARA 400-10/5/46 V2 – (12). It is responsibility of GAM to adhere RMN procedure of tool management.
3. All the tools and support equipment required to carry out the maintenance activity are listed in the Tools and Equipment Master List (TEML) (GAM/E-016). The list is available at the tool store and controlled, current and updated at all time.
4. The list shall contain, as minimum, the part number, description, serial number, calibration status, condition status and location. The TEML must tally with the physical holding and adequate for AMO scope and level at all time.
5. GAM shall ensure that all tools and support equipment are:
 - a. Serviceable.
 - b. Suitable to be used for the maintenance task specified.
 - c. Calibrated (whenever applicable).
 - d. Identified and traceable. In addition, serviceable ground support equipment (GSE) shall be identified with tag/label. Unserviceable tools and GSE shall be tagged with Unserviceable Tag (GAM/E-006).
 - e. Accounted for during maintenance prior to final certification.
6. Whenever tools or equipment cannot be located or accounted for, aircraft or component shall not being release from maintenance. Unless the tools or equipment is found, or SMM or nominated delegate is satisfied that the tools or item has not been left in the aircraft or component, then, the aircraft or component shall be released to service.
7. GAM shall ensure that GSE used for the maintenance of AS555SN Fennec aircraft is approved for use by the DAR.
8. SMM might authorize the usage of test equipment during flight whenever:
 - a. The aircraft does not need to be modified and no flight critical system affected
 - b. DAR approval had been sought

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	PAGE: MMP 5.5.1 1 of 2

MAINTENANCE MANAGEMENT PLAN

9. Procedure for tool and support equipment is detailed in EPM 2-02 (Test Equipment / Tools / Ground Support Equipment Calibration) and EPM 2-03 (Tools Control).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	5 Dec 2023
ISSUE:	1	AMENDMENT:	2	PAGE:	MMP 5.5.1 2 of 2

MAINTENANCE MANAGEMENT PLAN

5.5.2 LOCAL MANUFACTURE OR MODIFICATION OF TOOLING (REGULATION 5.5.2)

1. For the purpose of this regulation 'Standard tooling' is defined as those tools required for the maintenance of aircraft and aeronautical product that are not specifically identified in the applicable maintenance publications and/or instructions. The SMM should seek advice from the relevant DAR prior to manufacture/modification of tooling.
2. Where an urgent operational maintenance requirement exists, the SMM (or delegate) may authorise the local manufacture or modification of 'Standard tooling' to meet this requirement. The manufacture or modification of tooling specified in publications and instructions is strictly prohibited without authorisation from the relevant DAR as applicable.
3. This regulation is not intended to apply to simple modification of standard hand tools, such as grinding or cutting down of spanners to allow easier access where the modification poses no risk of damage or any threat to airworthiness.
4. SMM shall ensure that:
 - a. Manufactured or modified tools had been assessed and ensure to fit the intended purpose and does not compromise the safety aspect of aircraft, component and person who carried out the task
 - b. Tools had been registered and identified as in MMP 5.5.1 (Tools and Support Equipment)
 - c. All Relevant documents and records regarding the tools design or technical data shall be maintained at least as long as the tools being used.
5. Procedure for local manufacture or modification of tooling is detailed in EPM 2-03 (Tools Control).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.5.2 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.5.3 MAINTENANCE TOOLS AND MATERIAL DURING PERIOD OF OPERATION (REGULATION 5.5.3)

1. As specified in MMP 4.4.2, maintenance during period of operation is permissible. It is also applicable to the maintenance tools used during the period of operation which the activities include the following:
 - a. Post start leak checks.
 - b. Opening and closing of access panels as requested by aircrew during pre-flight inspections.
 - c. Minor maintenance as authorized by Senior Maintenance Manager.
 - d. In flight maintenance (if necessary).
2. Tools being used for the maintenance during period of operation shall be identified and accounted for.
3. The personnel authorised to perform the maintenance task are responsible for the security of the tools and are to ensure that all tools are accounted for on completion of maintenance and prior to launch of an aircraft.
4. Procedure for maintenance tools and material during period of operation is detailed in EPM 2-03 (Tools Control).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.5.3 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.5.4 AERONAUTICAL PRODUCTS (REGULATION 5.5.4)

1. Aeronautical Products management involves, but not limited to, the procurement, transportation, receipt/inspection, storage, and installation process.
2. Procurement personnel shall only purchase the aeronautical product from the approved vendor/supplier upon request. The procurement shall be made with reference to the relevant documentation such as Illustrated Parts Catalogue (IPC).
3. Once the part had been received, the warehouse personnel shall ensure the following:
 - a. All received documents are matched to the requirement of purchasing documents and authorized by the respected manufacturer / supplier.
 - b. The product is conformed to the details in purchasing documents i.e. manufacturing reference number and part number.
 - c. Any sign of damage on the product.
 - d. Initial inspection or functional testing specified by authority/publications is to be carried out.
4. If the one of the conditions above is found, warehouse personnel shall label, segregate and quarantine the product before liaising with the procurement personnel for further action.
5. All aeronautical parts shall be stored appropriately according to the instruction available in the products' descriptions or manuals.
6. In order to ensure the traceability of the product, warehouse personnel shall trace the product originality up the correct Part Number (P/No), EASA Form is attached with Certificate of Conformity (CoC), signatory of the label and certificates and traceable to the country of the product is originated.
7. Aeronautical parts / products shall be properly handled during receiving, transferring and installation process.
8. Relevant personnel (warehouse and maintenance) should refer to the parts/products documentations for handling methods while carry out their task.
9. Aeronautical product that is to be transported is packaged, labeled and transported with all applicable documentation.
10. Installation of aeronautical products shall be carried out by authorized maintenance personnel with respect to the authorized documentations or orders. All installation

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.5.4 1 of 2

MAINTENANCE MANAGEMENT PLAN

shall be documented in the appropriate maintenance documentations i.e. work package, Aircraft Flight and Component Log Book.

11. Procedure for procurement, receiving, labelling and storage of aeronautical product are detailed in EPM 2-01 (Acceptance of Aircraft Component and Material).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.5.4 2 of 2

MAINTENANCE MANAGEMENT PLAN

5.5.5 TRANSFER OF AERONAUTICAL PRODUCT (CANNIBALISATION) (REGULATION 5.5.5)

1. Transfer / cannibalisation of parts / components to service other aircraft / engine / system is inevitable in any maintenance process. The process of transfer / robbing of parts / components will occur when:
 - a. In-service parts/components which could not be made serviceable.
 - b. A part/component which is critical for flight operations and that has become defective during ramp operation which is confirmed as nil stock.
 - c. Customer requirement to support other operational aircraft.
2. GAM shall validate the serviceability of the cannibalised aeronautical product before aircraft released for operational flight.
3. In addition, all robbing of parts/components activities shall be recorded in the Aircraft Flight and Component Log card.
4. SMM shall seek RMN approval prior to any cannibalisation activity.
5. Procedure for robbing of parts/components is detailed in GAM EPM 1-09 (Robbing Procedure).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.5.5 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.5.6 LOCAL MANUFACTURE OF AERONAUTICAL PRODUCTS (REGULATION 5.5.6)

1. Local manufacture of aeronautical product may be required when:
 - a. an item is no longer available, and a suitable substitute has not been identified.
 - b. there are excessive lead times for procurement.
 - c. there is a need to minimize procurement expense.

2. GAM can only conduct local manufacture aeronautical product in accordance with approved documentation from the AEO. GAM needs to consider the preservation of engineering and technical integrity when there is a requirement to locally manufacture an aeronautical product.

3. In order to carry out the local manufacturing, SMM shall ensure that:
 - a. The manufacturing data package is approved by the DAR and is complete.
 - b. The process identified in the package are within GAM capability.
 - c. The manufactured product identification, traceability and associated documentation (as detailed in the manufacturing data package) are complied with.
 - d. All manufactured product test and evaluation requirements are met.
 - e. The provision of a signed CoC attesting that the manufactured item conforms to the DAR certified design detailed in the manufacturing data package.

4. All products locally manufactured in accordance with a manufacturing data package should be uniquely identified and permanently marked with the manufacturer's reference number (MRN) and manufacturer's code (MC) and, where required, a serial number. MRN details will be provided by the DAR as part of the manufacturing data package. If currently issued, then the AMO should use its own MC, else the DAR's can be used under direction.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.5.6 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.6.1 INITIAL REQUIREMENT (REGULATION 5.6.1)

1. Investigation of aircraft accidents involving AS555SN Fennec is under responsibilities of Government / RMN as the helicopters are owned and operated by them.
2. When required, GAM shall provide necessary support for investigation purpose.
3. SMM shall ensure the preservation of evidence in order to facilitate the investigation which includes:
 - a. Documentation and records.
 - b. Sampling of any gasses and fluids if required i.e fuel, hydraulic fluids and oxygen.
 - c. Tools and equipment.
4. Procedure for initial requirement is detailed in QAN 014 (Occurrence Management Process).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.6.1 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.6.2 RECOVERY OF AIRCRAFT (REGULATION 5.6.2)

1. The recovery of aircrafts shall be the responsibility of Government / RMN. GAM will provide the necessary support upon request and instruction from the SAO.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.6.2 1 of 1

MAINTENANCE MANAGEMENT PLAN

5.6.3 SALVAGE (REGULATION 5.6.3)

1. Aircraft and aeronautical product that has been the subject of an aircraft accident shall only be reused following authorization by the relevant AEO.
2. In the case of contingency maintenance, whenever required, aircraft or aeronautical product could be salvage due to SMM consideration for the following:
 - a. Whether any crash loadings might have been sufficient to take the aeronautical product above proof load.
 - b. Whether there are any residual strains or cracks.
 - c. Whether the aeronautical product was subject to contamination, fire or overheating which may have changed the material characteristics or distorted the product.
 - d. Approval from DAR prior to the process.

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP 5.6.3 1 of 1

MAINTENANCE MANAGEMENT PLAN

APPENDIX 1

QUALIFICATION, TRAINING AND EXPERIENCE OF MANAGEMENT & MAINTENANCE PERSONNEL

APPOINTMENT	APPOINTED BY	SELECTION CRITERIA	RESPONSIBILITIES
Accountable Manager (AM)	Board of Director	1. Involve in the Aviation Industry 2. Experience in organization management.	MMP 4.5.2
Senior Maintenance Manager (SMM)	Accountable Manager	1. Possess a DCAM/EASA License and experience for at least 5 years in aircraft maintenance. <p style="text-align: center;">OR</p> 2. Qualified Maintenance Manager or Maintenance Inspector/Supervisor and experience for at least 5 years in aircraft maintenance. <p style="text-align: center;">OR</p> 3. Possess Engineering Degree or Diploma with at least 5 years experiences in aircraft maintenance. <p style="text-align: center;">AND</p> 4. Experience at least 2 years in management position. 5. Attended TAMM training and have a thorough understanding of the TAMM regulation in maintenance and aeronautical product of state registered aircraft.	MMP 4.5.3
Quality Manager (QM)	Accountable Manager	1. Possess a AMEL License or Engineering Degree or Diploma with at least 5 years experiences in Quality Management of aviation industry. 2. At least 3-year experiences in Quality Department or qualified as Lead Auditor. 3. Attended at least the Understanding, Documenting	MMP 4.5.4

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP Appendix 1 1 of 3

MAINTENANCE MANAGEMENT PLAN

		<p>and Implementing Quality Management System to ISO 9000</p> <p>4. Attended TAMM training and have a thorough understanding of TAMM regulation in maintenance and aeronautical product of state registered aircraft.</p> <p>5. Qualified a certified Lead Auditor by SIRIM</p>	
Maintenance Manager (MM)	SMM	<p>1. Possess a DCAM/EASA License and experience for at least 3 years in Aircraft Maintenance.</p> <p style="text-align: center;">OR</p> <p>2. Qualified Maintenance Inspector / Supervisor and experience for at least 3 years in aircraft maintenance.</p> <p style="text-align: center;">OR</p> <p>3. Possess Engineering Degree or Diploma with at least 3 years experiences in aircraft maintenance.</p> <p style="text-align: center;">AND</p> <p>4. Have a thorough understanding of the TAMM regulations in maintenance and aeronautical product of state registered aircraft</p>	MMP 4.5.5
Maintenance Inspector / Supervisor (MI/S)	SMM	<p>1. Must obtained DCAM/EASA Aircraft Engineer License equivalent to their trade.</p> <p style="text-align: center;">OR</p> <p>2. Experience for at least 5 years as Qualified Aircraft Tradesman for the aircraft type.</p> <p style="text-align: center;">OR</p> <p>3. Possess Engineering Degree or Diploma with at least 5 years experiences in the aircraft type.</p> <p style="text-align: center;">AND</p> <p>4. Must have attended aircraft type training</p>	MMP 4.5.6

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP Appendix 1 2 of 3

MAINTENANCE MANAGEMENT PLAN

		5. Understand TAMM regulation in relation to their level of work.	
Authorized Trade Persons (ATP)	SMM	1. Possess Engineering Degree or Diploma in Aviation Maintenance. <p style="text-align: center;">OR</p> 2. Qualified Aircraft Tradesman with experience in aircraft maintenance. <p style="text-align: center;">AND</p> 3. Completed all aircraft basic courses and aircraft training to their respective trades 4. Attended at least a General Familiarization Course 5. Understand TAMM regulation in relation to their level of work.	MMP 4.5.7
Non-Trade Personnel (NTP)	SMM	1. Warehouse Operation. <ul style="list-style-type: none"> • Have at least 1-year experience in relevant operation environment (Advantage for tools controls or spare controls). <p style="text-align: center;">OR</p> <ul style="list-style-type: none"> • Holding company approval for store inspection (E1) from GAM Part 145 operation. 2. Publication, Record and Planning. <ul style="list-style-type: none"> • Degree. <ul style="list-style-type: none"> - 6 Months experience in relevant operation. • Diploma. <ul style="list-style-type: none"> - 1 Year experience in relevant operation. • Certificate. <ul style="list-style-type: none"> - 2 Year experience in relevant operation. 	MMP 4.5.8

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP Appendix 1 3 of 3

MAINTENANCE MANAGEMENT PLAN

APPENDIX 2

LIST OF MANAGEMENT AND MAINTENANCE PERSONNEL FOR AS555SN FENNEC RMN

Galaxy Aerospace (M) Sdn Bhd Manpower Resources

1. List of Key Personnel

Positions

Accountable Manager
 Senior Maintenance Manager
 Quality Manager
 Maintenance Manager

Nominated Personnel

Dato' Shamsul Kamar bin Samsudin.
 Syafrul Yamani bin Safruddin.
 Omar bin Ahmad.
 Moradi A/L Ee Cheap (Mechanical).
 Omar bin Yusof (Avionic).

2. In order for GAM to perform aircraft maintenance and related activities satisfactorily, it is a requirement to list down the number of personnel employed and their functions within the organization. Due to the fact that the number of employees always changing, the latest breakdown on the number of employees and the functions they fill in is laid down in the latest update by HR Department.
3. GAM from time to time will engage outside contractor when the need arises.
4. For the latest list of certifying staff, reference should be made to Quality Assurance document reference GAM/Q-001B (List of Approval Holder).

DOCUMENT REFERENCE:	GAM/MMP/AS555SN			DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE:	MMP Appendix 2 1 of 1

MAINTENANCE MANAGEMENT PLAN

7.1 COMPLIANCE MATRIX

TAMM Regulation No.	Regulation Title	MMP Reference No.	Organization/GAM Compliance Reference
4.1	GENERAL	Title	N/A
4.1.1	Applicability – Who May Maintain State-Registered Aircraft, Aeronautical Product and Aircraft- Related Equipment	MMP 4.1.1	N/A
4.2	AUTHORISATIONS	Title	N/A
4.2.1	Application for AMO Certification	MMP 4.2.1	N/A
4.2.2	Award and Retention of AMO Certification	MMP 4.2.2	N/A
4.2.3	Reserved	Reserved	N/A
4.2.4	Changes to AMO Certification	MMP 4.2.4	N/A
4.2.5	Validity of AMO Certification	MMP 4.2.5	N/A
4.2.6	Suspension, Revocation and Limitation of AMO Certification	MMP 4.2.6	N/A
4.3	EXEMPTIONS	Title	N/A
4.3.1	Exemptions Requirements	MMP 4.3.1	N/A
4.4	MAINTENANCE ORGANISATIONAL STRUCTURE	Title	N/A
4.4.1	Key Appointments and Groups within an AMO	MMP 4.4.1	N/A
4.4.2	Documentation of Organisational Structure	MMP 4.4.2	N/A
4.4.3	Maintenance Support Networks	MMP 4.4.3	EPM 3-04, and EPM 3-05
4.4.4	Quality Management System	MMP 4.4.4	EPM 3-06, EPM 3-07, EPM 3-08, EPM 3-09 and EPM 3-10
4.5	PERSONNEL REQUIREMENTS	MMP 3.1	N/A
4.5.1	Maintenance Authority	MMP 4.5.1	EPM 3-01, EPM 3-03 and EPM 3-12
4.5.2	Accountable Manager	MMP 4.5.2	N/A
4.5.3	Senior Maintenance Manager	MMP 4.5.3	N/A
4.5.4	Quality Manager	MMP 4.5.4	N/A
4.5.5	Maintenance Manager	MMP 4.5.5	EPM 5-02
4.5.6	Maintenance Inspector/Supervisor	MMP 4.5.6	EPM 5-02,
4.5.7	Authorized Tradespersons	MMP 4.5.7	EPM 3-01, and EPM 5-02

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 7.1 1 of 3

MAINTENANCE MANAGEMENT PLAN

4.5.8	Aircrew	MMP 4.5.8	N/A
4.5.9	Non-Trade Personnel	MMP 4.5.9	EPM 5-01, and EPM 5-02
4.5.10	Human Factors in Maintenance	MMP 4.5.10	EPM 3-11
4.6	FACILITIES	Title	N/A
4.6.1	AMO Facilities	MMP 4.6.1	N/A
4.6.2	Storage Facilities	MMP 4.6.2	EPM 2-01
4.6.3	Alternative Facilities	MMP 4.6.3	N/A
5.1	CONDUCT OF MAINTENANCE	Title	N/A
5.1.1	Maintenance Authority – Scope and Level	MMP 5.1.1	N/A
5.1.2	Publication, Instructions Orders and Data	MMP 5.1.2	EPM 4-01
5.1.3	Foreign Source Data	MMP 5.1.3	EPM 4-01
5.1.4	Maintenance Procedures	MMP 5.1.4	EPM 4-03
5.1.5	Maintenance Certification	MMP 5.1.5	EPM 1-11
5.1.6	Independent Maintenance Inspections	MMP 5.1.6	EPM 1-01
5.1.7	Maintenance of Aircraft During the Period of Operation	MMP 5.1.7	N/A
5.1.8	Foreign Object Control	MMP 5.1.8	EPM 1-07
5.1.9	Safety	MMP 5.1.9	SMS Manual
5.1.10	Reserved	Reserved	N/A
5.1.11	Carried Forward Unserviceability	MMP 5.1.11	EPM 1-11
5.1.12	Maintenance Test Flights	MMP 5.1.12	EPM 1-03, EPM 1-13
5.1.13	Maintenance Ground Runs	MMP 5.1.13	EPM 1-02, EPM 1-13
5.1.14	Aircraft Ground Handling	MMP 5.1.14	EPM 1-04, EPM 1-13
5.1.15	Standard Repairs	MMP 5.1.15	EPM 1-05
5.1.16	Modifications	MMP 5.1.16	N/A
5.1.17	Weight and Balance	MMP 5.1.17	N/A
5.1.18	Adhoc Non-Destructive Testing	MMP 5.1.18	N/A
5.1.19	Non-Standard Repairs	MMP 5.1.19	N/A
5.1.20	Contingency Maintenance and Aircraft Battle Damage Repair	MMP 5.1.20	N/A

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 7.1 2 of 3

MAINTENANCE MANAGEMENT PLAN

5.2	MAINTENANCE RECORDS AND DOCUMENTATION	Title	N/A
5.2.1	Maintenance Records and Documentation Requirements	MMP 5.2.1	N/A
5.2.2	Electronic Records	MMP 5.2.2	N/A
5.2.3	Retention and Review of Maintenance Documentation and Records	MMP 5.2.3	N/A
5.2.4	Falsification, Reproduction or Alteration of Maintenance Records	MMP 5.2.4	N/A
5.3	REPORTING AND INVESTIGATION REQUIREMENTS	Title	N/A
5.3.1	Reporting of Unserviceable Conditions	MMP 5.3.1	EPM 1-12
5.3.2	Reporting of Un-airworthy Conditions	MMP 5.3.2	EPM 1-12
5.3.3	AMO Investigation of Reported Unserviceable and Un-airworthy Conditions	MMP 5.3.3	N/A
5.3.4	Maintenance Incident Reporting	MMP 5.3.4	N/A
5.3.5	Other Reporting Requirements	MMP 5.3.5	N/A
5.3.6	Technical Reporting Systems	MMP 5.3.6	N/A
5.4	DEVIATIONS	Title	N/A
5.4.1	Deviations	MMP 5.4.1	EPM 3-02
5.5	TOOLS, EQUIPMENT AND AERONAUTICAL PRODUCT	Title	N/A
5.5.1	Tools and Support Equipment	MMP 5.5.1	EPM 2-02 and EPM 2-03
5.5.2	Local Manufacture or Modification of Tooling	MMP 5.5.2	EPM 2-03
5.5.3	Maintenance Tools and Material During Period of Operation	MMP 5.5.3	EPM 2-03
5.5.4	Aeronautical Products	MMP 5.5.4	EPM 2-01 and EPM 2-04
5.5.5	Transfer of Aeronautical Product (Cannibalisation/Robbery)	MMP 5.5.5	EPM 1-09
5.5.6	Local Manufacture of Aeronautical Products	MMP 5.5.6	N/A
5.6	AIRCRAFT ACCIDENTS	Title	N/A
5.6.1	Initial Requirements	MMP 5.6.1	QAN 014
5.6.2	Recovery of Aircraft	MMP 5.6.2	N/A
5.6.3	Salvage	MMP 5.6.3	N/A

DOCUMENT REFERENCE:	GAM/MMP/AS555SN		DATE:	1 st April 2021
ISSUE:	1	AMENDMENT:	0	PAGE: MMP 7.1 3 of 3