



ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION

ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

EC 155 B1

Ce fascicule présente l'enregistrement des Alertes SB et SB (avec recommandation d'application) applicables à la date d'émission du Certificat de Conformité de l'appareil et/ou de l'Attestation de Conformité de l'Aéronef (EASA Form 52).

La poursuite de l'enregistrement de l'application des SB à application unique ou répétitive se fait par l'opérateur sur le livret Aéronef ou tout autre document exigé par l'Autorité d'immatriculation de l'appareil.

This part presents the recording of the Alert Service Bulletin and Service Bulletin (with recommendation for compliance) applicable to the date of issuance of the Certificate of Conformity of the aircraft and/or of the Aircraft Statement of Conformity (EASA form 52).

The pursuit of the recording of the application of the Service Bulletin with unique or repetitive application carried-out by the operator on the Aircraft Logbook or another document required by the Authority of registration of the aircraft.

APPAREIL / AIRCRAFT: **EC 155 B1**
 N° SERIE / SERIAL Nr: **6997**
ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMENDATION FOR COMPLIANCE

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
04A001	A			DELESTEUR SIREN SIREN LOAD RELEASE UNITS	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
04A006	A		2006-0098	TREUIL GOODRICH GOODRICH HOIST	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
04A007	A	0752C18 0753C59	F-2004-060	R1 LIMITATIONS VITESSE LIMITE EN VOL (VNE) :140 KT LIMITATIONS NEVER EXCEED SPEED (VNE) :140 KT	NON CONCERNE, AMS APPLIQUES NOT CONCERNED, MOD. APPLIED
04A008	E		2009-0035-E	SYSTEME DE NAVIGATION UNS-1D UNS-1D NAVIGATION SYSTEM	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
04A009	R1 E		2009-0078	R1 LIMITATION UTILISATION BANQUETTE VIP 4 PLACES LIMITATION CONCERNING THE USE OF VIP 4-SEAT BENCH	N/C, N° DE SERIE APPAREIL > 6893 N/C, AIRCRAFT NUMBER > 6893
04A010	E		2010-03-02	LIMITATIONS CROCHET DE TREUIL LIMITATIONS D-LOK HOOK OF RESCUE HOIST	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
04A012	A		2014-0095	R1 INDICATEUR DE POSITION D'ACCIDENT-HR SMITH HR SMITH-CRASH POSITION INDICATOR	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED

 A/I = Alerte ou Impératif / *Alert or Mandatory*
 (*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*
 E/T = Emergency ASB ou Télex Alert / *Emergency ASB or Alert Telex*

 Visa des Services Qualité
 Quality Department's Signature

 F0210




REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMENDATION FOR COMPLIANCE

Page
3/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
04A013	A		2014-0204	SIEGES A ABSORPTION D'ENERGIE - ETIQUETTE <i>ENERGY ABSORBING - LABEL</i>	APPLIQUE <i>APPLIED</i>
05-008	R1 R			VERIF. :ETAT DES TUYAUTERIES DE RETOUR HUILE GTM <i>VISUAL INSPECTION OF THE ENGINE OIL RETURN PIPES</i>	DEPASSE PAR SB 53-019 <i>SUPERSEDED BY SB 53-019</i>
05-009	R1 R			VERIF. :TUYAUTERIES HYDRAULIQUES DANS COMPART. BTP <i>CHECK : HYDRAULIC HOSE IN THE MGB COMPARTMENT</i>	NON CONCERNE, AMS 0729B68 APPLIQUE <i>NOT CONCERNED, MOD. 0729B68 APPLIED</i>
05-012	R	0762C30		VERIFICATION ABSENCE CORROSION SUR MRP <i>CHECK FOR ABSENCE CORROSION ON MRP</i>	NON CONCERNE, AMS 0762C30 APPLIQUE <i>NOT CONCERNED, MOD. 0762C30 APPLIED</i>
05-018	R			CANOT DE SAUVETAGE SR10 <i>SR10 LIFE-RAFT</i>	NON CONCERNE, EQUIPEMENT NON MONTE <i>NOT CONCERNED, EQUIPMENT NOT INSTALLED</i>
05-023	R1 R			VERIFICATION DE LA SONDE D'IMMERSION <i>CHECK OF THE IMMERSION PROBE</i>	A APPLIQUER PAR L'UTILISATEUR <i>TO BE CARRIED OUT BY USER</i>
05-024	R1 R			PERIODICITES - VISITES - COMMANDES DE VOL <i>MAINTENANCE CHECKS - FLIGHT - CONTROLS</i>	A APPLIQUER PAR L'UTILISATEUR <i>TO BE CARRIED OUT BY USER</i>
05-025	R1 R			PERIODICITES - VISITES - FUSELAGE <i>MAINTENANCE CHECKS - FLIGHT - FUSELAGE</i>	NON CONCERNE, INCORPORE AU P.R.E <i>NOT CONCERNED, INTEGRATED TO M.S.M</i>

A/I = Alerte ou Impératif / *Alert or Mandatory*

(*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*

E/T = Emergency ASB ou Téléx Alert / *Emergency ASB or Alert Telex*

Visa des Services Qualité
Quality Department's Signature

F0210
⊖
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
4/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
05-026	R			PERIODICITES - VISITES - Optionnel skis MAINTENANCE CHECKS - FLIGHT - Skis installation	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
05A005	R1	A	2006-0101	VERIF. FOND DE BTP MGB BASE PLATE CHECKING	NON CONCERNE, AMS 0763C45 APPLIQUE NOT CONCERNED, MOD. 0763C45 APPLIED
05A006	R3	A	0726B24 0726B22	F-2004-180 REPLACEMENT EXTINCTEURS SOUTE ET GTM EXCHANGE OF CARGO AND GTM EXTINGUISHERS	NON CONCERNE, AMS APPLIQUES NOT CONCERNED, MODIFICATIONS APPLIED
05A007	R3	E	2007-0288	R1 VERIFICATION DU PORTE SATELLITES DE LA BTP CHECK OF THE MGB PLANET GEAR CARRIER	NON CONCERNE, AMS 0763C52 APPLIQUE NOT CONCERNED, MOD. 0763C52 APPLIED
05A011	A		2006-0099	VERIFICATION PALES ARRIERES TAIL ROTOR BLADES CHECK	NON CONCERNE, REF: 365A12007001 MONTEE N/C, P/N:365A12007001 INSTALLED
05A014	R2	E		VERIFICATION ANTENNE BALISE DE DETRESSE CPT 609 CPT 609 CRASH POSITION TRANSMITTER BEACON ANTENNA	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
05A015	R5	A	2011-0105	ROTOR ARRIERE TAIL ROTOR	DEPASSE PAR ASB 05A022 SUPERSEDED BY ASB 05A022

A/I = Alerte ou Impératif / Alert or Mandatory
(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Télex Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL / AIRCRAFT: **EC 155 B1**
N° SERIE / SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
5/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
05A016	R2	E	2007-0256	FISSURE SUR BOUCLE DE CEINTURE CRACK IN THE BELT BUCKLE	NON CONCERNE, REFERENCE NON MONTEE NOT CONCERNED, P/N NOT INSTALLED
05A017	R2	E	2011-0108	FERRURES DE FIXATION DERIVE SUPERIEURE FENESTRON FITTINGS ATTACHING THE UPPER FIN ON THE FENESTRON	NON CONCERNE, AMS 0754B40 APPLIQUE NOT CONCERNED, MOD 0754B40 APPLIED
05A021	R1	A	2012-0227	INSPECTION VISUELLE DU CORPS DE MOYEU DU MRA VISUAL CHECK OF TRH HUB	A APPLIQUER TOUTES LES 55 HEURES TO BE CARRIED OUT EVERY 55 FLIGHT HOURS
05A022	R4	A	2012-0170	R1 BTA TGB	NON CONCERNE, AMS 0765B63 APPLIQUE NOT CONCERNED, MOD. 0765B63 APPLIED
05A027	R1	A	2014-0214	CANOTS DE SAUVETAGE MARCHEPIED EXTERNAL LIFE RAFTS IN THE FOOTSTEPS	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
22-004	R	0767B56		PA : FRICTION SUR CHAINE LACET AP : YAW CHANNEL FRICTION	NON CONCERNE, AMS 0767B56 APPLIQUE NOT CONCERNED, MOD. 0767B56 APPLIED
22-005	R	0722B52		PA 4 AXES : EVOLUTION LOGICIEL VERSION N8 AP 4 AXIS : SOFTWARE EVOLUTION VERSION N8	NON CONCERNE, AMS 0722B52 APPLIQUE NOT CONCERNED, MOD. 0722B52 APPLIED

A/I = Alerte ou Impératif / Alert or Mandatory
(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Télex Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
ot

APPAREIL / AIRCRAFT: **EC 155 B1**
 N° SERIE / SERIAL Nr: **6997**
ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
22-008	R	0722B51		PA : SEGREGATION DES INFORMATIONS VOL/SOL AP : SEGREGATION OF INFORMATION VOL/SOL	NON CONCERNE, AMS 0722B51 APPLIQUE NOT CONCERNED, MOD. 0722B51 APPLIED
22-013	R			VERIN TRIM DE LACET YAW TRIM ACTUATOR	SANS OBJET, APPAREIL NEUF NOT APPLICABLE, NEW AIRCRAFT
24-008	R			COEURS ELECTRIQUES ELECTRICAL MASTER BOXES	NOT CONCERNED, P/N NOT INSTALLED NON CONCERNE, REFERENCE NON MONTEE
24-010	R			VERIFICATION CONTACTS FRAMATOME CHECK OF FRAMATOME CONTACTS	N/C, APPAREIL LIVRE APRES 06/2002 N/C, A/C DELIVERED AFTER 06/2002
24-014	R			MODIFICATION DES CARTES ELECTRONIQUES MODIFICATION OF ELECTRONIC CARD	NON CONCERNE, REFERENCE NON MONTEE NOT CONCERNED, P/N NOT INSTALLED
24-016	R			VERIFICATION DU BOITIER 37 ALPHA CHECKING UNIT 37 ALPHA	NON CONCERNE, N° APPAREIL > 6837 NOT NONCERNED, AIRCRAFT S/N > 6837
24-017	R1			GENERATION ELECTRIQUE ELECTRICAL POWER	N/C, APPAREIL LIVRE APRES 06/2008 N/C, AIRCRAFT DELIVERED AFTER 06/2008
24-018	R			MODIFICATION DES COEURS ELECTRIQUES MODIFICATION ELECTRICAL MASTER BOXES	NON CONCERNE, REFERENCE NON MONTEE NOT CONCERNED, P/N NOT INSTALLED

 A/I = Alerte ou Impératif / *Alert or Mandatory*
 (*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*
 E/T = Emergency ASB ou Téléx Alert / *Emergency ASB or Alert Telex*

 Visa des Services Qualité
 Quality Department's Signature



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMENDATION FOR COMPLIANCE

Page
7/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
24A011	R1 A	0739C28	F-2004-057 R1	GENERATION ELECTRIQUE <i>ELECTRIC POWER</i>	NON CONCERNE, AMS 0739C28 APPLIQUE <i>NOT CONCERNED, MOD. 0739C28 APPLIED</i>
25-056	R			TREUIL : VERROUILLAGE PRISE BOUCHON <i>HOIST : LOCKING SHUNT CONNECTOR</i>	N/C, APPAREIL LIVRE APRES 10/2003 <i>N/C, AIRCRAFT DELIVERED AFTER 10/2003</i>
25-059	R			EQUIPEMENTS ET AMENAGEMENTS:BOITE DE VERROUILLAGE <i>EQUIPMENT AND FURNISHINGS:TIRFOR J5 TYPE LOCK-BOX</i>	NON CONCERNE, EQUIPEMENT NON MONTE <i>NOT CONCERNED, EQUIPMENT NOT INSTALLED</i>
25-062	R1 R			PERCUSSION INTEMPESTIVE FLOTTABILITE DE SECOURS <i>UNEXPECTED PERCUSSION EMERGENCY FLOATATION GEAR</i>	APPLIQUE <i>APPLIED</i>
25-073	R			VERIFICATION DU VERROUILLAGE DU DELESTEUR SIREN <i>CHECK LOCKING OF SIREN LOAD RELEASE UNITS</i>	NON CONCERNE, EQUIPEMENT NON MONTE <i>NOT CONCERNED, EQUIPMENT NOT INSTALLED</i>
25-076	R			FLOTTABILITE DE SECOURS <i>EMERGENCY FLOATATION GEAR</i>	N/C, PARTIES MOBILES NON MONTEES <i>N/C, REMOVABLE PARTS NOT INSTALLED</i>
25-091	R1 R			BOITIER ARMEMENT DU CROCHET DELESTEUR <i>LOAD RELEASE UNIT CARGO HOOK ARMING UNIT</i>	NON CONCERNE, EQUIPEMENT NON MONTE <i>NOT CONCERNED, EQUIPMENT NOT INSTALLED</i>
25-093	R			CROCHET DELESTEUR MP/N AS21-5-7 <i>LOAD RELEASE UNIT CARGO HOOK MP/N AS21-5-7</i>	NON CONCERNE, EQUIPEMENT NON MONTE <i>NOT CONCERNED, EQUIPMENT NOT INSTALLED</i>

A/I = Alerte ou Impératif / *Alert or Mandatory*
 (*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*
 E/T = Emergency ASB ou Téléx Alert / *Emergency ASB or Alert Telex*

Visa des Services Qualité
Quality Department's Signature

F0210
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL / AIRCRAFT: **EC 155 B1**
N° SERIE / SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
8/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
25-094	R2	R		VERIF. BOITERS "42G" EQUIPANT LES FLOTTABILITES <i>CHECK OF UNITS "42G" INSTALLED ON EMERGENCY FLOAT</i>	APPLIQUE <i>APPLIED</i>
25-095		R		RENFORCEMENT TENUE BANQUETTE VIP 3 A 4 PLACES <i>IMPROVED SECURITY OF 3 TO 4 VIP BENCH SEATS</i>	NON CONCERNE, N° APPAREIL > 6893 <i>NOT CONCERNED, AIRCRAFT S/N > 6893</i>
25-096		R		FLOTTABILITE DE SECOURS: PERCUSSION INTEMPESTIVE <i>EMERGENCY FLOTATION GEAR: UNTIMELY DEPLOYMENT</i>	NON CONCERNE, N° APPAREIL > 6850 <i>NOT CONCERNED, AIRCRAFT S/N > 6850</i>
25-099		R		HOUSSES TYPE "PEAU DE MOUTON" SUR SIEGES FISHER <i>SHEEPSKIN-TYPE SEATS- TYPE COVERS OF FISHER SEATS</i>	NON CONCERNE, EQUIPEMENT NON MONTE <i>NOT CONCERNED, EQUIPMENT NOT INSTALLED</i>
25-105		R		BANQUETTES BIPLACES <i>TWO-SEAT BENCHES</i>	NON CONCERNE, REFERENCE NON MONTEE <i>NOT CONCERNED, P/N NOT INSTALLED</i>
25-106		R		ETIQUETTE PORTES SOUTE <i>LABEL TO THE BAGGAGE COMPARTMENT DOORS</i>	N/C, APPAREIL LIVRE APRES 01/2011 <i>N/C, AIRCRAFT DELIVERED AFTER 01/2011</i>
25-111		R	0745C88 0745D04	FLOTTABILITE AUTOMATIQUE SANS CVFDR <i>AUTOMATIC FLOTATION WITHOUT CVFDR</i>	N/C, CVFDR INSTALLE <i>N/C, CVFDR INSTALLED</i>
25-117	R1	R	0745C88 0731B76 0745C98	FLOTTABILITE AUTOMATIQUE AVEC CVFDR <i>AUTOMATIC FLOTATION WITH CVFDR</i>	N/C, AMS 0745C98 APPLIQUE <i>NOT CONCERNED, MOD. 0745C98 APPLIED</i>

A/I = Alerte ou Impératif / *Alert or Mandatory*
(*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*
E/T = Emergency ASB ou Téléx Alert / *Emergency ASB or Alert Telex*

Visa des Services Qualité
Quality Department's Signature

F0210
⊖
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
9/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
25-130	R1 R			FLOTTABILITE DE SECOURS - BOUTONS POUSSOIRS EMERGENCY FLOATATION GEAR - PUSH-BUTTONS	N/C, APPAREIL LIVRE APRES 01/2011 N/C, A/C DELIVERED AFTER 01/2011
25-131	R1 R	0745D24		RENFORCEMENT CONTENEUR CANOT MER 6 LIFERAFT CONTAINER REINFORCEMENT FOR SEA STATE 6	NON CONCERNE, EQUIPEMENT NON MONTE N/C, EQUIPMENT NOT INSTALLED
25-133	R	0745D25	5069-01	RENFORCEMENT BOITIER FLOTTABILITE ARRIERE REINFORCEMENT OF THE REAR FLOTATION	NON APPLIQUE NOT APPLIED
25A064	A			CEINTURE TREUILLISTE HOIST OPERATOR SAFETY BELT	DEPASSE PAR ASB 25A069 SUPERSEDED BY ASB 25A069
25A069	A	0745C67	2010-0014	RENFORCEMENT CEINTURE TREUILLISTE HOIST OPERATOR SAFETY BELT REINFORCEMENT	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
25A085	E		2007-0159-E	METALLISATION PRISE DE COUPURE TREUIL ELECTRICAL BONDING OF THE HOIST CUT-OFF CONNECTOR	NON CONCERNE, N° APPAREIL > 6763 NOT CONCERNED, AIRCRAFT S/N > 6763
25A087	E		2008-0096-E	BALISE DE DETRESSE CPI 503 CPI 503 CRASH POSITION INDICATOR BEACON	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED

A/I = Alerte ou Impératif / Alert or Mandatory

(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended

E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL N°: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
10/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
25A090	A	0745C90		REPLACEMENT PRISE PUISSANCE DU TREUIL CLASSE 2 REPLACEMENT OF CLASS 2 HOIST POWER CONNECTOR	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
25A100	A		2010-0052-E	CANOT DE SAUVETAGE EXTERNE EXTERNAL LIFE RAFT	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
25A114	R1	A	2012-0206	SIEGE PILOTE ET COPILOTE PILOT AND CO-PILOT SEATS	NON CONCERNE, REFERENCE NON MONTEE NOT CONCERNED, P/N NOT INSTALLED
25A120	R1	A	2015-0075	BALISE DE DETRESSE CPI 503-16 ELT CPI 503-16	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
25A124	A			CEINTURES DES BANQUETTES VIP VIP BENCH SAFETY BELTS	NON CONCERNE, N° SERIE APPAREIL > 6961 NOT CONCERNED, AIRCRAFT NUMBER > 6961
25A128	R1	A	2015-0048	CANOTS DE SAUVETAGE EXTERNES EXTERNAL LIFE RAFT	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
26-002	R1	R	0726B19 0745C37	PROTECTION CONTRE L'INCENDIE FIRE PROTECTION	APPLIQUE APPLIED

A/I = Alerte ou Impératif / Alert or Mandatory
(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
⊖
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL / AIRCRAFT: **EC 155 B1**
N° SERIE / SERIAL N°: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMENDATION FOR COMPLIANCE

Page
11/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
28-002	R			CARBURANT <i>FUEL</i>	APPLIQUE <i>APPLIED</i>
28-003	R			CARBURANT <i>FUEL</i>	APPLIQUE <i>APPLIED</i>
28-010	R1			ABSENCE DEMI LUNE DANS RESERVOIR <i>SEMICIRCULAR BLANKING COVERS MISSING FROM TANK</i>	A APPLIQUER SI ECHANGE RESERVOIR <i>TO BE CARRIED OUT IF TANK EXCHANGE</i>
28-011	R	0728C20		CARBURANT <i>FUEL</i>	NON CONCERNE, AMS 0728C20 APPLIQUE <i>NOT CONCERNED, MOD. 0728C20 APPLIED</i>
29-005	R	0729B60		REPLACEMENT DES MANOCONTACTS MA143-00 <i>REPLACEMENT OF PRESSURE SWITCHES P/N MA143-00</i>	NON CONCERNE, AMS 0729B60 APPLIQUE <i>NOT CONCERNED, MOD. 0729B60 APPLIED</i>
29-006	R			PRESSION GONFLAGE ACCUMULATEUR HYDRAULIQUE <i>HYDRAULIC ACCUMULATOR PRESSURIZATION</i>	APPLIQUE <i>APPLIED</i>
29-007	R	0729B68		GENERATION HYDRAULIQUE <i>HYDRAULIC POWER</i>	NON CONCERNE, AMS 0729B68 APPLIQUE <i>NOT CONCERNED, MOD. 0729B68 APPLIED</i>
29-008	R			VERIFICATION MONTAGE TUYAUTERIES HYDRAULIQUES <i>CHECK OF THE HYDRAULIC PIPE INSTALLATION</i>	NON CONCERNE, N° APPAREIL > 6734 <i>NOT CONCERNED, AIRCRAFT S/N > 6734</i>

A/I = Alerte ou Impératif / *Alert or Mandatory*
(*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*
E/T = Emergency ASB ou Téléx Alert / *Emergency ASB or Alert Telex*

Visa des Services Qualité
Quality Department's Signature

F0210
ot



**REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK**

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMENDATION FOR COMPLIANCE

Page
12/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
29-009	R			GENERATION HYDRAULIQUE HYDRAULIC POWER	NON CONCERNE, AMS 0729B74 APPLIQUE NOT CONCERNED, MOD. 0729B74 APPLIED
29-011	R			GENERATION HYDRAULIQUE HYDRAULIC POWER	N/C, APPAREIL LIVRE APRES 06/2009 N/C, AIRCRAFT DELIVERED AFTER 06/2009
29-012	R1	R	0721C15 0729B84	GENERATION HYDRAULIQUE HYDRAULIC POWER	NON CONCERNE, AMS APPLIQUES NOT CONCERNED, MODIFICATIONS APPLIED
29A001	A	0729B65	F-2006-042	VERIFICATION COLLIERS ET TUYAUTERIES HYDRAULIQUES INSPECTION CLAMP AND HYDRAULIC PIPE	NON CONCERNE, AMS 0729B65 APPLIQUE NOT CONCERNED, MOD.0729B65 APPLIED
29A004	A		F-2005-119	R1 RADIATEUR DE REFROIDISSEMENT CIRCUIT HYDRAULIQUE HYDRAULIC POWER SYSTEM COOLERS	NON CONCERNE, EQUIPEMENT NON MONTE NOT CONCERNED, EQUIPMENT NOT INSTALLED
31-015	R1	R		CONTROLE DU PANNEAU D'ALARMES CONTROL WARNING PANELS	NON CONCERNE, N° DE SERIE NON MONTE NOT CONCERNED, S/N NOT INSTALLED
31-020	R			CONTROLE DU PANNEAU D'ALARMES CONTROL WARNING PANELS	NON CONCERNE, N° DE SERIE NON MONTE NOT CONCERNED, S/N NOT INSTALLED
31A005	A	0739C22		SYSTEME DE SIGNALISATION DU TRAIN D'ATTERRISSAGE LANDING GEAR INDICATING SYSTEME	NON CONCERNE, AMS 0739C22 APPLIQUE NOT CONCERNED, MOD. 0739C22 APPLIED

A/I = Alerte ou Impératif / Alert or Mandatory
(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
13/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
31A008	A	0739C22		MODIF ALIMENTATION CARTES TRAIN 10 ET 11 ALPHA <i>10 AND 11 ALPHA ASSEMBLY: SUPPLY MODIFICATION</i>	NON CONCERNE, AMS 0739C22 APPLIQUE <i>NOT CONCERNED, MOD. 0739C22 APPLIED</i>
32-005	R1	R		VERIF GRAISSAGE ROTULES VERINS CONTRE-FICHE <i>LANDING GEAR ACTUATING BALL JOINT LUBRICATION</i>	A APPLIQUER PAR L'UTILISATEUR <i>TO BE CARRIED OUT BY USER</i>
32-006		R		TRAIN D'ATTERRISSAGE <i>LANDING GEAR</i>	SANS OBJET, APPAREIL NEUF <i>NOT APPLICABLE, NEW AIRCRAFT</i>
32-008	R1	R		TUYAUTERIE D'ALIMENTATION DU FREIN DE ROUE <i>WHEEL BRAKE HOSE</i>	N/C, APPAREIL LIVRE APRES 02/2010 <i>N/C, AIRCRAFT DELIVERED AFTER 02/2010</i>
32-009		R	0732B47	TRAIN D'ATTERRISSAGE - INSTALLATION SKIS <i>LANDING GEAR - SKIS INSTALLATION</i>	NON CONCERNE, INCORPORE AU P.R.E <i>NOT CONCERNED, INTEGRATED TO M.S.M</i>
32A004	R1	A	F-2004-099	ECLATEMENT TUYAUTERIE HYD. FREIN ROUE ATT PPAL <i>LANDING GEAR WHEEL BRAKE HOSE BREAKING</i>	N/C, PM FLOTTABILITE NON MONTEES <i>N/C, FLOATATION RP NOT INSTALLED</i>
33-007	R1	R	0733B52	FREINAGE SUR FIXATION FEU ANTICOLLISION <i>ANTICOLL LIGHT ATTACHMENT SAFETYING</i>	NON CONCERNE, REFERENCE NON MONTEE <i>NOT CONCERNED, P/N NOT INSTALLED</i>
33-008		R		FIXATION : LENTILLE PROTECTION FEU ANTI-COLLISION <i>ATTACHMENT : ANTI COLLISION LIGHT PROTECTIVELENS</i>	NON CONCERNE, REFERENCE NON MONTEE <i>NOT CONCERNED, P/N NOT INSTALLED</i>

A/I = Alerte ou Impératif / *Alert or Mandatory*
(*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*
E/T = Emergency ASB ou Télex Alert / *Emergency ASB or Alert Telex*

Visa des Services Qualité
Quality Department's Signature

F0210
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL N°: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
14/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
33-011	R			FEU ANTI-COLLISION DE DERIVE ANTICOLLISION LIGHT OF THE FIN	N/C, APPAREIL LIVRE APRES 02/2012 N/C, AIRCRAFT DELIVERED AFTER 02/2012
34-017	R			EMETTEUR/RECEPTEUR AHV16 (ERT160) AHV16 (ERT160) TRANSCEIVER	APPLIQUE APPLIED
34-019	R			BOITIER D'ASSERVISSEMENT D'ANTENNE RADAR RADAR ANTENNA SLAVING UNIT	NON CONCERNE, REFERENCE NON MONTEE NOT CONCERNED, P/N NOT INSTALLED
34-021	R1		2010-0067	NAVIGATION - CABLAGE DU TRANSPONDEUR TDR 94D NAVIGATION - WIRING OF TDR 94D TRANSPONDER	NON CONCERNE, REFERENCE NON MONTEE NOT CONCERNED, P/N NOT INSTALLED
52-022	R1	0753C52		PORTES - MICRO-SWITCH SOLIDAIRE DE LA GACHE INF. DOORS - MICRO-SWITCH SOLID WITH THE LOWER CATCH	NON CONCERNE, AMS 0753C52 APPLIQUE NOT CONCERNED, MOD. 0753C52 APPLIED
52-023	R1	0752C19		CHANGEMENT DES FERRURES DE PORTES COULISSANTES DOORS-SLIDING DOOR FITTING REPLACEMENT	NON CONCERNE, AMS 0752C19 APPLIQUE NOT CONCERNED, MOD.0752C19 APPLIED
52-030	R			PORTES - POIGNEE DE LARGAGE DES PORTES EQUIPAGE DOORS - CREW DOORS JETTISON HANDLE	N/C, N° APPAREIL NON CONCERNE N/C, AIRCRAFT S/N NOT CONCERNED
52A013	A		F-2003-345	R2 PORTE COULISSANTE DE CABINE CABIN SLIDING DOOR	NON CONCERNE, AMS 0753C49 APPLIQUE NOT CONCERNED, MOD. 0753C49 APPLIED

A/I = Alerte ou Impératif / Alert or Mandatory

(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended

E/T = Emergency ASB ou Télex Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
15/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
52A015	A	0753C48	F-2003-372	MODIF SUPPORT MICRO SWITCH PORTE COULISSANTE SLIDING DOOR: CONTACT SUPPORT MODIFICATION	NON CONCERNE, AMS 0753C48 APPLIQUE NOT CONCERNED, MOD. 0753C48 APPLIED
52A016	R1 I		F-2004-107	R1 PORTES COULISSANTES DE CABINE CABIN SLIDING DOORS	APPLIQUE APPLIED
52A017	R1 I	0752C18 0753C59	F-2004-157	CENTREURS ET RECEPTACLES PORTES COULISSANTES CENTERING PIN AND RECEPTACLE SLIDING DOORS	NON CONCERNE, AMS APPLIQUES NOT CONCERNED, MODIFICATIONS APPLIED
52A018	R2 A		2006-0052-E	MAINTENANCE DES PORTES COULISSANTES DE CABINE CABIN SLIDING DOORS MAINTENANCE	A APPLIQUER PAR L'UTILISATEUR TO BE CARRIED OUT BY USER
52A028	R		2010-0040	PORTES PILOTE ET COPILOTE PILOT AND COPILOT DOORS	N/C, APPAREIL LIVRE APRES 01/2010 N/C, AIRCRAFT DELIVERED AFTER 01/2010
53-017	R	0753C56		FUSELAGE :PROTECTION CONTRE LA CORROSION FUSELAGE :ANTI-CORROSION PROTECTION	NON CONCERNE, AMS 0753C56 APPLIQUE NOT CONCERNED, MOD. 0753C56 APPLIED
53-019	R1 R	0750B32 0779B33		TUYAUTERIES DE REFROIDISSEMENT HUILE GTM ET CAPOT ENGINE OIL COOLING PIPES AND COWLINGS	NC, AMS APPLIQUES NOT CONCERNED, MOD. APPLIED

A/I = Alerte ou Impératif / Alert or Mandatory
(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Télex Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
ot

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
53-023	R1 R			BARQUE AVANT , VERIFICATION CORROSION <i>FORWARD BOTTOM STRUCTURE , CORROSION VERIFICATION</i>	A APPLIQUER PAR L'UTILISATEUR <i>TO BE CARRIED OUT BY USER</i>
53-029	R1 R			REPLACEMENT DES FERRURES DE DERIVE <i>FIN FITTING REPLACEMENT</i>	NON CONCERNE, AMS 0754B40 APPLIQUE <i>NOT CONCERNED, MOD. 0754B40 APPLIED</i>
53A008	A	0753C49	F-2004-156	AMELIORATION DES FERRURES ET RAILS PORTE COULISS. <i>IMPROVEMENT OF SLIDING DOOR FITTINGS AND RAILS</i>	NON CONCERNE, AMS 0753C49 APPLIQUE <i>NOT CONCERNED, MOD. 0753C49 APPLIED</i>
53A031	R1 A	0745C96 0753C98	2011-0190	DRAINAGE ZONE CAISSON RESERVOIR <i>DRAINING TANK BOX AREA</i>	NON CONCERNE, AMS APPLIQUES <i>NOT CONCERNED, MOD. APPLIED</i>
56A003	A		2010-0257	HUBLOTS DES PORTES BATTANTES CABINE <i>WINDOWS OF HINGED CABIN DOORS</i>	N/C, PORTES COULISSANTES MONTEES <i>N/C, SLIDING DOORS INSTALLED</i>
62-001	R	0762B86 0762B89		BUTEES DE TRAINÉES RENFORCEES <i>STRENGTHENED DRAG STOP</i>	NON CONCERNE, AMS APPLIQUES <i>NOT CONCERNED, MODIFICATIONS APPLIED</i>
62-005	R	0762C17		TORQUAGE COUPOLE MRP <i>TORQUE MAIN ROTOR HUB DOME COVER</i>	NON CONCERNE, AMS 0762C17 APPLIQUE <i>NOT CONCERNED, MOD. 0762C17 APPLIED</i>

 A/I = Alerte ou Impératif / *Alert or Mandatory*

 (*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*

 E/T = Emergency ASB ou Téléx Alert / *Emergency ASB or Alert Telex*

 Visa des Services Qualité
 Quality Department's Signature

 F0210




REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL / AIRCRAFT: **EC 155 B1**
N° SERIE / SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
17/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
62A006	A		F-2004-106	VERIFICATION PALES PRINCIPALES CHECK MAIN ROTOR BLADE	NON CONCERNE, REFERENCE NON MONTEE NOT CONCERNED, P/N NOT INSTALLED
62A014	R1 A	0762B88	2006-0368-E	R1 VERIFICATION DE L'ECROU DU MAT ROTOR CHECK OF THE MAIN ROTOR MAST NUT	NON CONCERNE, AMS 0762B88 APPLIQUE NOT CONCERNED, MOD.0762B88 APPLIED
63-002	R1 R			VERIFICATION VENTILATEUR ROTOR PRINCIPAL M.G.B FAN CHECKING	NON CONCERNE, AMS 0779B26 APPLIQUE NOT CONCERNED, MOD. 0779B26 APPLIED
63-006	R			ENTRAINEMENT ROTOR PRINCIPAL: MODIF. FREINAGE MAIN ROTOR DRIVE : MODIFIED SAFETYING	NON CONCERNE, N/S APPAREIL > 6663 NOT CONCERNED, S/N AIRCRAFT > 6663
63-010	R1 R	0739C51		METALLISATION MANOCONTACT PRESSION D'HUILE BTP MGB OIL PRESSURE SWITCH ELECTRICAL BONDING	APPLIQUE APPLIED
63A007	E		2010-0116-E	ANOMALIE SIGNALISATION BASSE PRESSION HUILE BTP COMPLAINT ON LOW PRESSURE MGB INDICATION	SANS OBJET, APPAREIL NEUF NOT APPLICABLE, NEW AIRCRAFT
63A011	E		2011-0127	CARTER BTP MAIN GEARBOX CASING	N/C, APPAREIL LIVRE APRES LE 05/12/2007 N/C, AIRCRAFT DELIVERED AFTER 05/12/2007

A/I = Alerte ou Impératif / Alert or Mandatory
(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Télex Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
E
st



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL / AIRCRAFT: **EC 155 B1**
N° SERIE / SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
18/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV AIRWORTHINESS DIRECTIVES	OBJET OBJECT	APPLICATION
63A012	R1	A	2014-0179	R1 ENTRAINEMENT ROTOR PRINCIPAL TAIL ROTOR DRIVE FLANGE	A APPLIQUER PAR L'UTILISATEUR TO BE CARRIED OUT BY USER
64-004	R2	R	0754B39	EQUILIBRAGE DU MOYEU ROTOR ARRIERE (MRA) TAIL ROTOR HEAD (TRH) BALANCING	NON CONCERNE, AMS 0754B39 APPLIQUE NOT CONCERNED, MOD. 0754B39 APPLIED
65-004		R		ENTRAINEMENT ROTOR ARRIERE TAIL ROTOR DRIVE	N/C, BTA ASSEMBLEE APRES 12/2003 NOT CONCERNED, TGB MANUF. AFTER 12/2003
65-005		R		ENTRAINEMENT ROTOR ANTI-COUPLE TAIL ROTOR DRIVE	APPLIQUE APPLIED
65-006	R1	R	0765B58	ECHANGE BAGUES DE GUIDAGE DE L'ARBRE DE CDE BTA TGB CONTROL SHAFT GUIDE BUSH REPLACEMENT	NON CONCERNE, AMS 0765B56 APPLIQUE NOT CONCERNED, MOD. 0765B56 APPLIED
65-007	R1	R	0765B57	BTA - REMPLACEMENT DU ROULEMENT DE LA TIGE DE CDE TGB - REPLACING THE CONTROL ROD BEARING	NON CONCERNE, AMS 0765B57 APPLIQUE NOT CONCERNED, MOD. 0765B57 APPLIED
67-002		R		COMMANDES DE VOL : VERINS SERIE FLIGHT CONTROL : SERIE ACTUATOR	N/C, APPAREIL LIVRE APRES 04/2003 N/C, AIRCRAFT DELIVERED AFTER 04/2003
67-006		R	0767B63	DOUBLE FREINAGE SUR VERIN DE TRIM DUAL SAFETYING ON TRIM ACTUATOR	NON CONCERNE, AMS 0767B63 APPLIQUE NOT CONCERNED, MOD. 0767B63 APPLIED

A/I = Alerte ou Impératif / Alert or Mandatory
(*) R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Télx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's Signature

F0210
ot



REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMENDATION FOR COMPLIANCE

Page
19/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
67-009	R1 R	0767B65		VERIFICATION: LAME DE RETENUE DU MANCHE COLLECTIF <i>CHECK: COLLECTIVE PITCH LEVER RESTRAINING TAB</i>	NON CONCERNE, AMS 0767B65 APPLIQUE <i>NOT CONCERNED, MOD. 0767B65 APPLIED</i>
67-012	R			COMMANDES DE VOL DES ROTORS <i>ROTOR FLIGHT CONTROL</i>	SANS OBJET, APPAREIL NEUF <i>NOT APPLICABLE, NEW AIRCRAFT</i>
67A003	R1 A	0767B58	F-2003-322	R1 DOUBLE FREINAGE SUR VIS BUTEES COMMANDES DE VOL <i>DOUBLE SAFETYING ON FLIGHT CONTROL STOP SCREW</i>	N/C, DEPASSE PAR AMS 0767B60 <i>N/C, SUPERSEDED BY MOD. 0767B60</i>
67A004	A	0767B62		REDUCTION VALEUR PETIT PAS COLLECTIF <i>REDUCTION OF BLADE LOW-PITCH VALUE</i>	NON CONCERNE, AMS 0767B62 APPLIQUE <i>NOT CONCERNED, MOD. 0767B62 APPLIED</i>
67A005	A	0767B62		CDV:INTERDICTION AUTO-ROTATION VOLONTAIRE <i>RFC:PROHIBITION OF INTENTIONAL AUTO-ROTATION</i>	NON CONCERNE, AMS 0767B62 APPLIQUE <i>NOT CONCERNED, MOD. 0767B62 APPLIED</i>
67A007	R1 A		F-2005-127	R1 VERIFICATION: LAME DE RETENUE DU MANCHE COLLECTIF <i>CHECK: COLLECTIVE PITCH LEVER RESTRAINING TAB</i>	NON CONCERNE, AMS 0767B65 APPLIQUE <i>NOT CONCERNED, AMS 0767B65 APPLIED</i>
67A010	A		2007-0099	MISE EN CONFORMITE DES SERVOCOMMANDES ARRIERES <i>RETURN TO CONFORMITY OF TAIL ROTOR SERVO-CONTROLS</i>	NON CONCERNE, N° SERIE NON MONTE <i>NOT CONCERNED, S/N NOT INSTALLED</i>
73-001	R			FAISCEAU DE REGULATION DU MOTEUR GAUCHE <i>GOVERNING SYSTEM HARNESS, LH ENGINE</i>	APPLIQUE <i>APPLIED</i>

A/I = Alerte ou Impératif / *Alert or Mandatory*

(*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*

E/T = Emergency ASB ou Téléx Alert / *Emergency ASB or Alert Telex*

Visa des Services Qualité
Quality Department's Signature





REGISTRE INDIVIDUEL DE CONTROLE
INDIVIDUAL INSPECTION LOG BOOK

Version
Issue

APPAREIL /AIRCRAFT: **EC 155 B1**
N° SERIE /SERIAL Nr: **6997**

ALERTE SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

Page
20/20

N° DOCUMENT	CODE (*)	MODIFICATION	CONSIGNE DE NAV <i>AIRWORTHINESS DIRECTIVES</i>	OBJET <i>OBJECT</i>	APPLICATION
76A001	A	0739C36		COMMANDES MOTEUR <i>ENGINE CONTROL</i>	NON CONCERNE, AMS 0739C36 APPLIQUE <i>NOT CONCERNED, MOD.0739C36 APPLIED</i>
79-005	R	0779B36		LUBRIFICATION MOTEUR <i>ENGINE LUBRICATION</i>	NON CONCERNE, AMS 0779B36 APPLIQUE <i>NOT CONCERNED, MOD. 0779B36 APPLIED</i>

A/I = Alerte ou Impératif / *Alert or Mandatory*

(*) R = avec Recommandation ou Recommandé / *with Recommendation or Recommended*

E/T = Emergency ASB ou Téléx Alert / *Emergency ASB or Alert Telex*

Visa des Services Qualité
Quality Department's Signature





INDIVIDUAL INSPECTION LOG BOOK

Issue

Aircraft: EC155 B1
Serial No.: 6997

SERVICE BULLETINS

Page

01/01

ASB/ SB	Service Bulletin	Modification	Airworthiness Directive	Subject	Compliance Details
SB	EC155-25-117 R2	0745C88 0731B76 0745C98	-	Improvement in reliability of automatic percussion. Floatation gear for aircraft equipped with CVFDR	N/A to A/C post mod 0745C98 (CRS #M07672)
SB	EC155-25-138	-	-	Improved locking system of the LISI AS21-5-7 cargo hook	N/A due LISI AS21-5-7 cargo hook not installed (CRS #M07673)
ASB	52A018 R2	-	EAD EU-2006-0052-E	Cabin sliding doors maintenance	a) Noted - ASB 52A018 R2 (para 4.A.1) to be complied at each ALF [Note: AHSA crews informed via email on 15.06.15 (Refer to attached email)] (CRS #M07671) c) Complied with Para 4.A.1 on 03.07.15, 10.07.15, 20.07.15, 21.07.15, 27.07.15, 28.07.15, 31.07.15, 03.08.15, 13.08.15, 18.08.15, 20.08.15, 14.09.15, 16.09.15, 25.09.15 and 02.10.15 (TL #01396, #01397, #01398, #01399, #01400, #01401, #01402, #01403, #01404, #01405, #01429, #01430, #01431, #01432, #01433 and #01434)
ASB	52A032	-	AD EU-2015-0157	Functional test of the crew door jettisoning system	Complied with on 14.09.15 and found satisfactory (CRS #M07982)
ASB	56A006	-	-	Check of the press-studs on the window jettisoning system	Complied with on 13.08.15 and found satisfactory (CRS #M07768)

Quality Department

