


# Information Notice

**SUBJECT: GENERAL**

**Tech Data: upcoming revision of the H120/EC120 publications**



AIRCRAFT CONCERNED	Version(s)	
	Civil	Military
EC120	B	

Airbus Helicopters is pleased to inform you of the upcoming revision of the H120/EC120 Technical Data.

From September 2022, a new revision of O.R.I.O.N. and all the associated publications will be available. The purpose of this Information Notice is to inform you in advance about the main updates of these publications by providing you with the contents of the “Highlights of the revision” of MSM chapters 04 and 05 (in English only).

**General information**

**1. Attached documents:**

Chapter 04: EC120 B MSM chap 04 **Rev 003**. PDF

Chapter 05: EC120 B MSM chap 05 **Rev 008**. PDF

---

## HIGHLIGHTS OF THE REVISION

### 1 GENERAL

- Check that the content of the sections is in accordance with the List Of Effective Document Units (LOEDU).
- Return the acknowledgment card.

### 2 OUTLINE OF THE REVISION

The revision is codified as follows:

- Revision 003: 2022.07.18

### 3 DETAILED DESCRIPTION

#### 3.1 SB INCORPORATED

- 05A012 R1  
Check for crack in the main rotor hub  
Added

#### 3.2 Section 04.20.00

##### 62-21 MAIN ROTOR HUB

- 62/21/00/000/000/860  
Rotor hub - Damper attachment area  
New task integrated

15 FH

**End of the Document Unit**

## HIGHLIGHTS OF THE REVISION

### 1 GENERAL

- Check that the content of the sections is in accordance with the List Of Effective Document Units (LOEDU).
- Return the acknowledgment card.

### 2 OUTLINE OF THE REVISION

The revision is codified as follows:

- Revision 008: 2022.07.18

### 3 DETAILED DESCRIPTION

#### 3.1 UPDATE OF THE MSM

- § 5 TECHNICAL QUERY  
Added

#### 3.2 Section 05.21.02

##### 24-33 BATTERY

- 24/33/00/000/000/060 12 M  
Battery  
Documentation modified

##### 25-67 EMERGENCY FLOATATION GEAR

- 25/67/00/000/000/010 12 M  
Cylinder  
Documentation modified

#### 3.3 Section 05.22.02

##### 24-33 BATTERY

- 24/33/00/000/000/070 24 M  
Battery  
Documentation modified

#### 3.4 Section 05.25.00

##### 24-33 BATTERY

- 24/33/00/000/000/050 6 M  
Battery  
Documentation modified  
Climatic Condition modified

- 24/33/00/000/000/090 6 M  
Battery  
Documentation modified

##### 25-67 EMERGENCY FLOATATION GEAR

- 25/67/00/000/000/300 18 M  
Float  
Documentation modified

**31-42 LIGHTING AND ANCILLARIES CONTROL UNIT (LACU)**

- 31/42/00/000/000/000 1000 FH  
Lighting and ancillaries control unit (LACU)  
New task integrated

**3.5 Section 05.26.00****25-67 EMERGENCY FLOATATION GEAR**

- 25/67/00/000/000/400 72 M & 108 M & 144 M  
Float  
Documentation modified

**End of the Document Unit**