

DIRECTIVES COMPLIANCE									
MANDATORY DIRECTIVES					OPTIONAL DIRECTIVES				
DIRECTIVE NUMBER (47)	ISSUE (48)	DATE OF COMPLIANCE (49)	ORGANIZATION (50)	STAMP SIGNATURE (51)	DIRECTIVE NUMBER (47)	ISSUE (48)	DATE OF COMPLIANCE (49)	ORGANIZATION (50)	STAMP SIGNATURE (51)

DESCRIPTION (1) AFT RM FLOAT RIGID COVER SHA ASSY	P/N (2) 369560V.01532	S/N (3) 415	MANUFACTURER NAME (4) AEROSPACE	ASSEMBLY DATE (5) 02/17/2014	RETIREMENT LIFE (6)
	P/N (7)	S/N (8) (415)	MANUFACTURER NAME (9)	DATE OF CHANGE (10)	RETIREMENT LIFE (11)
	P/N (7)	S/N (8)	MANUFACTURER NAME (9)	DATE OF CHANGE (10)	RETIREMENT LIFE (11)

NOTES (12)
CYLINDER P/N P-F20006 S/N F14798 HYDROTEST PERFORM 11/2014 ANNUAL: 02-02-19

ASSEMBLY HISTORICAL RECORD														
INSTALLATION								REMOVAL						
DATE (13)	A/C		ASSY			ORGANIZATION (19)	STAMP AND SIGNATURE (20)	DATE (21)	A/C TOTAL TIME (22)	ASSY		REASON OF REMOVAL (25)	ORGANIZATION (26)	STAMP AND SIGNATURE (27)
	R. MARKS (14)	N/C (15)	TOTAL TIME (16)	TOTAL TIME (17)	TIME SINCE OH (18)					TOTAL TIME (23)	TIME SINCE OH (24)			
16.06.2016	AM- B0C	1678 31289	1679. 10	00:00	NEW	AIRCO (DR: 118/B0C)		0.02.2016	1747.40	68:30	NEW	Removed due to BT139-ST9 DR 6.7.15 (M)	AIRCO	
18.10.2016	AM- B0C	31289	1747.40	68:30	NEW	AIRCO DR 1225/B0C		16.06.2017	1959.40	280.30	NEW	DUE FOR ANNUAL INSPECTION 01-06-17	AIRCO	
28.3.2018	AM- B0D	31291	1779.90	280.30	NEW	AIRCO (DR: 1730/B0D)		13.12.2018	10125.40	425.80	NEW	DUE FOR ANNUAL INSPECTION 2.2.19	AIRCO	

LOG CARD

NOTICE: WHEN THIS ASSY IS RETURNED FOR ANY REASON TO AN AGUSTA GROUP FACILITY, PLEASE SEND THIS FORM UPDATED.

Sezione 2

Chapter n°

Part n°

LIMITED LIFE COMPONENTS INSTALLED ON ASSY

COMPONENT DATA				INSTALLATION				REMOVAL			
DESCRIPTION (28)	P/N (29)	S/N (30)	RETIREMENT LIFE (31)	ASSY TOTAL TIME (32)	COMP. TOTAL TIME (33)	COMP. TIME SINCE OH (34)	STAMP AND SIGNATURE (35)	ASSY TOTAL TIME (36)	COMP. TOTAL TIME (37)	COMP. TIME SINCE OH (38)	STAMP AND SIGNATURE (39)
<i>COMPONENT DATA INSTALLED ON ASSY</i>											
<i>SEE REF DUAL RELEASE AEROSEKUR SPA N°S.1273/2014</i>				<i>00:00</i>	<i>00:00</i>	<i>NSW</i>	<i>(A8E 927) [Signature]</i>				

LOG CARD

NOTICE: WHEN THIS ASSY IS RETURNED FOR ANY REASON TO AN AGUSTA GROUP FACILITY, PLEASE SEND THIS FORM UPDATED.

Sezione 3

Chapter n°

Part n°

ACTIVITY RECORD

DATE (40)	ASSY TOTAL TIME (41)	TASK (42)	ACTIVITY (43)	DATE (44)	ORGANIZATION (45)	STAMP AND SIGNATURE (46)
<i>7/6/16</i>		<i>ANNUAL INSPECTION</i>	<i>C/O OUT ANNUAL INSPECTION</i>	<i>7/6/16</i>	<i>HRD (m) S/B</i>	<i>[Signature]</i>
<i>1/2/18</i>		<i>ANNUAL INSPECTION</i>	<i>DETAIL INSPECTION CARRIED OUT</i>	<i>1/2/18</i>	<i>HRD (m) S/B</i>	<i>[Signature]</i>

Certificate No : KTSB/A/18-0444

DECLARATION OF CONFORMITY

Declaration Of Conformity given by the Supplier of product pursuant to Manufacturer's information

Ser	PO Ref	Part No / Description / Serial No.	Qty	Cond	OEM Reference (AW)	Remarks
1	NAY/17-599	3G9560V01532	1	Inspection	425.180201	18-0971
		AFT Right Float Rigid Cover Sma Assy				
		SN: 415				

We are declaring to our exclusive responsibility, that product, wich related to this declaration responds to the parameters of regulatory standards, client specific requirements and released documentations from our associate partners' and OEM

Date : 1st March 2018

Confirmed By :



Director





HRD Aero Systems, Sdn Bhd
 Lot# 16683, Jalan Delima 1
 Kawasan Perindustrian Nilai 3
 Nilai, Negeri Sembilan Malaysia 71800

FAA CRS# 3HYY536C
 DCAM AMO/2017/22
 E/ \.145.0732

TEARDOWN REPORT

CUSTOMER NAME AGUSTAWESTLAND		CUSTOMER PO#: 4801648989	
HRD WO#: ML263	MFG P/N: 303562A	S/N: 415	DOM: 12/2014
Reservoir Assy P/N: 302444A	S/N: 1527	D.O.M.: 12/2014	Hydrostatic Test Date: 11/2014

SECTION 1, REMOVAL REPORT.

Reason for Removal:	ANNUAL INSPECTION <input checked="" type="checkbox"/> Confirmed <input type="checkbox"/> Unconfirmed
	<input checked="" type="checkbox"/> See Section 3 <input type="checkbox"/> Unit received deployed <input type="checkbox"/> Warranty Requested

SECTION 2, STANDARD TASKS PERFORMED IAW CMM.

<input type="checkbox"/> Functional Test	<input checked="" type="checkbox"/> 1 Bottle <input type="checkbox"/> 2 Bottles <input type="checkbox"/> N/A
<input checked="" type="checkbox"/> PRV Test	<input type="checkbox"/> Hydro Test
<input checked="" type="checkbox"/> Proof Pressure Test / Bulk Head Test	<input type="checkbox"/> Valve Overhaul
<input checked="" type="checkbox"/> Air Retention Test	<input type="checkbox"/> Valve Flow Test
<input type="checkbox"/> Survival Kit Insp / OH	<input checked="" type="checkbox"/> Hose Pressure Test

SECTION 3, DETAILS OF WORK PERFORMED BELOW

PARTS REPLACED

QUANTITY

BOLT KIT-replaced-	307408A	1
GASKET (worn)-replaced-	GSC-21-95204-011 REV C	1
DIFFUSER CAP (missing)-installed-	303717A	1
RIGHT STRUCTURE ASSY. (crack)-replaced-	303507A	1
RESERVOIR ASSY: INSPECTED	N/A	N/A
NEXT INSPECTION DUE: 02/2019	N/A	N/A
AGUSTAWESTLAND P/N: 3G9560V01532, S/N: 415, D.O.M: 12/2014	N/A	N/A

SECTION 4, LIFE LIMITED COMPONENTS INSTALLED ON ASSEMBLY



DESCRIPTION	P/N	S/N	DATE OF MFG	EXP. DATE
FLOAT BAG	201659C	996	12/2014	12/2029
CYLINDER	P-F20006	FI 4797	11/2014	11/2029
GASKET	GSC-21-95204-011 REV C	N/A	N/A	30 JULY 2019

SECTION 5, SERVICE BULLETINS, AIRWORTHINESS DIRECTIVES, or ENGINEERING ORDERS ACCOMPLISHED.

S.B./A.D./E.O. #	DESCRIPTION
NONE	NONE

EXAMINED AND ACCEPTED BY
 SIGNATURE OF INSPECTOR:

DATE: 02/02/18

1. Approving Competent Authority/Country EASA		2. EASA Form 1 Header AUTHORISED RELEASE CERTIFICATE EASA Form 1			3. Form Tracking Number: 425.180201	
4. Organization Name and Address: HRD Aero Systems Sdn Bhd Lot 16683 Jalan Delima 1 Kawasan Perindustrian Nilai 3 71800 Nilai, Negeri Sembilan, Malaysia Tel. +606-7993680/81; Fax +606-7993673				5. Work Order/Contract/Invoice Number: ML263		
6. Item	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	AFT RT FLOAT ASSY RGD CVR - IS SMA	3G9560V01532	1	415	INSPECTED	
12. Remarks This article was inspected and tested IAW AeroSekur CMM (Temporary Revision) 95-61-03-05, Dated 02 May 2017. Float Bag P/N: 201659C, S/N: 996, D.O.M: 12/2014, Exp Date: 12/2029. Reservoir P/N: 302444A, S/N: 1527, D.O.M: 12/2014, Last Hydrotest Date: 11/2014. Inflation Valve P/N: 302445A, S/N: AFM 362, D.O.M: 12/2014. Pin Puller P/N: P-H20006, S/N: 6633, D.O.M: 12/2014. Parts Replaced: Bolt Kit P/N: 307408A, Gasket P/N: GSC-21-95204-011 REV C Exp: 30 July 2019, Diffuser Cap P/N: 303717A, Afr Right Structure Assy. P/N: 303507A. See Tear Down for works details.						
13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> Part 145.A.50 Release to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service.			
13b. Authorised Signature:		13c. Approval Authorisation No.:		14b. Authorised Signature: 		14c. Certificate of Approval Ref. No: 145.0732
13d. Name		13e. Date (dd/mmm/yyyy)		14d. Name 		14e. Date (dd/mmm/yyyy): 02-Feb-2018
User/Installer Responsibilities This certificate does not automatically constitute authority to install the item(s). Where the user / installer performs work in accordance with regulations of an Airworthiness Authority different than the Airworthiness Authority specified in Block 1, it is essential that the user/ installer ensures that his / her Airworthiness Authority accepts items from the Airworthiness Authority specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulation by the user / installer before aircraft may be flown.						

DEPT 643 - AGUSTA OPERATION ACTION

CONTROL NO: 370/BOD

DATE: 17.12.18

COMPONENT / EQUIPMENT DETAILS

COMPONENT/EQUIPMENT:	AFT RH FLOAT RIGID COVER ASSY	ATA 95		
PART NO:	3G9560V01532			
SERIAL NO:	415			
HOURS TSN / TSO COMPONENT:	425.80 HRS (TSN) AND NEW HR(TSO)			
DATE INSTALLED ON A/C:	28.03.18			
DATE REMOVED FROM A/C:	13.12.18			
MANUFACTURER:	AEROSEKUR			
ORIGIN FROM ACFT/ENGINE:	9M-BOD (31291)			
ACFT/ENGINE TSN/TSO AT REMOVAL:	1925.40			
DESCRIPTION OF DEFECT:	ANNUAL INSPECTION (02.02.2019)			
CORRECTIVE ACTION TAKEN:	SENT TO CERTIFIED VENDOR AS PER AIROD LIST			
SYMPTOM OF DEFECT	ANNUAL INSPECTION			
MAINTENANCE WORK ORDER:	SCHEDULED	SMI	SPECIAL / CONDITIONAL INSPECTION	COMPLIANCE TO BT / AD
	LUB / SERVICING	UNSCHEDULED		REPAIR / DEFECT RECTIFICATIONS
	OTHERS (SPECIFY)	ANNUAL INSPECTION		

DESPATCH FROM

DESPATCHED BY:	AMRAN SHAH
DATE DESPATCHED:	

SHIPPING RECEIPT RECORD

ITEM RECEIVED BY: (NAME/SIGNATURE/DATE)	
800-4 REFERENCE NO:	370/BOD
JCN NO:	



HRD Aero Systems, Sdn Bhd
 Lot# 16683, Jalan Delima 1
 Kawasan Perindustrian Nilai 3
 Nilai, Negeri Sembilan Malaysia 71800

FAA CRS# 3HYY536C
 DCAM AMO/2017/22
 EASA.145.0732

TEARDOWN REPORT

CUSTOMER NAME: GALAXY AEROSPACE (M) SDN. BHD.		CUSTOMER PO#: GAM-PO-20-124R1	
HRD WO#: ML 633	MFG P/N: N/A	S/N: N/A	DOM: N/A
Reservoir Assy P/N: 302444A	S/N: 1527	D.O.M.: 12/2014	Hydrostatic Test Date: 03/2020

SECTION 1, REMOVAL REPORT.

Reason for Removal: OVERHAUL Confirmed Unconfirmed
 See Section 3 Unit received deployed WarrantyRequested

SECTION 2, STANDARD TASKS PERFORMED IAW CMM.

<input type="checkbox"/> Functional Test	<input checked="" type="checkbox"/> 1 Bottle <input type="checkbox"/> 2 Bottles <input type="checkbox"/> N/A
<input type="checkbox"/> PRV Test	<input checked="" type="checkbox"/> Hydro Test
<input type="checkbox"/> Proof Pressure Test / Bulk Head Test	<input checked="" type="checkbox"/> Valve Overhaul
<input type="checkbox"/> Air Retention Test	<input type="checkbox"/> Valve Flow Test
<input type="checkbox"/> Survival Kit Insp / OH	<input type="checkbox"/> Hose Pressure Test

SECTION 3, DETAILS OF WORK PERFORMED BELOW

PARTS REPLACED

QUANTITY

LABEL (damage)-replaced-	302478A	1
PIN / BACK-UP RING -replaced-	302454A / 302460A	1 / 1
AGT RING SEAL'S -replaced-	302457A / 302458A	1 / 1
O'RING'S -replaced-	302459A / 302466A	1 / 2
	302468A / 302464A	1 / 1
	303863A / 302472A	1 / 1
	302467A / 302477A	1 / 1
Special Fitting Adapter (damaged threads)-replaced-	302449A	1
AGUSTAWESTLAND P/N: 3G9560V01052, S/N: 1527, D.O.M: 12/2014 NEXT O/H DUE: 03/2025	N/A	N/A

SECTION 4, LIFE LIMITED COMPONENTS INSTALLED ON ASSEMBLY

DESCRIPTION	P/N	S/N	DATE OF MFG	EXP. DATE
CYLINDER	P-F20006	FI 4797	11/2014	11/2029
N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A


SECTION 5, SERVICE BULLETINS, AIRWORTHINESS DIRECTIVES, or ENGINEERING ORDERS ACCOMPLISHED.



S.B./A.D./E.O. #	DESCRIPTION
SB 139-25-002 (EASA AD 2018-0208)	Mandatory Inspection of Actuation Device P-H20006
N/A	N/A

EXAMINED AND ACCEPTED BY
 SIGNATURE OF INSPECTOR: _____

DATE: 08 - APR - 2020

SERVICEABLE



DESCRIPTION : INFLATION SYSTEM	
PART NO. : 349560V01052	QTY: 1
SERIAL NO. : 1527	
STATUS : <input checked="" type="radio"/> O/H/REPAIR/MOD/CAL/TEST <input checked="" type="radio"/> NEW/CONSUMABLE/GSE	
TSN : 00:00	TSO : 00:00
SHELF DUE/EXP DATE NEXT O/H DUE: 03/2025	
INSPECTED BY: MUKAPPAHAT	GIN/ ID. NO:
SIGN:  	600370
DATE : 24/04/2020	

GAME-005



HRD Aero Systems, Sdn Bhd
 Lot# 16683, Jalan Delima 1
 Kawasan Perindustrian Nilai 3
 Nilai, Negeri Sembilan Malaysia 71800

NW-139 9M-130C

FAA CRS# 3HYY536C
 DCAM AMO/2017/22
 EASA.145.0732

TEARDOWN REPORT

CUSTOMER NAME: GALAXY AEROSPACE (M) SDN. BHD.		CUSTOMER PO#: GAM-PO-20-124R1	
HRD WO#: ML 633	MFG P/N: N/A	S/N: N/A	DOM: N/A
Reservoir Assy P/N: 302444A	S/N: 1527	D.O.M.: 12/2014	Hydrostatic Test Date: 03/2020

SECTION 1, REMOVAL REPORT.

Reason for Removal: OVERHAUL Confirmed Unconfirmed
 See Section 3 Unit received deployed Warranty Requested

SECTION 2, STANDARD TASKS PERFORMED IAW CMM.

<input type="checkbox"/> Functional Test	<input checked="" type="checkbox"/> 1 Bottle <input type="checkbox"/> 2 Bottles <input type="checkbox"/> N/A
<input type="checkbox"/> PRV Test	<input checked="" type="checkbox"/> Hydro Test
<input type="checkbox"/> Proof Pressure Test / Bulk Head Test	<input checked="" type="checkbox"/> Valve Overhaul
<input type="checkbox"/> Air Retention Test	<input type="checkbox"/> Valve Flow Test
<input type="checkbox"/> Survival Kit Insp / OH	<input type="checkbox"/> Hose Pressure Test

SECTION 3, DETAILS OF WORK PERFORMED BELOW

PARTS REPLACED

QUANTITY

LABEL (damage)-replaced-	302478A	1
PIN / BACK-UP RING -replaced-	302454A / 302460A	1 / 1
AGT RING SEAL'S -replaced-	302457A / 302458A	1 / 1
O'RING'S -replaced-	302459A / 302466A	1 / 2
	302468A / 302464A	1 / 1
	303863A / 302472A	1 / 1
	302467A / 302477A	1 / 1
Special Fitting Adapter (damaged threads)-replaced-	302449A	1
AGUSTAWESTLAND P/N: 3G9560V01052, S/N: 1527, D.O.M: 12/2014 NEXT O/H DUE: 03/2025	N/A	N/A

SECTION 4, LIFE LIMITED COMPONENTS INSTALLED ON ASSEMBLY



DESCRIPTION	P/N	S/N	DATE OF MFG	EXP. DATE
CYLINDER	P-F20006	FI 4797	11/2014	11/2029
N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A




SECTION 5, SERVICE BULLETINS, AIRWORTHINESS DIRECTIVES, or ENGINEERING ORDERS ACCOMPLISHED.

S.B./A.D./E.O. #	DESCRIPTION
SB 139-25-002 (EASA AD 2018-0208)	Mandatory Inspection of Actuation Device P-H20006
N/A	N/A

EXAMINED AND ACCEPTED BY
 SIGNATURE OF INSPECTOR: 

DATE: 08-APR-2020

1. Country MALAYSIA		2. AUTHORISED RELEASE CERTIFICATE DCAM Form 1			3. Form Tracking Number: 864.200407	
4. Organisation Name and Address: HRD Aero Systems Sdn Bhd LOT 16683 JALAN DELIMA 1 KAWASAN PERINDUSTRIAN NILAI 3 71800 NILAI, NEGERI SEMBILAN, MY GST ID NO: 000794513408				5. Work Order/Contract/Invoice Number: ML633		
Approval Holder: AMO / 2017 / 22						
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	INFLATION SYSTEM, SMA	3G9560V01052	1	1527	OVERHAULED	
12. Remarks This article was overhauled IAW Aerosekur CMM 25-60-04 Rev 4 Dated 11 Sept 2018 (Temp Rev. 25-60-04-4 Dated 14 MAY 2019). Cylinder P/N: P-F20006, S/N: FI 4797, D.O.M: 11/2014, Exp: 11/2029, Hydro Test Date: 03/2020. Inflation Valve P/N: 302445A, S/N: AFM 362, D.O.M: 12/2014. Pin Puller P/N: P-H20006, S/N: 6633, D.O.M: 12/2014. Performed SB 139-25-002 Per. EASA AD 2018-0208. Parts Replaced: Label P/N: 302478A, Pin P/N: 302454A, AGT ring seals's P/N:302457A / 302458A, Back-up ring P/N: 302460A. O'rings : 302459A / 302466A / 302468A / 302464A / 303863A / 302472A / 302467A / 302477A. Special fitting Adapter P/N: 302449A. See Tear Down for Work Details.						
13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12			14a. <input checked="" type="checkbox"/> CAR Reg. 30; Release to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with DCAM Part 145 requirements and in respect to that work, the items are approved for return to service.			
13b. Authorised Signature:		13c. Approval Authorisation No.:		14b. Authorised Signature:		14c. Certificate of Approval Ref. No:
						AMO / 2017 / 22
13d. Name (Typed or Printed):		13e. Date (day/month/year):		14d. Name (Typed or Printed):		14e. Date (day/month/year):
						08-Apr-2020
User/Installer Responsibilities						
It is important to understand that the existence of this document alone does not automatically constitute authority to install the part/component/assembly.						
Where the user/installer performs work in accordance with the national regulations of an Airworthiness Authority different than the Airworthiness Authority specified in block [2] it is essential that the user/installer ensures that his/her Airworthiness Authority accepts parts/components/assemblies from the Airworthiness Authority specified in block [2].						
Statement in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.						

1. Approving Competent Authority/Country EASA		2. EASA Form 1 Header AUTHORISED RELEASE CERTIFICATE EASA Form 1			3. Form Tracking Number: 864.200407	
4. Organization Name and Address:  HRD Aero Systems Sdn Bhd Lot 16683 Jalan Delima 1 Kawasan Perindustrian Nilai 3 71800 Nilai, Negeri Sembilan, Malaysia Tel. +606-7993680/81; Fax +606-7993673				5. Work Order/Contract/Invoice Number: ML633		
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:	
1	INFLATION SYSTEM, SMA	3G9560V01052	1	1527	OVERHAULED	
12. Remarks <p>This article was overhauled IAW Aerosekur CMM 25-60-04 Rev 4 Dated 11 Sept 2018 (Temp Rev. 25-60-04-4 Dated 14 MAY 2019).</p> <p>Cylinder P/N: P-F20006, S/N: FI 4797, D.O.M: 11/2014, Exp: 11/2029, Hydro Test Date: 03/2020. Inflation Valve P/N: 302445A, S/N: AFM 362, D.O.M: 12/2014. Pin Puller P/N: P-H20006, S/N: 6633, D.O.M: 12/2014.</p> <p>Performed SB 139-25-002 Per. EASA AD 2018-0208.</p> <p>Parts Replaced: Label P/N: 302478A, Pin P/N: 302454A, AGT ring seals's P/N:302457A / 302458A, Back-up ring P/N: 302460A. O'rings : 302459A / 302466A / 302468A / 302464A / 303863A / 302472A / 302467A / 302477A. Special fitting Adapter P/N: 302449A.</p> <p>See Tear Down for Work Details.</p>						
13a. Certifies the items identified above were manufactured in conformity to: <input type="checkbox"/> Approved design data and are in a condition for safe operation. <input type="checkbox"/> Non-approved design data specified in Block 12				14a. <input checked="" type="checkbox"/> Part 145.A.50 Release to Service <input type="checkbox"/> Other regulation specified in Block 12 Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service.		
13b. Authorised Signature:		13c. Approval Authorisation No.:	14b. Authorised Signature: 		14c. Certificate of Approval Ref. No: 145.0732	
13d. Name		13e. Date (dd/mmm/yyyy)	14d. Name 		14e. Date (dd/mmm/yyyy): 08-Apr-2020	
User/Installer Responsibilities This certificate does not automatically constitute authority to install the item(s). Where the user / installer performs work in accordance with regulations of an Airworthiness Authority different than the Airworthiness Authority specified in Block 1, it is essential that the user/ installer ensures that his / her Airworthiness Authority accepts items from the Airworthiness Authority specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulation by the user / installer before aircraft may be flown.						



HRD Aero Systems, Sdn Bhd
 Lot# 16683, Jalan Delima 1
 Kawasan Perindustrian Nilai 3
 Nilai, Negeri Sembilan Malaysia 71800

FAA CRS# 3HYY536C
 DCAM AMO/2017/22
 EASA.145.0732

TEARDOWN REPORT

CUSTOMER NAME: GALAXY AEROSPACE (M) SDN. BHD.		CUSTOMER PO#: GAM-PO-20-124R1	
HRD WO#: ML 633	MFG P/N: N/A	S/N: N/A	DOM: N/A
Reservoir Assy P/N: 302444A	S/N: 1527	D.O.M.: 12/2014	Hydrostatic Test Date: 03/2020

SECTION 1, REMOVAL REPORT.

Reason for Removal: OVERHAUL Confirmed Unconfirmed
 See Section 3 Unit received deployed WarrantyRequested

SECTION 2, STANDARD TASKS PERFORMED IAW CMM.

<input type="checkbox"/> Functional Test	<input checked="" type="checkbox"/> 1 Bottle <input type="checkbox"/> 2 Bottles <input type="checkbox"/> N/A
<input type="checkbox"/> PRV Test	<input checked="" type="checkbox"/> Hydro Test
<input type="checkbox"/> Proof Pressure Test / Bulk Head Test	<input checked="" type="checkbox"/> Valve Overhaul
<input type="checkbox"/> Air Retention Test	<input type="checkbox"/> Valve Flow Test
<input type="checkbox"/> Survival Kit Insp / OH	<input type="checkbox"/> Hose Pressure Test

SECTION 3, DETAILS OF WORK PERFORMED BELOW

PARTS REPLACED

QUANTITY

LABEL (damage)-replaced-	302478A	1
PIN / BACK-UP RING -replaced-	302454A / 302460A	1 / 1
AGT RING SEAL'S -replaced-	302457A / 302458A	1 / 1
O'RING'S -replaced-	302459A / 302466A	1 / 2
	302468A / 302464A	1 / 1
	303863A / 302472A	1 / 1
	302467A / 302477A	1 / 1
Special Fitting Adapter (damaged threads)-replaced-	302449A	1
AGUSTAWESTLAND P/N: 3G9560V01052, S/N: 1527, D.O.M: 12/2014 NEXT O/H DUE: 03/2025	N/A	N/A

SECTION 4, LIFE LIMITED COMPONENTS INSTALLED ON ASSEMBLY

DESCRIPTION	P/N	S/N	DATE OF MFG	EXP. DATE
CYLINDER	P-F20006	FI 4797	11/2014	11/2029
N/A	N/A	N/A	N/A	N/A
N/A	N/A	N/A	N/A	N/A

SECTION 5, SERVICE BULLETINS, AIRWORTHINESS DIRECTIVES, or ENGINEERING ORDERS ACCOMPLISHED.

S.B./A.D./E.O. #	DESCRIPTION
SB 139-25-002 (EASA AD 2018-0208)	Mandatory Inspection of Actuation Device P-H20006
N/A	N/A

EXAMINED AND ACCEPTED BY
 SIGNATURE OF INSPECTOR: _____

DATE: 08 - APR - 2020