

Notice No: CAN 014/2021 Issuing Office: Civil Aviation Authority of

Issue Date: 22 December 2021 Malaysia

Act 3 - Section 240

Effective Date: 22 December 2021 Level 8, Galeria PJH,

Expiry Date: 22 November 2022 Persiaran Perdana, Presint 4,

Related Reg: Act 342 62100 Putrajaya,

Wilayah Persekutuan Putrajaya

Malaysia.

Revision: 01

VACCINATED TRAVEL LANE BY AIR BETWEEN MALAYSIA AND SINGAPORE

1 Introduction

- 1.1 In exercise of the powers conferred by section 240 of the Civil Aviation Act 1969 [Act 3], the Chief Executive Officer makes this Civil Aviation Notice ('CAN') 014/2021 Revision 01 to provide requirements and guidance on the carriage of passengers to and from Singapore by air under vaccinated travel lane (herein referred to as VTL).
- 1.2 CAN 014/2021 Revision 01 supersedes CAN 014/2021 dated 23 November 2021. Revised items are marked with a revision bar.
- 1.3 Under the VTL, fully vaccinated travellers from Singapore may enter Malaysia without quarantine, subject to COVID-19 testing and further requirements determined by the receiving country. This will help in resuming air connectivity in a safe and careful manner.
- 1.4 The VTL framework is a mutually coordinated arrangement that preserves each country's ability to determine and alter their border measures under the VTL.

2 Travellers

- 2.1 Eligible travellers will be persons of all Malaysian or Singaporean nationalities who would like to travel between the two countries for all purposes of travel.
- 2.2 Travellers are required to meet all requirements for travel to Singapore or Malaysia under Appendix A and Appendix B respectively.



3 Routes

3.1 The VTL between Malaysia and Singapore will start with six (6) daily designated services (without any limitation of capacity and aircraft type) in each direction between Kuala Lumpur International Airport and Changi Airport.

4 Designated Services

4.1 Travellers under the VTL must travel on non-stop designated services between Malaysia and Singapore, operated by either Malaysia or Singapore air carriers.

5 Commencement, Temporary Suspension and Resumption

- 5.1 The VTL arrangement will commence on 29 November 2021.
- 5.2 If the COVID-19 situation in Malaysia and/or Singapore deteriorates, the VTL may be temporarily suspended, or adjustments made to the respective requirements in either Appendix A or Appendix B. The VTL may resume when the COVID-19 situation improves.
- 5.3 This CAN, with reference to the original issue date of CAN 014/2021 will be valid for a period of one year, subject to any updated requirements, or any suspension by either country as stated in 5.2 of this CAN or whichever is earlier.

6 Non-compliance with this CAN

- 6.1 The contents of Appendix A and Appendix B shall become an integral part of this CAN and shall have the same legal effect of this CAN.
- Any person who contravenes any provision in this CAN, including Appendix A and Appendix B commits an offence and shall on conviction be liable to the punishments under Prevention and Control of Infectious Diseases Act 1988 [Act 342] and/or under Section 24O (4) of the Civil Aviation Act 1969 [Act 3].

(Captain Chester Voo Chee Soon)
Chief Executive Officer
Civil Aviation Authority of Malaysia



Appendix A: Requirements for Travel from Malaysia to Singapore

1 Eligible Travellers

- 1.1 Eligible travellers will be persons of Malaysian nationalities who would like to travel to Singapore for all purposes of travel.
- 1.1.1 Eligible travellers must have completed a full regimen of a COVID-19 vaccine recognised by the Singapore Ministry of Health. A full regimen of a COVID-19 vaccine means the traveller has received the required number of dose(s) to provide the full vaccine protection, inclusive of the time needed following the administration of the dose(s) to be protected against COVID-19.
- 1.1.2 Singapore will recognise travellers who have completed the full regimen of COVID-19 vaccines approved under the World Health Organization's Emergency Use Listing, including those who have received different vaccine brands for their respective doses.
- 1.1.3 Children aged 12 years and below will qualify for travel under the VTL without the need to show proof of vaccination. The age of the child will be based on the calendar year. The child must be accompanied by a VTL traveller who meets all the VTL requirements for entry into Singapore. The child does not need to apply for a Vaccinated Travel Pass (VTP) (see Paragraph 3) to travel to Singapore under the VTL.

2 Designated services

2.1.1 Travellers arriving in Singapore under the Vaccinated Travel Lane (VTL) must travel on non-stop designated services between Malaysia and Singapore approved by the Civil Aviation Authority of Singapore (CAAS), operated by either Malaysia or Singapore air carriers. Transfer/ transit passengers will not be allowed on these designated services.

3 Vaccinated Travel Pass (VTP) Application

3.1 Fully vaccinated travellers who are **short-term visitors** (including business and official travellers), or **holders of Long-Term Passes** (i.e. Long-Term Visit Pass, Student's Pass, Work Pass or Dependent's Pass) travelling from Malaysia must apply for a VTP if they intend to enter Singapore on the VTL.



- 3.2 **Singapore Citizens** and **Permanent Residents** need not apply for a VTPto travel to Singapore under the VTL.
- 3.3 Applications for a VTP from the Singapore Safe Travel Office¹ website must be made between 7 and 60 calendar days prior to their intended date of entry into Singapore. There will be no application charge. At the point of application, travellers must upload the QR code of their digitally verifiable vaccination certificate issued by Malaysia, or any other digitally verifiable vaccination certificates accepted by Singapore under the VTL, for electronic verification and authentication of their vaccination status.

4 Pre-departure Requirements in Malaysia

- 4.1 Prior to departing for Singapore, VTL travellers who are **short-term visitors** (including business and official travellers) travelling from Malaysia must:
- 4.1.1 Remain in Malaysia, any other VTL country, any country/region in Category I of Singapore Ministry of Health's Country/Region Classification for Border Measures and/or Singapore in the last 14 consecutive days before departing for Singapore;
- 4.1.2 Register and make payment for their on-arrival COVID-19 polymerase chain reaction (PCR) Test;
- 4.1.3 Undergo a professionally administered COVID-19 Antigen Rapid Test (ART) or COVID-19 PCR test within 2 days before departure for Singapore, at an internationally accredited or recognised laboratory, clinic, or medical facility recognised by the Ministry of Health of Malaysia or the Singapore Ministry of Health, and be tested negative. A pre-departure or on-arrival RT-PCR negative test result can be accepted for one or more flights, as long as the test had been taken within 2 days before departure for Singapore;
- 4.1.4 Submit their health, travel history, and accommodation declarations electronically via the SG Arrival Card e-service2, no earlier than three days prior to their date of arrival in Singapore;
- 4.1.5 Obtain a valid visa for visa-required visitors. Visitors are advised to do so after receiving their VTP approval and before departing for Singapore. Such visitors are encouraged to apply for their VTP early;
- 4.1.6 Purchase mandatory travel insurance with a minimum coverage of \$\\$30,000 for COVID-19-related medical treatment and hospitalisation costs. Travellers to

1

¹ https://safetravel.ica.gov.sg

² https://eservices.ica.gov.sg/sgarrivalcard



Singapore must carry with them an electronic or physical copy of their insurance policy to facilitate their entry into Singapore;

- 4.1.7 Download and register their profile on the TraceTogether app³ to aid contact tracing. Children who are aged 7 to 12 years in the current calendar year and those unable to use a mobile device due to a certified disability or special needs are eligible to be issued TraceTogether tokens. Children aged 6 years or younger in the current calendar year are exempted from the TraceTogether requirement; and
- 4.1.8 Present to airline staff during check-in at Kuala Lumpur International Airport:
 - a) a valid VTP (electronic or physical copy) for the specified period of entry into Singapore;
 - b) a valid digitally verifiable vaccination certificate issued by Malaysia, or any other digitally verifiable vaccination certificate accepted by Singapore under the VTL;
 - c) a valid negative pre-departure COVID-19 ART or PCR test result certificate (electronic or physical copy) in English;
 - d) a valid visa (for visa-required visitors); and
 - e) a mobile device with the TraceTogether app downloaded and with their profiles registered on the app⁴.
- 4.2 Prior to departing for Singapore, VTL travellers who are Singapore Citizens, Permanent Residents or holders of Long-Term Passes (i.e. Long-Term Visit Pass, Student's Pass, Work Pass or Dependent's Pass) travelling from Malaysia must:
- 4.2.1 Remain in Malaysia, any other VTL country, any country/region in Category I of Singapore Ministry of Health's Country/Region Classification for Border Measures, and/or Singapore in the last 14 consecutive days before departing for Singapore;
- 4.2.2 Register and make payment for their on-arrival COVID-19 PCR Test;
- 4.2.3 Undergo a professionally administered COVID-19 Antigen Rapid Test (ART) or COVID-19 PCR test within 2 days before departure for Singapore, at an

³ https://tracetogether.gov.sg/

⁴ A passenger may also provide confirmation in electronic or hard copy form that the passenger has reserved for his or her use, from an approved service provider at Changi Airport, a mobile communication device on which the TraceTogether application will be downloaded, or a Singapore SIM card to register on the TraceTogether application on his or her mobile communication device. A passenger who is unable to use a mobile device due to a certified disability or special need, can be issued with a TraceTogether token at Changi Airport in lieu of a mobile device with the TraceTogether application.



internationally accredited or recognised laboratory, clinic, or medical facility recognised by the Ministry of Health of Malaysia or the Singapore Ministry of Health, and be tested negative. A pre-departure or on-arrival RT-PCR negative test result can be accepted for one or more flights, as long as the test had been taken within 2 days before departure for Singapore;

- 4.2.4 Submit their health, travel history, and accommodation declarations electronically via the SG Arrival Card e-service⁵, no earlier than three days prior to their date of arrival in Singapore; and
- 4.2.5 Present to airline staff during check-in at Kuala Lumpur International Airport:
 - a) a valid VTP (electronic or physical copy) for the specified period of entry into Singapore (for holders of Long-Term Passes only);
 - a valid digitally verifiable vaccination certificate issued by Malaysia, or any other digitally verifiable vaccination certificate accepted by Singapore under the VTL, and
 - c) a valid negative pre-departure COVID-19 ART or PCR test result certificate (electronic or physical copy) in English.

5 Arrival in Singapore

5.1 On-arrival Measures at the Airport

- 5.1.1 At arrival immigration in Singapore, VTL travellers who are **short-term visitors** (including business and official travellers) travelling from Malaysia must present to the Immigration and Checkpoints Authority ("ICA") officer:
 - a) a valid VTP (electronic or physical copy) for the specified period of entry into Singapore;
 - a valid digitally verifiable vaccination certificate issued by Malaysia, or any other digitally verifiable vaccination certificate accepted by Singapore under the VTL;
 - c) a valid negative pre-departure COVID-19 PCR test result certificate (electronic or physical copy) in English;
 - d) a valid visa (for visa-required visitors); and

⁵ https://eservices.ica.gov.sg/sgarrivalcard



- e) a mobile device with the TraceTogether app downloaded and with their profiles registered on the app⁶.
- 5.1.2 At arrival immigration in Singapore, VTL travellers who are Singapore Citizens, Permanent Residents or holders of Long-Term Passes (i.e. Long-Term Visit Pass, Student's Pass, Work Pass or Dependant's Pass) travelling from Malaysia must present to the ICA officer:
 - a) a valid VTP (electronic or physical copy) for the specified period of entry into Singapore (for holders of Long-Term Passes only);
 - b) a valid digitally verifiable vaccination certificate issued by Malaysia, or any other digitally verifiable vaccination certificate accepted by Singapore under the VTL, and
 - c) a valid negative pre-departure COVID-19 ART or PCR test result certificate (electronic or physical copy) in English.
- 5.1.3 Travellers under the VTL must undergo a COVID-19 PCR test atChangi Airport upon arrival in Singapore.
- 5.1.4 After undergoing the on-arrival COVID-19 PCR test at Changi Airport, travellers must immediately take private transportation, taxi or private hire car from the airport to the declared accommodation. Public bus or train is not allowed. Travellers must isolate alone, or with household members who are vaccinated and have the same travel history, arrival date and self-isolation requirement, until their on-arrival test result is confirmed to be negative. If there are other occupants in the accommodation without the same travel history, arrival date and self-isolation requirement, the traveller(s) must isolate in an enclosed room withan en-suite toilet. Travellers shall bear any transportation and accommodation costs incurred.
- 5.1.5 The results of the on-arrival COVID-19 PCR test will likely be available within 24 hours. Once travellers have been notified that they have tested negative for COVID-19, they can go about their activities in Singapore.

⁶ A passenger may also provide confirmation in electronic or hard copy form that the passenger has reserved for his or her use, from an approved service provider at Changi Airport, a mobile communication device on which the TraceTogether application will be downloaded, or a Singapore SIM card to register on the TraceTogether application on his or her mobile communication device. A passenger who is unable to use a mobile device due to a certified disability or special need, can be issued with a TraceTogether token at Changi Airport in lieu of a mobile device with the TraceTogether application.



5.2 <u>During and After Stay in Singapore</u>

- 5.2.1 During their stay in Singapore, travellers must adhere to the prevailing public health measures⁷, which include requirements on wearing of masks and safe distancing, and any other safe management measures relevant to the activities that they participate in, or settings that they visit, while in Singapore.
- 5.2.2 Travellers are responsible for their medical expenses should they require medical treatment for COVID-19 while in Singapore.
- 5.2.3 To facilitate contact tracing, short-term visitors must keep the TraceTogether app activated on their mobile devices at all times while in Singapore. Upon request by the Singapore Ministry of Health, a visitor must provide all data in the TraceTogether app should he/she test positive for COVID-19 while in Singapore. Visitors who use the TraceTogether token are reminded to carry their own tokens with them wherever they go, and not exchange their tokens with others as each token is uniquely tagged to each individual.
- 5.2.4 Upon request by the Singapore Ministry of Health, a visitor must provide all data in the TraceTogether app should he/she test positive for COVID-19 while in Singapore. Visitors must return their own TraceTogether tokens in-person at the designated TraceTogether token return booths/counters set up at checkpoints prior to their departure from Singapore.
- 5.2.5 All VTL travellers entering Singapore from **2 December 2021, 2359hrs** (Singapore time), are required to undergo additional COVID-19 Antigen Rapid Tests (ARTs) at a Quick Test Centre (https://go.gov.sg/QTC-ART-testing) on Day 3 and Day 7 of their arrival in Singapore.

⁷ http://www.moh.gov.sg/covid-19-phase-advisory



Appendix B: Requirements for Travel from Singapore to Malaysia

1 Eligible Travellers

- 1.1 Eligible travellers will be persons of all nationalities in Singapore who would like to travel to Malaysia for all purposes of travel.
- 1.1.1 Eligible travellers must have completed a full regimen of a COVID-19 vaccine recognised by the Ministry of Health of Malaysia. A full regimen of a COVID-19 vaccine means the traveller has received the required number of dose(s) to provide the full vaccine protection, inclusive of the time needed following the administration of the dose(s) to be protected against COVID-19.
- 1.1.2 Malaysia will recognise travellers who have completed the full regimen of COVID-19 vaccines approved under the World Health Organization's Emergency Use Listing or approved by a stringent regulatory authority, including those who have received different vaccine brands for their respective doses.
- 1.1.3 Children aged below 12 years will qualify for travel under the VTL without the need to show proof of vaccination. The age of the child will be based on their date of birth. The child must be accompanied by a VTL traveller who meets all the VTL requirements for entry into Malaysia.

2 Designated Flight Services

2.1 Travellers arriving in Malaysia under the Vaccinated Travel Lane (VTL) must travel on non-stop designated services between Malaysia and Singapore which are approved by the Civil Aviation Authority of Malaysia (CAAM) and the Malaysian Aviation Commission (MAVCOM), operated by either Malaysia or Singapore air carriers. Transfer/ transit passengers will not be allowed on these designated flight services.

3 Vaccinated Travel Lane (VTL) Application

- 3.1 Fully vaccinated travellers do not need to apply for travel to Malaysia under the VTL.
- 3.2 Entry facilities for VTL will be processed upon arrival.



4 Pre-departure Requirements in Singapore

- 4.1 Prior to departing for Malaysia, VTL travellers travelling from Singapore must:
- 4.1.1 Remain in Singapore and/or Malaysia in the last 14 consecutive days before departing for Malaysia;
- 4.1.2 Undergo a COVID-19 RT-PCR test within 2 days before departure for Malaysia, at an internationally accredited or recognised laboratory, clinic, or medical facility recognised by the Singapore Ministry of Health or the Ministry of Health of Malaysia, and be tested negative. A pre-departure or on-arrival RT-PCR negative test result can be accepted for one or more flights, as long as the test had been taken within 2 days before departure for Malaysia;
- 4.1.3 Register and make payment for their on-arrival COVID-19 RT-PCR Test at the BP Clinical Lab Health Screening Centre at Kuala Lumpur International Airport, https://airport.doctor2u.my;
- 4.1.4 Obtain a valid visa for visa-required visitors;
- 4.1.5 VTL travellers who are short-term visitors (including business and official travellers) must purchase mandatory travel insurance with a minimum coverage of RM100,000 for COVID-19-related medical treatment and hospitalisation costs. Travellers to Malaysia must carry with them an electronic or physical copy of their insurance policy to facilitate their entry into Malaysia;
- 4.1.6 Download and register their profile on the MySejahtera app to aid contact tracing. Children aged below 12 years old who are travelling with their parents/legal guardians can be registered as dependents of the parents/legal guardians in the MySejahtera app; and
- 4.1.7 Register at the MySafeTravel portal, https://www.mysafetravel.gov.my and upload the following:
 - a) vaccination certificate;
 - b) pre-departure RT-PCR negative test result; and
 - c) insurance policy (for short-term visitors only, including business and official travellers).
- 4.1.8 Present to airline staff during check-in at Changi Airport:
 - a) a valid national passport or internationally recognised travel document or Electronic Visit Pass (e-Pass) which proves that the travellers have remained



in Singapore and/or Malaysia in the last 14 consecutive days before departing for Malaysia;

- a valid digitally verifiable vaccination certificate issued by Singapore, or any other valid vaccination certificate (electronic or physical copy) accepted by Malaysia under the VTL;
- a valid negative pre-departure COVID-19 RT-PCR test result certificate (electronic or physical copy) in English. A pre-departure or on-arrival RT-PCR negative test result can be accepted for one or more flights, as long as the test had been taken within 2 days before departure for Malaysia;
- d) proof of on-arrival COVID-19 RT-PCR test registration and payment;
- e) a valid visa (for visa-required visitors);
- f) a mobile device with the MySejahtera app downloaded and with their profiles registered on the app;
- g) for VTL travellers who are short-term visitors (including business and official travellers), an electronic or physical copy of travel insurance policy with a minimum coverage of RM100,000 for COVID-19-related medical treatment and hospitalisation costs; and
- h) return ticket except for Permanent Residents of Malaysia and holders of Long-Term Passes.

5 Arrival in Malaysia

5.1 On-arrival Measures at the Airport

- 5.1.1 Travellers under the VTL must undergo a COVID-19 RT-PCR test at the BP Clinical Lab Health Screening Centre at Kuala Lumpur International Airport upon arrival in Malaysia.
- 5.1.2 The results of the on-arrival COVID-19 RT-PCR test will likely be available within 1-3 hours. Travellers will be required to wait at the designated waiting area for their results. Once travellers have been notified that they have tested negative for COVID-19, they can proceed to immigration.
- 5.1.3 At arrival immigration in Malaysia, VTL travellers who are travelling from Singapore must present to the immigration officer:
 - a) a valid national passport or internationally recognised travel document or Electronic Visit Pass (e-Pass) which proves that the travellers have remained



in Singapore and/or Malaysia in the last 14 consecutive days before departing for Malaysia;

- b) a valid visa (for visa-required visitors);
- c) boarding pass; and
- d) return ticket and proof of accommodation (where applicable) except for Permanent Residents of Malaysia and holders of Long-Term Passes.

5.2 <u>During and After Stay in Malaysia</u>

- 5.2.1 During their stay in Malaysia, travellers must adhere to the prevailing public health measures, which include requirements on wearing of masks and safe distancing, and any other safe management measures relevant to the activities that they participate in, or settings that they visit, while in Malaysia.
- 5.2.2 Travellers are responsible for their medical expenses should they require medical treatment for COVID-19 while in Malaysia.
- 5.2.3 To facilitate contact tracing, short-term visitors must keep the MySejahtera app activated on their mobile devices at all times while in Malaysia.
- 5.2.4 Upon request by the Ministry of Health Malaysia, a visitor must provide all data in the MySejahtera app should he/she test positive for COVID-19 while in Malaysia.
- 5.2.5 All VTL travellers including Malaysians entering Malaysia from **8 December 2021**, **2359hrs (Malaysia time)**, are required to undergo additional tests as follows:
 - a) professionally administered antigen rapid test (ART) done at any healthcare facility on Day 3 and Day 5; and
 - b) self-administered antigen rapid test (ART) on Day 2, Day 4 and Day 6 (test result either positive or negative **MUST** be promptly uploaded in the MySejahtera app).