



ALERT SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

APPAREIL TYPE

AIRCRAFT TYPE

EC 120 B

NUMERO DE SERIE

SERIAL NUMBER

1487

Ce fascicule présente l'enregistrement des Alert SB et SB (avec recommandation d'application) applicables à la date d'émission du certificat de conformité de l'appareil et/ou de l'Attestation de Conformité de l'Aéronef (EASA Form 52)

La poursuite de l'enregistrement de l'application des SB à application unique ou répétitive se fait par l'opérateur sur le livret Aéronef ou tout autre document exigé par l'Autorité d'immatriculation de l'appareil.

This part presents the recording of the Alert Service Bulletin and Service Bulletin (with recommendation for compliance) applicable to the date of issuance of the certificate of conformity of the aircraft and/or of the Aircraft Statement of Conformity (EASA Form 52).

The pursuit of the recording of the application of the Service Bulletin with unique or repetitive application carried-out by the operator on the Aircraft Logbook or another document required by the Authority of registration of the aircraft.

EUROCOPTER	REGISTRE INDIVIDUEL DE CONTROLE <i>INDIVIDUAL INSPECTION LOG BOOK</i>	APPAREIL <i>AIRCRAFT</i> EC 120 B	N° SERIE <i>SERIAL Nr</i> 1487	PAGE 2
-------------------	--	---	--------------------------------------	---------------

ALERT SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

No document	Code A/R/E	Modification	Consignes de nav.DGAC <i>DGAC, Airworthiness directives</i>	Objet <i>Object</i>	Application
04A001 ✓	A		F-1999-151-001 R1	BOITE DE TRANSMISSION ARRIERE TAIL GEAR BOX	NON CONCERNE. N/S > M126. NOT CONCERNED. S/N > M126.
04A002 ✓	A		F-2000-058-003 R1	LIMIT DE VOL TROMPETTE GTM/BTP & FERRURE SUP.GTM. FLIGHT RESTRIC.ARM ASSY ENG/MGB AND SUP.FITTING.	NON CONCERNE. REF NON MONTE. NOT CONCERNED. REF NOT INSTALLED.
04A004 ✓	T		F-2001-318	DELESTEUR REF:AS21-5 (1A7) AVEC N? SERIE > A 415. RELEASE REF:AS21-5 (1T07) WITH S/N > 415.	NON CONCERNE.OPTIONNEL NON MONTE. NOT CONCERNED.OPTIONNAL NOT INSTALLED.
04A005 ✓	A		F-2003-325 R1	TROMPETTE LIAISON BTP/GTM. ENGINE COUPLING TUBE.	NON CONCERNE. N/S APPAREIL > 1170. NOT CONCERNED. AIRCRAFT S/N > 1170.
04A006 ✓	T		F-2006-040	INTERDICTION DE VOL DES BUTEES SPHERIQUES GROUNDING OF SPHERICAL THRUST BEARINGS	N/S NON CONCERNE. S/N NOT CONCERNED.
05-002 ✓	R			POLLUTION DU CIRCUIT CARBURANT FUEL SYSTEM CONTAMINATION	NON CONCERNE. N/S APPAREIL > 1048. NOT CONCERNED. AIRCRAFT S/N > 1048.
05-004 ✓	R			TROUS DE DRAINAGE DU PLAN FIXE. DRAINING HOLES ON HORIZONTAL STABILIZER.	APPLIQUE. APPLIED.

A/I = Alert ou Impératif / Alert or Mandatory
R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's signature

F0210
im

ALERT SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

No document	Code A/R/E	Modification	Consignes de nav.DGAC <i>DGAC, Airworthiness directives</i>	Objet <i>Object</i>	Application
05A003 R3	A	✓	F-2003-325 R1	TROMPETTE LIAISON BTP/GTM. ARM ASSY MGB/ENGINE.	NON CONCERNE.N/S APPAREIL > A 1170. NOT CONCERNED.AIRCRAFT S/N > AT 1170
05A005 R1	A	✓	F-2000-285-005 R2	REGLAGE DE LA PORTE COULISSANTE. SLIDING CABIN DOOR SETTING.	NON CONCERNE N/S APPAREIL > 1170 NOT CONCERNED S/N AIRCRAFT > 1170
05A006	T	✓	F-2005-076	BAGUE DE FROTTEMENT AMORTISSEUR SUR TRANS AR RING OF FRICTION SHOCK ABSORBER ON TRANS AR	NON CONCERNE REFERENCE NON MONTEE. NOT CONCERNED REFERENCE NOT FITTED.
07-001	R	✓		LEVAGE ET HISSAGE LIFTING AND SHORING	NON CONCERNE NOT CONCERNED
24-011	R	✓		GENERATION ELECTRIQUE REF SEFEE SE07111 ELECTRIC GENERATION REF SEFEE SE07111	NON CONCERNE NON MONTE. NOT CONCERNED NOT INSTALLED.
25-004	R	?		RENFORCEMENT FLOTTABILITE DE SECOURS. EMERGENCY FLOTTATION REINFORCEMENT.	NON CONCERNE.REF NON MONTE NOT CONCERNED.P/N NOT INSTALLED
25-012	R	✓		CHEMINEMENT CDE LARGAGE DE SECOURS CARGO SLING PM COURS DROPPING OF EMERGENCY CARGO SLING MOBIL.	NON CONCERNE.NON MONTE. NOT CONCERNED.NOT INSTALLED.

A/I = Alert ou Impératif / Alert or Mandatory
 R = avec Recommandation ou Recommandé / with Recommendation or Recommended
 E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's signature

F0210
 ⊖
 im

ALERT SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

No document	Code A/R/E	Modification	Consignes de nav.DGAC <i>DGAC Airworthiness directives</i>	Objet <i>Object</i>	Application
25-018 ✓	R			CABLE ARRIERE GAUCHE DE SUPPORT D'ELINGUE REAR LH CABLE OF THE SLING SUPPORT	NON CONCERNE.NON MONTE. NOT CONCERNED.NOT INSTALLED.
28-008 ✓	R			METALLISATION PLATINE RESERVOIR CARBU SUP. ELECTRICAL BONDING OF UPPER FUEL TANK PLATE	NON CONCERNE PAR SN (< 1317) NOT CONCERNED (BEFORE SN 1317).
28-010 ✓				CARBURANT:INTEGRITE DES GOUJONS RESERVOIR FUEL:INTEGRITY OF THE LOWER FUEL TANK	NON CONCERNE N/S > 1409 ET N/S > 8013 NOT CONCERNED S/N > 1409 AND S/N > 8013
33-002 ✓	R			ECLAIRAGE FAISCEAUX FEUX POSITION ET ANTICOLL. POSITION AND TRAFFIC ALERT LIGHT WIRINGS.	APPLIQUE DEPUIS NUMERO DE SERIE 1378. APPLIED SINCE SERIAL NUMBER 1378.
34-005 ✓	R			ETIQUETTE GPS AVEC OU SANS HSI. GPS LABEL WITH OR WITHOUT HSI.	NON CONCERNE. NON MONTE. NOT CONCERNED NOT INSTALLED
34A006 ✓	A		F-2002-282-009 R1	INDICATEUR HSI KI 525A. HSI KI 525A INDICATOR.	APPLIQUE. APPLIED.
52A004 ✓ R1	A		F-2000-285-005 R2	ANTI-DEGONDAGE SUR RAIL SUP PORTE COULISSANTE. HINGE LOSS GUARD DEVICE ON UPPER RAIL DOOR LH.	APPLIQUE APRES N/S 1170. APPLIED AFTER S/N 1170.

A/I = Alert ou Impératif / Alert or Mandatory
R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's signature

F0210
im

ALERT SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

No document	Code A/R/E	Modification	Consignes de nav.DGAC DGAC <i>Airworthiness</i> <i>directives</i>	Objet <i>Object</i>	Application
53-010	R1	R		RENFORCEMENT CADRE FIXATION FERRURE ANTIVIBREUR STEADY ABSORBER REINFORCEMENT	NON CONCERNE. SN > 1377 NOT CONCERNED. SN > 1377
62-008	X	R		VERIFICATION DE LA FIXATION DE L'ENTRAIN. COMPAS. CHECK OF THE FITTING OF THE DRIVE OF THE COMPASS.	NON CONCERNE. N/S > M350. NOT CONCERNED. S/N > M350.
63-001	X	R		TROMPETTE DE LIAISON RENFORCEE BTP/GTM. COUPLING FLARED ASSY STRENGTHENED MGB/ENGINE.	APPLIQUE APRES N/S 1070. APPLIED AFTER S/N 1070.
63-003	X	R		BOUCHON BRIDE D'ENTREE BTP. LOSS OF THE PLUG OF THE MGB FLANGE.	NON CONCERNE. N/S > M469. NOT CONCERNED. S/N > M469.
63-005	X R2	R		AMELIORATION FONCTIONNEMENT DU BLOC FREIN ROTOR. ROTOR BRAKE IMPROVEMENT.	APPLIQUE APRES SN 1229. APPLIED AFTER SN 1229.
63-006	X R1	R		CORROSION ARBRE ROTOR PRINCIPAL. MRH SHAFT CORROSION.	NON CONCERNE REF. NON MONTE NOT CONCERNED P/N NOT FITTED
63-012	X	R		ENTRAINEMENT ROTOR PRINCIPAL MAIN ROTOR DRIVE	APPAREIL NEUF NON CONCERNE NEW AIRCRAFT NOT CONCERNED

A/I = Alert ou Impératif / Alert or Mandatory
R = avec Recommandation ou Recommandé / with Recommendation or Recommended
E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's signature

F0210

im

EUROCOPTER	REGISTRE INDIVIDUEL DE CONTROLE INDIVIDUAL INSPECTION LOG BOOK	APPAREIL AIRCRAFT EC 120 B	N° SERIE SERIAL Nr 1487	PAGE 6
------------	---	----------------------------------	-------------------------------	-----------

ALERT SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
 ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

No document	Code A/R/E	Modification	Consignes de nav.DGAC DGAC Airworthiness directives	Objet Object	Application
63-013 ✓	R			VERIF ABSENCE CORROSION INT MAT ROTOR CHECK ABSENCE OF CORROSION INSIDE ROTOR SHAFT	NON CONCERNE SUR APPAREIL NEUF NOT CONCERNED ON NEW AIRCRAFT
65-001 ✓	R			BTA AVANT BAGUES EN TORLON. "TAIL GEAR BOX WITH ""TORLON"" SPLIT."	APPLIQUE APRES N/S 1024. APPLIED AFTER S/N 1024.
65-002 ✓	R			PATTES DE FIXATION DU CARTER BTA. ATTACH TAB OF TGB HOUSING.	NON CONCERNE N/S > M135. NOT CONCERNED S/N > M135.
65-003 R2	R			ENTRAINEMENT DU ROTOR DE QUEUE TAIL ROTOR DRIVING	NON CONCERNE.REF.NON MONTEE. NOT CONCERNED.P/N.NOT FITTED.
65A004 ✓	A		F-2003-465 R2	AMORTISSEUR DE TRANSMISSION ARRIERE. REAR SHAFT DAMPER ASSY.	NON CONCERNE A/C> S/N 1362 NOT CONCERNED A/C> S/N 1362
67-012 ✓	R			RPLCT RIVETS BOITIER CONJU CYCLIQUE G. REPLACEMENT OF THE RIVETS ART.BOX OF LEFT CYCL.	NON CONCERNE N/S > 1028. NOT CONCERNED S/N > 1028.
67A003 ✓	A		F-2001-373-008	DBLE.FREINAGE DES AXES LIAISON CHAPES MANCH.CYCL. DBLE.LOCKING OF THE CYCL.CONTR.STICK COUPL.SCREWS	APPLIQUE APRES N/S 1030. APPLIED AFTER S/N 1030.

A/I = Alert ou Impératif / Alert or Mandatory
 R = avec Recommandation ou Recommandé / with Recommendation or Recommended
 E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
 Quality Department's signature

F0210
 im

ALERT SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

No document	Code A/R/E	Modification	Consignes de nav.DGAC <i>DGAC Airworthiness directives</i>	Objet <i>Object</i>	Application
67A005	A		F-2001-386-007 R1	CDE. VOL ROTOR : PROTECTION COMMANDE LACET. ROTOR FLIGHT CONTROL.YAW CONTROL PROTECTION.	APPLIQUE APRES N/S 1279. APPLIED AFTER S/N 1279.
67A007	T		F-2001-386-007 R1	CDE VOL ROTOR. PROTECTION CDE LACET. ROTOR FLIGHT YAW CONTROL PROTECTION.	APPLIQUE APRES N/S 1279. APPLIED AFTER S/N 1279.
67A008	A		F-2002-371-010 R1	CDE LIMITATION COURSE MANCHES CYCLIQUES. ROTOR FLIGHT CONTROL LIMITED CYCLIC PITCH TRAVEL.	APPLIQUE APRES N/S 1323. APPLIED AFTER S/N 1323.
67A009	A		F-2002-606 R1	CDV DURCISSEMENT DE LA CDE MANCHE COLLECTIF. FLIGHT CONTROL.TIGHTNESS OF THE COL PITCH CONTROL	NON CONCERNE. S/N > 1344 NOT CONCERNED. S/N > 1344
67A010	R3	A	F-2003-322 R1	COMMANDE DE VOL SCHELLEMENT VIS BUTEE. SEALING OF THE FLIGHT CONTROL STOP SCREWS.	NON CONCERNE. S/N > 1377 NOT CONCERNED. S/N > 1377
67A011	R1	A	F-2005-175	NOUVELLES RONDELLES FRICTION CYCLIQUE. NEW THRUST WASHERS FOR CYCLIC STICK FRICTION.	NON CONCERNE N/S > 1385 ET N/S > 8001 NOT CONCERNED S/N > 1385 AND S/N > 8001
67A014	A		F-2005-086	ENSEMBLE TUBE CONJUGAISON COLLECTIF. COLLECTIVE STICK ASSEMBLY.	NON CONCERNE S/N >= 1383 NOT CONCERNED S/N >= 1383

A/I = Alert ou Impératif / Alert or Mandatory
 R = avec Recommandation ou Recommandé / with Recommendation or Recommended
 E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
Quality Department's signature

F0210
 ⊖
 im

EUROCOPTER	REGISTRE INDIVIDUEL DE CONTROLE INDIVIDUAL INSPECTION LOG BOOK	APPAREIL AIRCRAFT EC 120 B	N ° SERIE SERIAL Nr 1487	PAGE 8
------------	---	----------------------------------	--------------------------------	-----------

ALERT SERVICE BULLETINS ET SERVICE BULLETINS AVEC RECOMMANDATION D'APPLICATION
 ALERT SERVICE BULLETIN AND SERVICE BULLETIN WITH RECOMMANDATION FOR COMPLIANCE

No document	Code A/R/E	Modification	Consignes de nav.DGAC DGAC Airworthiness directives	Objet Object	Application
76-005	R			POIGNEE TOURNANTE, ANOMALIE DE COLLAGE PIGNON. SWIVELLING STICK, DRIVING GEAR BONDING DEFECT.	NON CONCERNE REF NON MONTEE NOT CONCERNED P/N NOT FITTED
76A006	R1 R		2006-0253 2006-0093	POIGNEE TOURNANTE:LIAISON PIGNON/TUBE TWIST GRIPS:DRIVE TUBE AND CONTROL PINION	NON CONCERNE. NOT CONCERNED.

A/I = Alert ou Impératif / Alert or Mandatory
 R = avec Recommandation ou Recommandé / with Recommendation or Recommended
 E/T = Emergency ASB ou Téléx Alert / Emergency ASB or Alert Telex

Visa des Services Qualité
 Quality Department's signature

F0210


