

## TAIL ROTOR DRIVE SHAFT INSTL - Illustrated Parts Data

FIG ITEM	PART NUMBER..... NSN.....	DESCRIPTION 1 2 3 4 5 6 7 8 9	**UOCA..	I C Y	QNHA	SMR...
			MVEFFECT..		UI	
01						
- 0	3G6500A00112	TAIL ROTOR DRIVE SHAFT INSTL (NSCM A0126) (Refer to 00-00-00 fig. 02 item 005 for NHA)	** A SN *1G		REF	XC
- 0	3G6500A00113	TAIL ROTOR DRIVE SHAFT INSTL (NSCM A0126) (Refer to 00-00-00 fig. 02 item 005 for NHA)	** B EN *3R LN *3R SN *3R		REF	XC
1	3T6521A00146	• INTERMEDIATE GEARBOX (NSCM A0126) (Refer to 65-21-00 fig. 01 item 000 for BKDN)	EN *3R LN *3R SN *1G SN *3R		-1 0001 EA	PAODD
1	3T6521A00148	• INTERMEDIATE GEARBOX (NSCM A0126) (Refer to 65-21-00 fig. 01 item 000 for BKDN)	EN *3R LN *3R SN *1G SN *3R		21 0001 EA	PAODD
1	3T6521A00149	• INTERMEDIATE GEARBOX (NSCM A0126) (Refer to 65-21-00 fig. 01 item 000 for BKDN)	EN *3R LN *3R SN *1G SN *3R		21 0001 EA	PAODD
1	3T6521A00231	• INTERMEDIATE GEARBOX (NSCM A0126) (Refer to 65-21-00 fig. 01 item 000 for BKDN)	EN *3R LN *3R SN *1G SN *3R		2- 0001 EA	PAODD
2	NAS626H14	* BOLT,SHEAR (NSCM 80205) (To get this item refer to the approved manufacturer list only - Refer to: 39-A-00- 00-00-00A-94BA-D)	EN *3R LN *3R SN *1G SN *3R		-3 0004 EA	PAOZZ
2	AW012TB26H14	* BOLT,SHEAR (NSCM A0126)	EN *3R LN *3R SN *1G SN *3R		51 0004 EA	PAOZZ
2	3T6521L00151	* BOLT, I.G.B. FIXING (NSCM A0126)	EN *3R LN *3R SN *1G SN *3R		2- 0004 EA	PAOZZ
3	MS20002C6	* WASHER,RECESSED (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R		0004 EA	PAOZZ
4	NAS1149D0663K	* WASHER,FLAT (NSCM 88044)	EN *3R		0004 EA	PAOZZ

			LN *3R SN *1G SN *3R			
5	3T6522A00239	• TAIL GEARBOX (NSCM A0126) (Refer to 65-22-00 fig. 01 item 000 for BKDN)	** A----- SN *1G	-4	0001 EA	PAODD
5	3T6522A00242	• TAIL GEARBOX (NSCM A0126) (Refer to 65-22-00 fig. 01 item 000 for BKDN)	** A----- SN *1G	41	0001 EA	PAODD
5	3T6522A00243	• TAIL GEARBOX (NSCM A0126) (Refer to 65-22-00 fig. 01 item 000 for BKDN)	** A----- SN *1G	21	0001 EA	PAODD
5	3T6522A00246	• TAIL GEARBOX (NSCM A0126) (Refer to 65-22-00 fig. 01 item 000 for BKDN)	** A----- SN *1G	2-	0001 EA	PAODD
5	3T6522A00242	• TAIL GEARBOX (NSCM A0126) (Refer to 65-22-00 fig. 01 item 000 for BKDN)	** -B----- EN *3R LN *3R SN *3R	-1	0001 EA	PAODD
5	3T6522A00243	• TAIL GEARBOX (NSCM A0126) (Refer to 65-22-00 fig. 01 item 000 for BKDN)	** -B----- EN *3R LN *3R SN *3R	21	0001 EA	PAODD
5	3T6522A00246	• TAIL GEARBOX (NSCM A0126) (Refer to 65-22-00 fig. 01 item 000 for BKDN)	** -B----- EN *3R LN *3R SN *3R	2-	0001 EA	PAODD
6	MS17825-8	* NUT,SELF-LOCKING,SLOTTED (NSCM 96906)	EN *3R LN *3R SN *1G SN *3R		0004 EA	PAOZZ
7	NAS1149F0863P	* WASHER (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R		0004 EA	PAOZZ
8	NAS1149D0863K	* WASHER,FLAT (NSCM 88044)	EN *3R LN *3R SN *1G SN *3R		0004 EA	PAOZZ
9	MS24665-285	* PIN,COTTER (NSCM 96906)	EN *3R LN *3R SN *1G SN *3R		0004 EA	PAOZZ
10	3T6510V00152	• FLEXIBLE COUPLING (NSCM A0126) (NUMBER 1 - CONTROL SPECIFICATION FOR PN SKCP3159-3 VENDOR 50632)	EN *3R LN *3R SN *1G SN *3R		0001 EA	PAOLD
11	NAS6605-5	• BOLT,CLOSE TOLERANCE (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	-1	0035 EA	PAOZZ
11	AW011TB05-B-05	• BOLT,CLOSE TOLERANCE (NSCM A0126)	EN *3R LN *3R SN *1G	21	0035 EA	PAOZZ

			SN *3R			
11	3G6510A04151	• BOLT (NSCM A0126) (USE WITH PN NAS1149C0563R AND PN MS21043-5)	EN *3R LN *3R SN *1G SN *3R	2-	0035 EA	PAOZZ
12	NAS1149G0563P	• WASHER,FLAT (NSCM A0126)	EN *3R LN *3R SN *1G SN *3R	-1	0055 EA	PAOZZ
12	NAS1149C0563R	• WASHER,FLAT (NSCM 88044) (USE WITH PN 3G6510A04151 OR PN 3G6510A04251 AND PN MS21043-5)	EN *3R LN *3R SN *1G SN *3R	2-	0055 EA	PAOZZ
- 12M	DPN00005	• ITEM DELETED (NSCM A0126)	SN *1G		REF	XC
13	MS21042L5	• NUT,SELF-LOCKING,HEXAGON (NSCM 80205) (To get this item refer to the approved manufacturer list only - Refer to: 39-A-00-00-00-00A-94BA-D)	EN *3R LN *3R SN *1G SN *3R	-1	0055 EA	PAOZZ
13	MS21043-5	• NUT,SELF-LOCKING,HEXAGON (NSCM 80205) (USE WITH PN 3G6510A04151 OR PN 3G6510A04251 AND PN NAS1149C0563R)	EN *3R LN *3R SN *1G SN *3R	2-	0055 EA	PAOZZ
14	3T6510A00141	• NUMBER 1 DRIVE SHAFT (NSCM A0126)	** A---- SN *1G	-1	0001 EA	PAOLD
14	3T6510A00143	• NUMBER 1 DRIVE SHAFT (NSCM A0126)	** A---- SN *1G	21	0001 EA	PAOLD
14	3T6510A00144	• NUMBER 1 DRIVE SHAFT (NSCM A0126)	** A---- SN *1G	2-	0001 EA	PAOLD
14	3T6510A00143	• NUMBER 1 DRIVE SHAFT (NSCM A0126)	** -B---- SN *12M		0001 EA	PAOLD
14	3T6510A00144	• NUMBER 1 DRIVE SHAFT (NSCM A0126)	** -B---- EN *12N EP *12N LN *12N SN *12N		0001 EA	PAOLD
15	3T6510A00532	• NUMBER 1 DAMPER (NSCM A0126)	** A---- SN *1G	-4	0001 EA	PAOLD
15	3T6510A00533	• NUMBER 1 DAMPER (NSCM A0126)	** A---- SN *1G	4-	0001 EA	PAOLD
15	3T6510A00533	• NUMBER 1 DAMPER (NSCM A0126)	** -B---- EN *3R LN *3R SN *3R		0001 EA	PAOLD
16	AN4H7A	* BOLT,MACHINE (NSCM 88044)	EN *3R LN *3R SN *1G SN *3R	-1	0004 EA	PAOZZ
16	NAS6704H3	BOLT (NSCM 80205)		24	0004	PAOZZ

		*	EN *3R LN *3R SN *1G SN *3R		EA	
16	NAS6704H5	* BOLT,SHEAR (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	4-	0004 EA	PAOZZ
17	NAS1149F0463P	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	-1	0004 EA	PAOZZ
17	NAS1149E0463R	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	2-	0004 EA	PAOZZ
18	NAS1149D0432K	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R		0008 EA	PAOZZ
- 18M	NAS1149F0732P	• • WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R		AR EA	PAOZZ
19	3T6510A00442	• BEARING SUPPORT (NSCM A0126) (Refer to 65-11-01 fig. 01 item 000 for BKDN)	** A---- SN *1G	-1	0001 EA	PAODD
19	3T6510A00443	• BEARING SUPPORT (NSCM A0126) (Refer to 65-11-01 fig. 01 item 000 for BKDN)	** A---- SN *1G	21	0001 EA	PAODD
19	3T6510A00444	• BEARING SUPPORT (NSCM A0126) (Refer to 65-11-01 fig. 01 item 000 for BKDN)	** A---- SN *1G	2-	0001 EA	PAODD
19	3T6510A00443	• BEARING SUPPORT (NSCM A0126) (Refer to 65-11-01 fig. 01 item 000 for BKDN)	** -B---- EN *3R LN *3R SN *3R	-1	0001 EA	PAODD
19	3T6510A00444	• BEARING SUPPORT (NSCM A0126) (Refer to 65-11-01 fig. 01 item 000 for BKDN)	** -B---- EN *3R LN *3R SN *3R	2-	0001 EA	PAODD
20	AN5-16	* BOLT,MACHINE (NSCM 88044) (REFER TO 39-A-65-11-11-00A-720A-A FOR FURTHER INFORMATION/Select on Fit)	EN *3R LN *3R SN *1G SN *3R		0004 EA	PAOZZ
20	AN5-15	* BOLT,MACHINE (NSCM 88044) (REFER TO 39-A-65-11-11-00A-720A-A FOR FURTHER INFORMATION/Select on Fit)	EN *3R LN *3R SN *1G SN *3R		AR EA	PAOZZ
20	AN5-17	* BOLT,MACHINE (NSCM 88044) (REFER TO 39-A-65-11-11-00A-720A-A FOR FURTHER INFORMATION/Select on Fit)	EN *3R LN *3R SN *1G SN *3R		AR EA	PAOZZ

21	NAS1149F0563P	* WASHER,FLAT (NSCM 80205) (REFER TO 39-A-65-11-11-00A-720A-A FOR FURTHER INFORMATION/Select on Fit)	EN *3R LN *3R SN *1G SN *3R	0008 EA	PAOZZ
21	NAS1149F0532P	* WASHER,FLAT (NSCM 80205) (REFER TO 39-A-65-11-11-00A-720A-A FOR FURTHER INFORMATION/Select on Fit)	EN *3R LN *3R SN *1G SN *3R	AR EA	PAOZZ
22	NAS1149D0532K	* WASHER,FLAT (NSCM 80205) (REFER TO 39-A-65-11-11-00A-720A-A FOR FURTHER INFORMATION/Select on Fit)	EN *3R LN *3R SN *1G SN *3R	0004 EA	PAOZZ
22	NAS1149D0563K	* WASHER,FLAT (NSCM 80205) (REFER TO 39-A-65-11-11-00A-720A-A FOR FURTHER INFORMATION/Select on Fit)	EN *3R LN *3R SN *1G SN *3R	AR EA	PAOZZ
23	MS17825-5	* NUT,SELF-LOCKING,SLOTTED,HEXAGON (NSCM 96906)	EN *3R LN *3R SN *1G SN *3R	0004 EA	PAOZZ
24	MS24665-285	* PIN,COTTER (NSCM 96906)	EN *3R LN *3R SN *1G SN *3R	-1 0004 EA	PAOZZ
24	MS24665-136	* PIN,COTTER (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	2- 0004 EA	PAOZZ
25	3T6510V00152	• FLEXIBLE COUPLING (NSCM A0126) (NUMBER 2 - CONTROL SPECIFICATION FOR PN SKCP3159-3 VENDOR 50632)	EN *3R LN *3R SN *1G SN *3R	0001 EA	PAOLD
26	3T6510A00632	• NUMBER 2 DAMPER (NSCM A0126)	** A---- SN *1G	-4 0001 EA	PAOLD
26	3T6510A00633	• NUMBER 2 DAMPER (NSCM A0126)	** A---- SN *1G	4- 0001 EA	PAOLD
26	3T6510A00633	• NUMBER 2 DAMPER (NSCM A0126)	** -B---- EN *3R LN *3R SN *3R	0001 EA	PAOLD
27	AN4H7A	* BOLT,MACHINE (NSCM 88044)	EN *3R LN *3R SN *1G SN *3R	-1 0004 EA	PAOZZ
27	NAS6704H3	* BOLT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	24 0004 EA	PAOZZ

27	NAS6704H5	* BOLT,SHEAR (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	4- 0004 EA	PAOZZ
28	NAS1149F0463P	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	-1 0004 EA	PAOZZ
28	NAS1149E0463R	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	2- 0004 EA	PAOZZ
29	NAS1149D0432K	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	0008 EA	PAOZZ
- 29M	NAS1149F0732P	• • WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	AR EA	PAOZZ
30	3T6510A00238	• NUMBER 2 DRIVE SHAFT (NSCM A0126) (PRE MOD.B.T. 139-060)	** A---- SN *1G	-4 0001 EA	PAOLD
30	3T6510A00239	• NUMBER 2 DRIVE SHAFT (NSCM A0126) (PRE MOD.B.T. 139-060)	** A---- SN *1G	43 0001 EA	PAOLD
30	3T6510A00241	• NUMBER 2 DRIVE SHAFT (NSCM A0126) (POST MOD.B.T. 139-060)	** A---- SN *1G	5- 0001 EA	PAOLD
30	3T6510A00239	• NUMBER 2 DRIVE SHAFT (NSCM A0126) (PRE MOD.B.T. 139-060)	** -B---- EN *3R LN *3R SN *3R	-3 0001 EA	PAOLD
30	3T6510A00241	• NUMBER 2 DRIVE SHAFT (NSCM A0126) (POST MOD.B.T. 139-060)	** -B---- EN *3R LN *3R SN *3R	5- 0001 EA	PAOLD
31	3T6510A00736	• ANTI FLAIL ASSY (NSCM A0126)	** A---- SN *1G	-4 0001 EA	PAOZZ
31	3T6510A00737	• ANTI FLAIL ASSY (NSCM A0126)	** A---- SN *1G	4- 0001 EA	PAOZZ
31	3T6510A00737	• ANTI FLAIL ASSY (NSCM A0126)	** -B---- EN *3R LN *3R SN *3R	0001 EA	PAOZZ
32	AN4H7A	* BOLT,MACHINE (NSCM 88044)	EN *3R LN *3R SN *1G SN *3R	-1 0004 EA	PAOZZ
32	NAS6704H3	* BOLT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	24 0004 EA	PAOZZ

32	NAS6704H5	* BOLT,SHEAR (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	4- 0004 EA	PAOZZ
33	NAS1149F0463P	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	-1 0004 EA	PAOZZ
33	NAS1149E0463R	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	2- 0004 EA	PAOZZ
34	NAS1149D0432K	* WASHER,FLAT (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	0008 EA	PAOZZ
35	NAS6605-7	• BOLT,CLOSE TOLERANCE (NSCM 80205)	EN *3R LN *3R SN *1G SN *3R	-1 0020 EA	PAOZZ
35	AW011TB05-B-07	• BOLT,CLOSE TOLERANCE (NSCM A0126)	EN *3R LN *3R SN *1G SN *3R	21 0020 EA	PAOZZ
35	3G6510A04251	• BOLT (NSCM A0126) (USE WITH PN NAS1149C0563R AND PN MS21043-5)	EN *3R LN *3R SN *1G SN *3R	2- 0020 EA	PAOZZ
36	3T6510V00152	• FLEXIBLE COUPLING (NSCM A0126) (NUMBER 3 - CONTROL SPECIFICATION FOR PN SKCP3159-3 VENDOR 50632)	EN *3R LN *3R SN *1G SN *3R	0001 EA	PAOLD
37	3T6510A00337	• NUMBER 3 DRIVE SHAFT (NSCM A0126) (PRE MOD.B.T. 139-060)	** A---- SN *1G	-4 0001 EA	PAOLD
37	3T6510A00338	• NUMBER 3 DRIVE SHAFT (NSCM A0126) (PRE MOD.B.T. 139-060)	** A---- SN *1G	43 0001 EA	PAOLD
37	3T6510A00339	• NUMBER 3 DRIVE SHAFT (NSCM A0126) (POST MOD.B.T. 139-060)	** A---- SN *1G	5- 0001 EA	PAOLD
37	3T6510A00338	• NUMBER 3 DRIVE SHAFT (NSCM A0126) (PRE MOD.B.T. 139-060)	** -B---- SN *12M	0001 EA	PAOLD
37	3T6510A00339	• NUMBER 3 DRIVE SHAFT (NSCM A0126) (POST MOD.B.T. 139-060)	** -B---- EN *12N EP *12N LN *12N SN *12N	0001 EA	PAOLD
38	3T6510V00152	• FLEXIBLE COUPLING (NSCM A0126) (NUMBER 4 - CONTROL SPECIFICATION FOR PN SKCP3159-3 VENDOR 50632)	EN *3R LN *3R SN *1G	0001 EA	PAOLD

39	3T6510V00152	• FLEXIBLE COUPLING (NSCM A0126) (NUMBER 5 - CONTROL SPECIFICATION FOR PN SKCP3159-3 VENDOR 50632)	SN *3R EN *3R LN *3R SN *1G SN *3R	0001 EA	PAOLD
- 40	3G6522A00211	• BRACKET INSTL (NSCM A0126)	EN *3R LN *3R SN *1G SN *3R	REF	XC
41	MS9551-114	• • BRACKET (NSCM 96906)	EN *3R LN *3R SN *1G SN *3R	0003 EA	PAOZZ
42	MS21042L04	* * NUT,SELF-LOCKING,EXTENDED WASHER,HEXAGON (NSCM 80205) (To get this item refer to the approved manufacturer list only - Refer to: 39-A-00-00-00A-94BA-D)	EN *3R LN *3R SN *1G SN *3R	0003 EA	PAOZZ
43	3G6521A00231	• INPUT SLIDING ADAPTOR (NSCM A0126) (REMOVE P/N 3T6521A05656 FROM IGB P/N 3T6521A00146 IF INSTALLED)	EN *3R LN *3R SN *1G SN *3R	-4 0001 EA	PAOZZ
43	3T6521A05657	• INPUT SLIDING ADAPTOR (NSCM A0126) (REMOVE P/N 3T6521A05656 FROM IGB P/N 3T6521A00146 IF INSTALLED)	EN *3R LN *3R SN *1G SN *3R	4- 0001 EA	PAOZZ

### ***Document status and identification***

<b>Document code</b>	39-A-65-11-00-010-941A-A
<b>Document title</b>	TAIL ROTOR DRIVE SHAFT INSTL - Illustrated Parts Data
<b>Issue number</b>	037
<b>Issue date</b>	2022-02-25
<b>Reason for update</b>	Changed - Technical change
<b>Quality assurance</b>	tabtop
<b>Effectivity</b>	ENH - PLUS - LN - SN