


Manual number:
MAN-3G1200G00432
REV. A

Pag. 1 of 20

### **GSE & TOOL MANUAL**

**TITLE** 

## UPPER DECK MAINTENANCE STEP P/N 3G1200G00432





Manual number:
MAN-3G1200G00432
REV. A

Pag. 2 of 20

#### **REVISION HISTORY**

REV	CHANGE DESCRIPTION	DATE
А	First issue	14/12/2022



# Manual number: MAN-3G1200G00432 REV. A

Pag. 3 of 20

#### **SUMMARY**

SUM	MARY		3
LIST	OF TA	BLE	4
LIST	OF FIG	GURE	4
1.	SCOPE		5
1.1	1. A	PPLICABILITY	5
1.2	2. O	BJECT	5
1.3	3. W	ARNING AND SAFETY INSTRUCTIONS	5
2.	DOCU	MENTS	6
2.1	1. A	PPLICABLE DOCUMENTS	6
2.2	2. A	CRONYMS USED	6
3.	DESC	RIPTION	7
4.	TOP A	SSEMBLY DRAWINGS	7
5.	IDENT	IFICATION	8
6.	OVER	ALL DIMENSIONS	8
7.	WEIGH	<del>(</del> Т	8
8.	MAIN F	PARTS	9
9.	MAIN F	FEATURES DESCRIPTION	9
10.	WAF	RNING AND SAFETY NOTES	10
10	.1. W	ARNING NOTE	10
10	.2. S	AFETY NOTES	11
11.	STO	RAGE	12
11	.1. Ll	JBRICATION BEFORE STORAGE	12
11	.2. S	TORAGE CONFIGURATION	12
12.	MAII	NTENANCE	12
12	.1. C	LEANING	12
	12.1.1.	SPECIAL TOOLS, FIXTURE AND EQUIPMENT	12
	12.1.2.	PART REQUIREMENTS	12
	12.1.3.	MANUAL CLEANING	12
12	2. C	HECKS	13
	12.2.1.	SPECIAL TOOLS, FIXTURE AND EQUIPMENT	13
	12.2.2.	VISUAL EXAMINATION	13
	12.2.3.	PERIODICAL CHECKS	14
	12.2.4.	DIMENSIONAL CHECKS	14
	12.2.5.	SPECIAL CHECKS SUMMARY	14
12	3. R	EPLACEMENT	14
	12.3.1.	REPLACEMENT PROCEDURES	14



# Manual number: MAN-3G1200G00432 REV. A

Pag. 4 of 20

13.	CALIBRATION	14
14.	SHELF LIFE	14
15.	SPARE PARTS	15
16.	CE MARKING	19
ANNE	EX A	20
_		
	Γ OF TABLE	
	e 1 – Warning Instruction	
Table	2 – Applicable Documents	6
Table	e 3 – Warning Note	10
Table	4 – Visual Check	13
Table	5 – Spare Parts	16
Table	6 – Spare Parts	17
Table	27 – Spare Parts	18
_	T OF FIGURE	
Figure	e 1 – Upper deck maintenance step	7
Figure	e 2 – LHD Identification tag with P/N	8
Figure	e 3 – Main Parts	9
Figure	e 4 – Safety Notes	11
Figure	e 5 – Spare Parts	15
Figure	e 6 – Spare Parts	17
Figure	e 7 – Spare Parts	18



Manual number:
MAN-3G1200G00432
REV. A

Pag. 5 of 20

#### 1. SCOPE

#### 1.1. APPLICABILITY

The contents of this document are meant to provide information on the P/N 3G1200G00432 UPPER DECK MAINTENANCE STEP.

#### 1.2. OBJECT

The object of this document is to describe the AGE and its components, its main features and it will also provide all needed maintenance requirements to keep in service the P/N 3G1200G00432 UPPER DECK MAINTENANCE STEP.

#### 1.3. WARNING AND SAFETY INSTRUCTIONS

A number of symbols are used throughout this document to indicate information to which the user should pay attention to. These are indicated below along with the specific meaning.

Warning	Indicates a danger that might arise from a product and might result in severe injuries or even death, if no precautions are taken.
Caution	Indicates a potentially dangerous situation, which might result injury or damage to the equipment.
Notice	Indicates a note providing information to help the reader during the procedure.

Table 1 - Warning Instruction



Manual number:
MAN-3G1200G00432
REV. A

Pag. 6 of 20

#### 2. DOCUMENTS

RH

#### 2.1. APPLICABLE DOCUMENTS

The following table lists the applicable documents

REF	REFERENCE OF DOCUMENT	TITLE
N.A.	N.A.	N.A.

Table 2 – Applicable Documents

#### 2.2. ACRONYMS USED

The main acronyms used in this document are listed below:

LHD	Leonardo Helicopter Division
HC	Helicopter
P/N	Part Number
S/N	Serial Number
N.A.	Not Applicable
FWD	Forward
LH	Left Hand

Right Hand




Manual number:
MAN-3G1200G00432
REV. A

Pag. 7 of 20

#### 3. DESCRIPTION

The tool has to be installed on the upper deck and it is used to give protection to the component on the cabin roof when persons are in the upper deck side during maintenance activities.



STOWAGE SCHEME




Figure 1 – Upper deck maintenance step

#### 4. TOP ASSEMBLY DRAWINGS

Refer to P/N 3G1200G00432 UPPER DECK MAINTENANCE STEP.



Manual number:
MAN-3G1200G00432
REV. A

Pag. 8 of 20

#### 5. IDENTIFICATION

The tool identification P/N 3G1205G00831 is marked on the LHD identification tag.



Figure 2 – LHD Identification tag with P/N

#### 6. OVERALL DIMENSIONS

Length: 800 mmWidth: 320 mmHeight: 650 mm

#### 7. WEIGHT


• Total Weight: 16 kg



Manual number:
MAN-3G1200G00432
REV. A

Pag. 9 of 20

#### 8. MAIN PARTS



3G1205G00831\_2

Figure 3 – Main Parts

The main parts of the Upper deck maintenance step are:

- 1. Step
- 2. RH frame
- 3. LH frame
- 4. Knobs

#### 9. MAIN FEATURES DESCRIPTION

The kit, supplied in a suitable transportation bag, is composed by two lateral frames (LH frame and RH frame) on which is installed the step, fixed by the six knobs.



Manual number:
MAN-3G1200G00432
REV. A

Pag. 10 of 20

#### 10. WARNING AND SAFETY NOTES

#### 10.1. WARNING NOTE

Warning  Caution	Use this equipment only for the purpose that it is designed for. Any other use can result in injury or serious material damage to the components.
Notice	The Manual can never integrally replace the adequate competence of the user.
Warning Caution	Before and after each use of the equipment is necessary to perform the checks required. Do not operate with a tool damaged or partially completed, or partially assembled.
Notice	This Manual provides guidelines and instructions of the equipment that are in addition to - but are not intended to replace or modify but only to integrate - any general or specific rule, regulation, decree or law that is in force in the place where the equipment is in use.
	Table O. Maminu Mate

Table 3 – Warning Note



Manual number:
MAN-3G1200G00432
REV. A

Pag. 11 of 20

#### 10.2. SAFETY NOTES

Remember to wear protective overalls, safety shoes, protective gloves and glasses during all operational and maintenance phases.







Figure 4 - Safety Notes



Manual number:
MAN-3G1200G00432
REV. A

Pag. 12 of 20

#### 11. STORAGE

The Tool shall be properly stored to provide protection from external weather conditions, damage and dirty particles.

Ensure that the tool parts are clean before storage.

#### 11.1. LUBRICATION BEFORE STORAGE

Apply the Grease (MIL-PRF-23827) on all threaded parts before tool storage.

#### 11.2. STORAGE CONFIGURATION

The tool has no particular storage configuration.

#### 12. MAINTENANCE

NOTE: Correct regular maintenance allows preventing most faults and safeguards of tool performance in time, thereby making it last longer.

Every year carry out regular maintenance on a regular basis as detailed in this manual.

NOTE: Inspection intervals for tool parts placed inside in ready storage is 12 months.

#### 12.1. CLEANING

Before inspection and after each use, carry out the cleaning of the tool components.

#### 12.1.1. SPECIAL TOOLS, FIXTURE AND EQUIPMENT

No special tools, fixture and equipment are required for cleaning.

#### 12.1.2. PART REQUIREMENTS

The parts to clean should be free from the moisture, emulsified water, soaps and metal shavings that can develop of corrosive acids.

They must also be free from wide grease and / or slosh deposits.

#### 12.1.3. MANUAL CLEANING

- A. Clean thoroughly all metal surfaces with a clean lint-free cloth (Local supply) moistened with Cleaning Solvent (MIL-PRF-680C, Type II) to do general spot cleaning of large groups areas. For nylon or Teflon surfaces, the use of a biodegradable, water dilutable cleaning compound (MIL-PRF-87937 D, Type II) is required.
- B. Repeat the cleaning process again by means another clean lint-free cloth (Local supply).
- C. Drying.
  - Verify that the solvent should not be trapped in the cavity. Normally, the solvent evaporates at room temperature in a satisfactory manner.



Manual number:
MAN-3G1200G00432
REV. A

Pag. 13 of 20

#### 12.2. CHECKS

Before and after each use or at least every year, carry out the check of kit component.

Before each use ensure that the manual is available to the operator, in the event of loss, request a copy to Leonardo Helicopters Division.

The Tool kit shall be submitted to following checks to guarantee the functionality.

All required checks shall be registered on CHECK RECORDS Table. Ref. TLC\_Table 1

After each use of tool ensure to have registered the number of uses on HISTORICAL USES RECORD Table. Ref. *TLC\_Table 2* 

The Tool Log Card template contained in the Annex A of this manual can be replaced with any other log card template in use in the plant where the equipment is in use.

#### 12.2.1. SPECIAL TOOLS, FIXTURE AND EQUIPMENT

No special tools, fixture and equipment are required for the checks.

#### 12.2.2. VISUAL EXAMINATION

NOTE: Replace the parts that do not obey the inspection requirements.

Restore the marking of the parts that results damaged or not readable.

All required visual checks are listed on Table 4

PERIODICY	CHECK TYPE		COMPONENTS
		Evidence of impact;	All
		Crushing or stripping	All
		Cracks	All
	N	Dents	All
	VISUAL EXAMINATION	Wear	All
BEFORE		Distortions	All
AND AFTER EVERY USE		Corrosion	All
		Loose or defective attaching parts (warning flag)	All
		Unsticking of parts	N.A.
		Damage to the threads	All threaded STD parts.
		Marking	All



Manual number:
MAN-3G1200G00432
REV. A

Pag. 14 of 20

12.2.3. PERIODICAL CHECKS

Not Applicable.

12.2.4. DIMENSIONAL CHECKS

Not Applicable.

12.2.5. SPECIAL CHECKS SUMMARY

Not Applicable.

#### 12.3. REPLACEMENT

All the parts for which it is allowed the components replacement are listed in Paragraph 15.

#### 12.3.1. REPLACEMENT PROCEDURES

The replacement of parts of the kit does not require specific procedures.

#### 13. CALIBRATION

No Calibration is required.

#### 14. SHELF LIFE


Not Applicable.



Manual number:
MAN-3G1200G00432
REV. A

Pag. 15 of 20

#### 15. SPARE PARTS



3G1205G00831\_3

Figure 5 – Spare Parts



Manual number:
MAN-3G1200G00432
REV. A

Pag. 16 of 20


ITEM	P/N	DESCRIPTION	Q.TY
	3G1200G00432	UPPER DECK MAINTENANCE STEP	REF.
1	3G1200G02231	MAINTENANCE STEP ASSY	1
2	MS35207-226	SCREW, MACHINE	4
3	A304A004A1	PLATE, IDENTIFICATION	1
4	3G1200G00931	STEP ASSY	1
5	VCT.63P-3/8-16X2	KNOB	6
6	3G1205G03231	FRAME ASSY, RH (For Breakdown ref. to Fig. 6 and Table 6)	1
7	3G1205G02831	FRAME ASSY, LH (For Breakdown ref. to Fig. 7 and Table 7)	1
8	3G1200G01052	BAG	1

Table 5 – Spare Parts



Manual number:
MAN-3G1200G00432
REV. A

Pag. 17 of 20



3G1205G00831\_4

Figure 6 – Spare Parts


ITEM	P/N	DESCRIPTION	Q.TY
6	3G1205G03231	FRAME ASSY, RH	REF.
9	AN4-31A	BOLT, MACHINE	2
10	NAS1149F0463P	WASHER	2
11	MS21042L4	NUT, SELF-LOCKING	2
12	3G1205G03551	AFT RUBBER PAD, RH	1
13	AN4-41A	BOLT, MACHINE	2
14	NAS1149F0463P	WASHER	2
15	MS21042L4	NUT, SELF-LOCKING	2
16	3G1205G03451	FWD RUBBER PAD, RH	1

Table 6 – Spare Parts



Manual number:
MAN-3G1200G00432
REV. A

Pag. 18 of 20



3G1205G00831\_5

Figure 7 – Spare Parts

ITEM	P/N	DESCRIPTION	Q.TY
7	3G1205G02831	FRAME ASSY, LH	REF.
17	AN4-31A	BOLT, MACHINE	2
18	NAS1149F0463P	WASHER	2
19	MS21042L4	NUT, SELF-LOCKING	2
20	3G1205G03151	AFT RUBBER PAD, LH	1
21	AN4-41A	BOLT, MACHINE	2
22	NAS1149F0463P	WASHER	2
23	MS21042L4	NUT, SELF-LOCKING	2
24	3G1205G03051	FWD RUBBER PAD, LH	1

Table 7 – Spare Parts



Manual number:
MAN-3G1200G00432
REV. A

Pag. 19 of 20

#### 16. CE MARKING

No CE marking is required for the P/N 3G1200G00432 UPPER DECK MAINTENANCE STEP.



Manual number:
MAN-3G1200G00432
REV. A

Pag. 20 of 20

# ANNEX A TOOL LOG CARD



### **TOOL LOG CARD**

ISSUE -/-Pag. 1 of 3

TOOL KIT P/N: [1]	TOOL KIT DESCRIPTION: [2]	TOOL KIT S/N: [3]
TOOL P/N: [4]	TOOL S/N: [5]	REMARKS: [6]

	Section 1: CHECKS RECORD						
[7]	[8]	[9]	[10]	[11]	[12]	[13]	CERTIFICATION [14]
N° check	DATE	P/N TO CHECK	CHECK	FREQUENCY	RESULT	NOTE	STAMP & SIGNATURE [15]
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
						EINAL ACCE	TANCE [16]

FINAL ACCEPTANCE [16]				
STAMP & SIGNATURE [17]	DATE [18]			

TLC\_Table 1



### **TOOL LOG CARD**

**ISSUE -/-** Pag. **2** of **3** 

TOOL KIT P/N: [1]	TOOL KIT DESCRIPTION: [2]	TOOL KIT S/N: [3]
TOOL P/N: [4]	TOOL S/N: [5]	REMARKS: [6]

	Section 2: HISTO		
[19]	[8]	[6]	CERTIFICATION [13]
N°USE	DATE	NOTE	STAMP & SIGNATURE [14]
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			

RICAL USES RECORD					
1	[19]	[8]	[6]	CERTIFICATION	[13]
1	N°USE	DATE	NOTE	STAMP & SIGNATURE	[14]
	11				
	12				
	13				
	14				
	15				
	16				
	17				
	18				
	19				
	20				

TLC\_Table 2



### **TOOL LOG CARD**

**ISSUE -/-** Pag. **3** of **3** 

LOG CARD FILLING INSTRUCTIONS			
FIELD #	HEADER	NOTE	
1	Part number of the tool Kit		
2	Tool Kit denomination		
3	Serial Number of the tool Kit		
4	Part Number of the tool (part of kit)		
5	Serial Number of the tool (if applicable)		
6	Indicate any details of the use		
7	Sequential number of check performed		
8	Date of the activity		
9	PN of tool or component (part of tool) checked/affected by issue		
10	Typology or description of checks /issue		
11	Check frequency		
12	Check result		
13	Check remarks		
14	Performance certification		
15	Stamp and signature of the personnel which performs the check		
16	Section related to the final approval		
17	Stamp and signature of the personnel which performs the final approval		
18	Date on which the final check was made		
19	Sequential number of performed used of the tool		