	Periodicity and Key Word	Maintenance	Imperativity	All configurations	PRE-MOD 0753C52																					POST-MOD 0753C52					
					0752C11		0752C14		0752C18		0752C19		0752C24 365A08863.00			0753C24		0753C49		0753C51		0753C59		0753C66			0752C19		0752C24 365A08863.00		
					Pre	Post	Pre	Post	Pre	Post	Pre	Post	Pre	Post 0752C24	Post 365A088863.00	Pre	Post	Pre	Post	Pre	Post	Pre	Post	Pre	Post		Pre	Post	Pre	Post 0752C24	Post 365A088863.00
ALF	Operating mechanismea ctivation and visual check of doors	4.A.1.	*	X																						X					
15H Periodicty	Operating mechanism activation	4.B.1.	**	X																											
	Operating mechanism check under load	4.B.2.	**										X											X							
	Upper fitting	4.B.3.	**								X																X				
	Lower fittings	4.B.4.	**								X																X				
100 or 110H Periodicity	Locking fingers	4.C.1.	**										X																X		
	Rods	4.C.2.	**				X																								
	Pre-catch	4.C.3.a.	**		X																										
		4.C.3.b.	**			X																									
	Locking finger catch box	4.C.4.	**										X		X														X		X
	Locking finger penetration	4.C.5.a.	**																					X							
	Locking finger penetration	4.C.5.b.	**																						X						
	Forward locators	4.C.6.a.	**						X																						
	Receptacles	4.C.6.b.	**																			X									
	Forward locator penetration	4.C.6.c.	**						X													X									
	Window extraction ribbon	4.C.7.		X																						X					
	Doors inspection	4.C.8.		X																						X					
	Indication check	4.C.9.		X																						X					

Periodicity and Key Word		Maintenance	Imperativity	PRE-MOD 0753C52																						POST-MOD 0753C52					
					0752C11		0752C14		0752C18		0752C19		0752C24 365A08863.00			0753C24		0753C49		0753C51		0753C59		0753C66			0752C19		0752C24 365A08863.00		
				All configurations	Pre	Post	Pre	Post	Pre	Post	Pre	Post	Pre	Post 0752C24	Post 365A088863.00	Pre	Post	Pre	Post	Pre	Post	Pre	Post	Pre	Post	POST-MOD 0753C52	Pre	Post	Pre	Post 0752C24	Post 365A088863.00
600H or 24 month Periodicity	**On sliding doors**																										**On sliding doors**				
	Fittings, rollers	4.D.1.a.1.	*															X													
		4.D.1.a.2.	*																X								X				
	Locking fingers	4.D.1.b.	*	X																							X				
	Locators	4.D.1.c.	*							X																	X				
	Rods	4.D.1.d.	*					X																			X				
	Handle	4.D.1.e.	*	X																							X				
	Springs	4.D.1.f.	*	X																							X				
	Pre-catch	4.D.1.g.1.	*	X																											
		4.D.1.g.2.	*																								X				
	Seals	4.D.1.h.	*	X																							X				
	General condition	4.D.1.i.	*	X																							X				
	Greasing	4.D.1.j.	*	X																							X				
	On structure																										**On airframe**				
	Catches	4.D.2.a.	*	X																							X				
	Upper rails	4.D.2.b.1.	*															X													
		4.D.2.b.2.	*																X								X				
	Center rails	4.D.2.b.3.	*													X															
		4.D.2.b.4.	*														X	X													
		4.D.2.b.5.	*																X								X				

	Echéance et Désignation	Maintenance	Imperativity	PRE-MOD 0753C52																						POST-MOD 0753C52					
					0752C11		0752C14		0752C18		0752C19		0752C24 365A08863.00			0753C24		0753C49		0753C51		0753C59		0753C66			0752C19		0752C24 365A08863.00		
				All configurations	Pre	Post	Pre	Post	Pre	Post	Pre	Post	Pre	Post 0752C24	Post 365A088863.00	Pre	Post	Pre	Post	Pre	Post	Pre	Post	Pre	Post		Pre	Après	Pre	Post 0752C24	Post 365A088863.00
600H Periodicity ou 24 month				On structure																						On structure					
	Lower rails	4.D.2.b.6.	*	X																						X					
	Pre-catch stop	4.D.2.c.	*																							X					
	Receptacles	4.D.2.d.	*																				X			X					
	Rubber stop	4.D.2.e.	*	X																						X					
	Micro-switch	4.D.2.f.1.	*																	X											
		4.D.2.f.2.	*																		X					X					
		4.D.2.f.3.	*																						X						
		4.D.2.f.4.	*																							X					
	Seals	4.D.2.g.	*	X																						X					
	Mid-trave locking	4.D.2.h.		OPTIONAL EQUIPMENT																						OPTIONAL EQUIPMENT					
				RE-INSTALLED DOORS																						RE-INSTALLED DOORS					
	Door installation of and adjustments	4.D.3.	*	X																						X					
	Checking roller location on upper fitting	4.D.4.a.	*	X																						X					
	Door locking load	4.D.4.b.	*																					X		X					
	Door locking load	4.D.4.c.	*																						X						
	Pre-catch check	4.D.4.d.	*																							X					
1,200H Periodicity	OTL on locking fingers	4.E.1.	*										X																X		