

Release Notification Date: 09/07/2023

SPM 70-80-02 CONSUMABLE PRODUCTS - ANTI-SEIZE COMPOUNDS, LUBRICANTS, OILS

## DISCLAIMER

The Incremental Changes published by GE Aviation are considered Instructions for Continued Airworthiness. These Incremental Changes, along with the current Manual revision and published Temporary Revisions, constitute the latest Instructions for Continued Airworthiness.

## GE Designated: -CONFIDENTIAL-

The information contained in this document is GE proprietary information and is disclosed in confidence. It is the property of GE and shall not be used, disclosed to others or reproduced without the express written consent of GE, including, but without limitation, it is not to be used in the creation, manufacture, development, or derivation of any repairs, modifications, spare parts, designs, or configuration changes or to obtain FAA or any other government or regulatory approval to do so. If consent is given for reproduction in whole or in part, this notice and the notice set forth on each page of this document shall appear in any such reproduction in whole or part.

This technical data is considered subject to the Export Administration Regulations (EAR) pursuant to 15 CFR Parts 730-774. Transfer of this data by any means to a Non-U.S. Person, whether in the United States or abroad, without the proper U.S. Government authorization (e.g., License, exemption, NLR, etc.), is strictly prohibited.

Copyright (2023) General Electric Company, U.S.A.

## **HIGHLIGHTS**

HIGHLIGHT REFERENCE DESCRIPTION OF CHANGE

tk70-80-02-800-801 Technical Change: Changed information for consumable C02-038. tk70-80-02-800-801 Technical Change: Changed information for consumable C02-019.

TASK 70-80-02-800-801

1. <u>General</u>.

Ref No. Consumable Name / Remarks Supplier C02-001 Compound, Anti-Seize (AMS 2518) NOTE: C02-058 may be used as a one way alternative to

assure graphite purity

Braycoat 655

Obsolete: Replaced by C02-001 or C02-058

Fel-Pro-C601

Deleted: Replaced by Loctite Graphite 50

Loctite Graphite 50

Deleted Nyco GA47 Rovco 44

Nyco SA

Anderol Specialty Lubricants, a Division of Chemtura Corporation

Shell compound No 8

Obsolete

C02-002 Compound, Anti-Seize

Ease-Off 990

GE PROPRIETARY INFORMATION - Not to be used, disclosed to others reproduced without the express written consent of GE. Technical data is considered ITAR and/or EAR controlled; transfer of this data to a Non-US Person, without USG authorization, is strictly prohibited.

IC 70-80-02-015 SPM 70-80-02 CONSUMABLE PRODUCTS - ANTI-SEIZE COMPOUNDS, LUBRICANTS, OILS Obsolete: Replaced by C02-001 or C02-058 C02-003 Lubricant, Sprayable Air Drying NOTE: This is not the same product as the Dow Corning 321 Dry Film Lubricant (Aerosol) that is available in the USA. Molykote D 321 R Fournier Molykote D 321 R Dow Corning France SA Molykote D 321 R Dow Corning Europe SA C02-004 Lubricant, Sprayable Air Drying Sandstrom 26A Deleted: Replaced by Sandstrom 27A Sandstrom 27A MoS2 Base and Corrosion Inhibitor (GE Sandstrom Products Co. Spec. A50TF192 Class B) Deleted: Contained Chlorine NOTE: Replaced by Tiolube 75/75 Water base (GE Spec. A50TF192 Class B) Surfkote A-1625 MoS2 Base MIL-L-23398 (GE Spec. A50TF192 Class A) Obsolete Tiolube 70 organic solvent base dry film lubricant Tiodize Co., Inc. (GE Spec. A50TF192 Class B) Deleted: Contained Chlorine NOTE: Replaced by Tiolube 75/75 Water base (GE Spec. A50TF192 Class B) Tiolube 75/75 Water base, dry film lubricant (GE Tiodize Co., Inc. Spec. A50TF192 Class B) ZIP-D-5460NS MoS2 Colloidal Suspension (GE Spec. Zip-Chem Products A50TF192 Class C) C02-005 Lubricant, Solid Dry Film Everlube 811 or MIL-L-81329 equivalent Everlube Products Molvkote X-15 Deleted C02-006 Lubricant Esnalube 382 Everlube Products C02-007 Assembly Fluid (GE Spec A50TF92) Ultrachem Assembly Fluid No. 1 Ultrachem, Inc. C02-008 Petroleum Jelly Petrolatum VV-P-236 Deleted: Duplicate Entry. See C02-033 C02-009 Lubricant Molykote Type Z Dow Corning Corp. C02-010 Lubricant, Dryfilm Spray Mix Type I Drilube Co. C02-011 Graphite, Powdered Dixon No. 635 Dixon Ticonderoga C02-012 Grease Aeroshell-7, MIL-G-23827 Deleted: Replaced by C02-016 C02-013 Lubricant, O-Ring and Assembly Fluid Acryloid HF825 Deleted Royco HF825 Anderol Specialty Lubricants, a

C02-014 Grease, Molybdenum Disulfide (MIL-G-21164) Aeroshell Grease 17

Obsolete

Aeroshell Grease 64 Shell Oil Products U.S.

**NOTE:** Formerly Aeroshell Grease 33MS. Product name change by vendor.

Division of Chemtura Corporation

M-Everlube 211-G LPS Laboratories, Inc. Rovco 64 Anderol Specialty Lubricants, a Division of Chemtura Corporation C02-015 Grease, Molybdenum Disulfide (MIL-G-21164) M-Everlube 211-G Deleted: Replaced by C02-014 C02-016 Grease (MIL-PRF-23827) NOTE: Do not mix Type I and Type II material together. Proper cleaning must be applied to remove the old grease when changing to a different type. Aeroshell Grease 33 (MIL-PRF-23827 Type I) Shell Oil Products U.S. Aeroshell Grease 7 (MIL-PRF-23827 Type II) Equilon Enterprise Aeroshell Grease 7 (MIL-PRF-23827 Type II) Shell Oil Products U.S. Castrol Aeroplex AI (MIL-PRF-23827 Type II) Castrol Industrial North American Exxon 827 Obsolete Exxon S114EP Obsolete Anderol Specialty Lubricants, a Royco 27 (MIL-PRF-23827 Type I) Division of Chemtura Corporation Royco 27A Obsolete: Replaced by Royco 27 NOTE: Product ID numbering change by Vendor C02-017 Grease, General Purpose (MIL-PRF-81322) Exxon 322 Obsolete: Replaced by Royco 22CF Royco 22 Obsolete: Replaced by Royco 22CF Royco 22CF Anderol Specialty Lubricants, a Division of Chemtura Corporation C02-018 Oil, Penetrating WD-40 WD-40 Company C02-019 Oil, Engine Lubricating (GE Spec. D50TF1) Oil, Engine Lubricating Local Purchase **NOTE:** For approved oil brands and suppliers for use in the engine lubrication system, refer to below process documents: For CF6, GEnx, and GE90, refer to SB 79-0001. For CF34-3, refer to SB 79-0025 (CF34-1A/-3A/-3A2), SB 79-0024 (CF34-3A1/-3B), and SB 79-0023(CF34-3A1/3B1). For CF34-8C, refer to SB 79-0009. For CF34-8E and CF34-10E, refer to SB 79-0004. For CF34-10A, refer to SB 79-0001. For Passport 20, refer to the Component Maintenance Manual for list of approved brands and suppliers for use in the starter. C02-020 Oil, Lubricating High Temp Silicone base with MoS2 (DOD-L-25681) Royco 81MS Anderol Specialty Lubricants, a Division of Chemtura Corporation C02-021 Oil, Grade 1010 (MIL-PRF-6081) Aeroshell Turbine Oil 2 Equilon Enterprise Aeroshell Turbine Oil 2 Shell Oil Products U.S. Brayco 460 Castrol Industrial North American

Date Printed: 2023/09/08

Hydrocol Jet

Windsor L-110

C02-022 Fluid, Silicone (GE Spec. SF96)

Royco 481

GE PROPRIETARY INFORMATION - Not to be used, disclosed to others or reproduced without the express written consent of GE. Technical data is considered ITAR and/or EAR controlled; transfer of this data to a Non-US Person, without USG authorization, is strictly prohibited.

Delta Petroleum Inc.

Fuchs Lubricants Co.

Anderol Specialty Lubricants, a Division of Chemtura Corporation

3-10 CS Viscosity

Momentive Performance Materials

**NOTE:** Formerly manufactured by GE Company, Silicone Products Division

C02-023 Oil, Engine Lubricating (MIL-PRF-23699)

Oil, Engine Lubricating (MIL-PRF-23699)

Local Purchase

NOTE: For approved oil brands and suppliers for use in the engine lubrication system, refer to below process documents:

For CF6, GEnx, and GE90, refer to SB 79-0001. For CF34-3, refer to SB 79-0025 (CF34-1A/-3A/-3A2), SB 79-0024 (CF34-3A1/-3B), and SB 79-0023(CF34-3A1/3B1). For CF34-8C, refer to SB 79-0009. For CF34-8E and CF34-10E, refer to SB 79-0004. For CF34-10A, refer to SB 79-0001. For Passport 20, refer to SB 79-0001. See the Component Maintenance Manual for list of approved brands and suppliers for use in the starter.

C02-024 Preservative Soft Film (MIL-C-11796)

Class 3 AMS 3079 Local Purchase

C02-025 Oil, Preservation (MIL-C-6529C Type III)

Aeroshell Fluid 2T Equilon Enterprise

Brayco 483 Castrol Industrial North American

Inc.

Royco 483 Anderol Specialty Lubricants, a Division of Chemtura Corporation

Wadis 24 Socomore Wadis 24/60 Socomore

Ardrox 396/1 E8 Chemetall GmbH

C02-026 Oil, Penetrating (GE Spec. A50TF54)

Approved alternatives are C02-039 and C02-053

L1 Liquid Wrench, Industrial Grade

Deleted

Liquid Wrench Industrial Heavy Duty Penetrating

Solvent

C02-027 Lubricant, Solid Film (Heat Cured) (GE Spec. A50TF147

Class A or C)

Molydag 254N Acheson Colloids Co.

NOTE: Contains Inorganic Lead Compounds and Antimony

Troxide

Acheson Colloids Co. Molydag 254

NOTE: Contains Inorganic Lead Compounds and Antimony Troxide

C02-028 Coating, Colloidal Graphite

Dag Dispersion No. 154 Acheson Colloids Co.

Dag Dispersion No. 99

Obsolete: Replaced by Dag Dispersion No. 154

C02-029 Coating, Colloidal Graphite

Dag Dispersion No. 200 Acheson Colloids Co.

C02-030 Coating, Colloidal Graphite

Dag Dispersion No. 213 Acheson Colloids Co.

C02-031 Lubricant, Silicone Grease

G = 300

Obsolete: Replaced by Versilube G-321

Versilube G-321 Foam Seal/Novagard

C02-032 Anti-Seize Compound, High Temp

Loctite C5-A Copper Henkel Loctite Industrial Products

Division

C02-033 Petrolatum, Soft (Fed Spec. VV-P-236)

Petrolatum VV-P-236 Local Purchase White Fonoline Ruger Chemical Co.

GE PROPRIETARY INFORMATION - Not to be used, disclosed to others or Date Printed: reproduced without the express written consent of GE. Technical data is 2023/09/08 considered ITAR and/or EAR controlled; transfer of this data to a Non-US Person, without USG authorization, is strictly prohibited.

White Fonoline Sonneborn, Inc. C02-034 Grease, G 392 Grease, G 392 Obsolete: Repair requirement no longer exists C02-035 Lubricant, Anti-Seize Graphite/Molydisulfide Formkote T-50 Everlube Products Tioform LF 22 Lubri-Film Div. C02-036 Lubricant, Anti-Seize Compound Fel-Pro C5A Deleted: Duplicate Entry. See C02-032 C02-037 Lubricant, Grease (MIL-G-81827) Mobil 29 Obsolete: Replaced by C02-044 C02-038 Oil, Lubricating SAE 20W-20 Local Purchase C02-039 Oil, Penetrating Approved alternatives are C02-026 and C02-053 Dag 2404 Acheson Colloids Co. C02-040 Lubricant Champions Choice, Inc. Microfinish C02-041 Grease, Hi-Temp Royco No. 201 Obsolete: Replaced by Royco C 201 Royco C 201 Anderol, Inc. C02-042 Airoilene Oil No. P-89507 / 8Chicago Pneumatic Tool Co. C02-043 Grease, Molybdenum, Disulphide (MIL-G-21164) Aeroshell # 17 Obsolete: Replaced by C02-014 C02-044 Grease (MIL-G-81827) Aeroshell Grease 23 Obsolete Royco Grease 22 MS Anderol Specialty Lubricants, a Division of Chemtura Corporation C02-045 Lubricant, Molydisulfide M8800 Deleted: Repair requirement no longer exists C02-046 Lubricant Loctite C 200 Solid Henkel Loctite Industrial Products Division C02-047 Lubricant, Cutting Fluid Cimperial 1070 Cincinnati Milacron Cimperial 12-C Obsolete: Replaced by Cimperial 1070 C02-048 Preservation Treatment Steelgard 1315 Harry Miller Corp. C02-049 Lubricant Everlube 810 (Concentrate) Everlube Products C02-050 Oil, Preservation (MIL-PRF-6085) Brayco 885 Castrol Industrial North American Inc. Windsor L245X Fuchs Lubricants Co. Nycolube 11B Nyco SA Royco 885 Anderol Specialty Lubricants A division of the Chemtura Company Aeroshell Fluid 12 Shell Oil Products U.S. MIL-PRF-6085 Local Purchase

```
C02-051 Corrosion Inhibitor (GE Spec. D50TF6 Class A)
                                                                    Castrol Industrial North American
             Brayco 599
                                                                    Inc.
C02-052 Oil, Preservation (MIL-L-6085)
             MIL-L-6085
             Obsolete: Replaced by C02-050
C02-053 Oil, Penetrating
             Approved alternatives are C02-026 and C02-039
             Aerokroil (Aerosol)
                                                                    Kano Laboratories
             Kroil (Liquid)
                                                                    Kano Laboratories
             LPS-1
                                                                    LPS Laboratories, Inc.
             LPS-LST
                                                                    LPS Laboratories, Inc.
             Supertect ST-A
                                                                    Roly International
             Turbinade TA-A
                                                                    Roly International
C02-054 Preservative Fingerprint Neutralizer (MIL-C-15074 or AMS
3065)
                                                                    Castrol Industrial North American
             Bravcoat 120
                                                                    Inc.
             Cosmoline 1104
                                                                    Houghton International
             Tectyl 275
                                                                    Ashland Chemical Inc.
C02-055 Preservative Storage
             Ferrocoat 364AC
                                                                    Quaker Chemical Corp.
             Ferrocoat 366
                                                                    Quaker Chemical Corp.
C02-056 Inhibitor, In-Process
             Coolad 1020
             Obsolete: Replaced by Immunol 1228
             Immunol 1228
                                                                    Harry Miller Corp.
             Sodium Nitrite (1%) Commercial Quality
                                                                    Local Purchase
             Steelgard 1301DC
                                                                    Harry Miller Corp.
C02-057 Lubricant, Solid Dry Film
            Molykote 3400A
                                                                    Dow Corning Corp.
C02-058 Compound, Thread Lubricating (GE Spec. A50TF201 Class A)
             NOTE: C02-079 is an alternate for C02-058 for threaded
                  fasteners 0.250 inch diameter and greater when
                  applied per 70-43-28.
             Alternative: C02-001
             Acheson GP460
                                                                    Acheson Colloids Co.
C02-059 Oil, Water Displacing
             Turco 5442WD
             Obsolete
             Valvoline Tectyl 894 (MIL-C-16173 Type 3)
                                                                    Ashland Chemical Inc.
C02-060 Anti-Seize and Lubricating Lithium Base Compound (GE Spec
D6Y28A1)
                                                                    Bostik, Inc. (International Sales)
             Never-Seez Regular Grade
             Never-Seez Regular Grade
                                                                    Bostik, Inc. (Domestic Sales)
             Never-Seez Regular Grade
C02-061 Anti-Seize Compound
             NOTE: Anti-Seize and Lubricating Compound, C02-071
                  (Never-Seez Pure Nickel Special) is the
                  preferred alternate for C02-061.
                                                                    Local Purchase
             Magnesium Hydroxide plus Water
             NOTE: Refer to solution sheet 70-00-99-801-196,
                  Solution S1196 for proper mixing instructions.
                                                                    Local Purchase
             Milk-of-Magnesia (unflavored)
             NOTE: Must use the unflavored version of the
                  pharmaceutical milk of magnesia to prevent sugar
                  contamination.
C02-062 Grease, Low Temperature Silicone With Lithium Soap
             Dow Corning. 33 Extreme Low Temperature Grease
                                                                    Dow Corning Corp.
```

GE PROPRIETARY INFORMATION - Not to be used, disclosed to others Date Printed: reproduced without the express written consent of GE. Technical data is considered ITAR and/or EAR controlled; transfer of this data to a Non-US Person, without USG authorization, is strictly prohibited.

Dow Corning Corp.

Mollykote 33

C02-063 Oil, Preservation

Ardrox 311 Chemetall Oakite / Division of Chemetall GmbH C02-064 Oil, Water Displacing Aquasorb Turco Products, Inc. Subsidiary of Henkel Surface Technologies Ardrox 3962 Obsolete: Replaced by Ardrox 3968 Ardrox 3968 Chemetall Oakite / Division of Chemetall GmbH Chemetall Oakite / Division of Ardrox 3962 HF Chemetall GmbH McGean-Rohco, Inc., Cee-Bee Division Cee-Bee WDO C02-065 Lubricant, Solid Film (Heat Cured) (GE Spec. A50TF305 Class A) Everlube 853 Everlube Products Surf-kote LOB-1800G Hohman Plating and Mfg., Inc. C02-066 Lubricant, Graphite Varnish D180 Acheson Colloids Co. C02-067 Lubricant, Solid Film (Heat Cured) (GE Spec. A50TF170) Dag 143 Obsolete: C02-068 Lubricant, MoS2 Dry Film, Heat Cured D85 TER Deleted: Replaced by D85 TER A D85 TER A Acheson Colloids Co. C02-069 Lubricant, MoS2 Solid Lubricant Molykote M-77 Dow Corning Corp. Molykote U-n (Available in Europe Only) Dow Corning Corp. (France) C02-070 Conductive Grease Labinal Division, Systeme Brisol-ox Aeronautique SGB/2GX Electrolube C02-071 Anti-Seize and Lubricating Compound, (GE Spec. D6Y28C1 or A50TF198) Never-Seez Pure Nickel Special Grade Bostik, Inc. **NOTE:** International Sales. Never-Seez Pure Nickel Special Grade Fastenal Never-Seez Pure Nickel Special Grade ORS NASCO Never-Seez Pure Nickel Special Grade Ellsworth Adhesives NOTE: For EU sales recommended suppliers are Fastenal, ORS NASCO and Ellsworth Adhesives. C02-072 Corrosion Inhibitor, In Process MagChem Corrotek MagChem C02-073 Oil, Honing IC-9 Argent Ltd. MV - 30Sunnen Products Co. C02-074 Tapping Fluid (Non-Chlorinated) Trim Tap NC Master Chemical Co. Master Chemical Co. Trim Tap NC Heavy C02-075 Fluid, Hydraulic Skydrol 500B-4 Solutia Inc. C02-076 Lubricant, Rubber

GE PROPRIETARY INFORMATION - Not to be used, disclosed to others or reproduced without the express written consent of GE. Technical data is considered ITAR and/or EAR controlled; transfer of this data to a Non-US Person, without USG authorization, is strictly prohibited.

P-80

P-80

International Products Corporation (USA)

International Products Corporation

C02-077 Oil, Lubricating Tri-Flow Superior Lubricant Sherwin-Williams, Inc. **NOTE:** This product contains zinc C02-078 Lubricant, Assembly Paste NOTE: C02-085 may be used as an approved one way alternate whenever this consumable is specified. Molykote G-n Paste (USA), (GE Spec. A50TF313, Class Aerospace International Materials C) (AIM) C02-079 Lubricant, Liquid Thread (GE Spec A50TF310 Class A) NOTE: C02-079 is an alternate for C02-058 for threaded fasteners 0.250 inch diameter and greater when applied per 70-43-28. Cal Lube 7030 Calvary Industries, Inc. C02-080 Lubricant, Silicone Spray All Purpose Silicone Spray P/N S00206 Krylon Products Group, the Specialty Div. of Sherwin-Williams Co. C02-081 Lubricant, Metalworking Semi-Paste Anchorlube G-771 Anchor Chemical Company C02-082 Lubricant, Solid Dry Film T8E Tiodize Co., Inc. C02-083 Lubricant, Solid Dry Film P 37 Dow Corning Corp. Deleted: Replaced by C02-097 CO2-084 Oil, Preservation (MIL-C-16173 Grade 2 Class I) LPS-3 LPS Laboratories, Inc. C02-085 Lubricant, Assembly Paste Molykote G Rapid Plus (GE Spec. A50TF313, Class E) Dow Corning Corp. C02-086 Lubricant, Solid Dry Film Everlube 967 Everlube Products C02-087 Oil, Preservation, Ultra-Thin Film Ardrox 3961 Chemetall Oakite / Division of Chemetall GmbH C02-088 Lubricant, Solid Dry Film (GE Spec. A50TF306 Class A) Everlube Products Everlube 9002 C02-089 Lubricant, Sprayable Air Drying Molykote 321 Dry Film Lubricant Dow Corning Corp. NOTE: This product is not approved alternative to C02-003. Solvent in this product may damage the RTV seals on fan blades. C02-090 Lubricant, O-Ring Novagard G662 Novagard Solutions C02-091 Oil, Grade 1005 (MIL-PRF-6081) SENT-6081-5 Sentinel Canada C02-092 Inhibitor, In-Process Chemetall Oakite / Division of Ardrox 3705 Chemetall GmbH C02-093 Lubricant, Solid Dry Film (GE Spec. A50TF313 Class D) Lubri-Bond A Everlube Products C02-094 Lubricant, Dry Film Lubricant (GE Spec. A50TF313 Class A, B) Perma-Slik RMAC Everlube Products C02-095 Lubricant, Anti-Seize Compound Silver Goop Swagelok C02-096 Grease, Thrust Reverser Grease, Thrust Reverser Local Purchase NOTE: For the approved grease brands and suppliers for

C02-097 Lubricant, Anti-Seize Compound (GE Spec D6Y31C2)

Component Maintenance Manual.

Tiolube T8E-H

use in thrust reverser hardware, refer to the

GE PROPRIETARY INFORMATION - Not to be used, disclosed to others or reproduced without the express written consent of GE. Technical data is considered ITAR and/or EAR controlled; transfer of this data to a Non-US Person, without USG authorization, is strictly prohibited.

Tiodize Co.

C02-098 PTFE, Dry Film Lubricant

BONDERITE L-GP D 148A

C02-099 Bonderite L-GP D85-1 Ter A Aero

Henkel Corporation Henkel Corporation

NOTE: Product must be applied per manufacturer's
 instructions.

GE Designated: - CONFIDENTIAL Subject to the restrictions on the media