





CLIENT/OWNER: APMM SUBANG AIR STATION	SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET NO:	4565-001
AIRCRAFT TYPE: AS365N3	AIRCRAFT: 6723	REFER WORKPACK		WORK/INSP/DESC:	PHYSICAL CHECK OF FUSE AND FUSE HOLDER PART NUMBER
REGISTRATION: M70-01	#1 ENGINE: 24223	REFER WORKPACK		WORKPACK REF:	M70-01-4565
BASE/FACILITY: APMM WMSA	#2 ENGINE: 24125	REFER WORKPACK		AJL REF NO.:	REFER WORKPACK
DATE IN: REFER WORKPACK    OUT: REFER WORKPACK			NG / N1    NF / N2	SHEET:	1    OF    1

Reason for raising: PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER PART NUMBER TO CHECK THE APPLICABILITY OF SIN NO. No. 3700-S-24 REV 2 DATED 2023-09-18.	Raised by and date: HAMIZAH 23/10/2023	Other requirements/information: N/A
---	--	--

Item	Description	Technician	* Eng. CRS	Date																		
1	<p>PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER PART NUMBER TO CHECK THE APPLICABILITY OF SIN NO. 3700-S-24 REV 2 DATED 2023-09-18.</p> <p>AIRBUS RECOMMENDED FUSE AND FUSE HOLDER WITH PART NUMBER BELOW TO BE REPLACED DUE TO THESE FUSES CONTAINING ASBESTOS MATERIAL:</p> <p>- 58550-XXXX</p> <p>(REVISION 0)</p> <p>ALTERNATIVE REFERENCES:</p> <p>- 1540-XXX, - 1540-XXX-000, - FU1540-XXXXA, - L58550-XXXX.</p> <p>(REVISION 2)</p> <p>ALTERNATIVE REFERENCES:</p> <p>- FU1541, - FU1541-XXX, - DHS782-200.XX, - 1541-XXX</p> <p>REFERENCE: SIN NO. 3700-S-24 REV 2</p> <p>REMARKS: PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER TO CHECK THE APPLICABLE SIN (SAFETY INFORMATION NOTICE) NO. 3700-S-24 REV 2 DATE 2023-09-18, FOUND ALL FUSES INSTALLED ON AIRCRAFT IDENTIFIED AS PREVIOUS MODEL. FUSE HOLDER NOT APPLICABLE TO APMM AS365N3 FLEET.</p> <p><u>LIST OF FUSES ON AIRCRAFT</u></p> <table border="1"> <thead> <tr> <th>P/N</th> <th>DESCRIPTION</th> <th>QUANTITY</th> </tr> </thead> <tbody> <tr> <td>① 58550-040A</td> <td>FUSE, 40A</td> <td>2</td> </tr> <tr> <td>② 58550-050A</td> <td>FUSE, 50A</td> <td>1</td> </tr> <tr> <td>③ 58550-080A</td> <td>FUSE, 80A</td> <td>5</td> </tr> <tr> <td>④ 58550-130A</td> <td>FUSE, 130A</td> <td>2</td> </tr> <tr> <td>⑤ 58550-500A</td> <td>SAFEGUARD</td> <td>1</td> </tr> </tbody> </table>	P/N	DESCRIPTION	QUANTITY	① 58550-040A	FUSE, 40A	2	② 58550-050A	FUSE, 50A	1	③ 58550-080A	FUSE, 80A	5	④ 58550-130A	FUSE, 130A	2	⑤ 58550-500A	SAFEGUARD	1	  	 	07/11/23
P/N	DESCRIPTION	QUANTITY																				
① 58550-040A	FUSE, 40A	2																				
② 58550-050A	FUSE, 50A	1																				
③ 58550-080A	FUSE, 80A	5																				
④ 58550-130A	FUSE, 130A	2																				
⑤ 58550-500A	SAFEGUARD	1																				

- The work recorded above has been carried out in accordance with the AW139 Interactive Electronic Technical Publication (IETP), Air-vehicle Maintenance Planning Information (AMPI) - EASA and PT6C-67C Engine Maintenance Manual.
- The work recorded above has been carried out in accordance with the Airbus AS555SN Maintenance Manual, Airbus AS555SN Airworthiness Limitations Section (ALS) and Master Servicing Manual (MSM) and Arrius 1 A Maintenance Manual.
- The work recorded above has been carried out in accordance with Super Lynx Compound Interactive Electronic Technical Publication (CIETP) and CTS800-40N Engine Maintenance Manual.
- The work recorded above has been carried out in accordance with the Airbus AS365N3 Maintenance Manual, Airbus AS365N3 Airworthiness Limitations Section (ALS) and Master Servicing Manual (MSM) and Arriel 2C Maintenance Manual

The work recorded above has been carried out in accordance with the requirements of the Technical Airworthiness Management Manual (TAMM) for the time being in force and in that respect the aircraft / equipment is considered fit for release to service.











CLIENT/OWNER: <b>APMM SUBANG AIR STATION</b>	SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET NO: <b>4566-001</b>
AIRCRAFT TYPE: <b>AS365N3</b>	AIRCRAFT: <b>6737</b>	REFER WORKPACK		WORK/INSP/DESC: <b>PHYSICAL CHECK OF FUSE AND FUSE HOLDER PART NUMBER</b>
REGISTRATION: <b>M70-02</b>	#1 ENGINE: <b>24422</b>	REFER WORKPACK		WORKPACK REF: <b>M70-02-4566</b>
BASE/FACILITY: <b>APMM WMSA</b>	#2 ENGINE: <b>24275</b>	REFER WORKPACK		AJL REF NO.: <b>REFER WORKPACK</b>
DATE IN: REFER WORKPACK    OUT: REFER WORKPACK			NG / N1    NF / N2	SHEET: <b>1</b> OF <b>1</b>

Reason for raising: PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER PART NUMBER TO CHECK THE APPLICABILITY OF SIN NO. No. 3700-S-24 REV 2 DATED 2023-09-18.	Raised by and date: <b>HAMIZAH</b> 23/10/2023	Other requirements/information: <b>N/A</b>
---	---	---

Item	Description	Technician	* Eng. CRS	Date																		
1	<p>PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER PART NUMBER TO CHECK THE APPLICABILITY OF SIN NO. 3700-S-24 REV 2 DATED 2023-09-18.</p> <p>AIRBUS RECOMMENDED FUSE AND FUSE HOLDER WITH PART NUMBER BELOW TO BE REPLACED DUE TO THESE FUSES CONTAINING ASBESTOS MATERIAL:</p> <p>- 58550-XXXX</p> <p>(REVISION 0)</p> <p>ALTERNATIVE REFERENCES:</p> <p>- 1540-XXX, - 1540-XXX-000, - FU1540-XXXX, - L58550-XXXX.</p> <p>(REVISION 2)</p> <p>ALTERNATIVE REFERENCES:</p> <p>- FU1541, - FU1541-XXX, - DHS782-200.XX, - 1541-XXX</p> <p>REFERENCE: SIN NO. 3700-S-24 REV 2</p> <p>REMARKS: PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER TO CHECK THE APPLICABLE SIN (SAFETY INFORMATION NOTICE) NO. 3700-S-24 REV 2 DATE 2023-09-18, FOUND ALL FUSES INSTALLED ON AIRCRAFT IDENTIFIED AS PREVIOUS MODEL FUSE HOLDER NOT APPLICABLE TO APMM AS365N3 FLEET.</p> <p><u>LIST OF FUSES ON AIRCRAFT</u></p> <table border="1"> <thead> <tr> <th>P/N</th> <th>DESCRIPTION</th> <th>QUANTITY</th> </tr> </thead> <tbody> <tr> <td>① 58550 - 040 A</td> <td>FUSE, 40A</td> <td>2</td> </tr> <tr> <td>② 58550 - 050 A</td> <td>FUSE, 50A</td> <td>1</td> </tr> <tr> <td>③ 58550 - 080 A</td> <td>FUSE, 80A</td> <td>5</td> </tr> <tr> <td>④ 58550 - 130 A</td> <td>FUSE, 130A</td> <td>2</td> </tr> <tr> <td>⑤ 58550 - 500 A</td> <td>SAFEGUARD</td> <td>1</td> </tr> </tbody> </table>	P/N	DESCRIPTION	QUANTITY	① 58550 - 040 A	FUSE, 40A	2	② 58550 - 050 A	FUSE, 50A	1	③ 58550 - 080 A	FUSE, 80A	5	④ 58550 - 130 A	FUSE, 130A	2	⑤ 58550 - 500 A	SAFEGUARD	1	  	  	07/11/23
P/N	DESCRIPTION	QUANTITY																				
① 58550 - 040 A	FUSE, 40A	2																				
② 58550 - 050 A	FUSE, 50A	1																				
③ 58550 - 080 A	FUSE, 80A	5																				
④ 58550 - 130 A	FUSE, 130A	2																				
⑤ 58550 - 500 A	SAFEGUARD	1																				

- The work recorded above has been carried out in accordance with the AW139 Interactive Electronic Technical Publication (IETP), Air-vehicle Maintenance Planning Information (AMPI) - EASA and PT6C-67C Engine Maintenance Manual.
- The work recorded above has been carried out in accordance with the Airbus AS555SN Maintenance Manual, Airbus AS555SN Airworthiness Limitations Section (ALS) and Master Servicing Manual (MSM) and Arrius 1 A Maintenance Manual.
- The work recorded above has been carried out in accordance with Super Lynx Compound Interactive Electronic Technical Publication (CIETP) and CTS800-40N Engine Maintenance Manual.
- The work recorded above has been carried out in accordance with the Airbus AS365N3 Maintenance Manual, Airbus AS365N3 Airworthiness Limitations Section (ALS) and Master Servicing Manual (MSM) and Arriel 2C Maintenance Manual


The work recorded above has been carried out in accordance with the requirements of the Technical Airworthiness Management Manual (TAMM) for the time being in force and in that respect the aircraft / equipment is considered fit for release to service.



CLIENT/OWNER: APMM SUBANG AIR STATION	SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET NO: 4566-001
AIRCRAFT TYPE: AS365N3	AIRCRAFT: 6737	REFER WORKPACK		WORK/INSP/DESC: PHYSICAL CHECK OF FUSE AND FUSE HOLDER PART NUMBER
REGISTRATION: M70-02	#1 ENGINE: <del>24422</del>	REFER WORKPACK		WORKPACK REF: M70-01-4566
BASE/FACILITY: APMM WMSA	#2 ENGINE: 24275	REFER WORKPACK		AJL REF NO: 00401
DATE IN: REFER WORKPACK OUT: REFER WORKPACK		NG / N1	NF / N2	SHEET: 1 OF 1

REASON FOR RAISING: PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER TO CHECK THE APPLICABILITY OF SIN NO. No. 3700-S-24 REV 2 DATED 2023-09-18.	Raised by and date: HAMIZAH 23/10/2023	Other requirements/information: N/A
---	--	--

Item	Part No	Description	Serial Number		Qty	Position	Reason	Lifed Item Information TSN/TSO/DUE/TIMEX	Release Reference
			Off	On					
(Table content is crossed out with a diagonal line)									

NAME LOKANAN	FIRM G.A.M.	SIGN & APPROVAL 	DATE 07/11/23
-----------------	----------------	---	------------------



- The work recorded above has been carried out in accordance with the AW139 Interactive Electronic Technical Publication (IETP), Air-vehicle Maintenance Planning Information (AMPI) - EASA and PT6C-67C Engine Maintenance Manual.
- The work recorded above has been carried out in accordance with the Airbus AS555SN Maintenance Manual, Airbus AS555SN Airworthiness Limitations Section (ALS) and Master Servicing Manual (MSM) and Arrius 1 A Maintenance Manual.
- The work recorded above has been carried out in accordance with Super Lynx Compound Interactive Electronic Technical Publication (CIETP) and CTS800-40N Engine Maintenance Manual.
- The work recorded above has been carried out in accordance with the Airbus AS365N3 Maintenance Manual, Airbus AS365N3 Airworthiness Limitations Section (ALS) and Master Servicing Manual (MSM) and Arriel 2C Maintenance Manual

The work recorded above has been carried out in accordance with the requirements of the Technical Airworthiness Management Manual (TAMM) for the time being in force and in that respect the aircraft / equipment is considered fit for release to service.







CLIENT/OWNER: APMM SUBANG AIR STATION	SERIAL NO.	HOURS	LDG/CYCLE	WORKSHEET NO: 4567-001
AIRCRAFT TYPE: AS365N3	AIRCRAFT 6741	REFER WORKPACK		WORK/INSP/DESC: PHYSICAL CHECK OF FUSE AND FUSE HOLDER PART NUMBER
REGISTRATION: M70-03	#1 ENGINE: 24401	REFER WORKPACK		WORKPACK REF: M70-03-4567
BASE/FACILITY: APMM WMSA	#2 ENGINE: 24453	REFER WORKPACK		AJL REF NO.: REFER WORKPACK
DATE IN: REFER WORKPACK    OUT: REFER WORKPACK		NG / N1	NF / N2	SHEET: 1 OF 1

Reason for raising: PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER PART NUMBER TO CHECK THE APPLICABILITY OF SIN NO. No. 3700-S-24 REV 2 DATED 2023-09-18.	Raised by and date: <b>HAMIZAH</b> 23/10/2023	Other requirements/information: N/A
---	---	--

Item	Description	Technician	* Eng. CRS	Date																		
1	<p>PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER PART NUMBER TO CHECK THE APPLICABILITY OF SIN NO. 3700-S-24 REV 2 DATED 2023-09-18.</p> <p>AIRBUS RECOMMENDED FUSE AND FUSE HOLDER WITH PART NUMBER BELOW TO BE REPLACED DUE TO THESE FUSES CONTAINING ASBESTOS MATERIAL:</p> <p>- 58550-XXXX</p> <p>(REVISION 0)</p> <p>ALTERNATIVE REFERENCES:</p> <p>- 1540-XXX, - 1540-XXX-000, - FU1540-XXXX, - L58550-XXXX.</p> <p>(REVISION 2)</p> <p>ALTERNATIVE REFERENCES:</p> <p>- FU1541, - FU1541-XXX, - DHS782-200.XX, - 1541-XXX</p> <p>REFERENCE: SIN NO. 3700-S-24 REV 2</p> <p>REMARKS: PHYSICAL CHECK OF THE FUSE AND FUSE HOLDER TO CHECK THE APPLICABLE SIN (SAFETY INFORMATION NOTICE) NO. 3700-S-24 REV 2 DATE 2023-09-18, FOUND ALL FUSES INSTALLED ON AIRCRAFT IDENTIFIED AS PREVIOUS MODEL FUSE HOLDER NOT APPLICABLE TO APMM AS365N3 FLEET.</p> <p><u>LIST OF FUSES ON AIRCRAFT</u></p> <table border="1"> <thead> <tr> <th>P/N</th> <th>DESCRIPTION</th> <th>QUANTITY</th> </tr> </thead> <tbody> <tr> <td>① 58550 - 040 A</td> <td>FUSE, 40A</td> <td>2</td> </tr> <tr> <td>② 58550 - 050 A</td> <td>FUSE, 50A</td> <td>1</td> </tr> <tr> <td>③ 58550 - 080 A</td> <td>FUSE, 80A</td> <td>5</td> </tr> <tr> <td>④ 58550 - 130 A</td> <td>FUSE, 130A</td> <td>2</td> </tr> <tr> <td>⑤ 58550 - 500 A</td> <td>SAFEGUARD</td> <td>1</td> </tr> </tbody> </table>	P/N	DESCRIPTION	QUANTITY	① 58550 - 040 A	FUSE, 40A	2	② 58550 - 050 A	FUSE, 50A	1	③ 58550 - 080 A	FUSE, 80A	5	④ 58550 - 130 A	FUSE, 130A	2	⑤ 58550 - 500 A	SAFEGUARD	1	  		07/11/23
P/N	DESCRIPTION	QUANTITY																				
① 58550 - 040 A	FUSE, 40A	2																				
② 58550 - 050 A	FUSE, 50A	1																				
③ 58550 - 080 A	FUSE, 80A	5																				
④ 58550 - 130 A	FUSE, 130A	2																				
⑤ 58550 - 500 A	SAFEGUARD	1																				

- The work recorded above has been carried out in accordance with the AW139 Interactive Electronic Technical Publication (IETP), Air-vehicle Maintenance Planning Information (AMPI) - EASA and PT6C-67C Engine Maintenance Manual.
- The work recorded above has been carried out in accordance with the Airbus AS555SN Maintenance Manual, Airbus AS555SN Airworthiness Limitations Section (ALS) and Master Servicing Manual (MSM) and Arrius 1 A Maintenance Manual.
- The work recorded above has been carried out in accordance with Super Lynx Compound Interactive Electronic Technical Publication (CIETP) and CTS800-40N Engine Maintenance Manual.
- The work recorded above has been carried out in accordance with the Airbus AS365N3 Maintenance Manual, Airbus AS365N3 Airworthiness Limitations Section (ALS) and Master Servicing Manual (MSM) and Arriel 2C Maintenance Manual

The work recorded above has been carried out in accordance with the requirements of the Technical Airworthiness Management Manual (TAMM) for the time being in force and in that respect the aircraft / equipment is considered fit for release to service.



